

aws

Search

[Alt+S]

Europe (Frankfurt)

enajolm

EC2

Instances

Launch an instance

Launch an instance

Info

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

Name and tags

Info

Name

almaMaterDN

Add additional tags

Application and OS Images (Amazon Machine Image)

Info

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose [Browse more AMIs](#).

Search our full catalog including 1000s of application and OS images

Recents

Quick Start

Amazon Linux

macOS

Ubuntu

Windows

Red Hat

SUSE Linux

Debian

Browse more AMIs

Including AMIs from AWS, Marketplace and the Community

Amazon Machine Image (AMI)

Debian 13 (HVM), SSD Volume Type

ami-0da1f66573556d917 (64-bit (x86)) / ami-082416277446b81d7 (64-bit (ARM))

Virtualization: hvm    ENA enabled: true    Root device type: ebs

Free tier eligible

Summary

Number of instances

Info

1

Software Image (AMI)

Debian 13 (20260316-2418)

ami-0da1f66573556d917

Virtual server type (instance type)

t3.micro

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 8 GiB

Cancel

Launch instance

Preview code

Description

Debian 13 (HVM), EBS General Purpose (SSD) Volume Type. Community developed free GNU/Linux distribution. <https://www.debian.org/>

Debian 13 (20260316-2418)

Architecture

64-bit (x86)

AMI ID

ami-0da1f66573556d917

Publish Date

2026-03-16

Username

admin

Verified provider

Instance type

Info

Get advice

Instance type

t3.micro

Family: t3    2 vCPU    1 GiB Memory    Current generation: true    On-Demand SUSE base pricing: 0.012 USD per Hour    Free tier eligible

On-Demand RHEL base pricing: 0.0408 USD per Hour    On-Demand Linux base pricing: 0.012 USD per Hour    On-Demand Ubuntu Pro base pricing: 0.0195 USD per Hour    On-Demand Windows base pricing: 0.0312 USD per Hour

Additional costs apply for AMIs with pre-installed software

All generations

Compare instance types

Key pair (login)

Info

You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

Key pair name - required

privatnikJucAWS

Create new key pair

Network settings

Info

Network

vpc-098eca89dcadb091

Subnet

Info

Summary

Number of instances

Info

1

Software Image (AMI)

Debian 13 (20260316-2418)

ami-0da1f66573556d917

Virtual server type (instance type)

t3.micro

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 8 GiB

Cancel

Launch instance

Preview code

**PuTTY Configuration**

Category:

- Session
  - Logging
- Terminal
  - Keyboard
  - Bell
  - Features
- Window
  - Appearance
  - Behaviour
  - Translation
  - Selection
  - Colours
- Connection
  - Data
  - Proxy
  - SSH
    - Kex
    - Host keys
    - Cipher
    - Auth
      - Credenti...

Basic options for your PuTTY session

Specify the destination you want to connect to

Host Name (or IP address)  Port

Connection type: ☒ SSH ☐ Serial ☐ Other:

Load, save or delete a stored session

Saved Sessions

Close window on exit:

☐ Always ☐ Never ☒ Only on clean exit

```

admin@ip-172-31-7-48 ~
ssh.service - OpenSSH Secure Shell server
Loaded: loaded (/usr/lib/systemd/system/ssh.service; enabled; preset: enabled)
Active: active (running) since Tue 2024-03-24 20:29:27 UTC; 8min ago
Invocation: eb88ed310284e72bbcc3f3feaf5ea5
Docs: man:ssh(8)
       man:ssh_config(5)
Process: 693 ExecStartPre=/usr/sbin/ssh -t (code=exited, status=0/SUCCESS)
Main PID: 714 (sshd)
Tasks: 1 (limit: 1097)
Memory: 7.0M (peak: 9.9M)
CGroup: /system.slice/ssh.service
        └─118 "sshd: /usr/sbin/sshd -D [listener] 0 of 10-100 startups"

Mar 24 20:29:27 ip-172-31-7-48 sshd[718]: Server listening on 0.0.0.0 port 22.
Mar 24 20:29:27 ip-172-31-7-48 sshd[718]: Server listening on *: port 22.
Mar 24 20:29:27 ip-172-31-7-48 systemd[1]: Started ssh.service - OpenSSH Secure Shell server.
Mar 24 20:31:04 ip-172-31-7-48 sshd-session[760]: Connection reset by 86.58.89.107 port 50324 [preauth]
Mar 24 20:32:23 ip-172-31-7-48 sshd-session[763]: Connection reset by 86.58.89.107 port 50382 [preauth]
Mar 24 20:34:25 ip-172-31-7-48 sshd[718]: Timeout before authentication for connection from 86.58.89.107 to 172.31.7.48, pid = 787
Mar 24 20:36:24 ip-172-31-7-48 sshd-session[790]: Accepted publickey for admin from 86.58.89.107 port 50391 ssh: RSA SHA256:QVMAgysrF9+3/e34Vvvgfca3T/WGaDChG8H10aK8R1
Mar 24 20:36:34 ip-172-31-7-48 sshd-session[790]: pam_unix(sshd:session): session opened for user admin(uid=1000) by admin(uid=0)
Mar 24 20:37:39 ip-172-31-7-48 sshd-session[827]: Accepted publickey for admin from 86.58.89.107 port 50494 ssh: RSA SHA256:QVMAgysrF9+3/e34Vvvgfca3T/WGaDChG8H10aK8R1
Mar 24 20:37:39 ip-172-31-7-48 sshd-session[827]: pam_unix(sshd:session): session opened for user admin(uid=1000) by admin(uid=0)

```

```
admin@ip-172-31-7-48: ~  
admin@ip-172-31-7-48:~$ sudo systemctl status apache2  
Unit apache2.service could not be found.  
admin@ip-172-31-7-48:~$ ip a  
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000  
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00  
    inet 127.0.0.1/8 scope host lo  
        valid_lft forever preferred_lft forever  
    inet6 ::1/128 scope host noprefixroute  
        valid_lft forever preferred_lft forever  
2: ens5: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 9001 qdisc mq state UP group default qlen 1000  
    link/ether 0a:a4:51:eb:7f:8d brd ff:ff:ff:ff:ff:ff  
    altname enp0s5  
    altname enx0aa451eb7f8d  
    inet 172.31.7.48/20 metric 100 brd 172.31.15.255 scope global dynamic ens5  
        valid_lft 2865sec preferred_lft 2865sec  
    inet6 fe80::a4:51:eb:7f8d/64 scope link proto kernel lladdr  
        valid_lft forever preferred_lft forever  
admin@ip-172-31-7-48:~$
```



### Tega spletnega mesta ni mogoče doseči

Spletno mesto 3.70.198.144 se ni odzvalo v ustreznem času.

Poskusite:

- preveriti povezavo
- preveriti strežnik proxy in požarni zid
- izvajanje orodja Omrežna diagnostika Windows

ERR\_CONNECTION\_TIMED\_OUT

[Znova poskusi](#)

[Podrobnosti](#)

admin@ip-172-31-7-48: ~




```
valid_lft forever preferred_lft forever
inet6 ::1/128 scope host noprefixroute
valid_lft forever preferred_lft forever
2: ens5: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 9001 qdisc mq state UP group default qlen 1000
    link/ether 0a:a4:51:eb:7f:8d brd ff:ff:ff:ff:ff:ff
    altname enp0s5
    altname enx0aa451eb7f8d
    inet 172.31.7.48/20 metric 100 brd 172.31.15.255 scope global dynamic ens5
        valid_lft 2865sec preferred_lft 2865sec
    inet6 fe80::a4:51:eb:7f:8d/64 scope link proto kernel ll
        valid_lft forever preferred_lft forever
admin@ip-172-31-7-48:~$ sudo apt update
Get:1 file:///etc/apt/mirrors/debian.list Mirrorlist [38 B]
Get:2 file:///etc/apt/mirrors/debian-security.list Mirrorlist [47 B]
Get:3 https://cdn-aws.deb.debian.org/debian trixie InRelease [140 kB]
Get:4 https://cdn-aws.deb.debian.org/debian trixie-updates InRelease [47.3 kB]
Get:5 https://cdn-aws.deb.debian.org/debian trixie-backports InRelease [54.0 kB]
Get:6 https://cdn-aws.deb.debian.org/debian-security trixie-security InRelease [43.4 kB]
Get:7 https://cdn-aws.deb.debian.org/debian trixie/main Sources [10.5 MB]
Get:8 https://cdn-aws.deb.debian.org/debian trixie/main amd64 Packages [9671 kB]
Get:9 https://cdn-aws.deb.debian.org/debian trixie/main Translation-en [6484 kB]
Get:10 https://cdn-aws.deb.debian.org/debian trixie-updates/main Sources [2788 B]
Get:11 https://cdn-aws.deb.debian.org/debian trixie-updates/main amd64 Packages [5412 B]
Get:12 https://cdn-aws.deb.debian.org/debian trixie-updates/main Translation-en [4096 B]
Get:13 https://cdn-aws.deb.debian.org/debian trixie-backports/main Sources [171 kB]
Get:14 https://cdn-aws.deb.debian.org/debian trixie-backports/main amd64 Packages [187 kB]
Get:15 https://cdn-aws.deb.debian.org/debian trixie-backports/main Translation-en [144 kB]
Get:16 https://cdn-aws.deb.debian.org/debian-security trixie-security/main Sources [123 kB]
Get:17 https://cdn-aws.deb.debian.org/debian-security trixie-security/main amd64 Packages [114 kB]
Get:18 https://cdn-aws.deb.debian.org/debian-security trixie-security/main Translation-en [72.8 kB]
Fetched 27.8 MB in 2s (11.1 MB/s)
1 package can be upgraded. Run 'apt list --upgradable' to see it.
admin@ip-172-31-7-48:~$
```

admin@ip-172-31-7-48: ~

```
Selecting previously unselected package apache2-data.
Preparing to unpack .../11-apache2-data_2.4.66-1~deb13u2_all.deb ...
Unpacking apache2-data (2.4.66-1~deb13u2) ...
Selecting previously unselected package apache2-utils.
Preparing to unpack .../12-apache2-utils_2.4.66-1~deb13u2_amd64.deb ...
Unpacking apache2-utils (2.4.66-1~deb13u2) ...
Selecting previously unselected package apache2.
Preparing to unpack .../13-apache2_2.4.66-1~deb13u2_amd64.deb ...
Unpacking apache2 (2.4.66-1~deb13u2) ...
Selecting previously unselected package ssl-cert.
Preparing to unpack .../14-ssl-cert_1.1.3_all.deb ...
Unpacking ssl-cert (1.1.3) ...
Setting up libgdbm-compat4t64:amd64 (1.24-2) ...
Setting up libjansson4:amd64 (2.14-2+b3) ...
Setting up ssl-cert (1.1.3) ...
Setting up perl-modules-5.40 (5.40.1-6) ...
Setting up libapr1t64:amd64 (1.7.5-1) ...
Setting up liblua5.4-0:amd64 (5.4.7-1+b2) ...
Setting up apache2-data (2.4.66-1~deb13u2) ...
Setting up libaprutil1t64:amd64 (1.6.3-3+b1) ...
Setting up libaprutil1-ldap:amd64 (1.6.3-3+b1) ...
Setting up libaprutil1-dbd-sqlite3:amd64 (1.6.3-3+b1) ...
Setting up libperl5.40:amd64 (5.40.1-6) ...
Setting up perl (5.40.1-6) ...
Setting up apache2-utils (2.4.66-1~deb13u2) ...
Setting up apache2-bin (2.4.66-1~deb13u2) ...
Setting up apache2 (2.4.66-1~deb13u2) ...
Enabling module mpm_event.
Enabling module authz_core.
Enabling module authz_host.
Enabling module authn_core.
Enabling module auth_basic.
Enabling module access_compat.
Enabling module authn_file.
Enabling module authz_user.
Enabling module alias.
Enabling module dir.
Enabling module autoindex.
Enabling module env.
Enabling module mime.
Enabling module negotiation.
Enabling module setenvif.
```

Progress: [ 97%]

]



EC2 > Instances

EC2

- Dashboard
- AWS Global View
- Events
- ▼ Instances
  - Instances
  - Instance Types
  - Launch Templates
  - Spot Requests
  - Savings Plans
  - Reserved Instances
  - Dedicated Hosts
  - Capacity Reservations
  - Capacity Manager **New**
- ▼ Images
  - AMIs
  - AMI Catalog
- ▼ Elastic Block Store
  - Volumes
  - Snapshots
  - Lifecycle Manager
- ▼ Network & Security
  - Security Groups
  - Elastic IPs
  - Placement Groups
  - Key Pairs

Instances (3) info

Choose filter set

Find Instance by attribute or tag (case-sensitive)

| <input type="checkbox"/> | Name            | Instance ID         | Instance state | Instance type | Status check      | Alarm status                  | Availability Zone | Public IPv4 DNS          | Public IPv4 ... | Elastic IP |
|--------------------------|-----------------|---------------------|----------------|---------------|-------------------|-------------------------------|-------------------|--------------------------|-----------------|------------|
| <input type="checkbox"/> | almaMaterDebian | i-0a12757421e4a2910 | Stopped        | t3.micro      | -                 | <a href="#">View alarms +</a> | eu-central-1c     | -                        | -               | -          |
| <input type="checkbox"/> | almaMaterDN     | i-05a9d16526dfe08c0 | Running        | t3.micro      | 3/3 checks passed | <a href="#">View alarms +</a> | eu-central-1c     | ec2-3-70-198-144.eu-c... | 3.70.198.144    | -          |
| <input type="checkbox"/> | almaMaterZI     | i-091975aad8e16ba74 | Running        | t3.micro      | Initializing      | <a href="#">View alarms +</a> | eu-central-1c     | ec2-18-153-100-6.eu-c... | 18.153.100.6    | -          |

Select an instance

CloudShell Feedback Console Mobile App

© 2020, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

PuTTY Configuration

Category:

- Session
- Logging
- Terminal
  - Keyboard
  - Bell
  - Features
- Window
  - Appearance
  - Behaviour
  - Translation
  - Selection
  - Colours
- Connection
  - Data
  - Proxy
  - SSH
    - Kex
    - Host keys
    - Cipher
  - Auth
    - Credenti...

Basic options for your PuTTY session

Specify the destination you want to connect to

Host Name (or IP address) Port

admin@18.153.100.6 22

Connection type:

☒ SSH ☐ Serial ☐ Other: Telnet

Load, save or delete a stored session

Saved Sessions

Default Settings  
almaMaterDebian2026Lokalni  
almaStudent

Load Save Delete

Close window on exit:

☐ Always ☐ Never ☒ Only on clean exit

About Help Open Cancel

```
admin@ip-172-31-2-203: ~
2.4.66-1~deb13u2 [1409 kB]
Get:13 https://cdn-aws.deb.debian.org/debian trixie/main amd64 apache2-data all
2.4.66-1~deb13u2 [160 kB]
Get:14 https://cdn-aws.deb.debian.org/debian trixie/main amd64 apache2-utils amd
64 2.4.66-1~deb13u2 [216 kB]
Get:15 https://cdn-aws.deb.debian.org/debian trixie/main amd64 apache2 amd64 2.4
.66-1~deb13u2 [225 kB]
Get:16 https://cdn-aws.deb.debian.org/debian trixie/main amd64 ssl-cert all 1.1.
3 [16.8 kB]
Fetched 10.1 MB in 0s (72.7 MB/s)
Preconfiguring packages ...
Selecting previously unselected package perl-modules-5.40.
(Reading database ... 30202 files and directories currently installed.)
Preparing to unpack .../00-perl-modules-5.40_5.40.1-6_all.deb ...
Unpacking perl-modules-5.40 (5.40.1-6) ...
Selecting previously unselected package libgdbm-compat4t64:amd64.
Preparing to unpack .../01-libgdbm-compat4t64_1.24-2_amd64.deb ...
Unpacking libgdbm-compat4t64:amd64 (1.24-2) ...
Selecting previously unselected package libperl5.40:amd64.
Preparing to unpack .../02-libperl5.40_5.40.1-6_amd64.deb ...
Unpacking libperl5.40:amd64 (5.40.1-6) ...
Selecting previously unselected package perl.
Progress: [ 10%]
```

Instance summary for i-091975aad8e16ba74 (almaMater21) info

Updated less than a minute ago

Instance ID

i-091975aad8e16ba74

IPv6 address

-

Hostname type

IP name: ip-172-31-2-203.eu-central-1.compute.internal

Answer private resource DNS name

IPv4 (A)

Auto-assigned IP address

18.153.100.6 [Public IP]

IAM role

-

IMDSv2

Required

Operator

-

Public IPv4 address

18.153.100.6 | open address

Instance state

Running

Private IP DNS name (IPv4 only)

ip-172-31-2-203.eu-central-1.compute.internal

Instance type

t3.micro

VPC ID

vpc-098eca89dceddb091

Subnet ID

subnet-01715b451fa63b8af

Instance ARN

arn:aws:ec2:eu-central-1:939244404351:instance/i-091975aad8e16ba74

Private IPv4 addresses

172.31.2.203

Public DNS

ec2-18-153-100-6.eu-central-1.compute.amazonaws.com | open address

Elastic IP addresses

-

AWS Compute Optimizer finding

Opt-in to AWS Compute Optimizer for recommendations. | Learn more

Auto Scaling Group name

-

Managed

false

Details

Status and alarms

Monitoring

Security

Networking

Storage

Tags

▼ Security details

IAM role

-

Security groups

sg-00c35e9debdc7694b (launch-wizard-3)

Owner ID

939244404351


Launch time

Tue Mar 24 2026 21:59:12 GMT+0100 (Srednjeevropski standardni čas)

▼ Inbound rules

Filter rules

| Name | Security group rule ID | Port range | Protocol | Source    | Security groups | Description |
|------|------------------------|------------|----------|-----------|-----------------|-------------|
| -    | sgr-0a2508ee71174e0c6  | 22         | TCP      | 0.0.0.0/0 | launch-wizard-3 | -           |
| -    | sgr-0ad01598e886bd077  | 80         | TCP      | 0.0.0.0/0 | launch-wizard-3 | -           |



```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Try the new cross-platform PowerShell https://aka.ms/pscore6

PS C:\Users\Asus> cd "I:\Alma Mater\RAČUNALNIŠTVO V OBLAKU IN MOBILNE REŠITVE\NALOGE\Predavanje1\splet"
PS I:\Alma Mater\RAČUNALNIŠTVO V OBLAKU IN MOBILNE REŠITVE\NALOGE\Predavanje1\splet> ls

Directory: I:\Alma Mater\RAČUNALNIŠTVO V OBLAKU IN MOBILNE REŠITVE\NALOGE\Predavanje1\splet

Mode                LastWriteTime         Length Name
----                -
-a----          22. 03. 2026   18:16           290 index.html
-a----          15. 07. 2020   14:39        5013504 slika.jpg

PS I:\Alma Mater\RAČUNALNIŠTVO V OBLAKU IN MOBILNE REŠITVE\NALOGE\Predavanje1\splet> scp -o "StrictHostKeyChecking=no" -i "I:\Alma
Mater\RAČUNALNIŠTVO V OBLAKU IN MOBILNE REŠITVE\NALOGE\almaKljuci\privatniKljucAWS.pem" index.html admin@18.153.100.6:/home/admin
/
Warning: Permanently added '18.153.100.6' (ED25519) to the list of known hosts.

@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
@           WARNING: UNPROTECTED PRIVATE KEY FILE!          @
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
Permissions for 'I:/Alma Mater/RA\304\214UNALNI\305\240TVO V OBLAKU IN MOBILNE RE\305\240ITVE\NALOGE\almaKljuci\privatniKljucAWS.p
em' are too open.
It is required that your private key files are NOT accessible by others.
This private key will be ignored.
Load key "I:/Alma Mater/RA\304\214UNALNI\305\240TVO V OBLAKU IN MOBILNE RE\305\240ITVE\NALOGE\almaKljuci\privatniKljucAWS.pem": ba
d permissions
admin@18.153.100.6: Permission denied (publickey).
C:\Windows\System32\OpenSSH\scp.exe: Connection closed
IN MOBILNE REŠITVE\NALOGE\almaKljuci\privatniKljucAWS.pem" /inheritance:r /grant:r "$($env:USERNAME):R"
Successfully processed 1 files; Failed processing 0 files
PS I:\Alma Mater\RAČUNALNIŠTVO V OBLAKU IN MOBILNE REŠITVE\NALOGE\Predavanje1\splet> scp -o "StrictHostKeyChecking=no" -i "I:\Alma
Mater\RAČUNALNIŠTVO V OBLAKU IN MOBILNE REŠITVE\NALOGE\almaKljuci\privatniKljucAWS.pem" index.html admin@18.153.100.6:/home/admin
/
index.html                                100% 290      8.9KB/s   00:00
PS I:\Alma Mater\RAČUNALNIŠTVO V OBLAKU IN MOBILNE REŠITVE\NALOGE\Predavanje1\splet> scp -o "StrictHostKeyChecking=no" -i "I:\Alma
Mater\RAČUNALNIŠTVO V OBLAKU IN MOBILNE REŠITVE\NALOGE\almaKljuci\privatniKljucAWS.pem" slika.jpg admin@18.153.100.6:/home/admin/
slika.jpg                                100% 4896KB  10.7MB/s   00:00
PS I:\Alma Mater\RAČUNALNIŠTVO V OBLAKU IN MOBILNE REŠITVE\NALOGE\Predavanje1\splet>
```

```
admin@ip-172-31-2-203: ~  
Enabling module autoindex.  
Enabling module env.  
Enabling module mime.  
Enabling module negotiation.  
Enabling module setenvif.  
Enabling module filter.  
Enabling module deflate.  
Enabling module status.  
Enabling module reqtimeout.  
Enabling conf charset.  
Enabling conf localized-error-pages.  
Enabling conf other-vhosts-access-log.  
Enabling conf security.  
Enabling conf serve-cgi-bin.  
Enabling site 000-default.  
Created symlink '/etc/systemd/system/multi-user.target.wants/apache2.service' →  
'/usr/lib/systemd/system/apache2.service'.  
Created symlink '/etc/systemd/system/multi-user.target.wants/apache-htcacheclean  
.service' → '/usr/lib/systemd/system/apache-htcacheclean.service'.  
Processing triggers for man-db (2.13.1-1) ...  
Processing triggers for libc-bin (2.41-12+deb13u2) ...  
admin@ip-172-31-2-203:~$ sudo mv /home/admin/index.html /var/www/html/index.html  
admin@ip-172-31-2-203:~$ sudo mv /home/admin/slika.jpg /var/www/html/slika.jpg  
admin@ip-172-31-2-203:~$
```

## Spletna stran za predmet Obračun storitve



Avtor: Enaj Holmat