

ŠTUDENT: ENEJ VOLMUT

The image displays three screenshots of the AWS IAM console interface, showing the process of managing an IAM user named 'enejUser'.

Top Screenshot: IAM Users List

- Navigation:** IAM > Users
- Search:** Search IAM
- Summary:** Users (1) info. An IAM user is an identity with long-term credentials that is used to interact with AWS in an account.
- Table:**

User name	Path	Groups	Last activity	MFA	Password age	Console last sign-in	Access key ID	Active key age	Access key last used
enejUser	/	0	-	-	7 minutes	-	-	-	-



Bottom Left Screenshot: IAM Identity Center

- Navigation:** IAM > Users > enejUser
- Summary:**

Summary	Permissions policies (1)						
ARN: <code>arn:aws:iam::939244404351:user/enejUser</code> Created: March 26, 2026, 16:40 (UTC+01:00)	Permissions are defined by policies attached to the user directly or through groups. <table border="1"><thead><tr><th>Policy name</th><th>Type</th><th>Attached via</th></tr></thead><tbody><tr><td>AdministratorAccess</td><td>AWS managed - job function</td><td>Directly</td></tr></tbody></table>	Policy name	Type	Attached via	AdministratorAccess	AWS managed - job function	Directly
Policy name	Type	Attached via					
AdministratorAccess	AWS managed - job function	Directly					

Bottom Right Screenshot: Console home

- Recently visited:** No recently visited services. Explore one of these commonly visited AWS services: EC2, S3, CloudWatch, IAM.
- Applications (0):** Region: Europe (Stockholm). Select Region: eu-north-1 (Current Region). Find applications: No applications. Get started by creating an application. Create application.
- Welcome to AWS:** Getting started with AWS. Find out the fundamentals and valuable information to get the most out of AWS. Training and certification. Learn from AWS experts and advance your skills and.
- AWS Health:** Open issues: 0 (Past 7 days). Scheduled changes: 0 (Upcoming and past 7 days). Other notifications: 0 (Past 7 days).
- Cost and usage:** Data unavailable.



Windows PowerShell

Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Try the new cross-platform PowerShell <https://aka.ms/pscore6>

PS C:\Users\Asus> aws --version
aws-cli/2.34.17 Python/3.14.3 Windows/10 exe/AMD64
PS C:\Users\Asus>

iam > Users > Create user

Step 1
Specify user details

Step 2
Set permissions

Step 3
Review and create

Set permissions

Add user to an existing group or create a new one. Using groups is a best-practice way to manage user's permissions by job functions. [Learn more](#)

Permissions options

☐ Add user to group
Add user to an existing group, or create a new group. We recommend using groups to manage user permissions by job function.

☐ Copy permissions
Copy all group memberships, attached managed policies, and inline policies from an existing user.

☒ Attach policies directly
Attach a managed policy directly to a user. As a best practice, we recommend attaching policies to a group instead. Then, add the user to the appropriate group.

Permissions policies (1/1468)

Create policy

Choose one or more policies to attach to your new user.

Filter by Type

All types

1 match

Policy name	Type	Attached entities
☒ policyEneEC2cli	Customer managed	0

Set permissions boundary - optional

Cancel Previous Next

CloudShell Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

User created successfully

You can view and download the user's password and email instructions for signing in to the AWS Management Console.

View user

Users (3) Info

An IAM user is an identity with long-term credentials that is used to interact with AWS in an account.

Search

1

☐	User name	Path	Group	Last activity	MFA	Password age	Console last sign-in	Access key ID	Active key age	Access key last used
☐	enejEC2full	/	0	-	-	-	-	-	-	-
☐	enejEC2restricted	/	0	-	-	-	-	-	-	-
☐	enejUser	/	0	10 minutes ago	Virtual...	2 days	10 minutes ago	-	-	-

enejEC2full > eneEC2full

Access key: AKIASVL2UHZ7SH2EF2UB

Access secret key: 9hffjvbxQX+uwY/721WJFvd1/dp5eoeSL1zfcNG23

This is the only way to retrieve access keys for a user.

Retrieve access keys Info

Access key

If you lose or forget your secret access key, you can create a new one.

Access key

Secret access key Copied

Windows PowerShell

PS C:\Users\Asus> aws configure

AWS Access Key ID [None]: AKIASVL2UHZ7SH2EF2UB

AWS Secret Access Key [None]: 9hffjvbxQX+uwY/721WJFvd1/dp5eoeSL1zfcNG23

Default region name [None]:

Default output format [None]: json

PS C:\Users\Asus>

PS C:\Users\Asus> aws ec2 run-instances

--image-id ami-0da1f66573556d917

--instance-type t3.micro

--key-name almaKeyECtest

--security-group-ids sg-00f5bbcbfb967e70e

--associate-public-ip-address

--count 1

--tag-specifications "ResourceType=instance,Tags=[{Key=Name,Value=almaEC2-1}]"

--query "Instances[*].{InstanceId,PrivateIpAddress,PublicIpAddress,State.Name}"

--output table

RunInstances

InstanceId,PrivateIpAddress,PublicIpAddress,State.Name

PS C:\Users\Asus>

Instances (5) Info

Last updated less than a minute ago

Connect

Instance state

Actions

Launch instances

Saved filter sets

Find instance by attribute or tag (case-sensitive)

☐	Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IPv4 DNS	Public IPv4 ...	Elastic IP
☐	almaMaterDebian	i-0a12757421e4a2910	Stopped	t3.micro	-	View alarms +	eu-central-1c	-	-	-
☐	almaMaterDN	i-05a9d16526df08c0	Running	t3.micro	3/3 checks passed	View alarms +	eu-central-1c	ec2-3-70-198-144.eu-c...	3.70.198.144	-
☐	almaMater2l	i-091975aad8e16ba74	Running	t3.micro	3/3 checks passed	View alarms +	eu-central-1c	ec2-18-153-100-6.eu-c...	18.153.100.6	-
☐	almaEC2-1	i-013e201c8073050ba	Running	t3.micro	3/3 checks passed	View alarms +	eu-central-1b	ec2-3-73-39-136.eu-ce...	3.73.39.136	-
☐	almaEC2-1	i-0a8252961089cfd08	Running	t3.micro	Initializing	View alarms +	eu-central-1b	ec2-63-176-171-249.eu...	63.176.171.249	-

admin@ip-172-31-32-147: ~/.ssh

```
login as: admin
Authenticating with public key "almaKeyECtest"
Linux ip-172-31-32-147 6.12.74+deb13+1-cloud-amd64 #1 SMP PREEMPT_DYNAMIC D
6.12.74-2 (2026-03-08) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
admin@ip-172-31-32-147:~$ ip address
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group d
t qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: ens5: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 9001 qdisc mq state UP group
ult qlen 1000
    link/ether 06:1a:3d:34:52:19 brd ff:ff:ff:ff:ff:ff
    altname enp0s5
    altname enx061a3d345219
    inet 172.31.32.147/20 metric 100 brd 172.31.47.255 scope global dynamic
        valid_lft 2808sec preferred_lft 2808sec
    inet6 fe80::41a:3d34:5219::/64 scope link proto kernel_ll
        valid_lft forever preferred_lft forever
admin@ip-172-31-32-147:~$ ssh-keygen
Generating public/private ed25519 key pair.
Enter file in which to save the key (/home/admin/.ssh/id_ed25519):
Enter passphrase for "/home/admin/.ssh/id_ed25519" (empty for no passphrase)
Enter same passphrase again:
Your identification has been saved in /home/admin/.ssh/id_ed25519
Your public key has been saved in /home/admin/.ssh/id_ed25519.pub
The key fingerprint is:
SHA256:eT9EyAqyCaBxV/1GUq5HTG66+JKcsgjMqXZMJejtyx4 admin@ip-172-31-32-147
The key's randomart image is:
+--[ED25519 256]--+
|o . . . . .o    |
|. + . . . o*..   |
|. o . . . +O .   |
|. . o = . Bo.    |
|. . = . S.o .    |
|o..o . . + o     |
|.++E ..o. . o    |
|.o.=o =. . .     |
|o ++oo ..        |
+----[SHA256]-----+
```



```
+-----[SHA256]-----+
admin@ip-172-31-32-147:~$ pwd
/home/admin
admin@ip-172-31-32-147:~$ ls -all
total 24
drwx----- 3 admin admin 4096 Mar 28 20:15 .
drwxr-xr-x 3 root root 4096 Mar 28 20:15 ..
-rw-r--r-- 1 admin admin 220 Mar 8 15:21 .bash_logout
-rw-r--r-- 1 admin admin 3526 Mar 8 15:21 .bashrc
-rw-r--r-- 1 admin admin 807 Mar 8 15:21 .profile
drwx----- 2 admin admin 4096 Mar 28 20:31 .ssh
admin@ip-172-31-32-147:~$ cd .ssh
admin@ip-172-31-32-147:~/.ssh$ dir
authorized keys id_ed25519 id_ed25519.pub
admin@ip-172-31-32-147:~/.ssh$ ls -all
total 20
drwx----- 2 admin admin 4096 Mar 28 20:31 .
drwx----- 3 admin admin 4096 Mar 28 20:15 ..
-rw----- 1 admin admin 395 Mar 28 20:15 authorized_keys
-rw----- 1 admin admin 419 Mar 28 20:31 id_ed25519
-rw-r--r-- 1 admin admin 104 Mar 28 20:31 id_ed25519.pub
admin@ip-172-31-32-147:~/.ssh$ nano id_ed25519.pub
admin@ip-172-31-32-147:~/.ssh$ nano authorized_keys
admin@ip-172-31-32-147:~/.ssh$
admin@ip-172-31-32-147:~/.ssh$ nano id_ed25519.pub
[1/2] id *
ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIMQRUYuV09+tpvLxkBAJJbcZ1D5vj124NE4v0d>
```

admin@ip-172-31-40-26: ~/.ssh

```
login as: admin
Authenticating with public key "almaKeyECtest"
Linux ip-172-31-40-26 6.12.74+deb13+1-cloud-amd64 #1 SMP PREEMPT_DYNAMIC Debian 6.12.74-2 (2026-03-08) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
admin@ip-172-31-40-26:~$ ip address
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: ens5: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 9001 qdisc mq state UP group default qlen 1000
    link/ether 06:e5:05:22:70:ef brd ff:ff:ff:ff:ff:ff
    altname enp0s5
    altname enx06e5052270ef
    inet 172.31.40.26/20 metric 100 brd 172.31.47.255 scope global dynamic ens5
        valid_lft 2404sec preferred_lft 2404sec
    inet6 fe80::4e5:5ff:fe22:70ef/64 scope link proto kernel_l1
        valid_lft forever preferred_lft forever
admin@ip-172-31-40-26:~$ cd .ssh
admin@ip-172-31-40-26:~/.ssh$ dir
authorized_keys
admin@ip-172-31-40-26:~/.ssh$ nano authorized_keys
[1/2]          authorized *
```

```
ssh-rsa AAAAB3NzaClyc2EAAAADAQABAAQAC5GApzxRnIXOhosNZezZLg9z+7mJeLrS5TYEG>
ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIMQRUYuV09+tpvLxkBAJJbcZ1D5vji24NE4v0dlf>
```