4. domača naloga

1. Delo z Git in GitHub

a. Ustvarite novo mapo s svojim **priimkom in imenom**, ločeno s podčrtajem (primer: fugina_dusan).

b. To mapo naj nadzoruje sistem **Git**. V ustvarjeni mapi inicializirajte **nov repozitorij**.

c. V mapi ustvarite nove podmape z naslednjimi imeni:

- srecanje1
- srecanje2
- srecanje3
- srecanje4

V vsako mapo kopirajte dokaze o svojem dosedanjem delu.

d. Vse ustvarjene mape in datoteke dodajte v repozitorij in ustvarite **commit**.

e. Na **GitHubu** ustvarite nov repozitorij. Poimenujte ga:

alma2026svojPriimekDelo

primer:
alma2026fuginaDelo

f. Lokalni repozitorij povežite z GitHub repozitorijem in ga **prenesite na GitHub**.

g. Na GitHubu preverite, ali so vaše mape in datoteke pravilno shranjene.

h. V mapo srecanje4 dodajte vse, kar ste naredili za to domačo nalogo.

i. Spremembe shranite kot **novo verzijo (commit)**.

j. Spremembe **pošljite na GitHub (push)**.

---

2. Branje dokumenta

Preberite priložen dokument **(koda: 9123)**.

Priporočam, da si dokument **natisnete** in ga preberete **vsaj dvakrat**.

a)

Med branjem označujte dele, ki jih ne razumete.
Zapišite:

- **stran**
- **odsek**

Vsak mora označiti **vsaj 5 delov**, ki so manj razumljivi, in zapisati **vsaj 5 vprašanj**.

b)

Na vprašanja odgovorite.

Na vprašanja **ne odgovarjajte s pomočjo AI**, ampak na podlagi **prebranega gradiva**.

Vprašanja

i.

Kateri **model oblačne storitve (Cloud Service Model)** uporabljata naslednji storitvi?

- EC2
- GitHub

Razložite svoj odgovor.

EC2 uporablja IaaS. EC2 so instance oziroma virtualni stroji in IaaS omogoča največ svobode, kajti sam si lahko nastaviš omrežje in izbereš operacijski sistem, medtem ko ponudnik skrbi le za strojno opremo v ozadju.

GitHub uporablja SaaS. Do aplikacije lahko normalno dostopamo brez potrebe namestitve programske opreme na računalnik oz. lokalno napravo ter ni nam potrebno skrbeti na katerem strežniku stvar teče. Uporabnik ima najmanj možnosti prilagajanja aplikacije.

Kaj pa **virtualni računalnik**, ki smo ga namestili na prvem srečanju?

- Ali ga lahko štejemo za **oblačno storitev**?

Ne, čeprav uporabljamo virtualni računalnik (kot v oblaku), še ni oblačna storitev.

- Če ne, zakaj ne?

Ker mu manjkajo glavne lastnosti oblačnih storitev. Čeprav gre za virtualizacijo, gre le za lokalni vir na trdem disku fizičnega računalnika, medtem ko oblak zahteva oddaljen dostop - remote, deljen nabor virov pri ponudniku ter plačilo po dejanski porabi. V našem primeru smo morali vse nastaviti ročno, zato gre le za uporabo orodij za vizualizacijo ter ne za celovito storitev v oblaku.

---

ii.

Dokument omenja različne **vire (resources)**, ki jih uporabljajo oblačne storitve.

Za storitvi **EC2** in **GitHub** določite, v katero kategorijo virov sodita, na primer:

- compute
- storage
- database
- network
- artificial intelligence
- machine learning

Utemeljite svoj odgovor.

EC2 sodi med compute, kajti to so viri, ki procesirajo naše delo - CPU, RAM. EC2 so tipični procesni (compute) viri.

GitHub pa sodi med storage in network vire. Storage viri so vsi, kateri omogočajo shranjevanje podatkov. Network viri pa omogočajo, da se povežemo s temi podatki in jih lahko delimo z drugimi.

---

iii.

Storitvi **EC2** in **GitHub** uvrstite med **modele oblačnih storitev (Cloud Service Models)**:

- IaaS
- PaaS
- SaaS

Razložite, zakaj ste se tako odločili.

EC2 uporablja IaaS. Ker IaaS daje največ kontrole, ročno nastavljamo nastavitve (operacijski sistem, RAM-i) ter ponudnik skrbi le za fizične strežnike v ozadju.

GitHub uporablja SaaS, ki pa se uporablja kot končna aplikacija preko brskalnika brez potrebe nameščanja. Aplikacija se v celoti upravlja s strani ponudnika in mi jo uporabljamo le za naše potrebe.

---

iv.

Za katere **primere uporabe (use cases)** bi lahko uporabili storitvi:

- EC2
- GitHub

Navedite vsaj **dva primera za vsako storitev**.

EC2:

1. »Črni petek« za spletno trgovino. Če bi bil naval na spletno trgovino in bi običajen strežnik padel, bi zagnal dodatne instance. Ko bi bil naval mimo, bi jih ugasnil.

2. Za razvoj nove aplikacije, katero želimo testirati na različnih operacijskih sistemih. Ne bi rabil kupovat računalnikov, vendar bi kodo testiral na različnih instancah preko EC2.

GitHub:

1. Če bi se karkoli zgodilo fizičnemu računalniku, da bi se pokvaril, je koda oz. naše delo sproti shranjeno v oblaku.

2. Kadar bi imeli idejo za projekt in bi naše delo želeli pokazati nadrejenim, bi projekt objavili in ga naredili dostopnega za nadrejenega preko interneta. Poslali bi povezavo do našega GitHub repozitorija, da bi si lahko ogledali kodo.

NALOGA 1

MINGW64:/i/GIT/volmut_enej

```
Asus@DESKTOP-MP4E9BJ MINGW64 ~
$ cd i:

Asus@DESKTOP-MP4E9BJ MINGW64 /i
$ cd GIT

Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT
$ mkdir volmut_enej

Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT
$ cd volmut_enej

Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/volmut_enej
$ git init
Initialized empty Git repository in I:/GIT/volmut_enej/.git/

Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/volmut_enej (master)
$ |
```

```
Asus@DESKTOP-MP4E9BJ MINGW64 /i/git/volmut_enej (master)
$ mkdir srecanje1 srecanje2 srecanje3 srecanje4

Asus@DESKTOP-MP4E9BJ MINGW64 /i/git/volmut_enej (master)
$ git add .

Asus@DESKTOP-MP4E9BJ MINGW64 /i/git/volmut_enej (master)
$ git commit -m "Dodajanje map srecanje1-4 z vsebino"
[master (root-commit) 2990b9e] Dodajanje map srecanje1-4 z vsebino
 46 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 srecanje1/slika1.jpg
 create mode 100644 srecanje1/slika10.jpg
 create mode 100644 srecanje1/slika11.jpg
 create mode 100644 srecanje1/slika2.jpg
 create mode 100644 srecanje1/slika3.jpg
 create mode 100644 srecanje1/slika4.jpg
 create mode 100644 srecanje1/slika5.jpg
 create mode 100644 srecanje1/slika6.jpg
 create mode 100644 srecanje1/slika7.jpg
 create mode 100644 srecanje1/slika8.jpg
 create mode 100644 srecanje1/slika9.jpg
 create mode 100644 srecanje2/slika 3.jpg
 create mode 100644 srecanje2/slika1.jpg
 create mode 100644 srecanje2/slika10.jpg
 create mode 100644 srecanje2/slika11.jpg
 create mode 100644 srecanje2/slika12.jpg
 create mode 100644 srecanje2/slika13.jpg
 create mode 100644 srecanje2/slika2.jpg
 create mode 100644 srecanje2/slika4.jpg
 create mode 100644 srecanje2/slika5.jpg
 create mode 100644 srecanje2/slika6.jpg
 create mode 100644 srecanje2/slika7.jpg
 create mode 100644 srecanje2/slika8.jpg
 create mode 100644 srecanje2/slika9.jpg
 create mode 100644 srecanje3/Posnetek zaslona 2026-03-26 164811.jpg
 create mode 100644 srecanje3/Posnetek zaslona 2026-03-26 164826.jpg
 create mode 100644 srecanje3/Posnetek zaslona 2026-03-26 165051.jpg
 create mode 100644 srecanje3/Posnetek zaslona 2026-03-26 165542.jpg
 create mode 100644 srecanje3/Posnetek zaslona 2026-03-26 171704.jpg
 create mode 100644 srecanje3/Posnetek zaslona 2026-03-28 202410.jpg
 create mode 100644 srecanje3/Posnetek zaslona 2026-03-28 203805.jpg
 create mode 100644 srecanje3/Posnetek zaslona 2026-03-28 203834.jpg
 create mode 100644 srecanje3/Posnetek zaslona 2026-03-28 204321.jpg
 create mode 100644 srecanje3/Posnetek zaslona 2026-03-28 210929.jpg
 create mode 100644 srecanje3/Posnetek zaslona 2026-03-28 211527.jpg
 create mode 100644 srecanje3/Posnetek zaslona 2026-03-28 221315.jpg
 create mode 100644 srecanje3/Posnetek zaslona 2026-03-28 221411.jpg
 create mode 100644 srecanje3/Posnetek zaslona 2026-03-28 221515.jpg
 create mode 100644 srecanje4/Posnetek zaslona 2026-03-29 003700.jpg
 create mode 100644 srecanje4/Posnetek zaslona 2026-03-29 003959.jpg
 create mode 100644 srecanje4/Posnetek zaslona 2026-03-29 004119.jpg
 create mode 100644 srecanje4/Posnetek zaslona 2026-03-29 004216.jpg
 create mode 100644 srecanje4/Posnetek zaslona 2026-03-29 004244.jpg
 create mode 100644 srecanje4/Posnetek zaslona 2026-03-29 004259.jpg
 create mode 100644 srecanje4/Posnetek zaslona 2026-03-29 004327.jpg
 create mode 100644 srecanje4/Posnetek zaslona 2026-03-29 004411.jpg

Asus@DESKTOP-MP4E9BJ MINGW64 /i/git/volmut_enej (master)
$ |
```


New repository
Type / to search
Create a new repository
Repositories contain a project's files and version history. Have a project elsewhere? Import a repository.
Required fields are marked with an asterisk (*).
1 General
Owner *
almaVolmut2026
Repository name *
alma2026volmutDelo
alma2026volmutDelo is available.
Great repository names are short and memorable. How about jubilant-guacamole?
Description
Domača naloga GIT
17 / 350 characters
2 Configuration
Choose visibility *
Choose who can see and commit to this repository
Public
Add README
READMEs can be used as longer descriptions. About READMEs
On
Add .gitignore
.gitignore tells git which files not to track. About ignoring files
No .gitignore
Add license
Licenses explain how others can use your code. About licenses
No license
Create repository


almaVolmut2026 / alma2026volmutDelo
Type / to search
Code
Issues
Pull requests
Actions
Projects
Wiki
Security
Insights
Settings
alma2026volmutDelo
Public
Pin
Watch 0
Fork 0
Star 0
main
1 Branch
0 Tags
Go to file
Add file
Code
About
Domača naloga GIT
Readme
Activity
0 stars
0 watching
0 forks
almaVolmut2026 Initial commit
7468659 · now
1 Commit
README.md
Initial commit
now
README
alma2026volmutDelo
Domača naloga GIT
Releases
No releases published
Create a new release
Packages
No packages published
Publish your first package
Contributors 1
almaVolmut2026

```
Asus@DESKTOP-MP4E9BJ MINGW64 /i/git/volmut_enej (master)
$ git remote add origin https://github.com/almaVolmut2026/alma2026volmutDelo.git

Asus@DESKTOP-MP4E9BJ MINGW64 /i/git/volmut_enej (master)
$ git push u- origin main
error: src refspec origin does not match any

remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 892 bytes | 5.00 KiB/s, done.
From https://github.com/almaVolmut2026/alma2026volmutDelo
 * branch            main       -> FETCH_HEAD
 * [new branch]      main       -> origin/main
Merge made by the 'ort' strategy.
 README.md | 2 ++
 1 file changed, 2 insertions(+)
 create mode 100644 README.md

Asus@DESKTOP-MP4E9BJ MINGW64 /i/git/volmut_enej (main)
$ git push -u origin main
Enumerating objects: 54, done.
Counting objects: 100% (54/54), done.
Delta compression using up to 12 threads
Compressing objects: 100% (53/53), done.
Writing objects: 100% (53/53), 4.18 MiB | 2.68 MiB/s, done.
Total 53 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/almaVolmut2026/alma2026volmutDelo.git
   7468659..03f12b3  main -> main
branch 'main' set up to track 'origin/main'.

Asus@DESKTOP-MP4E9BJ MINGW64 /i/git/volmut_enej (main)
$ |
```

MINGW64:/i/git/volmut_enej

```
 create mode 100644 README.md

Asus@DESKTOP-MP4E9BJ MINGW64 /i/git/volmut_enej (main)
$ git push -u origin main
Enumerating objects: 54, done.
Counting objects: 100% (54/54), done.
Delta compression using up to 12 threads
Compressing objects: 100% (53/53), done.
Writing objects: 100% (53/53), 4.18 MiB | 2.68 MiB/s, done.
Total 53 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/almaVolmut2026/alma2026volmutDelo.git
   7468659..03f12b3  main -> main
branch 'main' set up to track 'origin/main'.

Asus@DESKTOP-MP4E9BJ MINGW64 /i/git/volmut_enej (main)
$ git add .

Asus@DESKTOP-MP4E9BJ MINGW64 /i/git/volmut_enej (main)
$ git commit -m "Dodana vsebina v srecanje4"
[main 7c0526b] Dodana vsebina v srecanje4
 5 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 srecanje4/dn1.jpg
 create mode 100644 srecanje4/dn2.jpg
 create mode 100644 srecanje4/dn3.jpg
 create mode 100644 srecanje4/dn4.jpg
 create mode 100644 srecanje4/dn5.jpg

Asus@DESKTOP-MP4E9BJ MINGW64 /i/git/volmut_enej (main)
$ git push
Enumerating objects: 10, done.
Counting objects: 100% (10/10), done.
Delta compression using up to 12 threads
Compressing objects: 100% (8/8), done.
Writing objects: 100% (8/8), 449.45 KiB | 22.47 MiB/s, done.
Total 8 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/almaVolmut2026/alma2026volmutDelo.git
   03f12b3..7c0526b  main -> main

Asus@DESKTOP-MP4E9BJ MINGW64 /i/git/volmut_enej (main)
$ |
```