ŠTUDENT: ENEJ VOLMUT

PREDAVANJE 7

```
admin@ip-10-0-0-75:~$ sudo apt update
Get:1 file:/etc/apt/mirrors/debian.list Mirrorlist [38 B]
Get:2 file:/etc/apt/mirrors/debian-security.list Mirrorlist [47 B]
Get:3 https://cdn-aws.deb.debian.org/debian trixie InRelease [140 kB]
Get:4 https://cdn-aws.deb.debian.org/debian trixie-updates InRelease [47.3 kB]
Get:5 https://cdn-aws.deb.debian.org/debian trixie-backports InRelease [54.0 kB]
Get:6 https://cdn-aws.deb.debian.org/debian-security trixie-security InRelease [
43.4 kB]
Get:7 https://cdn-aws.deb.debian.org/debian trixie/main Sources [10.5 MB]
Get:8 https://cdn-aws.deb.debian.org/debian trixie/main amd64 Packages [9671 kB]
Get:9 https://cdn-aws.deb.debian.org/debian trixie/main Translation-en [6484 kB]
Get:10 https://cdn-aws.deb.debian.org/debian trixie-updates/main Sources [2788 B
]
Get:11 https://cdn-aws.deb.debian.org/debian trixie-updates/main amd64 Packages
[5412 B]
Get:12 https://cdn-aws.deb.debian.org/debian trixie-updates/main Translation-en
[4096 B]
Get:13 https://cdn-aws.deb.debian.org/debian trixie-backports/main Sources [189
kB]
Get:14 https://cdn-aws.deb.debian.org/debian trixie-backports/main amd64 Package
s [211 kB]
Get:15 https://cdn-aws.deb.debian.org/debian trixie-backports/main Translation-e
n [159 kB]
Get:16 https://cdn-aws.deb.debian.org/debian-security trixie-security/main Sourc
es [127 kB]
Get:17 https://cdn-aws.deb.debian.org/debian-security trixie-security/main amd64
 Packages [122 kB]
Get:18 https://cdn-aws.deb.debian.org/debian-security trixie-security/main Trans
lation-en [77.0 kB]
Fetched 27.9 MB in 2s (11.4 MB/s)
11 packages can be upgraded. Run 'apt list --upgradable' to see them.
admin@ip-10-0-0-75:~$ sudo apt install apache2
Installing:
  apache2

Installing dependencies:
  apache2-bin    libaprutil1-dbd-sqlite3  libjansson4  perl-modules-5.40
  apache2-data   libaprutil1-ldap         liblua5.4-0  ssl-cert
  apache2-utils  libaprutil1t64           libperl5.40
  libapr1t64     libgdbm-compat4t64       perl

Suggested packages:
  apache2-doc              perl-doc
  apache2-suexec-pristine  libterm-readline-gnu-perl
  | apache2-suexec-custom  | libterm-readline-perl-perl
  ufw                      make
  www-browser              libtap-harness-archive-perl
```

```
  apache2-suexec-pristine  libterm-readline-gnu-perl
  | apache2-suexec-custom  | libterm-readline-perl-perl
  ufw                      make
  www-browser              libtap-harness-archive-perl

Summary:
  Upgrading: 0, Installing: 15, Removing: 0, Not Upgrading: 11
  Download size: 10.1 MB
  Space needed: 60.1 MB / 6731 MB available

Continue? [Y/n] y
Get:1 file:/etc/apt/mirrors/debian.list Mirrorlist [38 B]
Get:2 https://cdn-aws.deb.debian.org/debian trixie/main amd64 perl-modules-5.40
all 5.40.1-6 [3019 kB]
Get:3 https://cdn-aws.deb.debian.org/debian trixie/main amd64 libgdbm-compat4t64
 amd64 1.24-2 [50.3 kB]
Get:4 https://cdn-aws.deb.debian.org/debian trixie/main amd64 libperl5.40 amd64
5.40.1-6 [4341 kB]
Get:5 https://cdn-aws.deb.debian.org/debian trixie/main amd64 perl amd64 5.40.1-
6 [267 kB]
Get:6 https://cdn-aws.deb.debian.org/debian trixie/main amd64 libaprlt64 amd64 1
.7.5-1 [104 kB]
Get:7 https://cdn-aws.deb.debian.org/debian trixie/main amd64 libaprutillt64 amd
64 1.6.3-3+b1 [89.4 kB]
Get:8 https://cdn-aws.deb.debian.org/debian trixie/main amd64 libaprutill-dbd-sq
lite3 amd64 1.6.3-3+b1 [14.2 kB]
Get:9 https://cdn-aws.deb.debian.org/debian trixie/main amd64 libaprutill-ldap a
md64 1.6.3-3+b1 [12.3 kB]
Get:10 https://cdn-aws.deb.debian.org/debian trixie/main amd64 libjansson4 amd64
 2.14-2+b3 [39.8 kB]
Get:11 https://cdn-aws.deb.debian.org/debian trixie/main amd64 liblua5.4-0 amd64
 5.4.7-1+b2 [147 kB]
Get:12 https://cdn-aws.deb.debian.org/debian trixie/main amd64 apache2-bin amd64
 2.4.66-1~deb13u2 [1409 kB]
Get:13 https://cdn-aws.deb.debian.org/debian trixie/main amd64 apache2-data all
2.4.66-1~deb13u2 [160 kB]
Get:14 https://cdn-aws.deb.debian.org/debian trixie/main amd64 apache2-utils amd
64 2.4.66-1~deb13u2 [216 kB]
Get:15 https://cdn-aws.deb.debian.org/debian trixie/main amd64 apache2 amd64 2.4
.66-1~deb13u2 [225 kB]
Get:16 https://cdn-aws.deb.debian.org/debian trixie/main amd64 ssl-cert all 1.1.
3 [16.8 kB]
Fetched 10.1 MB in 0s (64.6 MB/s)
Preconfiguring packages ...
Selecting previously unselected package perl-modules-5.40.
(Reading database ... 30202 files and directories currently installed.)
Preparing to unpack .../00-perl-modules-5.40_5.40.1-6_all.deb ...
```

```
admin@ip-10-0-0-75:~$ ls -al
total 36
-rw-r--r-- 1 admin admin 1271 Apr 13 21:11 '-ls all'
drwx------ 3 admin admin 4096 Apr 13 21:11  .
drwxr-xr-x 3 root  root  4096 Apr 13 16:02  ..
-rw------- 1 admin admin  273 Apr 13 21:11  .bash_history
-rw-r--r-- 1 admin admin  220 Mar  8 15:21  .bash_logout
-rw-r--r-- 1 admin admin 3526 Mar  8 15:21  .bashrc
-rw------- 1 admin admin   20 Apr 13 21:11  .lesshst
-rw-r--r-- 1 admin admin  807 Mar  8 15:21  .profile
drwx------ 2 admin admin 4096 Apr 13 16:02  .ssh
-rw-r--r-- 1 admin admin    0 Apr 13 17:57  .sudo_as_admin_successful
admin@ip-10-0-0-75:~$ cd. ssh
-bash: cd.: command not found
admin@ip-10-0-0-75:~$ cd .ssh
admin@ip-10-0-0-75:~/.ssh$ /.ssh$ dir
-bash: /.ssh$: No such file or directory
admin@ip-10-0-0-75:~/.ssh$ cd .ssh
-bash: cd: .ssh: No such file or directory
admin@ip-10-0-0-75:~/.ssh$ dir
authorized_keys
admin@ip-10-0-0-75:~/.ssh$ vi authorized_keys
ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAABAQC5gN0RXVTRH86C2MtaBtsgAvUyr9rgeNm3IqJQn8eS
0NxP7MWMERGr1dQW1OjMd2HWAy+FWD63J82SMdAmCkcum5/Rh2TC7a6ywKht7N+KcCZDiMKoYVcM8dv6
YNDcTpVLO1CHjYL9NwoKzU6F9sleI35vfxDjXLoi8/F9sb1DODf0XIbknUpXmwL25zOjvDYrkRV/eeM6
t+5vWhIFEjsLxBmoXwdqSIb1UDkzk51MQSVPCE6WQfzevdDIu8nuvA6oGJH0MzpWG2phSeQ55O8YJZhS
161bEzYv11NEWpP/1wLxoyKwjLhmXw3dM9yJ9Z0+EqQ76es+F5+vsl2zLOur key2026ppk
~
~
~
~
~
~
~
```

```
EXPLORER
PHP
index.html
vstavi.php
```

Welcome | index.html | vstavi.php

index.html > html > body > form

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Insert User</title>
</head>
<body>

    <h2>Enter your data</h2>

    <form action="vstavi.php" method="POST">
        <label for="name">Name:</label><br>
        <input type="text" id="name" name="name" required><br><br>

        <label for="surname">Surname:</label><br>
        <input type="text" id="surname" name="surname" required><br><br>

        <input type="submit" value="Save">
    </form>

</body>
</html>
```

EXPLORER

PHP

index.html

vstavi.php

Welcome | index.html | vstavi.php

vstavi.php

```php
<?php
// Database connection settings
$servername = "63.183.82.102";
$username = "enej";        // your DB username
$password = "enej";            // your DB password
$dbname = "AlmaMater";        // your database name

// Create connection
$conn = new mysqli($servername, $username, $password, $dbname);

// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}

// Get form data
$name = $_POST['name'];
$surname = $_POST['surname'];

// Prepare SQL (prevents SQL injection)
$stmt = $conn->prepare("INSERT INTO student (ime, priimek) VALUES (?, ?)");
$stmt->bind_param("ss", $name, $surname);

// Execute
if ($stmt->execute()) {
    echo "Data saved successfully!";
} else {
    echo "Error: " . $stmt->error;
}

// Close
$stmt->close();
$conn->close();
?>
```

Datoteka I:/Alma%20Mater/RAČUNALNIŠTVO%20V%20OBLAKU%20IN%20MOBILNE%20REŠITVE/php/index.html

Enter your data

Name:

Surname:

Save

Ni varno 3.64.7.197

Index of /

Name Last modified Size Description

Apache/2.4.66 (Debian) Server at 3.64.7.197 Port 80

Windows PowerShell

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Try the new cross-platform PowerShell https://aka.ms/pscore6

PS C:\Users\Asus> scp -i I:\Alma Mater\RAČUNALNIŠTVO V OBLAKU IN MOBILNE REŠITVE\almaKljuci\key2026.pem -r I:\Alma Mater
\RAČUNALNIŠTVO V OBLAKU IN MOBILNE REŠITVE\php\* admin@3.64.7.197:/home/admin
C:\Windows\System32\OpenSSH\scp.exe: stat local "Mater/RA\304\214UNALNI\305\240TVO": No such file or directory
PS C:\Users\Asus> scp -i "I:\Alma Mater\RAUNALNITVO V OBLAKU IN MOBILNE REITVE\almaKljuci\key2026.pem" -r "I:\Alma Mater
\RAUNALNITVO V OBLAKU IN MOBILNE REITVE\php\*" admin@3.64.7.197:/home/admin
C:\Windows\System32\OpenSSH\scp.exe: stat local "I:/Alma Mater/RAUNALNITVO V OBLAKU IN MOBILNE REITVE/php/*": No such fi
le or directory
PS C:\Users\Asus> scp -i I:\Alma Mater\RAUNALNITVO V OBLAKU IN MOBILNE REITVE\almaKljuci\key2026.pem" -r "I:\Alma Mater\
RAUNALNITVO V OBLAKU IN MOBILNE REITVE\php\* admin@3.64.7.197:/home/admin
C:\Windows\System32\OpenSSH\scp.exe: stat local "Mater/RAUNALNITVO": No such file or directory
PS C:\Users\Asus> I:\Al
I:\Al : The term 'I:\Al' is not recognized as the name of a cmdlet, function, script file, or operable program. Check t
he spelling of the name, or if a path was included, verify that the path is correct and try again.
At line:1 char:1
+ I:\Al
+ ~~~~~
    + CategoryInfo          : ObjectNotFound: (I:\Al:String) [], CommandNotFoundException
    + FullyQualifiedErrorId : CommandNotFoundException

PS C:\Users\Asus> & 'I:\Alma Mater\RAČUNALNIŠTVO V OBLAKU IN MOBILNE REŠITVE\'
& : The term 'I:\Alma Mater\RAČUNALNIŠTVO V OBLAKU IN MOBILNE REŠITVE\' is not recognized as the name of a cmdlet, func
tion, script file, or operable program. Check the spelling of the name, or if a path was included, verify that the path
 is correct and try again.
At line:1 char:3
+ & 'I:\Alma Mater\RAČUNALNIŠTVO V OBLAKU IN MOBILNE REŠITVE\'
+   ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
    + CategoryInfo          : ObjectNotFound: (I:\Alma Mater\R...OBILNE REŠITVE\:String) [], CommandNotFoundException
    + FullyQualifiedErrorId : CommandNotFoundException

PS C:\Users\Asus> & scp -i "I:\Alma Mater\RAČUNALNIŠTVO V OBLAKU IN MOBILNE REŠITVE\almaKljuci\key2026.pem" -r "I:\Alma
Mater\RAČUNALNIŠTVO V OBLAKU IN MOBILNE REŠITVE\php" admin@3.64.7.197:/home/admin
The authenticity of host '3.64.7.197 (3.64.7.197)' can't be established.
ED25519 key fingerprint is SHA256:YHDeX0UmvIaHHvmDPxmPunerP8CN3OLLhy2sRcTn4WU.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])?
Please type 'yes', 'no' or the fingerprint:
Please type 'yes', 'no' or the fingerprint:
Warning: Permanently added '3.64.7.197' (ED25519) to the list of known hosts.

@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
@         WARNING: UNPROTECTED PRIVATE KEY FILE!          @
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
Permissions for 'I:/Alma Mater/RA\304\214UNALNI\305\240TVO V OBLAKU IN MOBILNE RE\305\240ITVE/almaKljuci/key2026.pem' ar
e too open.
It is required that your private key files are NOT accessible by others.
This private key will be ignored.
Load key "I:/Alma Mater/RA\304\214UNALNI\305\240TVO V OBLAKU IN MOBILNE RE\305\240ITVE/almaKljuci/key2026.pem": bad perm
issions
admin@3.64.7.197: Permission denied (publickey).
C:\Windows\System32\OpenSSH\scp.exe: Connection closed
PS C:\Users\Asus> scp -i "I:\Alma Mater\RAČUNALNIŠTVO V OBLAKU IN MOBILNE REŠITVE\almaKljuci\key2026.pem" -r "I:\Alma Ma
ter\RAČUNALNIŠTVO V OBLAKU IN MOBILNE REŠITVE\php" admin@3.64.7.197:/home/admin
index.html                                                    100%  517    16.3KB/s   00:00
vstavi.php                                                    100%  838    26.4KB/s   00:00
PS C:\Users\Asus>
```

```
admin@ip-10-0-0-75:/var/www/html$ sudo cp -r /home/admin/php/* /var/www/html/
admin@ip-10-0-0-75:/var/www/html$
```

Ni varno 3.64.7.197

Enter your data

Name:

Surname:

Save

Ni varno 3.64.7.197/vstavi.php

```php
<?php
// Database connection settings
$servername = "63.183.82.102";
$username = "enej";        // your DB username
$password = "enej";            // your DB password
$dbname = "AlmaMater";        // your database name

// Create connection
$conn = new mysqli($servername, $username, $password, $dbname);

// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}

// Get form data
$name = $_POST['name'];
$surname = $_POST['surname'];

// Prepare SQL (prevents SQL injection)
$stmt = $conn->prepare("INSERT INTO student (ime, priimek) VALUES (?, ?)");
$stmt->bind_param("ss", $name, $surname);

// Execute
if ($stmt->execute()) {
    echo "Data saved successfully!";
} else {
    echo "Error: " . $stmt->error;
}

// Close
$stmt->close();
$conn->close();
?>
```

admin@ip-10-0-0-75: /var/www/html

```
admin@ip-10-0-0-75:/var/www/html$ sudo cp -r /home/admin/php/* /var/www/html/
admin@ip-10-0-0-75:/var/www/html$ sudo apt install php
Installing:
  php

Installing dependencies:
  libapache2-mod-php8.4  php-common  php8.4-cli     php8.4-opcache
  libargon2-1            php8.4      php8.4-common  php8.4-readline

Suggested packages:
  php-pear

Summary:
  Upgrading: 0, Installing: 9, Removing: 0, Not Upgrading: 11
  Download size: 4965 kB
  Space needed: 23.9 MB / 6664 MB available

Continue? [Y/n] y
Get:1 file:/etc/apt/mirrors/debian.list Mirrorlist [38 B]
Get:2 file:/etc/apt/mirrors/debian-security.list Mirrorlist [47 B]
Get:3 https://cdn-aws.deb.debian.org/debian trixie/main amd64 php-common all 2:9
6 [13.3 kB]
Get:4 https://cdn-aws.deb.debian.org/debian trixie/main amd64 libargon2-1 amd64
0~20190702+dfsg-4+b2 [21.4 kB]
Get:5 https://cdn-aws.deb.debian.org/debian trixie/main amd64 php all 2:8.4+96 [
3936 B]
Get:6 https://cdn-aws.deb.debian.org/debian-security trixie-security/main amd64
php8.4-common amd64 8.4.16-1~deb13u1 [767 kB]
Get:7 https://cdn-aws.deb.debian.org/debian-security trixie-security/main amd64
php8.4-opcache amd64 8.4.16-1~deb13u1 [459 kB]
Get:8 https://cdn-aws.deb.debian.org/debian-security trixie-security/main amd64
php8.4-readline amd64 8.4.16-1~deb13u1 [12.7 kB]
Get:9 https://cdn-aws.deb.debian.org/debian-security trixie-security/main amd64
php8.4-cli amd64 8.4.16-1~deb13u1 [1852 kB]
Get:10 https://cdn-aws.deb.debian.org/debian-security trixie-security/main amd64
 libapache2-mod-php8.4 amd64 8.4.16-1~deb13u1 [1793 kB]
Get:11 https://cdn-aws.deb.debian.org/debian-security trixie-security/main amd64
 php8.4 all 8.4.16-1~deb13u1 [42.7 kB]
Fetched 4965 kB in 0s (29.3 MB/s)
Selecting previously unselected package php-common.
(Reading database ... 33102 files and directories currently installed.)
Preparing to unpack .../0-php-common_2%3a96_all.deb ...
Unpacking php-common (2:96) ...
Selecting previously unselected package php8.4-common.
Preparing to unpack .../1-php8.4-common_8.4.16-1~deb13u1_amd64.deb ...
Unpacking php8.4-common (8.4.16-1~deb13u1) ...
Selecting previously unselected package php8.4-opcache.
Preparing to unpack .../2-php8.4-opcache_8.4.16-1~deb13u1_amd64.deb ...
Unpacking php8.4-opcache (8.4.16-1~deb13u1) ...
```

```
admin@ip-10-0-0-75:/var/www/html$ sudo systemctl restart apache2
admin@ip-10-0-0-75:/var/www/html$ dir
index.html  vstavi.php
admin@ip-10-0-0-75:/var/www/html$ ls -all
total 16
drwxr-xr-x 2 root root 4096 Apr 13 22:03 .
drwxr-xr-x 3 root root 4096 Apr 13 17:58 ..
-rw-r--r-- 1 root root  517 Apr 13 22:03 index.html
-rw-r--r-- 1 root root  838 Apr 13 22:03 vstavi.php
admin@ip-10-0-0-75:/var/www/html$ sudo chmod 777 vstavi.php
admin@ip-10-0-0-75:/var/www/html$ sudo apt install php-mysql
Installing:
  php-mysql

Installing dependencies:
  php8.4-mysql

Summary:
  Upgrading: 0, Installing: 2, Removing: 0, Not Upgrading: 11
  Download size: 124 kB
  Space needed: 476 kB / 6640 MB available

Continue? [Y/n] y
Get:1 file:/etc/apt/mirrors/debian-security.list Mirrorlist [47 B]
Get:2 file:/etc/apt/mirrors/debian.list Mirrorlist [38 B]
Get:3 https://cdn-aws.deb.debian.org/debian-security trixie-security/main amd64
php8.4-mysql amd64 8.4.16-1~deb13u1 [120 kB]
Get:4 https://cdn-aws.deb.debian.org/debian trixie/main amd64 php-mysql all 2:8.
4+96 [3968 B]
Fetched 124 kB in 0s (1974 kB/s)
Selecting previously unselected package php8.4-mysql.
(Reading database ... 33239 files and directories currently installed.)
Preparing to unpack .../php8.4-mysql_8.4.16-1~deb13u1_amd64.deb ...
Unpacking php8.4-mysql (8.4.16-1~deb13u1) ...
Selecting previously unselected package php-mysql.
Preparing to unpack .../php-mysql_2%3a8.4+96_all.deb ...
Unpacking php-mysql (2:8.4+96) ...
Setting up php8.4-mysql (8.4.16-1~deb13u1) ...
Creating config file /etc/php/8.4/mods-available/mysqlnd.ini with new version
Creating config file /etc/php/8.4/mods-available/mysqli.ini with new version
Creating config file /etc/php/8.4/mods-available/pdo_mysql.ini with new version
Setting up php-mysql (2:8.4+96) ...
Processing triggers for libapache2-mod-php8.4 (8.4.16-1~deb13u1) ...
Processing triggers for php8.4-cli (8.4.16-1~deb13u1) ...
admin@ip-10-0-0-75:/var/www/html$
```

Ni varno 3.64.7.197/vstavi.php

Data saved successfully!

admin@ip-10-0-0-239: ~

```
MariaDB [AlmaMater]> select * from student;
+----------+-------+---------+
| stevilka | ime   | priimek |
+----------+-------+---------+
|        1 | Dejan | Maher   |
|        2 | Maja  | Stojan  |
|        3 | Petra | Lajh    |
+----------+-------+---------+
3 rows in set (0.000 sec)

MariaDB [AlmaMater]> select * from student;
+----------+--------+---------+
| stevilka | ime    | priimek |
+----------+--------+---------+
|        1 | Dejan  | Maher   |
|        2 | Maja   | Stojan  |
|        3 | Petra  | Lajh    |
|        4 | Ludvik | Toplak  |
|        5 | Marija | Toplak  |
+----------+--------+---------+
5 rows in set (0.000 sec)

MariaDB [AlmaMater]>
```

Search [Alt+S] Europe (Frankfurt) enejvolmut (9392-4440-4351) enejUser

VPC > Route tables > rtb-0540f628b3d2dde7a > Edit subnet associations

Edit subnet associations

Change which subnets are associated with this route table.

Available subnets (1/2)

Filter subnet associations

Name	Subnet ID	IPv4 CIDR	IPv6 CIDR	Route table ID
subPodatkovniStreznikPrivatno	subnet-079cb8129dec3b343	10.0.0.128/25	–	Main (rtb-0c5a
subSpletniStreznikJavni	subnet-07b5ca72dbd54330d	10.0.0.0/25	–	rtb-0540f628b

Selected subnets

subnet-07b5ca72dbd54330d / subSpletniStreznikJavni

Cancel Save associations

admin@ip-10-0-0-75: /var/www/html

GNU nano 8.4 vstavi.php *

```php
<?php
// Database connection settings
$servername = "10.0.0.239"
$username = "enej";         // your DB username
$password = "enej";             // your DB password
$dbname = "AlmaMater";         // your database name

// Create connection
$conn = new mysqli($servername, $username, $password, $dbname);

// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}

// Get form data
$name = $_POST['name'];
$surname = $_POST['surname'];

// Prepare SQL (prevents SQL injection)
$stmt = $conn->prepare("INSERT INTO student (ime, priimek) VALUES (?, ?)");
$stmt->bind_param("ss", $name, $surname);

// Execute
if ($stmt->execute()) {
    echo "Data saved successfully!";
} else {
    echo "Error: " . $stmt->error;
}

// Close
$stmt->close();
$conn->close();
?>
```

admin@ip-10-0-0-75: /var/www/html

```
    altname enx0280568a2f1d
    inet 10.0.0.75/25 metric 100 brd 10.0.0.127 scope global dynamic ens5
       valid_lft 1988sec preferred_lft 1988sec
    inet6 fe80::80:568f:fe8a:2f1d/64 scope link proto kernel_ll
       valid_lft forever preferred_lft forever
admin@ip-10-0-0-75:/var/www/html$ sudo nano vstavi.php
admin@ip-10-0-0-75:/var/www/html$ sudo nano vstavi.php
admin@ip-10-0-0-75:/var/www/html$ sudo nano izpis.php
admin@ip-10-0-0-75:/var/www/html$ sudo nano izpis.php
admin@ip-10-0-0-75:/var/www/html$ sudo nano izpis.php
admin@ip-10-0-0-75:/var/www/html$ sudo nano izpis.php
  GNU nano 8.4                          izpis.php
<?php
$host = "10.0.0.239";
$username = "enej";
$password = "enej";
$dbname = "AlmaMater";

// Create connection
$conn = new mysqli($host, $username, $password, $dbname);
// Check connection
if ($conn->connect_error) {
  die("Connection failed: " . $conn->connect_error);
}

$sql = "SELECT ime, priimek FROM student";
// Execute the SQL query
$result = $conn->query($sql);

// Process the result set
if ($result->num_rows > 0) {
  // Output data of each row
  while($row = $result->fetch_assoc()) {
    echo "Ime: " . $row["ime"]. " " . $row["priimek"]. "<br>";
  }
} else {
  echo "0 results";
}

$conn->close();
?>
```

File Edit Selection View Go Run Terminal Help

izpis.php - php - Visual Studio Code

EXPLORER

PHP

- index.html
- izpis.php
- vstavi.php

Welcome | index.html | vstavi.php | izpis.php

izpis.php

```php
<?php
$host = "10.0.0.239";
$username = "enej";
$password = "enej";
$dbname = "AlmaMater";

// Create connection
$conn = new mysqli($host, $username, $password, $dbname);
// Check connection
if ($conn->connect_error) {
  die("Connection failed: " . $conn->connect_error);
}

$sql = "SELECT ime, priimek FROM student";
// Execute the SQL query
$result = $conn->query($sql);

// Process the result set
if ($result->num_rows > 0) {
  // Output data of each row
  while($row = $result->fetch_assoc()) {
    echo "id: " . $row["id"]. " - Name: " . $row["firstname"]. " " . $row["lastname"]. "<br>";
  }
} else {
  echo "0 results";
}

$conn->close();
?>
```

Ni varno 3.64.7.197/izpis.php

Ime: Dejan Maher
Ime: Maja Stojan
Ime: Petra Lajh
Ime: Ludvik Toplak
Ime: Marija Toplak