

AlmaMater - debian - VM1 [V izvajanju] - Oracle VirtualBox

Datoteka Računalnik Pogled Vnos Naprave Pomoč

The programs included with the Debian GNU/Linux system are free software; the exact distribution terms for each program are described in the individual files in /usr/share/doc/*/*copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent permitted by applicable law.

```
enej@enejvolmut:~$ pwd
/home/enej
enej@enejvolmut:~$ cd ...
-bash: cd: ...: No such file or directory
enej@enejvolmut:~$ cd ..
enej@enejvolmut:/home$ cd var
-bash: cd: var: No such file or directory
enej@enejvolmut:/home$ cd w
-bash: cd: w: No such file or directory
enej@enejvolmut:/home$ cd ..
enej@enejvolmut:/$ cd var
enej@enejvolmut:/var$ cd w
-bash: cd: w: No such file or directory
enej@enejvolmut:/var$ cd www
enej@enejvolmut:/var/www$ cd html
enej@enejvolmut:/var/www/html$ dor
-bash: dor: command not found
enej@enejvolmut:/var/www/html$ dir
enej index.html slika.jpg
enej@enejvolmut:/var/www/html$ ls -al
total 4912
drwxr-xr-x 3 root root 4096 Mar 22 20:03 .
drwxr-xr-x 3 root root 4096 Mar 22 16:57 ..
drwx----- 4 root root 4096 Mar 22 18:01 enej
-rw-r--r-- 1 root root 291 Mar 22 20:03 index.html
-rw-r--r-- 1 root root 5013504 Mar 22 18:06 slika.jpg
enej@enejvolmut:/var/www/html$ pwd
/var/www/html
enej@enejvolmut:/var/www/html$ ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: enp0s3: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 08:00:27:cb:6e:dc brd ff:ff:ff:ff:ff:ff
    altname enx080027cb6edc
    inet 192.168.0.27/24 brd 192.168.0.255 scope global dynamic noprefixroute enp0s3
        valid_lft 3048sec preferred_lft 2598sec
    inet6 fe80::27cb:6e:dc:5d:76:5d/64 scope link
        valid_lft forever preferred_lft forever
```

PuTTY Configuration

Category:

- Session
 - Logging
- Terminal
 - Keyboard
 - Bell
 - Features
- Window
 - Appearance
 - Behaviour
 - Translation
- Selection
 - Colours
- Connection
 - Data
 - Proxy
 - SSH
 - Serial
 - Telnet
 - Rlogin
 - SUPDUP

Basic options for your PuTTY session

Specify the destination you want to connect to

Host Name (or IP address) Port

Connection type:
☒ SSH ☐ Serial ☐ Other:

Load, save or delete a stored session

Saved Sessions

almaMaterDebian2026Lokalni

Default Settings

almaMaterDebian2026Lokalni

Close window on exit:
☐ Always ☐ Never ☒ Only on clean exit

```
enej@enejvolmut: ~  
login as: enej  
enej@192.168.0.27's password:  
Linux enejvolmut 6.12.74+deb13+1-amd64 #1 SMP PREEMPT_DYNAMIC Debian 6.12.74-2 (2026-03-08) x86_64  
  
The programs included with the Debian GNU/Linux system are free software;  
the exact distribution terms for each program are described in the  
individual files in /usr/share/doc/*/copyright.  
  
Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent  
permitted by applicable law.  
Last login: Sun Mar 22 21:04:38 2026 from 192.168.0.15  
enej@enejvolmut:~$ ip a  
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default  
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00  
    inet 127.0.0.1/8 scope host lo  
        valid_lft forever preferred_lft forever  
    inet6 ::1/128 scope host noprefixroute  
        valid_lft forever preferred_lft forever  
2: enp0s3: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000  
    link/ether 08:00:27:cb:6e:d6 brd ff:ff:ff:ff:ff:ff  
    altname enx080027cb6ed6  
    inet 192.168.0.27/24 brd 192.168.0.255 scope global dynamic noprefixroute enp0s3  
        valid_lft 3586sec preferred_lft 3136sec  
    inet6 fe80::749d:3236:b041:a11e/64 scope link  
        valid_lft forever preferred_lft forever  
enej@enejvolmut:~$
```

```
Windows PowerShell  
Copyright (C) Microsoft Corporation. All rights reserved.  
  
Try the new cross-platform PowerShell https://aka.ms/pscore6  
  
PS C:\Users\Asus> pscp -i I:\Alma Mater\RAČUNALNIŠTVO V OBLAKU IN MOBILNE REŠITVE\NALOGE\almaKljuci\privatniKljucAWS.ppk -r I:\Alma Mater\RAČUNALNIŠTVO V OBLAKU IN MOBILNE REŠITVE\NALOGE\Predavanje1\splet admin@3.123.39.120:/home/admin  
Unable to use key file "I:\Alma" (unable to open file)  
FATAL ERROR: No supported authentication methods available (server sent: publickey)  
PS C:\Users\Asus> pscp -i "I:\Alma Mater\RAČUNALNIŠTVO V OBLAKU IN MOBILNE REŠITVE\NALOGE\almaKljuci\privatniKljucAWS.ppk" -r "I:\Alma Mater\RAČUNALNIŠTVO V OBLAKU IN MOBILNE REŠITVE\NALOGE\Predavanje1\splet" admin@3.123.39.120:/home/admin  
index.html | 0 kB | 0.3 kB/s | ETA: 00:00:00 | 100%  
slika.jpg | 4896 kB | 4896.0 kB/s | ETA: 00:00:00 | 100%  
PS C:\Users\Asus>
```

```
admin@ip-172-31-7-10: /usr/www/html
login as: admin
Authenticating with public key "privatnKlucAWS"
Linux ip-172-31-7-10 6.12.74+deb13i1-cloud-amd64 #1 SMP PREEMPT_DYNAMIC Debian 6.12.74-2 (2024-03-08) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/*copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
admin@ip-172-31-7-10:~$ sudo apt update
Get:1 file:/etc/apt/mirrors/debian.list Mirrorlist [38 B]
Get:2 file:/etc/apt/mirrors/debian-security.list Mirrorlist [47 B]
Get:3 https://cdn-aws.deb.debian.org/debian trixie InRelease [140 kB]
Get:4 https://cdn-aws.deb.debian.org/debian trixie-updates InRelease [47.3 kB]
Get:5 https://cdn-aws.deb.debian.org/debian trixie-backports InRelease [54.9 kB]
Get:6 https://cdn-aws.deb.debian.org/debian-security trixie-security InRelease [43.4 kB]
Get:7 https://cdn-aws.deb.debian.org/debian trixie/main Sources [10.5 kB]
Get:8 https://cdn-aws.deb.debian.org/debian trixie/main amd64 Packages [5671 kB]
Get:9 https://cdn-aws.deb.debian.org/debian trixie/main Translation-en [4494 kB]
Get:10 https://cdn-aws.deb.debian.org/debian trixie-updates/main Sources [2788 B]
Get:11 https://cdn-aws.deb.debian.org/debian trixie-updates/main amd64 Packages [5412 B]
Get:12 https://cdn-aws.deb.debian.org/debian trixie-updates/main Translation-en [4096 B]
Get:13 https://cdn-aws.deb.debian.org/debian trixie-backports/main Sources [171 kB]
Get:14 https://cdn-aws.deb.debian.org/debian trixie-backports/main amd64 Packages [106 kB]
Get:15 https://cdn-aws.deb.debian.org/debian trixie-backports/main Translation-en [143 kB]
Get:16 https://cdn-aws.deb.debian.org/debian-security trixie-security/main Sources [123 kB]
Get:17 https://cdn-aws.deb.debian.org/debian-security trixie-security/main amd64 Packages [114 kB]
Get:18 https://cdn-aws.deb.debian.org/debian-security trixie-security/main Translation-en [72.6 kB]
Fetched 27.8 MB in 2s (11.3 MB/s)
1 package can be upgraded. Run 'apt list --upgradable' to see it.
admin@ip-172-31-7-10:~$ sudo apt upgrade
Upgrading:
libfreetype6
Summary:
Upgrading: 1, Installing: 0, Removing: 0, Not Upgrading: 0
Download size: 452 kB
Space needed: 1024 B / 6793 MB available

Continue? [Y/n] Y
Get:1 file:/etc/apt/mirrors/debian-security.list Mirrorlist [47 B]
Get:2 https://cdn-aws.deb.debian.org/debian-security trixie-security/main amd64 libfreetype6 amd64 2.13.3+dfsg-1-deb13u1 [452 kB]
Fetched 452 kB in 0s (7806 kB/s)
Reading changelogs... Done
(Reading database ... 30202 files and directories currently installed.)
Preparing to unpack .../libfreetype6_2.13.3+dfsg-1-deb13u1 amd64.deb ...
Unpacking libfreetype6:amd64 (2.13.3+dfsg-1-deb13u1) over (2.13.3+dfsg-1) ...
Setting up libfreetype6:amd64 (2.13.3+dfsg-1-deb13u1) ...
Processing triggers for libc-bin (2.41-12-deb13u2) ...
admin@ip-172-31-7-10:~$ sudo apt install apache2
```

```
admin@ip-172-31-7-10: /usr/www/html
login as: admin
Authenticating with public key "privatnKlucAWS"
Linux ip-172-31-7-10 6.12.74+deb13i1-cloud-amd64 #1 SMP PREEMPT_DYNAMIC Debian 6.12.74-2 (2024-03-08) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/*copyright.


Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
admin@ip-172-31-7-10:~$ sudo apt update
Get:1 file:/etc/apt/mirrors/debian.list Mirrorlist [38 B]
Get:2 file:/etc/apt/mirrors/debian-security.list Mirrorlist [47 B]
Get:3 https://cdn-aws.deb.debian.org/debian trixie InRelease [140 kB]
Get:4 https://cdn-aws.deb.debian.org/debian trixie-updates InRelease [47.3 kB]
Get:5 https://cdn-aws.deb.debian.org/debian trixie-backports InRelease [54.9 kB]
Get:6 https://cdn-aws.deb.debian.org/debian-security trixie-security InRelease [43.4 kB]
Get:7 https://cdn-aws.deb.debian.org/debian trixie/main Sources [10.5 kB]
Get:8 https://cdn-aws.deb.debian.org/debian trixie/main amd64 Packages [5671 kB]
Get:9 https://cdn-aws.deb.debian.org/debian trixie/main Translation-en [4494 kB]
Get:10 https://cdn-aws.deb.debian.org/debian trixie-updates/main Sources [2788 B]
Get:11 https://cdn-aws.deb.debian.org/debian trixie-updates/main amd64 Packages [5412 B]
Get:12 https://cdn-aws.deb.debian.org/debian trixie-updates/main Translation-en [4096 B]
Get:13 https://cdn-aws.deb.debian.org/debian trixie-backports/main Sources [171 kB]
Get:14 https://cdn-aws.deb.debian.org/debian trixie-backports/main amd64 Packages [106 kB]
Get:15 https://cdn-aws.deb.debian.org/debian trixie-backports/main Translation-en [143 kB]
Get:16 https://cdn-aws.deb.debian.org/debian-security trixie-security/main Sources [123 kB]
Get:17 https://cdn-aws.deb.debian.org/debian-security trixie-security/main amd64 Packages [114 kB]
Get:18 https://cdn-aws.deb.debian.org/debian-security trixie-security/main Translation-en [72.6 kB]
Fetched 27.8 MB in 2s (11.3 MB/s)
1 package can be upgraded. Run 'apt list --upgradable' to see it.
admin@ip-172-31-7-10:~$ sudo apt upgrade
Upgrading:
libfreetype6
Summary:
Upgrading: 1, Installing: 0, Removing: 0, Not Upgrading: 0
Download size: 452 kB
Space needed: 1024 B / 6793 MB available

Continue? [Y/n] Y
Get:1 file:/etc/apt/mirrors/debian-security.list Mirrorlist [47 B]
Get:2 https://cdn-aws.deb.debian.org/debian-security trixie-security/main amd64 libfreetype6 amd64 2.13.3+dfsg-1-deb13u1 [452 kB]
Fetched 452 kB in 0s (7806 kB/s)
Reading changelogs... Done
(Reading database ... 30202 files and directories currently installed.)
Preparing to unpack .../libfreetype6_2.13.3+dfsg-1-deb13u1 amd64.deb ...
Unpacking libfreetype6:amd64 (2.13.3+dfsg-1-deb13u1) over (2.13.3+dfsg-1) ...
Setting up libfreetype6:amd64 (2.13.3+dfsg-1-deb13u1) ...
Processing triggers for libc-bin (2.41-12-deb13u2) ...
admin@ip-172-31-7-10:~$ sudo apt install apache2
```

```
admin@ip-172-31-7-10: /var/www/html
Unpacking libpam-compat44:amd64 (1:24-2) ...
Selecting previously unselected package libperl5.40:amd64.
Preparing to unpack .../02-libperl5.40_5.40.1-6_amd64.deb ...
Unpacking libperl5.40:amd64 (5.40.1-6) ...
Selecting previously unselected package perl.
Preparing to unpack .../03-perl_5.40.1-6_amd64.deb ...
Unpacking perl (5.40.1-6) ...
Selecting previously unselected package libapr16:amd64.
Preparing to unpack .../04-libapr16_1.7.5-1_amd64.deb ...
Unpacking libapr16:amd64 (1.7.5-1) ...
Selecting previously unselected package libaprutil164:amd64.
Preparing to unpack .../05-libaprutil164_1.6.3-3+b1_amd64.deb ...
Unpacking libaprutil164:amd64 (1.6.3-3+b1) ...
Selecting previously unselected package libaprutil1-dbd-sqlite3:amd64.
Preparing to unpack .../06-libaprutil1-dbd-sqlite3_1.6.3-3+b1_amd64.deb ...
Unpacking libaprutil1-dbd-sqlite3:amd64 (1.6.3-3+b1) ...
Selecting previously unselected package libaprutil1-ldap:amd64.
Preparing to unpack .../07-libaprutil1-ldap_1.6.3-3+b1_amd64.deb ...
Unpacking libaprutil1-ldap:amd64 (1.6.3-3+b1) ...
Selecting previously unselected package liblua5.4-0:amd64.
Preparing to unpack .../08-liblua5.4-0_5.4.7-1+b2_amd64.deb ...
Unpacking liblua5.4-0:amd64 (5.4.7-1+b2) ...
Selecting previously unselected package apache2-bin.
Preparing to unpack .../10-apache2-bin_2.4.66-1-deb13u2_amd64.deb ...
Unpacking apache2-bin (2.4.66-1-deb13u2) ...
Selecting previously unselected package apache2-data.
Preparing to unpack .../11-apache2-data_2.4.66-1-deb13u2_all.deb ...
Unpacking apache2-data (2.4.66-1-deb13u2) ...
Selecting previously unselected package apache2-utils.
Preparing to unpack .../12-apache2-utils_2.4.66-1-deb13u2_amd64.deb ...
Unpacking apache2-utils (2.4.66-1-deb13u2) ...
Selecting previously unselected package apache2.
Preparing to unpack .../13-apache2_2.4.66-1-deb13u2_amd64.deb ...
Unpacking apache2 (2.4.66-1-deb13u2) ...
Selecting previously unselected package ssl-cert.
Preparing to unpack .../14-ssl-cert_1.1.3_all.deb ...
Unpacking ssl-cert (1.1.3) ...
Setting up libpam-compat44:amd64 (1:24-2) ...
Setting up libpam-modules:amd64 (1:24-2+b3) ...
Setting up ssl-cert (1.1.3) ...
Setting up perl-modules-5.40 (5.40.1-6) ...
Setting up libapr16:amd64 (1.7.5-1) ...
Setting up liblua5.4-0:amd64 (5.4.7-1+b2) ...
Setting up apache2-bin (2.4.66-1-deb13u2) ...
Setting up libaprutil164:amd64 (1.6.3-3+b1) ...
Setting up libaprutil1-ldap:amd64 (1.6.3-3+b1) ...
Setting up libaprutil1-dbd-sqlite3:amd64 (1.6.3-3+b1) ...
Setting up perl (5.40.1-6) ...
Setting up apache2-utils (2.4.66-1-deb13u2) ...
Setting up apache2-bin (2.4.66-1-deb13u2) ...
Setting up apache2 (2.4.66-1-deb13u2) ...
Enabling module alias.
Enabling module dir.
Enabling module autoindex.
Enabling module env.
Enabling module mime.
Enabling module negotiation.
Enabling module setenvif.
Enabling module filter.
Enabling module deflate.
Enabling module status.
Enabling module ssl.
Enabling conf charset.
Enabling conf localised-error-pages.
Enabling conf other-vhosts-access-log.
Enabling conf security.
Enabling conf serve-cgi-bin.
Enabling site 000-default.
Created symlink '/etc/systemd/system/multi-user.target.wants/apache2.service' ->
'/usr/lib/systemd/system/apache2.service'.
Created symlink '/etc/systemd/system/multi-user.target.wants/apache-htcacheclean
.service' -> '/usr/lib/systemd/system/apache-htcacheclean.service'.
Processing triggers for libc-bin (2.39-1) ...
admin@ip-172-31-7-10:~$ sudo systemctl status apache2
* apache2.service - The Apache HTTP Server
Loaded: loaded (/usr/lib/systemd/system/apache2.service; enabled; preset:
Active: active (running) since Sun 2026-03-22 21:40:38 UTC; 32s ago
Invocation: ec1ab4b1b7c9d56a8a3d3c959
Docs: https://httpd.apache.org/docs/2.4/
Main PID: 1472 (apache2)
Tasks: 55 (limit: 1097)
Memory: 5.5M (peak: 5.5M)
CGroup: /system.slice/apache2.service
└─1471 /usr/sbin/apache2 -k start
└─1473 /usr/sbin/apache2 -k start
└─1474 /usr/sbin/apache2 -k start

Mar 22 21:40:38 ip-172-31-7-10 systemd[1]: Starting apache2.service - The Apache
Mar 22 21:40:38 ip-172-31-7-10 apache2[1470]: AH00558: apache2: Could not rel
Mar 22 21:40:38 ip-172-31-7-10 systemd[1]: Started apache2.service - The Apache
lines 1-17/17 (END)

admin@ip-172-31-7-10:~$ dir
sp1et
admin@ip-172-31-7-10:~$ pwd
/home/admin
admin@ip-172-31-7-10:~$ dir
sp1et
admin@ip-172-31-7-10:~$ cd alma
-bash: cd: alma: No such file or directory
admin@ip-172-31-7-10:~$ cd Alma
-bash: cd: Alma: No such file or directory
admin@ip-172-31-7-10:~$ cd sp1et
admin@ip-172-31-7-10:~$ cp -r * /var/www/html
cp: cannot create regular file '/var/www/html/index.html': Permission denied
admin@ip-172-31-7-10:~$ cp1et1 sudo cp -r * /var/www/html
admin@ip-172-31-7-10:~$ cp1et1 cd /var/www/html
index.html  al1a3.jpg
admin@ip-172-31-7-10:~$ cd /var/www/html
admin@ip-172-31-7-10:~$ nano index.html
admin@ip-172-31-7-10:~$ nano index.html
admin@ip-172-31-7-10:~$ nano index.html
```



Successfully initiated stopping of i-0a12757421e4a2910

Instances (1/1) info

Last updated about 1 hour ago

Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IPv4 DNS	Public IPv4 ...	Elastic IP
almaMaterDebian	i-0a12757421e4a2910	Stopping	t3.micro	3/3 checks passed	View alarms +	eu-central-1c	ec2-3-123-39-120.eu-c...	3.123.39.120	-

i-0a12757421e4a2910 (almaMaterDebian)

Details | Status and alarms | Monitoring | Security | Networking | Storage | Tags

Instance summary

Instance ID: i-0a12757421e4a2910

IPv6 address: -

Hostname type: IP name: ip-172-31-7-10.eu-central-1.compute.internal

Answer private resource DNS name: IPv4 (A)

Auto-assigned IP address: -

Public IPv4 address: 3.123.39.120 | open address

Instance state: Stopping

Private IP DNS name (IPv4 only): ip-172-31-7-10.eu-central-1.compute.internal

Instance type: t3.micro

VPC ID: -

Private IPv4 addresses: 172.31.7.10

Public DNS: ec2-3-123-39-120.eu-central-1.compute.amazonaws.com | open address

Elastic IP addresses: -

AWS Compute Optimizer finding: -

Resources

You are using the following Amazon EC2 resources in the Europe (Frankfurt) Region:

Resource	Count
Instances (running)	1
Auto Scaling Groups	0
Capacity Reservations	0
Dedicated Hosts	0
Elastic IPs	0
Instances	1
Key pairs	1
Load balancers	0
Placement groups	0
Security groups	2
Snapshots	0
Volumes	1

Launch instance

To get started, launch an Amazon EC2 instance, which is a virtual server in the cloud.

[Launch instance](#) [Migrate a server](#)

Note: Your instances will launch in the Europe (Frankfurt) Region

Instance alarms

[View in CloudWatch](#)

0 in alarm 0 OK 0 insufficient data

[Instances in alarm](#)

Scheduled events

Europe (Frankfurt)

No scheduled events

Service health

[AWS Health Dashboard](#)

Region: Europe (Frankfurt)

Status: This service is operating normally.

Zones

Zone name	Zone ID
eu-central-1a	eucl-az2
eu-central-1b	eucl-az3
eu-central-1c	eucl-az1

[Enable additional Zones](#)

EC2 cost

Date range: Past 6 months Region: Global

Costs in your free plan account are covered by credits.

Credits remaining: \$100 USD Days remaining: 184 (September 22, 2026)

Unable to load

[Analyze your costs in Cost Explorer](#)

Account attributes

Default VPC: vpc-098eca89dceddb091

Settings: Data protection and security, Allowed AMIs, Zones, EC2 Serial Console, Default credit specification, EC2 console preferences

Explore AWS

Optimize EC2 cost with Spot Instances and EC2 Auto Scaling

Get started with EC2 Spot Instances, EC2 Auto Scaling, and Launch Templates by following this step by step tutorial. [Learn more](#)

EC2

Dashboard

AWS Global View

Events

Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Capacity Manager

Images

AMIs

AMI Catalog

Instance summary for i-0a12757421e4a2910 (almaMaterDebian)

Updated less than a minute ago

Instance ID

i-0a12757421e4a2910

IPV6 address

-

Hostname type

IP name: ip-172-31-7-10.eu-central-1.compute.internal

Answer private resource DNS name

IPv4 (A)

Auto-assigned IP address

-

IAM role

-

IMDSv2

Required

Operator

-

Public IPv4 address

3.123.39.120 | open address

Instance state

Stopped

Private IP DNS name (IPv4 only)

ip-172-31-7-10.eu-central-1.compute.internal

Instance type

t3.micro

VPC ID

vpc-098eca89dceddb091

Subnet ID

subnet-01715b451fa63bbaf

Instance ARN

arn:aws:ec2:eu-central-1:939244404351:instance/i-0a12757421e4a2910

Private IPv4 addresses

172.31.7.10

Public DNS

-

Elastic IP addresses

-

AWS Compute Optimizer finding

Opt-in to AWS Compute Optimizer for recommendations. | Learn more

Auto Scaling Group name

-

Managed

false

Connect

Instance state

Actions

EC2

Dashboard

AWS Global View

Events

Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Capacity Manager

Images

AMIs

AMI Catalog

Details

Status and alarms

Monitoring

Security

Networking

Storage

Tags

▼ Instance details

AMI ID

ami-0da1f66573556d917

AMI name

debian-13-amd64-20260316-2418

Stop protection

Disabled

Instance reboot migration

Default (On)

Stop-hibernate behavior

Disabled

State transition reason

User initiated (2026-05-22 22:22:24 GMT)

State transition message

Client.UserInitiatedShutdown: User initiated shutdown

Owner

939244404351

Monitoring

disabled

Allowed image

-

Launch time

Sun Mar 22 2026 22:21:13 GMT+0100 (Srednjejevropski standardni čas) (labo ut 1 hour)

Instance auto-recovery

Default

AMI Launch index

0

Credit specification

unlimited

Usage operation

RunInstances

Enclaves Support

Disabled

Platform details

Linux/UNIX

Termination protection

Disabled

AMI location

amazon/debian-13-amd64-20260316-2418

Lifecycle

normal

Key pair assigned at launch

privatniKljučAWS

Kernel ID

-

RAM disk ID

-

Boot mode

-