

Domača naloga 8 – Marko Tojagić

Prilagam slike s predavanja in od domače naloge 8, povečali smo volume na 10GB, ustvarili RDS, popravili security groups, iz EC2 sem se uspešno povezal gor, ustvaril database kot prej za spletno php aplikacijo. Da bi stvar delovala sem naložil na EC2 .pem datoteko za varno povezavo med EC2 in RDS, kar RDS nujno zahteva.

EC2 > Volumes > vol-0d25f41bae91a0b1e > Modify volume

Modify volume

Modify the type, size, and performance of an EBS volume.

Volume details

Volume ID
vol-0d25f41bae91a0b1e

Volume type | Info
General Purpose SSD (gp3)

Size (GiB) | Info
10
Min: 1 GiB, Max: 65536 GiB.

IOPS | Info
3000
Min: 3000 IOPS, Max: 80000 IOPS.

Throughput (MiB/s) | Info
125
Min: 125 MiB, Max: 2000 MiB, Baseline: 125 MiB/s.

Cancel Modify

database-alma-2026

Modify Actions

Summary

DB identifier database-alma-2026	Status Backing-up	Role Instance	Engine MariaDB	Recommendations
CPU -	Class db.t4g.micro	Current activity	Region & AZ eu-central-1b	

Connectivity & security

Monitoring

Logs & events

Configuration

Maintenance & backups

Data migrations

Connect using | Info

☒ Code snippets
Use when connecting through SDK, APIs, or third-party tools including agents.

☐ CloudShell
Use for a quick access to AWS CLI that launches directly from the AWS Management Console.

☐ Endpoints
Use when connecting through any IDE interface.

Internet access gateway
Disabled

IAM Authentication
Disabled

Programming language
MySQL (macOS)

Endpoint type
Instance endpoint

Connection steps

Follow the steps below to paste the code of each step in your tool and run the commands. The snippets dynamically reflect the authentication configuration.

1 curl -o global-bundle.pem https://truststore.pki.rds.amazonaws.com/global/global-bundle.pem

1 mysql -h database-alma-2026.cjso08u6alb0.eu-central-1.rds.amazonaws.com -P 3306 -u admin -p --ssl-verify-server-cert --ssl-ca=./global-bundle.pem

Edit inbound rules [info](#)

Inbound rules control the incoming traffic that's allowed to reach the instance.

Inbound rules [info](#)

Security group rule ID	Type info	Protocol info	Port range info	Source info	Description - optional info	
sgr-0eb3f73a7e0b5fcb4	MYSQL/Aurora	TCP	3306	Custom	Q	Delete
-	MYSQL/Aurora	TCP	3306	Custom	31.15.198.217/32 X Q sg-07f7d0fb0c6e04137 X Use: *sg-07f7d0fb0c6e04137* CIDR blocks Security Groups secSpletni sg-07f7d0fb0c6e04137 Prefix lists	Delete

Add rule

Preview changes

Save rules

admin@ip-192-168-0-26: ~

```
Setting up libterm-readkey-perl (2.38-2+b4) ...
Setting up libdbi-perl:amd64 (1.647-1) ...
Setting up mariadb-client-core (1:11.8.6-0+deb13u1) ...
Setting up libdbd-mariadb-perl (1.22-1+b4) ...
Setting up mariadb-client (1:11.8.6-0+deb13u1) ...
Processing triggers for man-db (2.13.1-1) ...
Processing triggers for libc-bin (2.41-12+deb13u2) ...
admin@ip-192-168-0-26:~$ mariadb -h .
./                                .bashrc
../                               .profile
.bash_history                     .ssh/
.bash_logout                      .sudo_as_admin_successful
admin@ip-192-168-0-26:~$ mariadb -h database-alma-2026.cjso08u6alb0.eu-central-1
.rds.amazonaws.com -u admin -p
Enter password:
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 73
Server version: 11.8.6-MariaDB-log managed by https://aws.amazon.com/rds/

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]>
```

```
GNU nano 8.4          vstavi.php *
<?php
$host = "database-alma-2026.cjso08u6alb0.eu-central-1.rds.amazonaws.com";
$dbname = "AlmaMater";
$username = "marko";
$password = "marko";

$conn = new mysqli($host, $username, $password, $dbname);

if ($conn->connect_error) {
    die("Povezava ni uspela: " . $conn->connect_error);
}

$conn->set_charset("utf8mb4");

$element = $_POST['element'] ?? '';
$kolicina = $_POST['kolicina'] ?? '';

$element = trim($element);
$kolicina = (int)$kolicina;

^G Help      ^O Write Out ^F Where Is  ^K Cut       ^T Execute   ^C Location
^X Exit      ^R Read File ^\ Replace   ^U Paste     ^J Justify   ^/ Go To Line
```

```
MariaDB [(none)]> CREATE DATABASE AlmaMater;
Query OK, 1 row affected (0.011 sec)

MariaDB [(none)]> USE AlmaMater;
Database changed
MariaDB [AlmaMater]> CREATE TABLE nakup (
  ->   id INT AUTO_INCREMENT PRIMARY KEY,
  ->   element VARCHAR(100) NOT NULL,
  ->   kolicina INT NOT NULL
  -> );
Query OK, 0 rows affected (0.037 sec)

MariaDB [AlmaMater]> CREATE USER 'marko'@'%' IDENTIFIED BY 'marko';
Query OK, 0 rows affected (0.021 sec)

MariaDB [AlmaMater]> GRANT ALL ON *.* TO 'marko'@'%';
ERROR 1045 (28000): Access denied for user 'admin'@'%' (using password: YES)
MariaDB [AlmaMater]> ^C
MariaDB [AlmaMater]> GRANT ALL ON AlmaMater.* TO 'marko'@'%';
Query OK, 0 rows affected (0.007 sec)

MariaDB [AlmaMater]> GRANT ALL ON nakup.* TO 'marko'@'%';
Query OK, 0 rows affected (0.005 sec)

MariaDB [AlmaMater]> FLUSH PRIVILEGES;
Query OK, 0 rows affected (0.009 sec)

MariaDB [AlmaMater]> INSERT INTO nakup(element,kolicina) VALUES('Jaffa', 2);
Query OK, 1 row affected (0.011 sec)
```

```
?php
$host = "database-alma-2026.cjso08u6alb0.eu-central-1.rds.amazonaws.com";
$port = 3306;
$dbname = "AlmaMater";
$username = "marko";
$password = "marko";
$ca = "/etc/ssl/rds/global-bundle.pem";

$element = trim($_POST['element'] ?? '');
$kolicina = (int)($_POST['kolicina'] ?? 0);

if ($element === '' || $kolicina <= 0) {
    die("Element in veljavna količina sta obvezna.");
}

try {
    $conn = mysqli_init();
    $conn->ssl_set(NULL, NULL, $ca, NULL, NULL);
    $conn->real_connect($host, $username, $password, $dbname, $port, NULL, MYSQLI_CLIENT_SSL);

    $conn->set_charset("utf8mb4");

    $stmt = $conn->prepare("INSERT INTO nakup (element, kolicina) VALUES (?, ?)");
    $stmt->bind_param("si", $element, $kolicina);
    $stmt->execute();

    echo "Podatek je bil uspešno shranjen.<br><br>";
    echo '<a href="index.html">Nazaj na vnos</a><br>';
    echo '<a href="izpis.php">Poglej seznam</a>';

    $stmt->close();
    $conn->close();
} catch (mysqli_sql_exception $e) {
    die("MySQL napaka: " . $e->getMessage());
}
?>
```

```

GNU nano 8.4 izpis.php
<?php
$host = "database-alma-2026.cjso08u6alb0.eu-central-1.rds.amazonaws.com";
$dbname = "AlmaMater";
$username = "marko";
$password = "marko";
$ca = "/etc/ssl/rds/global-bundle.pem";

try {
    $db = mysqli_init();
    $db->ssl_set(NULL, NULL, $ca, NULL, NULL);
    $db->real_connect($host, $username, $password, $dbname, 3306, NULL, MYSQLI_CLIENT_SSL);

    $db->set_charset("utf8mb4");

    $sql = "SELECT id, element, kolicina FROM nakup";
    $result = $db->query($sql);
} catch (mysqli_sql_exception $e) {
    die("MySQL napaka: " . $e->getMessage());
}

?>

<!DOCTYPE html>
<html lang="sl">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Izpis seznama</title>
</head>
<body>
    <h1>Nakupni seznam</h1>

    <?php
    if ($result && $result->num_rows > 0) {
        echo "<table border='1' cellpadding='8' cellspacing='0'>";
        echo "<tr><th>ID</th><th>Element</th><th>Količina</th></tr>";

        while ($row = $result->fetch_assoc()) {
            echo "<tr>";
            echo "<td>" . htmlspecialchars($row["id"]) . "</td>";
            echo "<td>" . htmlspecialchars($row["element"]) . "</td>";
            echo "<td>" . htmlspecialchars($row["kolicina"]) . "</td>";
            echo "</tr>";
        }

        echo "</table>";
    } else {
        echo "Ni vnešenih podatkov.";
    }

    $conn->close();
    ?>

    <br><br>
    <a href="index.html">Nazaj na vnos</a>
</body>
</html>

```