Nejc Dolinar Naloga 4

```
Microsoft Windows [Version 10.0.26200.8037]
(c) Microsoft Corporation. All rights reserved.

C:\Windows\System32>cd E:
E:\

C:\Windows\System32>cd E:
E:\

C:\Windows\System32>cd School
The system cannot find the path specified.

C:\Windows\System32>cd E:\

C:\Windows\System32>E:

E:\>cd School

E:\School>cd "Year 3"

E:\School\Year 3>cd Cloud

E:\School\Year 3\Cloud>mkdir nejc_dolinar

E:\School\Year 3\Cloud>cd nejc_dolinar

E:\School\Year 3\Cloud\nejc_dolinar>git init
Initialized empty Git repository in E:/School/Year 3/Cloud/nejc_dolinar/.git/

E:\School\Year 3\Cloud\nejc_dolinar>git add .
```

warning: in the working copy of 'setup_aws.ps1', LF will be replaced by CRLF the next time Git touches it

E:\School\Year 3\Cloud\nejc_dolinar>git commit -m "Začetni commit - dodane mape in datoteke"

[master (root-commit) eee7c22] Začetni commit - dodane mape in datoteke

3 files changed, 65 insertions(+)

create mode 100644 DN1.pdf

create mode 100644 DN2.pdf

create mode 100644 setup_aws.ps1

E:\School\Year 3\Cloud\nejc_dolinar># f) Poveži lokalni repozitorij z GitHubom in ga naloži

'#' is not recognized as an internal or external command,

operable program or batch file.

E:\School\Year 3\Cloud\nejc_dolinar>git remote add origin https://github.com/tvojUsername/alma2026svojPriimekDelo.git

E:\School\Year 3\Cloud\nejc_dolinar>git branch -M main

E:\School\Year 3\Cloud\nejc_dolinar>git remote add origin https://github.com/almaDolinar2026/alma2026DolinarDelo.git

error: remote origin already exists.

E:\School\Year 3\Cloud\nejc_dolinar>git branch -M main

E:\School\Year 3\Cloud\nejc_dolinar>git push -u origin main

remote: Invalid username or token. Password authentication is not supported for Git operations.

fatal: Authentication failed for 'https://github.com/tvojUsername/alma2026svojPriimekDelo.git/'

E:\School\Year 3\Cloud\nejc_dolinar>git remote remove origin

E:\School\Year 3\Cloud\nejc_dolinar>git remote add origin https://github.com/almaDolinar2026/alma2026DolinarDelo.git

E:\School\Year 3\Cloud\nejc_dolinar>git branch -M main

E:\School\Year 3\Cloud\nejc_dolinar>git push -u origin main

info: please complete authentication in your browser...

E:\School\Year 3\Cloud\nejc_dolinar>git push -u origin main

info: please complete authentication in your browser...

Enumerating objects: 5, done.

Counting objects: 100% (5/5), done.

Delta compression using up to 16 threads

Compressing objects: 100% (5/5), done.

Writing objects: 100% (5/5), 1.04 MiB | 1.11 MiB/s, done.

Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)

remote: error: GH013: Repository rule violations found for refs/heads/main.

remote:

remote: - GITHUB PUSH PROTECTION

remote: ——
—

remote: Resolve the following violations before pushing again

remote:

remote: - Push cannot contain secrets

remote:

remote:

remote: (?) Learn how to resolve a blocked push

remote: https://docs.github.com/code-security/secret-scanning/working-with-secret-scanning-and-push-protection/working-with-push-protection-from-the-command-line#resolving-a-blocked-push

remote:

remote:

```
remote:     —— Amazon AWS Access Key ID ————————————————————————————————————
remote:     locations:
remote:       - commit: eee7c22c2ef966674ea2d540ba164895381e590f
remote:         path: setup_aws.ps1:3
remote:
remote:     (?) To push, remove secret from commit(s) or follow this URL to allow the secret.
remote:     https://github.com/almaDolinar2026/alma2026DolinarDelo/security/secret-scanning/unblock-secret/3C1IeGAQQZFJmyRwz0qTKXZgFYW
remote:
remote:
remote:     —— Amazon AWS Secret Access Key ————————————————————————————————
remote:     locations:
remote:       - commit: eee7c22c2ef966674ea2d540ba164895381e590f
remote:         path: setup_aws.ps1:4
remote:
remote:     (?) To push, remove secret from commit(s) or follow this URL to allow the secret.
remote:     https://github.com/almaDolinar2026/alma2026DolinarDelo/security/secret-scanning/unblock-secret/3C1IeJFVePuUAI6NVpbidVb3EDD
remote:
remote:
remote:
To https://github.com/almaDolinar2026/alma2026DolinarDelo.git
 ! [remote rejected] main -> main (push declined due to repository rule violations)
error: failed to push some refs to 'https://github.com/almaDolinar2026/alma2026DolinarDelo.git'


E:\School\Year 3\Cloud\nejc_dolinar>git push -u origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (5/5), done.
```

```
Writing objects: 100% (5/5), 1.04 MiB | 1.09 MiB/s, done.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: error: GH013: Repository rule violations found for refs/heads/main.
remote:
remote: - GITHUB PUSH PROTECTION
remote:  —————————————————————————————————————————————————————
—
remote:    Resolve the following violations before pushing again
remote:
remote:    - Push cannot contain secrets
remote:
remote:
remote:     (?) Learn how to resolve a blocked push
remote:     https://docs.github.com/code-security/secret-scanning/working-with-secret-
scanning-and-push-protection/working-with-push-protection-from-the-command-
line#resolving-a-blocked-push
remote:
remote:
remote:      —— Amazon AWS Access Key ID ————————————————————————————————
——
remote:      locations:
remote:        - commit: eee7c22c2ef966674ea2d540ba164895381e590f
remote:          path: setup_aws.ps1:3
remote:
remote:      (?) To push, remove secret from commit(s) or follow this URL to allow the secret.
remote:      https://github.com/almaDolinar2026/alma2026DolinarDelo/security/secret-
scanning/unblock-secret/3C1IeGAQQZFJmyRwz0qTKXZgFYW
remote:
remote:
remote:      —— Amazon AWS Secret Access Key ———————————————————————————
remote:      locations:
remote:        - commit: eee7c22c2ef966674ea2d540ba164895381e590f
remote:          path: setup_aws.ps1:4
```

```
remote:
remote:      (?) To push, remove secret from commit(s) or follow this URL to allow the secret.
remote:      https://github.com/almaDolinar2026/alma2026DolinarDelo/security/secret-scanning/unblock-secret/3C1IeJFVePuUAI6NVpbidVb3EDD
remote:
remote:
remote:
To https://github.com/almaDolinar2026/alma2026DolinarDelo.git
 ! [remote rejected] main -> main (push declined due to repository rule violations)
error: failed to push some refs to 'https://github.com/almaDolinar2026/alma2026DolinarDelo.git'


E:\School\Year 3\Cloud\nejc_dolinar>git add setup_aws.ps1
warning: in the working copy of 'setup_aws.ps1', LF will be replaced by CRLF the next time Git touches it


E:\School\Year 3\Cloud\nejc_dolinar>git commit --amend --no-edit
[main 509b0da] Začetni commit - dodane mape in datoteke
 Date: Tue Apr 7 09:19:30 2026 +0200
 3 files changed, 65 insertions(+)
 create mode 100644 DN1.pdf
 create mode 100644 DN2.pdf
 create mode 100644 setup_aws.ps1


E:\School\Year 3\Cloud\nejc_dolinar>git push --force
fatal: The current branch main has no upstream branch.
To push the current branch and set the remote as upstream, use

   git push --set-upstream origin main


To have this happen automatically for branches without a tracking
upstream, see 'push.autoSetupRemote' in 'git help config'.
```

```
E:\School\Year 3\Cloud\nejc_dolinar>git push
fatal: The current branch main has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin main

To have this happen automatically for branches without a tracking
upstream, see 'push.autoSetupRemote' in 'git help config'.


E:\School\Year 3\Cloud\nejc_dolinar>git push -u origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 1.04 MiB | 1.09 MiB/s, done.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/almaDolinar2026/alma2026DolinarDelo.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.

E:\School\Year 3\Cloud\nejc_dolinar>
```

2. del: Odgovori na vprašanja

i. Kateri Cloud Service Model?

Storitev	***Model***	***Razlaga***
EC2	**IaaS**	Dobiš virtualni strežnik (infrastrukturo) — sam namestiš OS, programsko opremo.
GitHub	**SaaS**	Gotova aplikacija, ki jo samo uporabljaš prek brskalnika — nič ne namestiš.
Virtualni računalnik *(VirtualBox)*	❌ Ni oblačna storitev	Teče lokalno na tvojem računalniku, ni dostopen prek interneta, nima oblačnih lastnosti (elastičnost, plačilo po porabi).

ii. Kategorija virov (Resources)

- **EC2** → **Compute** — zagotavlja računalniško moč (procesor, RAM, virtualni strežnik)
- **GitHub** → **Storage + Network** — shranjuje kodo (storage) in omogoča sodelovanje prek spleta (network)

iii. Cloud Service Models (IaaS / PaaS / SaaS)

- **EC2 → IaaS** — Amazon ti da golo infrastrukturo. Sam upravljaš OS in vse nad njim.
- **GitHub → SaaS** — Celotna aplikacija je že pripravljena. Samo se prijaviš in uporabljaš.

iv. Primeri uporabe (Use cases)

EC2:

1. Gostovanje spletne strani ali strežnika
2. Poganjanje zahtevnih izračunov / analiz podatkov

GitHub:

1. Shranjevanje in deljenje programske kode v ekipi
2. Sledenje zgodovini sprememb projekta (version control)