# Висока школа струковних студија за информационе и комуникационе технологије

# Душан Рашић 122/14

# Документација

3a cajT: <a href="http://homp.byethost11.com">http://homp.byethost11.com</a>

Смер: Интернет технологије

Модул: Веб програмирање

Предмет: Веб програмирање

# Садржај

1.	Увод			4
	1.1.	Кор	ишћени програмски језици	4
	1.2.	Опи	с функционалности	4
	1.3.	Tem	plate	5
	1.3	3.1.	Home Template	5
	1.3	3.2.	Section's Template (Old, Modern, Smart )	7
	1.3.3.		About Me Template	8
	1.3	3.4.	Gallery Template	10
	1.3	3.5.	Comment Template	14
	1.4.	Кор	ишћени CSS	18
	1.4	l.1.	lightbox.css	18
2.	Ор	ганиз	ација	26
	2.1.	Орг	анизациона шема	26
	2.2.	Маг	па сајта	26
	2.3. Сли		ке страница и описи функционалности	27
	2.3.1.		Home Page	27
	2.3.2.		Sections (Old, Modern, Smart) Pages	28
	2.3	3.3.	About Me Page	29
	2.3	3.4.	Gallery page	29
	2.3	3.5.	Comment page	30
3.	Ко	дови.		31
	3.1.	Htm	ıl	31
	3.1	.1.	Index.html	31
	3.1.2.		gallery.html	35
	3.1.3.		comments.html	38
	3.2.	CSS		42
	3.2	2.1.	style.css	42
	3.2	2.2.	lightbox.css	57
	3.3.	Java	Script/JQuery	66
	3.3	3.1.	script.js	66

3.3.2.	script_jquery.js	69
3.3.3.	lightbox.js	71
3.4. XN	/IL/XSLT	88
3.4.1.	rss.xml	88
3.4.2.	for_rss.xsl	90
3.4.3.	sitemap.xml	93
3.4.4.	for_sitemap.xsl	94
3.4.5.	comments.xml	97

# 1. Увод

#### 1.1. Коришћени програмски језици

За израду сајта коришћени су следећи језици:

HTML, CSS, XML, XSL, AJAX, JavaScript, JQuery и његови plugin-ови.

# 1.2. Опис функционалности

Сајт поседује следеће функционалности:

Навигација међу странама сајта урађеног у One-page design стилу, омгоућена је помоћу JQuery-ja, који на основу изабраног линка из главног менија и падајућег менија "More..", наизменично слајдује и жељену страну.

Падајући мени који се налази у склопу главног менија урађен помоћу JQueryја. Оба менија се налазе на свим странама сајта.

Hover ефекат на Home страни кликом на Explore div који слајдује на прву секцију, урађен је помоћу JQuery-ja.

Проверавање исправности података анкете на Comment страни урађено помоћу JavaScript-а и регуларних израза.

Приказ резултата анкете на Comment страни урађен помоћу унапред направљеног и попуњеног XML фајла, и JavaScript-а који те податке чита и приказује на страни у посебном div-y.

Галерија слика на страни "gallery" урађена је помоћу JQuery plugin-a LightBox.

Стилизован RSS и Sitemap преко XLST-а се налази у футеру сваке странице.

# 1.3. Template

#### 1.3.1. Home Template





data-link="#tofifth">About me

</section>

#### 1.3.2. Section's Template (Old, Modern, Smart)





<section id="tosecond"> <div id="second">

<img src="img/Mobile-icon.png">


<div class="second-text"><span>Old mobile

phone</span></br></br>
Prior to 1973, mobile telephony was limited to phones installed in cars and other vehicles. Motorola was the first company to produce a handheld mobile phone. On 3 April 1973 when Martin Cooper, a Motorola researcher and executive, made the first mobile telephone call from handheld subscriber equipment, placing a call to Dr. Joel S. Engel of Bell Labs. The prototype handheld phone used by Dr. Cooper weighed 1.1 kg and measured 23 cm long, 13 cm deep and 4.45 cm wide. The prototype offered a talk time of just 30 minutes and took 10 hours to recharge.

</div>

</section

#### 1.3.3. About Me Template





<section id="tofifth">

<div id="fifth">

<img src="img/DSC\_0013.png">

<div class="fifth-text"><span>Dušan

Rašić</span></br>Hi, my name is Dušan and I'm 21 years old. I went in high school, "Palanačka gimnazija" in my home town. Now im livig in Belgrade and I'm studing at ICT. I like web design and programing, because of that, I'm there. If you wanna see more about me check my social accounts.</br>Rašić 122/14</br>

<a

href="mailto:dusan.rasic.122.14@ict.edu.rs">dusan.rasic.122.14@ict.edu.rs</a>

<div class="contact-icons">

<a

href="https://www.facebook.com/DusanRasic1995"><img src="img/Facebook.png"></a>

<a

href="https://plus.google.com/u/0/+%D0%94%D1%83%D1%88%D0%B0%D0%B D%D0%A0%D0%B0%D1%88%D0%B8%D1%9B"><img src="img/GooglePlus.png"></a>

</div>

</div>

</div>

</section>

#### **1.3.4.** Gallery Template



```
image-row
                    body
                    h2
                    gallery-img
                    meni
                    h1
<!DOCTYPE html>
<html>
<head>
       <title>Gallery</title>
       <!-- CSS LightBox-->
       <link rel="stylesheet" type="text/css" href="lightbox2-master\src\css\lightbox.css">
       <!-- CSS -->
               <link rel="stylesheet" type="text/css" href="style.css"/>
               <meta charset="UTF-8">
       <!-- JQuerry -->
       <script type="text/javascript" src="https://code.jquery.com/jquery-1.12.1.min.js"></script>
```


<script type="text/javascript" src="script\_jquery.js"></script>

```
<!-- JavaScript -->
      <script type="text/javascript" src="script.js"></script>
            <!--Meta Tags-->
      <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
      <meta name="description" content="History about mobile phones.">
      <meta name="keywords" content="Mobile, history, old, modern, smart">
      <meta name="author" content="Dušan Rašić">
</head>
<body>
<div id="body">
<div id="body-gallery">
<!--Main Menu-->
      <div id='meni'>
            <a href='index.html#tohome'>Home</a>
                   class="><a href='index.html#tosecond'>Old</a>
                   <a href='index.html#tothird'>Modern</a>
                   <a href='index.html#tofourth'>Smart</a>
                   <a href=" onClick="return false;">More..</a>
                    ul>
                      <a href="index.html#tofifth">About me</a>
                      <a href='gallery.html'>Gallery</a>
                      Documentation
                    cli class='last' id="logindugme"><a</li>
href="comments.html">Comment</a>
```

```
</div>
<!-- Gallery -->
       <section id="images-row">
              <h1>Gallery</h1></br>
              <h2>Image that i used </h2>
              <div id="galleryimg">
                     <a class="image-gall" href="img/DSC_0013.jpg" data-lightbox="MyImage"
><img src="img/DSC_0013.jpg"></a>
                     <a class="image-gall" href="img/iPhone-icon.png" data-
lightbox="MyImage"><img src="img/iPhone-icon.png"></a>
                     <a class="image-gall" href="img/Mobile-Phone-icon.png" data-
lightbox="MyImage"><img src="img/Mobile-Phone-icon.png"></a>
                     <a class="image-gall" href="img/Mobile-icon.png" data-
lightbox="MyImage"><img src="img/Mobile-icon.png"></a>
                     <a class="image-gall" href="img/flat-wallpaper.png" data-
lightbox="MyImage"><img src="img/flat-wallpaper.png"></a>
                     <a class="image-gall" href="img/Facebook.png" data-
lightbox="MyImage"><img src="img/Facebook.png"></a>
                     <a class="image-gall" href="img/Outlook.png" data-
lightbox="MyImage"><img src="img/Outlook.png"></a>
                     <a class="image-gall" href="img/Googleplus.png" data-
lightbox="MyImage"><img src="img/Googleplus.png"></a>
              </div>
       </section>
       <footer id="tofooter">
       <a href="index.html#tohome">Home</a>
              <a href="xml/sitemap.xml">Sitemap</a>
              <a href="xml/rss.xml">RSS</a>
              <a href="Documentation/documentation.pdf">Documentation</a>
```

```
</div>
</div>
</div>
<script type="text/javascript" src="lightbox2-master\src\js\lightbox.js"></script>
</body>
</html>
```

## 1.3.5. Comment Template



```
<meta name="description" content="History about mobile phones.">
     <meta name="keywords" content="Mobile, history, old, modern, smart">
      <meta name="author" content="Dušan Rašić">
</head>
<body>
<div id="body">
<div id="body-comments">
      <div id="meni">
           ul>
                 <a href='index.html#tohome'>Home</a>
                 <a href='index.html#tosecond'>Old</a>
                 <a href='index.html#tothird'>Modern</a>
                 <a href='index.html#tofourth'>Smart</a>
                 <a href=" onClick="return false;">More..</a>
                   <a href="index.html#tofifth">About me</a>
                    <a href='gallery.html'>Gallery</a>
                    Documentation
                   class='last' id="logindugme"><a</li>
href="comments.html">Comment</a>
           </div>
      <section id="comment">
                 <div id="Comment-body">
                       <h2>Comments</h2>
```

```
<input type="text" name="name" id="name"/>
                     Name
                     <input type="text" name="email" id="email"/>
                     Email
                     <textarea name="comment" id="text" ></textarea>
                     Comment
                     <input type="submit" value="Send" onClick="check();"/>
                     <input type="button" value="Results"
onClick="result()"></input>
                   <div id="xmlcomment"></div>
                </div>
     </section>
     <footer id="tofooter">
     <a href="index.html#tohome">Home</a>
          <a href="xml/sitemap.xml">Sitemap</a>
          <a href="xml/rss.xml">RSS</a>
          <a href="Documentation/documentation.pdf">Documentation</a>
```

# </footer> </div> </div> </body> </html>

# 1.4. Коришћени CSS

## 1.4.1. lightbox.css

```
/* Preload images */
body:after {
 content: url(../images/close.png) url(../images/loading.gif) url(../images/prev.png)
url(../images/next.png);
 display: none;
}
body.lb-disable-scrolling {
 overflow: hidden;
}
.lightboxOverlay {
 position: absolute;
 top: 0;
 left: 0;
 z-index: 9999;
 background-color: black;
 filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=80);
 opacity: 0.8;
 display: none;
}
.lightbox {
 position: absolute;
```

```
left: 0;
 width: 100%;
 z-index: 10000;
 text-align: center;
 line-height: 0;
 font-weight: normal;
}
.lightbox .lb-image {
 display: block;
 height: auto;
 max-width: inherit;
 border-radius: 3px;
}
.lightbox a img {
 border: none;
}
. Ib\text{-}outer Container \{\\
 position: relative;
 background-color: white;
 *zoom: 1;
 width: 250px;
 height: 250px;
 margin: 0 auto;
 border-radius: 4px;
```

```
}
.lb-outerContainer:after {
 content: "";
 display: table;
 clear: both;
}
.lb-container {
 padding: 4px;
}
.lb-loader {
 position: absolute;
 top: 43%;
 left: 0;
 height: 25%;
 width: 100%;
 text-align: center;
 line-height: 0;
}
.lb-cancel {
 display: block;
 width: 32px;
 height: 32px;
```

margin: 0 auto;

```
background: url(../images/loading.gif) no-repeat;
}
.lb-nav {
 position: absolute;
 top: 0;
 left: 0;
 height: 100%;
 width: 100%;
 z-index: 10;
}
.lb-container > .nav {
left: 0;
}
.lb-nav a {
 outline: none;
 background-image:
Ow==');
}
.lb-prev, .lb-next {
 height: 100%;
 cursor: pointer;
 display: block;
}
```

```
.lb-nav a.lb-prev {
 width: 34%;
 left: 0;
 float: left;
 background: url(../images/prev.png) left 48% no-repeat;
 filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=0);
 opacity: 0;
 -webkit-transition: opacity 0.6s;
 -moz-transition: opacity 0.6s;
 -o-transition: opacity 0.6s;
 transition: opacity 0.6s;
}
.lb-nav a.lb-prev:hover {
 filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=100);
 opacity: 1;
}
.lb-nav a.lb-next {
 width: 64%;
 right: 0;
 float: right;
 background: url(../images/next.png) right 48% no-repeat;
 filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=0);
 opacity: 0;
 -webkit-transition: opacity 0.6s;
```

```
-moz-transition: opacity 0.6s;
 -o-transition: opacity 0.6s;
 transition: opacity 0.6s;
}
.lb-nav a.lb-next:hover {
 filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=100);
 opacity: 1;
}
.lb-dataContainer {
 margin: 0 auto;
 padding-top: 5px;
 *zoom: 1;
 width: 100%;
 -moz-border-radius-bottomleft: 4px;
 -webkit-border-bottom-left-radius: 4px;
 border-bottom-left-radius: 4px;
 -moz-border-radius-bottomright: 4px;
 -webkit-border-bottom-right-radius: 4px;
 border-bottom-right-radius: 4px;
}
.lb-dataContainer:after {
 content: "";
 display: table;
 clear: both;
```


```
}
.lb-data {
 padding: 0 4px;
 color: #ccc;
}
.lb-data .lb-details \{
 width: 85%;
 float: left;
 text-align: left;
 line-height: 1.1em;
}
.lb-data .lb-caption {
 font-size: 13px;
 font-weight: bold;
 line-height: 1em;
}
.lb-data .lb-number {
 display: block;
 clear: left;
 padding-bottom: 1em;
 font-size: 12px;
 color: #999999;
}
```

```
.lb-data .lb-close {
 display: block;
 float: right;
 width: 30px;
 height: 30px;
 background: url(../images/close.png) top right no-repeat;
 text-align: right;
 outline: none;
 filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=70);
 opacity: 0.7;
 -webkit-transition: opacity 0.2s;
 -moz-transition: opacity 0.2s;
 -o-transition: opacity 0.2s;
 transition: opacity 0.2s;
}
.lb-data .lb-close:hover {
 cursor: pointer;
 filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=100);
 opacity: 1;
```

}

# 2. Организација

# 2.1. Организациона шема



# 2.2. Мапа сајта

```
<url>
    <url>
        <loc>../comments.html</loc>
        <lastmod>2016-03-12</lastmod>
        <changefreq>monthly</changefreq>
        <priority>0.9</priority>
        </url>
</url>
```


# 2.3. Слике страница и описи функционалности

#### 2.3.1. Home Page



Поседује навигацију ка свим деловима сајта који се помоћу JQuery-ја скролују на клик на одговарајуће поље,и одговарајући линк. На дну ове стране се налазе линкови ка RSS, Sitemap и документацији.

# 2.3.2. Sections (Old, Modern, Smart) Pages



На овим странама се налази навигациони мени, опис секције.

#### 2.3.3. About Me Page




Кратак текст о аутору, линкови ка социјалним мрежама и навигациони мени.


#### 2.3.4. Gallery page



Галерија је реализована помоћу JQuery plugin-а "Lightbox-а и слике се повлаче са екстерних линкова. Навигациони мени,линкови ка RSS,Sitemap и документацији .

#### 2.3.5. Comment page





Страница поседује форму за упис коментара чија се исправност података проверава JavaScript-ом и дугме које приказује div са резултатима анкете помоћу Ајах-а. Подаци унесени у анкету се не чувају, док се резултати анкете се читају из посебно направљеног XML фајла, навигациони мени.

# 3. Кодови

#### 3.1. Html

```
3.1.1. Index.html
<!DOCTYPE html>
<html>
<head>
   <title>Homp|Home</title>
   <link rel="icon" href="img/Sketch.png">
   <!-- CSS -->
   k rel="stylesheet" type="text/css" href="style.css"/>
   <meta charset="UTF-8">
   <!-- JQuerry -->
   <script type="text/javascript" src="https://code.jquery.com/jquery-</pre>
1.12.1.min.js"></script>
   <script type="text/javascript" src="script_jquery.js"></script>
   <!--Meta Tags-->
   <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
   <meta name="description" content="History about mobile phones.">
   <meta name="keywords" content="Mobile, history, old, modern, smart">
   <meta name="author" content="Dušan Rašić">
</head>
<body>
<div id="body">
   <!--Main Menu-->
               <div id='meni'>
               ul>
                 Home
```

```
cli class=" data-link="#tosecond">Old
                 Modern
             Smart
             <a href=" onClick="return</pre>
false;">More..</a>
               ul>
                data-link="#tofifth">About me
                <a href='gallery.html'>Gallery</a>
                Documentation
               cli class='last' id="logindugme"><a</li>
href='comments.html'>Comment</a>
            </div>
  <section id="tohome">
       <div id="first">
            <div class="wrapper-prvi">
            <h1>MobilePhone History</h1>
            <div class="expBtn" data-link="#tosecond">EXPLORE ▼</div>
            </div>
       </div>
  </section>
  <section id="tosecond">
       <div id="second">
            <img src="img/Mobile-icon.png">
```

<div class="second-text"><span>Old mobile
phone</span></br>
/br>Prior to 1973, mobile telephony was limited to
phones installed in cars and other vehicles. Motorola was the first company to
produce a handheld mobile phone. On 3 April 1973 when Martin Cooper, a
Motorola researcher and executive, made the first mobile telephone call from
handheld subscriber equipment, placing a call to Dr. Joel S. Engel of Bell Labs.
The prototype handheld phone used by Dr. Cooper weighed 1.1 kg and measured
23 cm long, 13 cm deep and 4.45 cm wide. The prototype offered a talk time of
just 30 minutes and took 10 hours to re-charge.

```
</div>
</section>
<section id="tothird">
<div id="third">
<img src="img/Mobile-Phone-icon.png">
```

<div class="third-text"><span>Modern mobile
phone
<p/br>Modern cell phones are capable of much more than just sending and receiving phone calls. Mobile phones used in today's world allow users to send and receive text messages, emails, photos and video as well as access the Internet, play games, listen to music, use GPS (Global Positioning Systems) and more. The cell phone has become an important communication tool that is used by people all over the world to keep in contact with each other at any time. Although they started off as quite bulky devices they are now very sleek, small and portable, comfortably fitting in a users pocket and surviving for hours on end thanks to a rechargeable battery.

```
</div>
</section>
<section id="tofourth">
<div id="fourth">
<img src="img/iPhone-icon.png">
<div class="fourth-"
```

user interface, with either an LCD, OLED, AMOLED, LED or similar screen, can run third-party apps, music players and are camera phones. Most smartphones produced from 2012 onwards also have high-speed mobile broadband 4G LTE internet, motion sensors, and mobile payment.

```
</div>
   </section>
   <section id="tofifth">
         <div id="fifth">
               <img src="img/DSC_0013.png">
               <div class="fifth-text"><span>Dušan
Rašić</span></br>Hi, my name is Dušan and I'm 21 years old. I went in
high school, "Palanačka gimnazija" in my home town. Now im livig in Belgrade
and I'm studing at ICT. I like web design and programing, because of that, I'm
there. If you wanna see more about me check my social accounts.</br>
Rašić 122/14</br>
               <a
href="mailto:dusan.rasic.122.14@ict.edu.rs">dusan.rasic.122.14@ict.edu.rs</a>
/p>
               <div class="contact-icons">
                     ul>
                     <a
href="https://www.facebook.com/DusanRasic1995"><img
src="img/Facebook.png"></a>
href="https://plus.google.com/u/0/+%D0%94%D1%83%D1%88%D0%B0%D0%B
D%D0%A0%D0%B0%D1%88%D0%B8%D1%9B"><img
src="img/GooglePlus.png"></a>
                     <a href="mailto:duki95@outlook.com"><img</a>
src="img/Outlook.png"></a>
                     </div>
               </div>
```

```
</div>
      </section>
      <footer id="tofooter">
      class="footerli" data-link="#tohome">Home
             <a href="xml/sitemap.xml">Sitemap</a>
             <a href="xml/rss.xml">RSS</a>
             <a
   href="Documentation/documentation.pdf">Documentation</a>
      </footer>
   </div>
   </body>
   </html>
      3.1.2. gallery.html
<!DOCTYPE html>
<html>
<head>
      <title>Homp|Gallery</title>
      <link rel="icon" href="img/Sketch.png">
      <!-- CSS LightBox-->
      <link rel="stylesheet" type="text/css" href="lightbox2-master\src\css\lightbox.css">
      <!-- CSS -->
             <link rel="stylesheet" type="text/css" href="style.css"/>
             <meta charset="UTF-8">
      <!-- JQuerry -->
      <script type="text/javascript" src="https://code.jquery.com/jquery-1.12.1.min.js"></script>
```

```
<script type="text/javascript" src="script_jquery.js"></script>
            <!-- JavaScript -->
      <script type="text/javascript" src="script.js"></script>
            <!--Meta Tags-->
      <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
      <meta name="description" content="History about mobile phones.">
      <meta name="keywords" content="Mobile, history, old, modern, smart">
      <meta name="author" content="Dušan Rašić">
</head>
<body>
<div id="body">
<div id="body-gallery">
<!--Main Menu-->
      <div id='meni'>
            <a href='index.html#tohome'>Home</a>
                   class="><a href='index.html#tosecond'>Old</a>
                   <a href='index.html#tothird'>Modern</a>
                   <a href='index.html#tofourth'>Smart</a>
                   <a href=" onClick="return false;">More..</a>
                     <a href="index.html#tofifth">About me</a>
                      <a href='gallery.html'>Gallery</a>
                      Documentation
                     class='last' id="logindugme"><a</li>
href="comments.html">Comment</a>
```

```
</div>
<!-- Gallery -->
       <section id="images-row">
              <h1>Gallery</h1></br>
              <h2>Image that i used </h2>
              <div id="galleryimg">
                     <a class="image-gall" href="img/DSC_0013.jpg" data-lightbox="MyImage"
><img src="img/DSC 0013.jpg"></a>
                     <a class="image-gall" href="img/iPhone-icon.png" data-
lightbox="MyImage"><img src="img/iPhone-icon.png"></a>
                     <a class="image-gall" href="img/Mobile-Phone-icon.png" data-
lightbox="MyImage"><img src="img/Mobile-Phone-icon.png"></a>
                     <a class="image-gall" href="img/Mobile-icon.png" data-
lightbox="MyImage"><img src="img/Mobile-icon.png"></a>
                     <a class="image-gall" href="img/flat-wallpaper.png" data-
lightbox="MyImage"><img src="img/flat-wallpaper.png"></a>
                     <a class="image-gall" href="img/Facebook.png" data-
lightbox="MyImage"><img src="img/Facebook.png"></a>
                     <a class="image-gall" href="img/Outlook.png" data-
lightbox="MyImage"><img src="img/Outlook.png"></a>
                     <a class="image-gall" href="img/Googleplus.png" data-
lightbox="MyImage"><img src="img/Googleplus.png"></a>
              </div>
       </section>
       <footer id="tofooter">
       <a href="index.html#tohome">Home</a>
              <a href="xml/sitemap.xml">Sitemap</a>
              <a href="xml/rss.xml">RSS</a>
              <a href="Documentation/documentation.pdf">Documentation</a>
```

```
</footer>
</div>
</div>
<script type="text/javascript" src="lightbox2-master\src\js\lightbox.js"></script>
</body>
</html>
      3.1.3. comments.html
   <!DOCTYPE html>
   <html>
   <head>
      <title>Homp|Comments</title>
      <link rel="icon" href="img/Sketch.png">
             <!-- CSS -->
      k rel="stylesheet" type="text/css" href="style.css"/>
             <!-- JQuerry -->
      <script type="text/javascript" src="https://code.jquery.com/jquery-</pre>
   1.12.1.min.js"></script>
      <script type="text/javascript" src="script_jquery.js"></script>
      <!-- JavaScript -->
      <script type="text/javascript" src="script.js"></script>
             <!--Meta Tags-->
      <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
      <meta name="description" content="History about mobile phones.">
      <meta name="keywords" content="Mobile, history, old, modern, smart">
      <meta name="author" content="Dušan Rašić">
   </head>
```

```
<body>
<div id="body">
<div id="body-comments">
  <div id="meni">
       <a href='index.html#tohome'>Home</a>
            class="><a href='index.html#tosecond'>Old</a>
            <a href='index.html#tothird'>Modern</a>
            class="><a href='index.html#tofourth'>Smart</a>
            <a href=" onClick="return</pre>
false;">More .. </a>
              ul>
               <a href="index.html#tofifth">About me</a>
               <a href='gallery.html'>Gallery</a>
                Documentation
              cli class='last' id="logindugme"><a</li>
href="comments.html">Comment</a>
       </div>
  <section id="comment">
            <div id="Comment-body">
                 <h2>Comments</h2>
                 <input type="text" name="name"
id="name"/>
```

```
Name
                <input type="text" name="email"
id="email"/>
                Email
                <textarea name="comment" id="text"
></textarea>
                Comment
                <input type="submit" value="Send"
onClick="check();"/>
                <input type="button" value="Results"
onClick="result()"></input>
               <div id="xmlcomment"></div>
           </div>
  </section>
  <footer id="tofooter">
  <a href="index.html#tohome">Home</a>
       <a href="xml/sitemap.xml">Sitemap</a>
       <a href="xml/rss.xml">RSS</a>
       <a
href="Documentation/documentation.pdf">Documentation</a>
```

</footer>

</div>

</div>

</body>

</html>

## 3.2. CSS

## **3.2.1. style.css**

```
@import
url(http://fonts.googleapis.com/css?family=Roboto:900,100,400|Roboto+Condens
ed:700);
@font-face {
  font-family: blackout_mid;
  src: url(fonts/Blackout-Midnight.ttf);
}
html, body, h1, h2, h3, h4, ul, ol, li, p, a {
  padding: 0;
  border: 0;
  margin: 0;
}
body{
  width: 100%;
  min-width: 1000px;
  overflow: visible;
  background: #999999;
}
#body{
  position: relative;
   width: 100%;
   height: 100%;
   background-color: #000000;
```

```
}
/* gallery */
#body-gallery{
  position: relative;
  height: 100vh;
  width: 100%;
  background-color: #ffffff;
}
#images-row{
  position: relative;
  height: 100vh;
  width: 100%;
  background-color: #181818;
  text-align: center;
  color: white;
  font-family: 'blackout_mid','Roboto',Arial, sans-serif;
  font-size: 28px;
  padding-top: 100px;
}
#images-row a{
  margin: 0 auto;
  display: inline;
  padding: 5px;
}
#images-row img{
  width: 100px;
  height: 100px;
```

```
border: solid 2px transparent;
  border-radius: 20px;
}
#images-row img:hover{
  border-color: #1a75ff;
}
#galleryimg{
  margin: 0 auto;
  position: relative;
  top: 100px;
  width: 500px;
  height: 300px;
  padding: 20px;
}
/*comments*/
#body-comments{
  position: relative;
  height: 100vh;
  width: 100%;
  background-color: #8000ff;
}
#comment{
  position: relative;
  height: 100vh;
  width: 100%
}
#Comment-body{
```

```
position: relative;
  width: 30%;
  height: 60%;
  top: 20%;
  left: 30%;
  padding: 3%;
  background-color: white;
  border-radius: 10px;
  font-family: 'Roboto', Arial, sans-serif;
  font-size: 24px;
  font-weight: 900;
  color: #999999;
}
#Comment-body table {
  margin: 0 auto;
}
#Comment-body table tr {
  width: 400px;
  height: 30px;
}
#Comment-body table tr td{
  width: 190px;
  height: 30px;
}
#Comment-body table textarea {
  width: 100%;
  height: 100px;
```

```
resize: none;
  padding: 1px;
}
#Comment-body table input{
  width: 100%;
  height: 25px;
}
#Comment-body td{
  margin-left: 50px;
}
#Comment-body p{
  margin-left: 30px;
}
#xmlcomment {
  font-size: 15px;
}
/*Navigacija*/
#main{
 position: absolute;
 width: 100%;
 height: 100vh;
#meni {
  z-index: 99;
  float: right;
  position: fixed;
  width: 100%;
```

```
height: 60px;
  color: white;
  font-family: Arial, sans-serif;
  font-size: 24px;
  line-height: 15px;
  text-transform: uppercase;
  text-align: center;
  color: white;
}
#meni ul {
  width: auto;
  list-style-type: none;
  padding: 0;
  margin: 0;
  background-color: black;
}
#meni ul li {
  display: inline-block;
}
#meni ul li.right {
  float: right;
}
#meni ul li a {
  text-decoration: none;
  color: white;
}
```

```
#meni ul li.padajucimeni {
  position: relative;
}
#meni ul li.padajucimeni ul {
  display: none;
  width: 250px;
  position: absolute;
  margin: 0;
  padding: 0;
  top: 38px;
  left: 0;
  list-style-type: none;
  background: black;
  color: white;
}
#meni ul li.padajucimeni ul li {
  display: block;
  color: white;
}
#meni ul li {
  display: inline-block;
  padding: 12px 24px 11px 24px;
  text-decoration: none;
}
#meni ul li:hover {
```

```
background: #ffbb33;
  color: white;
  cursor: pointer;
}
#tohome{
   height: 100vh;
   background-image: url("img/flat-wallpaper.png");
  background-size: cover;
  width: 100%;
}
#tohome #first {
  position: relative;
  height: 100vh;
  text-align: center;
  font-family: 'blackout_mid', 'Roboto', Arial, sans-serif;
  font-size: 72px;
}
#tohome #first .wrapper-prvi {
  position: relative;
  top: 50%;
  transform: translateY(-50%);
}
.wrapper-prvi h1 {
  color: #ffbb33;
  text-shadow: 2px 2px 15px #000000;
}
.wrapper-prvi div {
```

```
display: block;
  text-decoration: none;
  color: violet;
}
.wrapper-prvi div {
  top: 130px;
  position: relative;
  font-size: 48px;
  background-color: white;
  display: block;
  margin: 0 auto;
  width: 270px;
  box-shadow: 2px 2px 15px #000000;
}
.wrapper-prvi div:hover {
  background-color: #ffbb33;
  color: white;
  cursor: pointer;
}
#tosecond {
  position: relative;
  height: 100vh;
  width: 100%;
  background-color: #8000ff;
}
#second img{
  position: relative;
```

```
top: 200px;
  left: 50px;
  width: 300px;
  height: 300px;
}
.second-text{
 position: absolute;
 width: 50%;
 top: 220px;
 text-align: center;
 color: white;
 margin-left: 550px;
 font-family: 'Roboto', Arial;
 font-weight: 400;
 font-size: 18px;
}
.second-text span {
  text-transform: uppercase;
  font-size: 32px;
  font-weight: 900;
}
#tothird{
  position: relative;
   height: 100vh;
  width: 100%;
   background-color: #2051ff;
}
```

```
#third img{
  position: relative;
  top: 200px;
  left: 50px;
  width: 300px;
  height: 300px;
}
.third-text{
 position: absolute;
 width: 50%;
 top: 220px;
 text-align: center;
 color: white;
 margin-left: 550px;
 font-family: 'Roboto', Arial;
 font-weight: 400;
 font-size: 18px;
}
.third-text span {
  text-transform: uppercase;
  font-size: 32px;
  font-weight: 900;
}
#tofourth{
  position: relative;
  height: 100vh;
  width: 100%;
```

```
background-color: #00ccff;
}
#fourth img{
  position: relative;
  top: 200px;
  left: 50px;
  width: 300px;
  height: 300px;
}
.fourth-text{
 position: absolute;
 width: 50%;
 top: 220px;
 text-align: center;
 color: white;
 margin-left: 550px;
 font-family: 'Roboto', Arial;
 font-weight: 400;
 font-size: 18px;
}
.fourth-text span{
  text-transform: uppercase;
  font-size: 32px;
  font-weight: 900;
}
#tofifth{
  position: relative;
```

```
height: 100vh;
  width: 100%;
  background-color: #181818;
}
#fifth img{
  position: relative;
  top: 150px;
  left: 50px;
  width: 400px;
  height: 400px;
}
.fifth-text{
 position: absolute;
 width: 50%;
 top: 250px;
 text-align: center;
 color: white;
 margin-left: 550px;
 font-family: 'Roboto', Arial;
 font-weight: 400;
 font-size: 18px;
}
.fifth-text span {
  text-transform: uppercase;
  font-size: 32px;
  font-weight: 900;
}
```

```
.fifth-text a{
  text-decoration: none;
  color: white;
}
.fifth-text a:hover{
  color: violet;
}
#fifth .contact-icons{
  position: relative;
  margin: 0 auto;
  width: 200px;
  margin-top: 20px;
}
#fifth .contact-icons ul li {
  list-style: none;
  display: inline-block;
}
#fifth .contact-icons img{
  left: -10px;
  width: 50px;
  height: 50px;
  padding: 5px;
  top: 0;
}
.contact-icons a{
  height: 50px;
```

```
opacity: 0.7;
}
.contact-icons a:hover {
  color: #ffffff;
  padding-bottom: 11px;
  opacity: 1;
}
footer {
  position: relative;
  width: 100%;
  height: 40px;
  font-family: Arial, sans-serif;
  font-size: 24px;
  text-transform: uppercase;
  text-align: center;
  background-color: black;
}
footer ul {
  width: auto;
  list-style-type: none;
  padding: 0;
  margin: 0;
  color: white;
}
footer ul li {
  display: inline-block;
  cursor: pointer;
```

```
}
   footer ul li.right {
      float: right;
   }
   footer ul li a {
      display: block;
      padding: 5px;
      text-decoration: none;
      color: white;
   }
   footer a:hover{
      color: violet;
   }
   footer ul li:hover{
      color: violet;
   }
       3.2.2. lightbox.css
/* Preload images */
body:after {
 content: url(../images/close.png) url(../images/loading.gif) url(../images/prev.png)
url(../images/next.png);
 display: none;
```

}

body.lb-disable-scrolling {

```
overflow: hidden;
}
.lightboxOverlay {
 position: absolute;
 top: 0;
 left: 0;
 z-index: 9999;
 background-color: black;
 filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=80);
 opacity: 0.8;
 display: none;
}
.lightbox {
 position: absolute;
 left: 0;
 width: 100%;
 z-index: 10000;
 text-align: center;
 line-height: 0;
 font-weight: normal;
}
.lightbox .lb-image {
 display: block;
 height: auto;
```

```
max-width: inherit;
 border-radius: 3px;
.lightbox a img {
 border: none;
}
.lb-outerContainer {
 position: relative;
 background-color: white;
 *zoom: 1;
 width: 250px;
 height: 250px;
 margin: 0 auto;
 border-radius: 4px;
.lb-outerContainer:after {
 content: "";
 display: table;
 clear: both;
}
.lb-container {
 padding: 4px;
}
```

```
.lb-loader {
 position: absolute;
 top: 43%;
 left: 0;
 height: 25%;
 width: 100%;
 text-align: center;
 line-height: 0;
}
.lb-cancel {
 display: block;
 width: 32px;
 height: 32px;
 margin: 0 auto;
 background: url(../images/loading.gif) no-repeat;
.lb-nav {
 position: absolute;
 top: 0;
 left: 0;
 height: 100%;
 width: 100%;
 z-index: 10;
}
```

```
.lb-container > .nav {
left: 0;
}
.lb-nav a {
 outline: none;
 background-image:
Ow==');
}
.lb-prev, .lb-next {
 height: 100%;
 cursor: pointer;
 display: block;
.lb-nav a.lb-prev {
 width: 34%;
 left: 0;
 float: left;
 background: url(../images/prev.png) left 48% no-repeat;
 filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=0);
 opacity: 0;
 -webkit-transition: opacity 0.6s;
 -moz-transition: opacity 0.6s;
 -o-transition: opacity 0.6s;
```

```
transition: opacity 0.6s;
}
.lb-nav a.lb-prev:hover {
 filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=100);
 opacity: 1;
}
.lb-nav a.lb-next {
 width: 64%;
 right: 0;
 float: right;
 background: url(../images/next.png) right 48% no-repeat;
 filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=0);
 opacity: 0;
 -webkit-transition: opacity 0.6s;
 -moz-transition: opacity 0.6s;
 -o-transition: opacity 0.6s;
 transition: opacity 0.6s;
}
.lb-nav a.lb-next:hover {
 filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=100);
 opacity: 1;
}
.lb-dataContainer {
```

```
margin: 0 auto;
 padding-top: 5px;
 *zoom: 1;
 width: 100%;
 -moz-border-radius-bottomleft: 4px;
 -webkit-border-bottom-left-radius: 4px;
 border-bottom-left-radius: 4px;
 -moz-border-radius-bottomright: 4px;
 -webkit-border-bottom-right-radius: 4px;
 border-bottom-right-radius: 4px;
}
.lb-dataContainer:after {
 content: "";
 display: table;
 clear: both;
.lb-data {
 padding: 0 4px;
 color: #ccc;
}
.lb-data .lb-details {
 width: 85%;
 float: left;
 text-align: left;
```

```
line-height: 1.1em;
}
.lb-data .lb-caption {
 font-size: 13px;
 font-weight: bold;
 line-height: 1em;
}
.lb-data .lb-number {
 display: block;
 clear: left;
 padding-bottom: 1em;
 font-size: 12px;
 color: #999999;
.lb-data .lb-close {
 display: block;
 float: right;
 width: 30px;
 height: 30px;
 background: url(../images/close.png) top right no-repeat;
 text-align: right;
 outline: none;
 filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=70);
 opacity: 0.7;
```

```
-webkit-transition: opacity 0.2s;
-moz-transition: opacity 0.2s;
-o-transition: opacity 0.2s;
transition: opacity 0.2s;
}
.lb-data .lb-close:hover {
    cursor: pointer;
    filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=100);
    opacity: 1;
}
```

## 3.3. JavaScript/JQuery

```
3.3.1. script.js function check(){
```

```
var user=document.getElementById("name");
 var mail=document.getElementById("email");
 var comment=document.getElementById("text");
 var reUser = /^[A-Z]{1}[a-z]{2,19}$/;
 var reMail = /^(\w+[\-\])*\w+@(\w+\.)+[A-Za-z]+$/;
 var data= new Array();
 var errors = new Array();
 var errorld = new Array();
if (!user.value.match(reUser)) {
  errorld.push(user.id);
}
else{
 data.push(user);
}
if (!mail.value.match(reMail)) {
  errorld.push(mail.id);
}
else{
 data.push(mail);
```

}

```
if (comment.value == "") {
 errorld.push(comment.id);
}
else{
 data.push(comment);
}
 if(errorld.length != 0)
 {
  for(var i = 0; i < errorld.length; i++)
   document.getElementById(errorld[i]).style.borderColor = "red";
  }
 }
else
 {
  location.reload (true);
  alert("Thank you for commenting!");
 }
}
function result(){
  var xhttp = new XMLHttpRequest();
  xhttp.onreadystatechange = function() {
     if (xhttp.readyState == 4 && xhttp.status == 200) {
       unosuxml(xhttp);
     }
  };
  xhttp.open("GET", "xml/comments.xml", true);
```

```
xhttp.send();
  function unosuxml(xml) {
     var choiceVal = new Array();
    var results = new Array();
     var xmlDoc = xml.responseXML;
     var tagoviRes = xmlDoc.getElementsByTagName("comment");
     var divRe=document.getElementById('xmlcomment');
    for (var i = 0; i < tagoviRes.length; i++) {
choiceVal.push(tagoviRes[i].getElementsByTagName('name')[0].childNodes[0].node
Value);
results.push(tagoviRes[i].getElementsByTagName('text')[0].childNodes[0].nodeValue
);
    }
    for (var i = 0; i < choiceVal.length; i++) {
     divRe.innerHTML+="Name: "+choiceVal[i]+" Comment:"+results[i]+" ";
    }
  }
}
```

```
3.3.2. script_jquery.js
$(document).ready(function(){
                /* dropdown */
  $("#meni .padajucimeni").on('mouseover', function(){
                         $(".padajucimeni ul").css("display","block");
                        }).on('mouseleave', function(){
                         $(".padajucimeni ul").css("display","none");
                        });
        /* smooth scrolling */
        $('#meni li').click(function(){
                var target = $(this).data("link");
                $('html,body').animate({
    scrollTop: $(target).offset().top
                },1000);
        });
        $('.expBtn').click(function(){
                var target = $(this).data("link");
                $('html,body').animate({
    scrollTop: $(target).offset().top
                },1000);
        });
        $('.footerli').click(function(){
                var target = $(this).data("link");
```

\$('html,body').animate({

scrollTop: \$(target).offset().top

},1000);

**})**;

**})**;

## 3.3.3. lightbox.js

```
/*!
* Lightbox v2.8.2
* by Lokesh Dhakar
* More info:
* http://lokeshdhakar.com/projects/lightbox2/
* Copyright 2007, 2015 Lokesh Dhakar
* Released under the MIT license
* https://github.com/lokesh/lightbox2/blob/master/LICENSE
*/
// Uses Node, AMD or browser globals to create a module.
(function (root, factory) {
  if (typeof define === 'function' && define.amd) {
    // AMD. Register as an anonymous module.
    define(['jquery'], factory);
  } else if (typeof exports === 'object') {
    // Node. Does not work with strict CommonJS, but
    // only CommonJS-like environments that support module.exports,
    // like Node.
    module.exports = factory(require('jquery'));
  } else {
    // Browser globals (root is window)
    root.lightbox = factory(root.jQuery);
  }
```

```
}(this, function ($) {
 function Lightbox(options) {
  this.album = [];
  this.currentlmageIndex = void 0;
  this.init();
  // options
  this.options = $.extend({}, this.constructor.defaults);
  this.option(options);
 }
 // Descriptions of all options available on the demo site:
 // http://lokeshdhakar.com/projects/lightbox2/index.html#options
 Lightbox.defaults = {
  albumLabel: 'Image %1 of %2',
  alwaysShowNavOnTouchDevices: false,
  fadeDuration: 500,
  fitImagesInViewport: true,
  // maxWidth: 800,
  // maxHeight: 600,
  positionFromTop: 50,
  resizeDuration: 700,
  showImageNumberLabel: true,
  wrapAround: false,
  disableScrolling: false
 };
```

```
Lightbox.prototype.option = function(options) {
  $.extend(this.options, options);
 };
 Lightbox.prototype.imageCountLabel = function(currentImageNum, totalImages) {
  return this.options.albumLabel.replace(/%1/g, currentImageNum).replace(/%2/g, totalImages);
 };
 Lightbox.prototype.init = function() {
  this.enable();
  this.build();
 };
 // Loop through anchors and areamaps looking for either data-lightbox attributes or rel attributes
 // that contain 'lightbox'. When these are clicked, start lightbox.
 Lightbox.prototype.enable = function() {
  var self = this;
  $('body').on('click', 'a[rel^=lightbox], area[rel^=lightbox], a[data-lightbox], area[data-lightbox]',
function(event) {
   self.start($(event.currentTarget));
   return false;
  });
 };
 // Build html for the lightbox and the overlay.
 // Attach event handlers to the new DOM elements. click click
 Lightbox.prototype.build = function() {
```

```
var self = this;
 $('<div id="lightboxOverlay" class="lightboxOverlay"></div><div id="lightbox"
class="lightbox"><div class="lb-outerContainer"><div class="lb-container"><img class="lb-image"
AOw==" /><div class="lb-nav"><a class="lb-prev" href="" ></a><a class="lb-next" href=""
></a></div></div></div></div></div></div></div></div
dataContainer"><div class="lb-data"><div class="lb-details"><span class="lb-caption"></span><span
class="lb-number"></span></div><div class="lb-closeContainer"><a class="lb-
close"></a></div></div></div>').appendTo($('body'));
 // Cache jQuery objects
 this.$lightbox
                 = $('#lightbox');
                 = $('#lightboxOverlay');
 this.$overlay
 this.$outerContainer = this.$lightbox.find('.lb-outerContainer');
 this.$container = this.$lightbox.find('.lb-container');
 // Store css values for future lookup
 this.containerTopPadding = parseInt(this.$container.css('padding-top'), 10);
 this.containerRightPadding = parseInt(this.$container.css('padding-right'), 10);
 this.containerBottomPadding = parseInt(this.$container.css('padding-bottom'), 10);
 this.containerLeftPadding = parseInt(this.$container.css('padding-left'), 10);
 // Attach event handlers to the newly minted DOM elements
 this.$overlay.hide().on('click', function() {
   self.end();
   return false;
 });
 this.$lightbox.hide().on('click', function(event) {
   if ($(event.target).attr('id') === 'lightbox') {
```

```
self.end();
 }
 return false;
});
this.$outerContainer.on('click', function(event) {
 if ($(event.target).attr('id') === 'lightbox') {
  self.end();
 }
 return false;
});
this.$lightbox.find('.lb-prev').on('click', function() {
 if (self.currentImageIndex === 0) {
  self.changeImage(self.album.length - 1);
 } else {
  self.changeImage(self.currentImageIndex - 1);
 return false;
});
this.$lightbox.find('.lb-next').on('click', function() {
 if (self.currentImageIndex === self.album.length - 1) {
  self.changeImage(0);
 } else {
  self.changeImage(self.currentImageIndex + 1);
 }
```

```
return false;
 });
 this.$lightbox.find('.lb-loader, .lb-close').on('click', function() {
  self.end();
  return false;
});
};
// Show overlay and lightbox. If the image is part of a set, add siblings to album array.
Lightbox.prototype.start = function($link) {
var self = this;
 var $window = $(window);
 $window.on('resize', $.proxy(this.sizeOverlay, this));
 $('select, object, embed').css({
  visibility: 'hidden'
 });
 this.sizeOverlay();
 this.album = [];
 var imageNumber = 0;
 function addToAlbum($link) {
  self.album.push({
```

```
link: $link.attr('href'),
  title: $link.attr('data-title') || $link.attr('title')
 });
}
// Support both data-lightbox attribute and rel attribute implementations
var dataLightboxValue = $link.attr('data-lightbox');
var $links;
if (dataLightboxValue) {
 $links = $($link.prop('tagName') + '[data-lightbox="' + dataLightboxValue + '"]');
 for (var i = 0; i < $links.length; i = ++i) {
  addToAlbum($($links[i]));
  if ($links[i] === $link[0]) {
   imageNumber = i;
  }
 }
} else {
 if ($link.attr('rel') === 'lightbox') {
  // If image is not part of a set
  addToAlbum($link);
 } else {
  // If image is part of a set
  $links = $($link.prop('tagName') + '[rel="' + $link.attr('rel') + '"]');
  for (var j = 0; j < $links.length; j = ++j) {
   addToAlbum($($links[j]));
   if ($links[j] === $link[0]) {
```

```
imageNumber = j;
    }
   }
  }
 }
// Position Lightbox
 var top = $window.scrollTop() + this.options.positionFromTop;
 var left = $window.scrollLeft();
 this.$lightbox.css({
  top: top + 'px',
  left: left + 'px'
 }).fadeIn(this.options.fadeDuration);
 // Disable scrolling of the page while open
 if (this.options.disableScrolling) {
  $('body').addClass('lb-disable-scrolling');
 this.changeImage(imageNumber);
};
// Hide most UI elements in preparation for the animated resizing of the lightbox.
Lightbox.prototype.changeImage = function(imageNumber) {
 var self = this;
 this.disableKeyboardNav();
```

```
var $image = this.$lightbox.find('.lb-image');
  this.$overlay.fadeIn(this.options.fadeDuration);
  $('.lb-loader').fadeIn('slow');
  this.$lightbox.find('.lb-image, .lb-nav, .lb-prev, .lb-next, .lb-dataContainer, .lb-numbers, .lb-
caption').hide();
  this.$outerContainer.addClass('animating');
  // When image to show is preloaded, we send the width and height to sizeContainer()
  var preloader = new Image();
  preloader.onload = function() {
   var $preloader;
   var imageHeight;
   var imageWidth;
   var maxImageHeight;
   var maxImageWidth;
   var windowHeight;
   var windowWidth;
   $image.attr('src', self.album[imageNumber].link);
   $preloader = $(preloader);
   $image.width(preloader.width);
   $image.height(preloader.height);
```

```
if (self.options.fitImagesInViewport) {
    // Fit image inside the viewport.
    // Take into account the border around the image and an additional 10px gutter on each side.
    windowWidth = $(window).width();
    windowHeight = $(window).height();
    maxImageWidth = windowWidth - self.containerLeftPadding - self.containerRightPadding - 20;
    maxImageHeight = windowHeight - self.containerTopPadding - self.containerBottomPadding -
120;
    // Check if image size is larger then maxWidth | maxHeight in settings
    if (self.options.maxWidth && self.options.maxWidth < maxImageWidth) {
     maxImageWidth = self.options.maxWidth;
    }
    if (self.options.maxHeight && self.options.maxHeight < maxImageWidth) {
     maxImageHeight = self.options.maxHeight;
    }
    // Is there a fitting issue?
    if ((preloader.width > maxImageWidth) || (preloader.height > maxImageHeight)) {
     if ((preloader.width / maxImageWidth) > (preloader.height / maxImageHeight)) {
      imageWidth = maxImageWidth;
      imageHeight = parseInt(preloader.height / (preloader.width / imageWidth), 10);
      $image.width(imageWidth);
      $image.height(imageHeight);
     } else {
      imageHeight = maxImageHeight;
      imageWidth = parseInt(preloader.width / (preloader.height / imageHeight), 10);
```

```
$image.width(imageWidth);
     $image.height(imageHeight);
   }
  }
  self.sizeContainer($image.width(), $image.height());
};
preloader.src
                  = this.album[imageNumber].link;
this.currentImageIndex = imageNumber;
};
// Stretch overlay to fit the viewport
Lightbox.prototype.sizeOverlay = function() {
this.$overlay
  .width($(document).width())
  .height($(document).height());
};
// Animate the size of the lightbox to fit the image we are showing
Lightbox.prototype.sizeContainer = function(imageWidth, imageHeight) {
var self = this;
var oldWidth = this.$outerContainer.outerWidth();
var oldHeight = this.$outerContainer.outerHeight();
var newWidth = imageWidth + this.containerLeftPadding + this.containerRightPadding;
var newHeight = imageHeight + this.containerTopPadding + this.containerBottomPadding;
```

```
function postResize() {
  self.$lightbox.find('.lb-dataContainer').width(newWidth);
  self.$lightbox.find('.lb-prevLink').height(newHeight);
  self.$lightbox.find('.lb-nextLink').height(newHeight);
  self.showImage();
 }
 if (oldWidth !== newWidth || oldHeight !== newHeight) {
  this.$outerContainer.animate({
   width: newWidth,
   height: newHeight
  }, this.options.resizeDuration, 'swing', function() {
   postResize();
  });
 } else {
  postResize();
};
// Display the image and its details and begin preload neighboring images.
Lightbox.prototype.showImage = function() {
 this.$lightbox.find('.lb-loader').stop(true).hide();
 this.$lightbox.find('.lb-image').fadeIn('slow');
 this.updateNav();
 this.updateDetails();
```

```
this.preloadNeighboringImages();
 this.enableKeyboardNav();
};
// Display previous and next navigation if appropriate.
Lightbox.prototype.updateNav = function() {
 // Check to see if the browser supports touch events. If so, we take the conservative approach
 // and assume that mouse hover events are not supported and always show prev/next navigation
 // arrows in image sets.
 var alwaysShowNav = false;
 try {
  document.createEvent('TouchEvent');
  alwaysShowNav = (this.options.alwaysShowNavOnTouchDevices) ? true : false;
 } catch (e) {}
 this.$lightbox.find('.lb-nav').show();
 if (this.album.length > 1) {
  if (this.options.wrapAround) {
   if (alwaysShowNav) {
    this.$lightbox.find('.lb-prev, .lb-next').css('opacity', '1');
   }
   this.$lightbox.find('.lb-prev, .lb-next').show();
  } else {
   if (this.currentImageIndex > 0) {
    this.$lightbox.find('.lb-prev').show();
    if (alwaysShowNav) {
```

```
this.$lightbox.find('.lb-prev').css('opacity', '1');
    }
   if (this.currentImageIndex < this.album.length - 1) {
    this.$lightbox.find('.lb-next').show();
    if (alwaysShowNav) {
     this.$lightbox.find('.lb-next').css('opacity', '1');
    }
   }
  }
 }
};
// Display caption, image number, and closing button.
Lightbox.prototype.updateDetails = function() {
 var self = this;
 // Enable anchor clicks in the injected caption html.
 // Thanks Nate Wright for the fix. @https://github.com/NateWr
 if (typeof this.album[this.currentImageIndex].title !== 'undefined' &&
  this.album[this.currentImageIndex].title !== ") {
  this.$lightbox.find('.lb-caption')
   .html(this.album[this.currentImageIndex].title)
   .fadeIn('fast')
   .find('a').on('click', function(event) {
    if ($(this).attr('target') !== undefined) {
     window.open($(this).attr('href'), $(this).attr('target'));
```

```
} else {
     location.href = $(this).attr('href');
   });
 }
 if (this.album.length > 1 && this.options.showImageNumberLabel) {
  var labelText = this.imageCountLabel(this.currentImageIndex + 1, this.album.length);
  this.$lightbox.find('.lb-number').text(labelText).fadeIn('fast');
 } else {
  this.$lightbox.find('.lb-number').hide();
 }
 this.$outerContainer.removeClass('animating');
 this.$lightbox.find('.lb-dataContainer').fadeIn(this.options.resizeDuration, function() {
  return self.sizeOverlay();
});
};
// Preload previous and next images in set.
Lightbox.prototype.preloadNeighboringImages = function() {
 if (this.album.length > this.currentImageIndex + 1) {
  var preloadNext = new Image();
  preloadNext.src = this.album[this.currentImageIndex + 1].link;
 }
 if (this.currentImageIndex > 0) {
```

```
var preloadPrev = new Image();
  preloadPrev.src = this.album[this.currentImageIndex - 1].link;
};
Lightbox.prototype.enableKeyboardNav = function() {
$(document).on('keyup.keyboard', $.proxy(this.keyboardAction, this));
};
Lightbox.prototype.disableKeyboardNav = function() {
$(document).off('.keyboard');
};
Lightbox.prototype.keyboardAction = function(event) {
var KEYCODE_ESC
                      = 27;
var KEYCODE_LEFTARROW = 37;
var KEYCODE_RIGHTARROW = 39;
var keycode = event.keyCode;
var key = String.fromCharCode(keycode).toLowerCase();
 if (keycode === KEYCODE_ESC | | key.match(/x|o|c/)) {
 this.end();
} else if (key === 'p' | | keycode === KEYCODE_LEFTARROW) {
  if (this.currentImageIndex !== 0) {
   this.changeImage(this.currentImageIndex - 1);
  } else if (this.options.wrapAround && this.album.length > 1) {
   this.changeImage(this.album.length - 1);
```

```
}
  } else if (key === 'n' | | keycode === KEYCODE_RIGHTARROW) {
   if (this.currentImageIndex !== this.album.length - 1) {
    this.changeImage(this.currentImageIndex + 1);
   } else if (this.options.wrapAround && this.album.length > 1) {
    this.changeImage(0);
   }
  }
 };
 // Closing time. :-(
 Lightbox.prototype.end = function() {
  this.disableKeyboardNav();
  $(window).off('resize', this.sizeOverlay);
  this.$lightbox.fadeOut(this.options.fadeDuration);
  this.$overlay.fadeOut(this.options.fadeDuration);
  $('select, object, embed').css({
   visibility: 'visible'
  });
  if (this.options.disableScrolling) {
   $('body').removeClass('lb-disable-scrolling');
  }
 };
 return new Lightbox();
}));
```

## 3.4. XML/XSLT

```
3.4.1. rss.xml
<?xml version="1.0" encoding="UTF-8"?>
<?xml-stylesheet type="text/xsl" href="for_rss.xsl"?>
<rss version="2.0">
   <channel>
         <title>Home</title>
         link>../Index.html</
         <description>
         Everything you got to know about mobile phones.
         </description>
   <item>
         <title>Home: Old phones </title>
         /Index.html#tosecond
         <description>
         How all starts.
         </description>
         </item>
   <item>
         <title>Home: Modern phones </title>
         /Index.html#tothird
         <description>
         Loking forward into mobile phones.
         </description>
         </item>
   <item>
         <title>Home: Smartphones </title>
```

```
/link>../Index.html#tofourth
      <description>
      Loking forward into mobile phones.
      </description>
      </item>
<item>
      <title>Home: About me </title>
      /Index.html#tofifth
      <description>
      Part where you read somthenig abouth me.
      </description>
      </item>
<item>
      <title> Gallery </title>
      <link>../gallery.html</link>
      <description>
      Part where you can see some photos.
      </description>
</item>
      <item>
      <title> Comment </title>
      k>../comments.html
      <description>
      Part where you send me your opinion about site.
      </description>
</item>
</channel>
```

```
3.4.2. for_rss.xsl
<?xml version="1.0"?>
<xsl:stylesheet version="1.0"</pre>
xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
<xsl:template match="/rss">
  <html>
   <head>
          <style type="text/css">
     body {
       font-size:12px;
       font-family: Arial;
       font-weight: 900;
       background-color: #003366;
       text-align:center;
     }
     table{
       margin: 0 auto;
     }
     h3{
          font-size: 32px;
       font-family: Arial;
       font-weight: 900;
       color:#00ccff;
       text-transform: uppercase;
     }
```

```
td {
     height:50px;
     padding: 5px;
     background-color: rgba(0, 0, 0, 0.5);
   border-radius:5px;
 }
  .whitecol {
     background-color: rgba(255, 255, 255, 0.5);
 }
  a {
     text-decoration: none;
     color:white;
 }
 a:hover{
     color:violet;
 }
</style>
</head>
<body>
   <h3> History of Mobilephones </h3>
                Title
                            Link
                           Description
```

```
<xsl:value-of
select="channel/title"/>
                                        <xsl:element name="a">
                                         <xsl:attribute name="href">
                                          <xsl:value-of
select="channel/link"/>
                                         </xsl:attribute>
                                         <xsl:value-of
select="channel/link"/>
                                        </xsl:element>
                                        <xsl:value-of
select="channel/description"/>
                        <xsl:for-each select="channel/item">
                             <xsl:value-of
select="title"/>
                                        <xsl:element name="a">
                                         <xsl:attribute name="href">
                                          <xsl:value-of select="link"/>
                                         </xsl:attribute>
                                         <xsl:value-of select="link"/>
                                        </xsl:element>
```

```
<xsl:value-of select="description"/>
```

## 3.4.3. sitemap.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<?xml-stylesheet type="text/xsl" href="for_sitemap.xsl"?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
   <url>
         <loc>../Index.html</loc>
         <lastmod>2016-03-12</lastmod>
         <changefreq>monthly</changefreq>
         <priority>1</priority>
         </url>
   <url>
         <loc>../gallery.html</loc>
         <lastmod>2016-03-12</lastmod>
         <changefreq>monthly</changefreq>
         <priority>0.9</priority>
   </url>
   <url>
```

```
<loc>../comments.html</loc>
          <lastmod>2016-03-12</lastmod>
          <changefreq>monthly</changefreq>
          <priority>0.9</priority>
   </url>
</urlset>
   3.4.4. for_sitemap.xsl
<?xml version="1.0"?>
<xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform"</pre>
xmlns:sm="http://www.sitemaps.org/schemas/sitemap/0.9">
<xsl:template match="/">
  <html>
   <head>
          <style type="text/css">
     body {
       font-size:14px;
       font-family: Arial;
       font-weight: 900;
       background-color: #003366;
       text-align:center;
     }
     table{
          margin: 0 auto;
       border-radius:5px;
     }
```

```
h3{
      font-size: 32px;
    font-family: Arial;
    font-weight: 900;
    color:#00ccff;
    text-transform: uppercase;
  }
  td {
      height:50px;
      padding: 5px;
      background-color: rgba(0, 0, 0, 0.5);
    border-radius:5px;
  }
  .whitecol {
      background-color: rgba(255, 255, 255, 0.5);;
  }
  a {
      text-decoration: none;
      color:white;
  }
  a:hover{
      color: violet;
  }
</style>
</head>
<body>
   <h3> History of mobilephones </h3>
```

```
Location
                             Last modification Date
                             Change Frequency
                             Priority
                       <xsl:for-each select="sm:urlset/sm:url">
                             <xsl:element name="a">
                                        <xsl:attribute name="href">
                                         <xsl:value-of
select="sm:loc"/>
                                        </xsl:attribute>
                                        <xsl:value-of select="sm:loc"/>
                                       </xsl:element>
                                       <td
class="whitecol"><xsl:value-of select="sm:lastmod"/>
class="whitecol"><xsl:value-of select="sm:changefreq"/>
class="whitecol"><xsl:value-of select="sm:priority"/>
                         </xsl:for-each>
                  </body>
 </html>
```

```
</xsl:template>
</xsl:stylesheet>
```

## 3.4.5. comments.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<comments>
   <comment>
         <name>John</name>
         <text>This site looks nice!</text>
   </comment>
   <comment>
         <name>Lisa</name>
         <text>I like this site.</text>
   </comment>
   <comment>
         <name>James</name>
         <text>Nice projet.</text>
   </comment>
   <comment>
         <name>Nick</name>
         <text>Nice design of site.</text>
   </comment>
   <comment>
         <name>Lara</name>
         <text>Good looking site.</text>
   </comment>
```