

IGITIGU
N'INDWARA
ZACO

Igitigu

« *Fata neza igitigu cawe naco kizohagutura mu myaka iri mbere* » **Vance Ferrell.**

Abahinga mu vyo kuvura indwara hakoreshejwe ibintu bitarinze gucishwa mu mahinguriro y'imiti (Naturothérapeutes) basanzwe bazi neza ko mu gihe igitigu c'umuntu gikora neza gishoboye gutuza indwara ya kanseri arwaye. Ariko rero nko mu gihe kirwaye hoho, kwitega ivyo kwoba ari ukwihenda nk'uwina akaheze.

Ico ari co koko

Mu bihimba (organes) vyose umubiri ufise, igitigu nico kinini kurusha ibindi. Gipima ibiro bibiri vy'uburemere. Giherereye munsu y'uburiri bw'umutima (Diaphragme), i buryo bw'umushishito, mu kuboko kw'iburyo. Si kinini gusa, ahubwo ibikorwa gikora navyo, ni akayoberabahinga gushika naho **Vance Ferrell** bitamuruhije kwitangaza ati: « *Mu vy'ukuri, igitigu ni ingabire yavuye ku Mana* ».

Bimwe mu bikorwa bitangaje vy'igitigu.

Vance Ferrell ati: « Igitigu kijejwe ibikorwa birenga 2000». ¹

1. Igitigu nico kijejwe kwakira no gushingura isukari yo mu maraso (glucose) kugira ngo ntigume irundarundanye mu maraso ngo umuntu abe arwaye diyabete. Ukwo kuyishingura nakwo ni integabizozoza kugira ngo iyasigaye mu maraso niyahera imwe yari mu gitigu ice isukwa mu maraso kuyisubirira ngo umuntu ntagwe mw'isanganya riteye ubwoba.
2. Igitigu gifise uruhara n'ubushobozi vyo guhingura no gushingura indurwe (bile) isukwa mu rura ruto (intestin grêle) kugira ngo ifashe mu kunoza neza ibinure n'indemamubiri (Protéines) vyasyerewe mu kanwa no mu mushishito kugira ngo bibone kwinjira mu maraso gukora ico vyagenewe, ahandi ho vyosohoka uko vyinjiye.
3. Igitigu gifise ubushobozi bwo guhingura ibinure vyiza kibikoze mw'isukari canke mu ndemamubiri.
4. Igitigu gisanzwe gihingura indemamubiri (acides aminés) 12 muri zimwe 20 umubiri w'umuntu akuze ukenera bikamurinda amasanganya ateye ubwoba nko kurwara urusina (hydropisie) kuzingama (crétinisme), gukeha ubwenge (débilité mentale) n'ibindi.

¹ Natural Remedies Encyclopedia, p. 479

5. Kijejwe gusangangura no kubika uduce tugize umutuku w'amaraso (globules rouges) twashaje, kudusohora no guhingura utundi dushasha.
6. Igitigu kijejwe kwakira, gushingura no gukoresha insanganyangaburo (vitamines) A, B12, D na K kugira ngo umubiri uzozikoreko mu kurangura ibikorwa bitangaje muri wo.
7. Bivanye n'uko mu bimera ata nsanganyaburo A yigera ihaboneka kuko iva mu bikoko no mu miti yahinguwe gusa, igitigu gifata ivyo bita bêta-carotène A biva mu bimera nko mu makaroti, amavoka, itomati n'ibindi kikabihinguramwo insanganyangaburo A ikora ibitangaza: ituma amaso abona, urukoba ruraremba, irinda gucibwamwo, itera igikuriro, abana bamera amenyo biboroheye.
8. Igihe umuntu afise ca kinure kibi kolesterole (cholestérol LDL) c'umurengera mu maraso yiwe maze akihereza umuti canke igifungurwa bishongesha ico kinure gica kirungikwa mu gitigu naco kigafata ico kinure kikagihinguramwo ya ndurwe (bile) ifasha mw'inoza neza ry'indemamubiri n'ibinure vyabonetse mu ndya mu rura ruto.
9. Kubera ko imbere y'uko amaraso ashika mu mutima abanza guca mu gitigu, igitigu gica gisigarana imyanda n'uburozi biyarimwo kikabisigarana kugira ngo kibihinduremwo ibintu vyiza, kivyice canke kibisohore mu mubiri ngo

ntibiwuroge. Ubwo burozi ni nk'ubu bukurikira: Alukolo (mu nzoga), nikotine (mw'itabi), cafeyine (mu cayi no mu kawa), aside irike, pirine, aside lakitike, amoniyake (mu ngaburo y'ibikoko, mu muruho w'umurenge n'ahandi) hamwe n'ibindi.

10. Igihe isukari igiye guhera mu maraso no mu misoso (muscles) kandi umuntu akaba adashoboye guca aronka iyindi, igitigu gica gifata ibinure (graisses) canke indemamubiri (protéines) kikabihinduramwo ibinure biza guhinguramwo isukari (glucogène) kugira ngo nivyaba ngombwa ivyo binure bize kuba isukari itembera mu maraso ngo itange inkomezi umubiri ukeneye kandi irinde n'amasanganya akomeye atewe n'ubukene bw'isukari, aho twovuga nko kuzimira ubwenge.
11. Igitigu nico gihingura ibintu bita Prothrombine na fibrinogène bituma amaraso avura ku rugero rwiza, kikongera kigahingura ivyo bita héparine birinda amaraso kuvuragira cane ngo yipfundapfundike nk'udutete tw'umusenyi, ntasubire gutembera neza.
12. Nico gishingura icunyunyu fere gituma umuntu adakama amaraso.
13. Gitanga ubushuhe umubiri ukeneye ku buryo ata wundi mugabane w'umubiri ukirusha ubushuhe gitanga kiretse imisoso (muscles).
14. Gihingura indemamubiri Albimine (albumines) zitembera mu maraso zigakinga

kuvyimbagana kw'umubiri (oeudêmes) n'urusina (hydropisie).

Birumvikana neza cane rero ko umuntu azi ivyo bikorwa tuvuze n'ayandi masinzi n'amasinzi y'ivyo tutavuze akorwa n'igitigu, bitomurusha kwiratana na Dawidi ati: « **Ndagushimira y'uko naremwe uburyo buteye ubwoba butangaje, ibikorwa vyawe n'ibitangaza, kandi ivyo umutima wanje urabizi neza** ». ²

Ibisinzikaza igitigu

Hariho ibintu bikomeye kurusha ibindi bisinzikaza ico gitigu gikora ibikorwa vy'amayoberane bisiga ubwenge, ivyo navyo nivyo vy'ibi bikurikira:

1. Kuryagagura: Namba wipfuza gusinzikaza igitigu cane ngo ntikibe kigukorerera vya bikorwa vy'akumiza, nta kigoro katoroshe bigusaba, herako utangure canke ushishikare kurya umwanya wose hamwe n'ico cose kikuguye mu minwe. Bizogufasha cane kukuronsa ibikoresho vyose bikenewe mu gusambura ico gihimba- Igitigu.

2. Kurya no kunywa ivyo igitigu kidakeneye kandi kitipfuza kubona. Ivyo navyo bimwe nivyo vy'ibi:

² Bibiliya Yera, Zaburi 139: 14.

- Ibintu vyose bikoze mw'ifarine yeruka yo mu mahinguriro nk'umukate, amabenyi, amagato n'ibindi.
- Ibintu birimwo irya sukari y'intete nk'amafanta, icayi, ikawa, ubuyi, amagato n'ibindi nkavyo.
- Igitigu kirabangamirwa cane n'indya z' « urwiganwe » (Aliments d'imitation). **Vance Ferrell** aravuga ko indya z'urwiganwe ari indya zahinguwe ukundi ariko zikagumana ishusho ituma ziguma ziboneka nk'aho umengo ziracari za zindi ariko zarapfuye mu kunyarwa insanganyangaburo, ivyunyuny, ama anzime (enzymes), hamwe n'ikindi kintu cose co muri zo cari ic'agaciro, mu gihe isukari, ibinure, indemamubiri, ibara n'akamoto vyovyho usanga zibifise kugira ngo ababibona bihinde bibwira ngo ni indya nzima kandi iba yarapfuye. Akarorero : Ifanta orange wokwihenda ngo ni umucungwe, isukari y'intete wokwibwira ngo ni igikaju, ifarine yeruka bakoramwo imikate wokwibwira ngo ni ingano kandi muvuyo ukuri ari icitiriro.

3 .Ingaburo nkene mu ndemamubiri (protéines) ariko ikaba yiganjemwo isukari n'ibinure isinze igitigu. Ariko kandi ntubabwiriza twirengagije ko no gukoresha imiti y'ubuvuzi kumwe kw'aba kera bimwe bita ngo « imiti y'ikirundi » ari kuvyitondera rwose, na cane cane mu gihe tutaba tuzi neza ko uwo muti wasuzumwe neza n'ababwiriza babishoboye, bakerekana urugero rwo kuwufata n'ibihe vyemerewe kuwihereza ivyo ari vyo. Ahandi ho kwimenyereza kwihereza iyo miti itazwi

neza, kwoba ari nko kwiyerereza mu karere kariko karaberamwo intambara.

*« Umuti w'ingorane zihanze amagara muri ino si y'uno musu dutegerezwa kuwusanga mu miti kama (natural remedies), tutarogesheje umubiri imiti y'imihingurano. N'aho nyene (iyo miti) ishobora gusa nk'aho izana agahengwe k'igihe gito, ihasiga umwenda w'uburozi businzikaza buzokwega akarambaraye mu bihe biri imbere ».*³

*« Imiti Kristo atanga yoza umubiri. Aiko satani we yagerageresheje umuntu kwinjiza mu mubiri ibisinzikaza imashini y'umuntu, bikafutanya, kandi bigasambagura ivyiza bitangaje Imana yatunganije. Imiti (médicaments) ihabwa abarwaye ntikiza ahubwo nyabuna iratikiza. Imiti ntiyigera ikiza namba. Ahubwo yoyo ico ikora gusa ibiba mu mubiri imbuto zizokwama umwimbu w'umururazi ».*⁴

*«Koresha imiti kama..... Ntukoreshe imiti y'imihingurano. Imiti ntiyigera ikiza ico ikora gusa, ituma indwara ihindura ishusho n'ikibanza ».*⁵

« Abasavyi b'Imana ntibari bakwiriye gutanga imiti basanzwe bazi ko izozana ingaruka mbi, naho nyene yoba izana agahengwe k'igihe gito. Buri muti wo kunywa wose urimwo uburozi (poison) waba uvuye mu bimera canke mu vyahinguwe, igihe uramutse winjijwe

³ Dr John Harvey Kellogg

⁴ Ellen G. White, Selected Messages, Vol. 2, p. 289 (Taken from Natural Remedies Encyclopedia, p. 42)

⁵ Ellen G. White, Letter 116, 1903

*mu mubiri, usinzikaza amagara ukagira ingaruka ku gitigu n'amahaha, maze ugahungabanya ikora ry'umubiri wose uko wakabaye ».*⁶

4. Imiti bapompa ibiterwa canke mu mazi ikica udukoko (insecticides), iyirinda ivyahinguwe kwononekara imbere y'igihe (préservatifs) hamwe n'ubundi burozi: bironona amagara. Uburozi bumwebumwe nka alukore yo mu nzoga, imiti yo guhagarika imvyaro (contraceptifs), kafeyine yo mu cayi no mu kawa n'ibindi, isinzikaza n'ibihimba vyunganira igitigu ngo gishobore kurangura ivyo gishinzwe. Ivyo bihimba navyo ni nk'urwagasha (pancréas), amafyigo (reins), urura ruto (intestin grêle), umushishito (estomac) n'ibindi.

Mw'iyi ntumbero nyene yo gukingira igitigu, hari izindi mpanuro zitari nke **Vance Ferrell** atanga zishingiye ku mirire, ari nazo z'izi zikurikira:

Ntukigere unywa itabi, icayi n'ikawa, ntukarye ifi, inyoni, inyama, amafanta n'imitobe bashizemwo isukari (jus), indrya bashizemwo isukari canke ngo urye amafiriti. Ni wirinde igifungurwa cose gitera kugumbiza, kuko igihe umwanda mukuru ugumye upakangiranye mu rura rukuru (gros intestin) bica bituma imyanda yimiminuza muri wo imiminukira mu maraso, aho naho igitigu kikaba gica kihacumukurira mu gusohora ubwo burozi. Ibintu bitera ukwo

⁶ Ellen G. White, Messages Choisis, Vol 2, p. 321

kugumbiza (kutituma vyoroshe) navyo ni umuceri wera, ibikozwe mw'ifarine yeruka, ibinure vyo mu bikoko, icayi n'ikawa n'ibindi nk'ivyo vyataye agaciro. Wame witwararitse ko waronse ibifungurwa bigwiriye mu icunyunyu potasiyumu, umuceri, igitoke, ingano, ibinyantete atari bimwe n'ibindi.

Nywa amazi menshi, meza gusa, unywe make make igihe unyoye. Ha agaciro ibifungurwa bidatetse mu ngaburo yawe. Nywa umutobe w'imboga udatetse, na cane cane uwukanywe mu makaroti. Hora urya inazi zidatetswe ngo zijobororwe n'amazi n'umuriro.

Koresha amavuta y'ibimera gusa atatereye vyangombwa mu mahinguriro, kandi maragarine, amavuta y'inka canke ibinure vy'inyama uvyitaze.

Insanganyangaburo K ni ngombwa cane, narirya mu vyo ikora harimwo no gukinga indwara iteye ubwoba y'igitigu irangwa no kwuzura amazi mu nda n'urusina (cirrhose du foie).

Wirinde kurya ifi kuko igitigu cazo kirimwo insanganyangaburo A y'umurengera, mu gihe iyo nayo ibaye ikirenga ivuye mu nyama canke mu miti yo mu mahinguriro, ica icika uburozi, igasinzikaza n'igitigu c'umuntu. Iyo ukeneye isanzwe iboneka mu bimera nko mu makaroti, mu mavoka, mw'itomati n'ahandi.

Ntukanywe amata akomoka mu bikoko canke ngo urye amagato canke amasandwice. Ubere maso umuceri weruka.

Naho woba ucigerezako mu kurya inyama n'ifi, ntukigere uzikoza mu kanwa zidahiye neza, kuko aho hoho, ziba zirundanyemwo imigera y'indwara nyinshi iteye n'ubwoba.

Indimu n'igitigu ni soma mbike. Indimu ni umwe mu bagenzi-magara b'igitigu.

Soja na sezame (sésame) ni ibifungurwa vyiganjemwo ibinure bita lesitine (lécithine) bituma ibinure bitarundarundana mu gitigu ngo bitume kidakora neza canke ngo kirware.

Imyimenyerezo ngororamubiri nayo ituma igitigu gikora neza kuko ituma amaraso akirungikira impwemu zo hanze (oxygène) zikwiye.

Ico twokwongerako kw'ikora neza kw'igitigu n'uko kitomererwa neza amafyigo nayo asinzikaye. Ugomba kurinda amafyigo yawe naho, hambavu y'ivyo ukorera igitigu woyakorera ibi bikurikira :

- Nywa amazi ahagije, meza kandi ku bihe vyiza buri musi .
- Wirinde kwamana umwino (lavement) na ntaryo kandi n'igihe ubikoze naho ubikorane ubwitonzi

n'ubuhinga ariko kandi amara yawe yame asukuye.

- Wirinde imiti y'ikizungu igihe cose bishoboka, kandi ntukigere uyikoresha kiretse gusa mu gihe c'indwara canke isanganya igushikiye kandi bikaboneka ko atawundi muti kama wohagukura.

« *Bungabunga igitigu cawe, naco kizohagutura mu myaka iri imbere* ». **Vance Ferrell**.

Igitigu gikozwe ku buhinga busiga ubwenge ku buryo ata muhinga mw'isi yari kugishiraho, atari Imana gusa. Ariko kandi, ico nyene ninaco gihimba c'umubiri kibangamiwe n'uburozi bwinjira canke buhingurwa mu mubiri gusumba ibindi bihimba vy'umubiri. Abantu amasinzi ukunze gusanga barwaye amoko y'indwara z'igitigu atari amwe kubera iki? Dogiteri **Carlos Kozel** arishura ico kibazo ati: « *Ni kubera ubumenyero butari bwo bakora. Inyama, ibinure vy'ibikoko, alukolo, ibirungo bikaze, umunyu mwinshi, amafiriti n'ibindi, nivyo bisangangura ico gihimba gihambaye cane* ». ⁷

⁷ The Science of Natural Healing, p. 183

Epatite

Epatite (hépatite) ni indwara y'igitigu iri amoko menshi, ikarangwa n'ububabare bw'igitigu.

Ibimenyetso:

Gucika intege, iseseme, kumeneka umutwe, kudahwa, umururumbo, kuribwa mu misoso, kubura akayabagu, kwisinzirirako, umwanda muto gusigara umengo urirabura, kubabara mu ngingo z'amagufa, kugubwa nabi mu nda, gucibwamwo, kugumbiza, guhindura isura kw'urukoba rugasigara rusa n'ubururu bitewe n'uko imyunyu y'indurwe (sels biliaires) y'igitigu bitagishoboye kwisuka mu rura ruto bigaca bisanzara mu maraso, nayo akabikwiza mu rukoba no mu bindi bihimba ari vyo bita jonise (jaunisse). Indwara z'urukoba zitari zimwe (eruptions cutanées) zishobora kugenda ziyadukiza zitewe n'uko murirwo haba harundanye umunyu ugendana na ya ndurwe (sels biliaires), ukumva woguma wiyagaza.

Ibituma

Nk'uko twabivuze, Epatite (hépatite) ni ububabare bw'igitigu bushobora kuba butewe n'umugera canke

« agakoko» (virus) canke ibindi bintu vy'uburozi bitari bimwe vyateye igitigu. Wibuke kandi ko iri amoko atari amwe akaba yagiye yitirirwa indome dusanzwe dukoresha bivanye n'ubwoko bwayo canke urugero iriko.

1. Epatite A

Indwara y'igitigu bita Epatite A (irandukira) : Iterwa no kunywa amazi yanduye, hamwe n'amata n'indya vyanduye. Igihe umuntu yihereje ikintu mw'ivyo tuvuze kirimwo uwo mugera, bitwara imisi 15 gushika 45 kugira ngo ibimenyetso bimwebimwe vya Epatite bibe bitanguye kwibonekeza (ivyo bavyita incubation). Igihe umuntu acandura uyo mugera niho wandukira abandi vyoroshe, ari naco gituma abajejwe gutegura ibiribwa banduye canke vyanduye baca bakwiragiza iyo ndwara.

Epatite A rero iyo umuntu yayanduye, ayanduza abandi mu kiringo c'indwi 1 na 2 imbere yuko arwara. Gukora ku wanduye umugera canke ku co yakozeko canke impuzu ziwe gusa birahagije ngo nawe ube wanduye umugera wa Epatite A. Ushobora no kuwanduzwa n'ibikoko vyawanduye. Abarya ibirobwe mu mazi bobo bashobora kwandura uwo mugera wa Epatite bitabaruhije na gato. Igihe rero umuntu yarwaye uwo mugera akivura abicishije mu nzira twerekanye canke tuza kwerekana, bishobora

kumutwara nk'indwi 4 kugira ngo akire. Si kenshi bikunze gushika ko haba iy'ururambira (chronique).

2. Epatite B

Indwara y'igitigu ya Epatite B yoyo, iboneka mu mihingo yose yo kw'isi maze ikarandagata nka kurya kwa sida biciye mu guhuza amaraso n'ayandi yamaze kwandura uwo mugera. Ku bw'ivyo rero ikaba yandukira biciye mu guterwa amaraso canke inshinge vyanduye hamwe no mu kurangura amabanga mpuza-bitsina, kwitobora canke kwikomerekesha ivyuma vyanduye. Ubushakashatsi bwakozwe bwasanze ko Abanya Amerika 5 kw'ijana (5%) bose bafise umugera wa Epatite B. Iyo ndwara rero irakaze cane. Ikiringo ibimenyetso vyayo vyibonekesherezamwo ni imisi 28 na 160 uhereye umuntu yanduye umugera wa Epatite B, kandi kugira ngo umurwayi akire vyomusaba kwivura amezi 6 yose, kandi mw'ayo mezi yose uwuyirwaye ashobora no kuyanduza abandi ata ntambamyi. Ibihe vyinshi cane rero, hari naho iyi Epatite itavurwa ngo ikire igahava ihinduka akaranda kabi k'indwara iteye ubwoba y'igitigu nyene irangwa n'urusina (cirrhose du foie), iyo nayo ikaba yica itabanje kwisamaza. Epatite B ni indwara igira 9 mukwiha inkumbi muri Amerika.

3. Epatite C

Indwara y'igitigu ya Epatite C imeze kumwe na SIDA na Epatite B kuko nayo nyene biyisaba amezi 6 kugira ngo vya bimenyetso vy'ubwandukeye vyigaragaze. Ico kiringo bacita (incubation), kandi nayo nyene, mw'ico kiringo cose naho iba itariyerekana, nyene kwandura uwo mugera aba ashoboye kwanduza abandi muri za nzira twavugaga kuri Epatite B. Ibice 20-40 kw'ijana vy'ama Epatite (hépatites) yose biba ari Epatite C, mu gihe ibice 90 gushika 95 kw'ijana vy'abandura navyo baba bayandukijwe n'amaraso y'abanduye uwo mugera.

4. Epatite E

Epatite E (hépatite E) irakwiragiye hirya no hino mu isi, ikaba ibica bigacika mu kwandukira muri Amerika, Aziya n'ahandi. Ahanini yandukira biciye mu kunywa amazi yanduye canke mu kuyihereza mu bundi buryo. Ariko rero, amazi atetswe akabira ntiyanduza Epatite E.

5. Epatite togizike

Epatite togisike (hépatite toxique) nayo iterwa n'uburozi buboneka mu vyahinguye nk'imiti, ibifungurwa, ibinyobwa, n'ibindi nk'ivyo. Urugero rw'ukuntu igitigu cagiye kironka ubwo burozi nirwo

n'ico gihimba gisinzikarako. Muri rusangi rero, ubushakashatsi bunuganuga ko buri mwaka haboneka abanya Amerika bangana n'ibihumbi 40 na 70 bandura iyo ndwara. Ariko abahinga banonosoye ivy'iyo ndwara bemeza ko hariho ukwandura gusumba aho incuro cumi ariko kutamenyeshwa. Epatite togisike (hépatite toxique) ibangamiye abakiri bato kurusha abandi, ariko yagera ku bigeme b'imiyabaga ikabica bigacika.

Epatite A ntigikunze kwibonekeza cane, Epatite B yoyo yabaye akaranda, kandi ikaba isigaye ari iyigira 30 mu ndwara zandukira. Ivyo bica bidutahuza neza ko ari ngombwa kugaba cane kugira ngo rya hinguriro ritungishije igihugu -Igitigu- ntirisambagurike kubera imigera ya Epatite zitari zimwe.

Umuti

1. Namba umuntu yamaze gufatwa, mwhiteho cane nk'uko basanzwe bitaho umuntu wese asinzikaye, ariko utibagiye ko arwaye indwara yandukira mu buryo bukomeye cane.

2. Igitunguru c'igoma, indimu n'igitunguru ca sumu bifise ubushobozi buhambaye cane mu kurogora igitigu n'umubiri wose kandi bigatuma igitigu gikora neza ivyo kijejwe.

Uko babiteguramwo umuti n'uko wiheretzwa.

Nk'isaha y'icenda z'umuhingamo

- Katagura amagoma ane manini y'ibitunguru bitukura.
- Katagura indimu nini 3 zeze neza kandi zitavunditswe.
- Sekura udutete 20 canke 30 tw'ibitunguru vya sumu.
- Ivyo vyose bibize iminota 30 mw'iritiro ry'amazi ku muriro ubayabaye nk'uwo kumbabura kandi bipfundikiye neza.
- Terura ukure ku ziko, maze nivyahora bipfundikiye uce uvangura umutobe na bimwe wakatagura na bimwe wasekura, uwo mutobe uronse nawo ca uwumiminisha igitambara ciza kitagira imyenge yocamwo utuntu atari umutobe.
- Wubike mw'icupa ripfundikirwa ku buryo ridahema bimarane amasaha 12 (ijoro ryose).
- Bukeye ca uherako unywe ikiyiko 1 uko haheze iminota 30 canke 60 guhera mu gitondo gushika bwire, imisi yose gushika hahere indwi yose atakimenyetso c'uburwayi ugifise.

ICITONDERWA

- Icupa umuti ubikwamwo ryame ripfundikiwe neza.
- Bawunywa babanje kuzungagiza, isaha imbere n'inyuma yo kurya.
- Umuntu ari mu mihango, ava umwuna canke ava amaraso mu bundi buryo, yokoresha uwo muti

adashizemwo ibitunguru vya sumu, kuko amaraso ashobora kwiyongera.

- Umugore yibungenze ntiyofata umuti urimwo ibitunguru vya sumu imisi myinshi.

1. Irinde kwihereza ikintu cose cashizwemwo isukari yo mu mahinguriro, ibinure na cane cane ivyo mu bikoko n'inzoga, kuko ivyo bica bisonga igitigu kandi bikakibuza gukira.

2. Menya ko amara yawe yoba akora neza kugira uronke isanganyangaburo B12 kandi urye imboga mbisi n'ivyamwa bigwiriye isanganyangaburo C ituma igitigu gikora neza bikakirogora. Ivyo navyo vyoba ari nk'amashu, itomati, amakaroti, ibitunguru vy'amagoma, indimu, imicungwe n'ibindi.

3. Rya ibiyiko 6 ku musi vy'ingano zinitse zikazana imigera.

4. Mu gihe umurwayi arembye, yokwiha akaruhuko gushika amaze gutora agahengwe kandi akarya ibintu bidasaba umushishito gusya cane nk'umusururu, isupu y'imboga, maze bukebuke akagenda yongerako n'indya zoroshe nk'ibiraya, imboga, agatoke kateze neza n'ibindi nk'ivyo.

5. Nywa amazi menshi (nk'ibirahuri 8 k'umusi) kugira ngo ntugumbize kuko vyorushiriza kuroga igitigu gisanze kigeze aho umwansi agomba. Ubanze gukanyiramwo indimu 1 canke igipande muri buri kirahuri.

6. Niwame woga canke wozwa kenshi ku musi kandi ugakaraba isabuni igihe cose uvuye kwituma, kandi n'akazu ka surwumwe (W.C) uvuyemwo kagaca gasukurwa n'amazi uko uyivuyemwo kwose.

7. Ntukwiriye kuza guteka imfungurwa baza kurya, kandi niwisangize ibikoresho canke naho ivyo ukoresheje vyo bibanze gutekwa mu mazi abize imbere yuko uwundi abikoresha.

8. Nywa ibiyiko 4 vy'ubuki ku musi.

9. Imyambaro yawe n'ivyo uryamako ntibikwiriye kumesuranwa n'ibindi.

10. Imboga n'ivyamwa bitagira ibinure vyoba nyambere mu ngaburo yawe.

11. Irinde icayi n'ikawa, hamwe n'ikintu cose kiva mu mfungurwa z'ibikoko.

12. Gabanya cane umunyu kandi wirinde amavuta.

Mu Bushinwa, ibice 10 kw'ijana vy'abanyagihugu baho barwarira Epatite icarimwe. Ivyo bisigura ko abashika imiliyoni 100 bose bandura uwo mugera w'ama Epatite ari navyo bituma na kanseri yo mu gitigu igipfukamye mu nda mw'ico gihugu. Haah! Akari mu mpene niko kari no mu ntama, uragabe!!

Jonisi

Jonisi (jaunisse) nayo ni kimwe mu bimenyetso vy'uburwayi bw'igitigu bamwe bafata nk'indwara, ariko Dr **Vance Ferrell** avuga ku vy'iyi ngorane ati:
« *Jonisi ubwayo si indwara, ahubwo nyabuna ni ikimenyetso c'indwara* ». ⁸

Ibimenyetso

Kirya gihimba cera co mu jisho gisigara gisa n'umuhondo (jaune) kandi bikagenda bishwara umubiri wose, uwafashwe acika intege, akunda kugumbiza cane, kandi aradahwa.

Ibituma

Igihe igitigu kitagishoboye kwihanganira umuzigo caremerejwe (ibifungurwa, ibinyobwa, imiti n'ibindi) kubera impamvu zitari zimwe, haca haboneka isegenya ry'ibintu bita biliribine (bilirubine), ivyo navyo bikaba biterwa n'isangangurwa ry'uduce tugize umutuku w'amaraso (globules rouges) twashaje. Igitigu gitegerezwa kwita ku rutare ngo gisohore biliribine mu maraso, kandi igihe ivyo bidakoretse

⁸ Natural Remedies Encyclopedia, p. 220

naho, ica irundarundana mu bice vyose vy'umubiri. Umwanda muto uca usigara usa n'uwirabura, maze umwanda mukuru nawo ugasigara weruka kubera ko ya biliribine yategerezwa kwama iwurimwo itaba ikiwubonekamwo. Ariko kandi, ugutikira kw'uduce tugize umutuku w'amaraso (globules rouges) nakwo gushoboye kubitera. Iyo muganga apimye amaraso y'umurwayi niho gusa bishobora kumenyekana ko vyatewe n'itikira ry'uduce tugize umutuku w'amaraso canke ko vyoba vyatewe n'uko umuheha ucamwo indurwe iva mu gasaho k'indurwe ija mu rura ruto (canal cholédoque) wazivye.

Jonisi (Jaunisse) kandi ishobora guterwa n'uko uwo muringoti (canal cholédoque) utwara indurwe (bile) mu rura ruto uyivanye mu gasaho ibikwamwo ko mu gitigu (bakita vésicule biliaire) wazivye, ivyo navyo bikaba biterwa n'uko habaye ca kinure kolesterole kibi c'umurengera mu maraso ari naco gica gituma amaraso yipfundapfundika nk'udutete tw'umusenyi tugenda turakura uko imisi ikura iyindi. Iyo utwo dutete tumeze nk'umusenyi dutambamye mw'uwo muringoti utembereza indurwe rero (bavyita calculs biliaires) ya ndurwe ica isanzara mu maraso no munsu y'urukoba hose ari navyo bica bituma amaso n'urukoba bihindura ibara.

Uko kuziba kandi gushobora kuba kwatewe n'ikiviyimba kiri mw'uwo muheha (ucamwo indurwe),

canke naho kugaterwa n'umugera wateye igitigu biciye muri za nzira twavuga kuri Epatite canke mu zindi, bigasa n'umuhondo.

Jonisi kandi ishobora guterwa n'indwara yo gukama amaraso iteye ubwoba (anémie pernicieuse), Epatite, indwara y'ivyimbagana ry'igitigu irangwa n'urusina (cirrhose du foie) hamwe n'itikira ridasanzwe ry'uduce turemye umutuku w'amaraso (hemolyse).

Umuti

1. Bishobotse wobanza kwipimisha neza kwa muganga kugira ngo ubanze umenye neza isoko ry'iyi ngorane ikomeye iryo ari ryo.

2. Mara indwi yose ata gifungurwa gitetswe ukoza mu kanwa uretse imboga mbisi n'ivyamwa. **Akarorero:** amakaroti, itomati, ibitunguru vy'amagoma, ibitunguru sumu, amashu, seleri, peresile, inkere, epinari, imicungwe, indimu, ipapayi, inanasi n'ibindi.

3. Indwi iheze, herako umare ukwezi kwose ibice 75 kw'ijana vy'ingaburo yawe ari ibidatetse, kandi mw'ico gihe ntubure guhora unywa amazi akwiye wakanyiyemwo indimu.

4. Hora unywa umutobe (jus) ukanywe mu mboga nko mu mashu no mu makaroti wasekuye. Ikirahuri c'umutobe utavanzwe n'amazi kirahagije ku musi.

5. Hora ufata iminota 30 gushika 60 buri musi wota izuba ryo mu gitondo kuko irya mishwarara yaryo ikurasiyeko ica ibangamira jonisi vuba na vuba. Eka niyo yoba akayoya gafise ... ugasanga urukoba rusigaye rusa n'umuhondo koteshe izuba ryo mu gatondo gusa maze urabe ko nko mu misi 4-7 gusa bitaba vyatunganye.

6. Muhe insanganyangaburo C gushika atanguye gucibwamwo. Ivyo navyo kugira ngo bishoboke, womuha umutobe mwinshi cane nk'ikirahure 1 canke 3 vy'umutobe w'indimu canke w'imicungwe udatetse akawunywera icarimwe. Igihe iyo nsanganyangaburo (vitamine C) ibaye nyinshi mu rura ruto aca acibwamwo. Vyerekana ko aronse ivyo akeneye kwinjiza mu maraso. Gucibwamwo mw'ubwo buryo rero ni vyiza cane.

7. Muhe ibiyiko 6 vy'intete z'ingano zinitse zikazana imigera buri musi, azihekenye incuro zibiri harya ahejeje canke ariko arafungura kugirango aronke insanganyangaburo E.

8. Namba wipfuzza kwoza neza imyanda yose iri mu gitigu cane kandi ikaba yomotse mu gihe gito, kora ibi

bikurikira: Mara imisi 3 yose ata kindi ukoza ku munwa uretse kunywa umutobe w'icamwa bita pome (pomme) badandaza mu mamangazini y'ibifungurwa (alimentations) nk'i Bujumbura n'ahandi, maze iyo misi irangiye uce urenzako igikombe cuzuye amavuta ya Elayo (huile d'olive) hamwe n'ikindi cuzuye umutobe w'indimu.

Uragaba! Mu kugura amavuta ya Elayo ubanze usome kw'icupa ko handitseko « huile d'olive, première **pression à froid** », ahandi ho nta gaciro aba afise.

9. Hora ufata iminota 30 gushika 60 buri musi ukora imyimenyerezo ngororamubiri kugira ngo usohore imyanda kandi winjize impwemu nziza (oxygène) umubiri ukeneye na cane cane igitigu.

10. Nywa ibirahuri 8 vy'amazi buri musi mu mwanya atari uwo gufungurirako. Bayanywa iminota 30 imbere yo gufungura canke amasaha 3 inyuma kur'uru rutonde rukurikira:

- Mu gitondo uvyutse : ibirahuri 2
- Satanu : ibirahuri 2
- Sa cenda : ibirahuri 2
- Ugiye kuryama : ibirahuri 2

11. Soroma amababi menshi y'imikaratusi iy'ari yo yose ikomeye uyumishirize mu nzu. Fata igipfunsi ugiteke mu maritiro 3 y'amazi bibire

bipfundikiye neza. Icare ku ntebe, utereke ico wabitetsemwo munsu yawe hagati y'amaguru. Ipfuke uburengeti canke ishuka ikomeye umubiri wose ukuyemwo umutwe gusa. Pfundurura wuname hejuru y'uwo muhisha (vapeur) umare iminota 10 gushika 15 uz'urabigaraguza igiti canke ifurusheti. Iyo minota iheze, fata igitambara canke eswime (Esuie-mains) gikanye ucishe aho hose hageze ubushuhe ningoga na ngingoga. Haheze nk'iminota 10 canke irenga, ca woga amazi umubiri wose, ubikore uko incuro 3 buri musu.

Icitoronderwa

- Wonywa amazi menshi ngo usubirize ayo usohora.

- Kirazira kwiyuka wariye. Biyuka imbere yo kurya canke amasaha 3 inyuma.

Umuntu aya amaraso kubera impamvu iyo ari yo yose (hémorragie), uwurwaye umurindi w'amaraso (hypertension artérielle), uwakamye amaraso (anémique), umusaza, indembe, umurwaruke atarashirana (convalescent), n'umwana muto bokwirinda kwiyuka, kiretse babikorewe n'umuhinga wavyo.

Ukwo kwiyuka rero, ni nkenerwa cane mu ndwara nyinshi zisaba gusohora imyanda mu mubiri no gutuma ibihimba vy'umubiri (organes) binaguka.

Urusina

Urusina (cirrhose du foie) ni indwara y'igitigu iteye ubwoba kandi yica. Ubushakashatsi bwerekanye ko abantu 7 kw'10 bayirwaye bapfa inyuma y'umwaka 1 bavuye mu bitaro kubw'iyi ndwara.

Ibimenyetso biyiranga

Imidugararo mu mushishito, umururumbo, kugumbiza canke gucibwamwo, gucika intege, kunanuka, guta akayabagu, kudahwa, kuvyimbagana igitigu, gutukurira mu kiganza, ikidengeri c'amazi mu nda, rimwe rimwe harya hera h'ijisho n'urukoba bisa n'umuhondo, kuranda imitsi ku nda, kuvyimba imitsi yo mw'isohorero ry'umwanda mukuru, yo mu mara, mu mushishito no mu gihogohogo.

Igihe iyo ndwara y'urusina igeze ahakomeye hoho, nyeneyo arakama amaraso (anémie), aravyimbagana umubiri na cane cane amaguru hamwe no gutonekara ku mubiri vyoroshe bitewe n'uko amaraso aviriranira munsu y'urukoba.

Ibituma

Indwara y'urusina (cirrhose du foie) ni indwara y'igitigu iterwa n'ibituma vyinshi ahanini bitewe

n'amakosa akorwa mu mirire, mu minywere no mu buryo runaka bwo kubaho :

- Uburozi butari bumwe nka nikotine (mw'itabi), kafeyine (mu kawa), teyine (icayi), alukole (inzoga) n'ibindi.
- Ibinure bibi biva mu nyama, mu mata y'inka, mw'isukari yo mu mahinguriro hamwe no mu ntanganguvu (calories) ziva mu nzoga.
- Ishobora guterwa na Epatite iva ku mugera no ku mirire mibi.

Urusina rushobora guterwa n'indwara ya sifilisi narirya itera ibivyimba mu gitigu.

- Imirire mibi itewe no kubura vyangombwa umubiri ukeneye nko kwama urya ibintu bikozwe mw'ifarine n'isukari vyeruka hamwe n'ibindi vyatereye agaciro mu mahinguriro.

Izo mpamvu tuvuze rero, zituma igitigu kitaba kigitemberamwo amaraso nk'uko bikwiriye, kigatangura kwumagana no kuvyimbagana cane, ntikibe kigihungura canke ngo gishingure neza ivyo kijejwe.

Nko mu gihe kidashoboye guhingura indemamubiri (protéines) zimwe zimwe nka alibimine (albumine), amazi yatemberana n'amaraso aca atandukana nayo agaca asanzara munsu y'urukoba ari navyo bica bituma avyimbagana, wamufyondesha urutoke hagasigara ikinogo aho umufyonze.

Umuti

1. Fungura neza, uronke imboga n'ivyamwa bitari bimwe na cane cane bidatetse kuko ivyo bitanga insanganyangaburo (vitamines) n'ivyunyuny (sels minéraux) bihagije vyoza imyanda na cane cane mu gitigu, bikanatuma umubiri uronka ivyo ukeneye.
2. Rya ibinyantete bitari bimwe nk'ingano, amasaka, uburo, umuceri, ibigori, ariko wirinde ivyononekariye mu mahinguriro hamwe n'ifu y'ivyo binyantete yo mu masoko kuko ishobora kuba imaze guta agaciro bitewe no kumara imisi myinshi.
3. Uce kure umuceri, imikate n'amabenyi bikoze mw'ifu yera n'amapera.
4. Ugire umuziro icayi n'ikawa.
5. Ugire umuziro inyama, ifi, amagi, amata y'inka n'ibihingwe muri vyo kuko ibinure vyavyo biruhisha igitigu kandi bikaba birimwo imyanda myinshi ikinaniza .
6. Wirinde kunywa inzoga, kurya ibirungo bibaba nk'ipiripiri.
7. Wirinde amavuta n'umunyu, isukari n'ico cose bayishizemwo.
8. Niwisunge inama zatanze kuri za Epatite na jonisi kuko bifitaniye isano rikomeye.
9. Nko mu gihe woba wipfuzaga kwoza imyanda mu gitigu, wobigenza uku gukurikira : Mara imisi itatu atakindi ukoza ku munwa uretse umutobe ukanywe mu camwa citwa pome, iyo misi iheze ca ushizako

igikombe 1 cuzuye amavuta ya Elayo(huile d'olive) hamwe n'ic'umutobe w'indimu. Ariko rero, inyuma y'iyi misi itatu woca ubandanya kugendera izo nama zose zatanzwe.

Icitonderwa :

Mu gihe woba udashoboye kuronka amavuta ya elayo canke Pome, woca umara iyi misi ukoresha umutobe w'indimu, imicungwe na mandarine.

Agasaho k'indurwe

Mu bisanzwe, igitigu (foie) c'umuntu wese cama gifise agasaho gafatanye naco kajejwe gushingura indurwe (bile) iba yahingurwa n'igitigu. Nko mu mwanya ata ndya ziriko zirava mu mushishito zisuka mu rura ruto (intestin grêle), ya ndurwe (bile) ihingurwa n'igitigu ica irundarundana mu gasaho k'indurwe (vésicule biliaire) maze igihe umuntu ariye indya naho zigaheza gusyebwa mu mushishito, harya zishungurukira mu rura ruto na cane cane nko mu gihe ziba zigwiriye mu ibinure, igitigu cifashishije orumone (hormone) bita kolesititokinine (choléstistoquinine) gica gituma ka gasaho gashingura indurwe (vésicule biliaire) kikoberanya ngo gasuke ya ndurwe (bile) mu muringoti uyijana mu rura ruto kugira ngo ifadikanye n'ibindi bintu bitangwa n'ibindi bihimba nk'umushishito, urura ruto n'urwagasha kunoza neza indya zavuye mu mushishito na cane cane ibinure (graisses) n'indemamubiri (protéines).

Iyo ndurwe rero igitigu gihingura igashingurwa mu gasaho k'indurwe (vésicule biliaire) iba igizwe n'ibintu atari bimwe : Ivyunyunyu vyo mu ndurwe (sels biliaires), pigments biliaires, ibinure bita lesitine (lécithine), ibinure bita kolesterole (cholestérol), sels

inorganiques n'ibindi. Iyo ni nayo mpamvu ari nkenyerwa cane mu gikorwa co kunoza indya zivuye mu mushishito, ku buryo kubura iyo ndurwe (bile) mu rura vyoba bihagije ngo umubiri w'umuntu ubure indemamubiri n'ibinure naho yari yabiriye, kuko aho kunozwa neza mu rura ruto (émulsion) ngo vyinjire mu maraso, bica vyisohokera mu mwanda mukuru.

1. GUSHA MU GASAHU K'INDURWE (Cholécystite)

Bivanye n'uko agasaho k'indurwe (vésicule biliaire), gahomye ku gitigu, gaherereye mu kuboko kw'i buryo, munsu y'ibere, mu gihe karwaye, wumva umubabaro ukomeye umengo ni ubushuhe aho hantu (cholécystite).

Ibimenyetso

Wumva ububabare buteye ubwoba hagati y'ibere ry'i buryo n'inda, bijanirana n'umururumbo, iseseme no kudahwa. Ukumva mu gasaho k'indurwe ko ku gitigu (vésicule biliaire) umengo hari uburimbi. Iyo ivyo bishitse rero, mu gihe hatoca hagira igikorwa mu maguru masha, umurwayi ashobora no guca asezeri isi.

Ibitera iyo ndwara.

- Ishobora kuba itewe n'umugera, ariko gukira vyosaba kwivura imisi mike gusa. Ariko igihe iyo ndwara imaze kuba ku rugero rwo hejuru hoho, ka

gasaho k'indurwe (vésicule biliaire) kaba kadengereyemwo amashira. Ico gihe rero, utegerezwa guca unyaragasa bidevye ugakoresha uburyo tuza kwerekana ng'aho imbere gato, kuko bitagenze uko, ushobora guca usigara wumva umururumbo n'imbeho vy'umurengera (canke ntuvyumve).

- Kwumva ubushuhe mu gasaho k'indurwe (cholécystite) kandi bishobora guterwa n'uko amaraso yawe yarundarundanyemwo ibinure vyinshi hanyuma agaca avurirana cane akiremaremamwo utunombenombe dukomeye nk'umusenyi (calculs) hanyuma tukaja mu gasaho k'indurwe tukahatera umururumbo (cholécystite). Mw'ico gihe kandi, ama bagiteri (bactéries) aba ari mu ndurwe arashoboye kugaba igitero mu gasaho k'indurwe akahateza uburibwe.
- Kwumva umururumbo mu muringoti ukura indurwe mu gasaho k'indurwe kari ku gitigu uyisuka mu rura ruto (ariwo bita canal cholédoque) navyo nyene biteza ingaruka zisa n'izo ubushe bwo mu gasaho k'indurwe, kuko navyo bishobora kuba bitewe n'uko indurwe (bile) itaba igishika mu rura ruto (intestin grêle) bitewe n'uko twa dutete tw'umusenyi twatambanye muri wa muringoti ukura indurwe mu gasaho k'indurwe ukayisuka mu rura ruto, ivyo navyo blkaba bica bikwega amabi menshi nko guhinduka kw'amaraso n'urukoba gutewe n'uko indurwe yasanze mu rura na cane cane ibinure

ndemamubiri no kutinjizwa mu maraso kwavyo hamwe rero n'inkurikizi ziteye ubwoba bigendana navyo.

Umuti

- Igihe cose wamenye ko iyo ari yo ngorane ufise, kanagara uce umara imisi 2 gushika 3 ataco ukoza ku munwa uretse amazi atetse, gushika ububabare bucureshe.
- Inyuma y'iyi imisi 2-3, ca umara imisi runaka (naho yoba indwi) ataco urya uretse kunywa umutobe w'ivyamwa nk'imirungwe, mandarine na pome n'ibindi biva amazi.
- Inyuma y'iyi misi naho, ongerako imfungurwa zisabwa gukanjwa nk'imboga mbisi: amakaroti, itomati, amashu, ibitunguru vy'amagoma, ibitunguru sumu wakataguye ukabirungamwo amavuta ya Elayo (huile d'olive) nk'ibiyiko 2 kw'isahani. Wonywa kandi umutobe w'indimu. Ayo mavuta kandi ni nkenyerwa cane kugira ngo atume vya binure vy'umurenge bivaho, asohore imyanda mu gasaho k'indurwe kandi ngo atume urwagasha rutanga anzime yitwa lipaze (lipase). Wama ukoresha amavuta y'agaciro ava mu bimera nk'amavuta ya Elayo (huile d'olive, "première

pression à froid”), bituma twa dutete tw’umusenyi tutaguma twiremarema mu mubiri kuko agabanya ca kinure kibi kolesterole LDL kibitera .

- Ugire umuziro ikintu cose kiva mu bikoko nk’inyama, ifi, amagi, amata, maragarine n’ibindi bikoze muri vyo, kuko uretse ko ivyo ari navyo nkwezi y’amarere, vyoca bituma n’iyo ndwara yiyongera na twa twigoro twose tugacika impfagusa.
- Woba uciye incabwenge cane uramutse wirinze kurya akanya ku kandi, ukarya ku bihe kandi urugero rugukwiriye gusa, ariko ukibuka ko igihe utarya ibiva mu bikoko, soya itakwiriye guhara mu ngaburo n’aho nyene idakenewe imisi yose.
- Icyi, ikawa, amafanta, amamesa, isukari yo mu mahinguriro, itabi n’inzoga, ubigire umuziro uzirwa namba wipfuza gukira.
- Ikindi naco, wibuke ko ubishoboye womara imisi itatu ataco ukoza ku munwa uretse umutobe wa pome, hanyuma mu gusozera iyo misi ukanywa igikombe c’amavuta ya elayo (huile d’olive “première pression à froid”) n’igikombe cuzuye umutobe w’indimu ukaba wogeje igitigu n’ibihimba vyaco, ukabona gushishikara n’izindi nama zatanze ku vyo kubungabunga no kuvura igitigu.

2.UDUTETE TW'UMUSENYI MU MURINGOTI W'INDURWE

Nk'uko twabivuze, hariho umuringoti ukura indurwe mu gasaho k'indurwe (vésicule biliaire) kari ku gitigu uyisuka mu rura ruto (intestin grêle), uwo nawo bakawita canal cholédoque. Iyo bishitse rero uwo muringoti (canal) ukaziba, bikwega akarambaraye mu mubiri.

Ibimenyetso

Imisuzi, umwuka mu nda, kurwa mpishi inyuma y'uko wariye ingaburo irimwo ibinure n'indemamubiri kandi igumye, kubabara ahahereranye n'igitigu bimwe bikomeye kumara amasegonda canke iminota mike kandi bigashika kenshi ku musi. Imbeho canke umururumbo bishobora gukurikirana n'ubwo bubabare, ivyo navyo bikaba bikunda gushika inyuma y'uko umurwayi ariye ibirimwo ibinure n'amafiriti.

Ibituma

Udutete tw'umusenyi (calculs) dushobora kwiremarema mu gasaho k'indurwe canke mu muringoti utwara indurwe mu rura ruto. Dushobora kwiremarema bitewe no kwandura kw'agasaho k'indurwe (vésicule biliaire) canke kubw'ubundi burwayi bwako.

Bikunze gushikira abagore kurusha abagabo, na cane cane ababa baherutse kwibaruka. Abagore bakarirwa n'iyi ndwara ni barya usanga bavyibushye vy'umurengera (obèses) kandi kenshi bakaba barengeje imyaka 40 y'amavuko. Nko muri Amerika honyene, ubushakashatsi bwakozwe bwerekana ko ibice 10-20 kw'ijana vy'abanyagihugu baho baba bafise utwo dusenyi (calculs).

Abarwayi ba diyabete, b'umutwe umenekera uruhande rumwe (migraine), kanseri y'agasaho k'indurwe, urusina (cirrhose du foie) hamwe n'ab'urwagasha, bakarirwa no kugira udusenyi mu gasaho k'indurwe no mu muringoti ukura ngaho indurwe uyisuka mu rura ruto (canal cholédoque) gusumvya abandi. Utwo tubuyebuye tw'umusenyi twiremarema mu ndurwe itangwa n'igitigu ikabikwa mu gasaho k'indurwe (vésicule biliaire) gafatanye naco. Ca kinure kolesterole (cholestérol) kikaba n'indemamubiri (protéine) yo mu maraso kiba kiri mubigize iyo ndurwe, nico kivangavangana n'utwo tuzi tugize indurwe dutangwa n'igitigu gushika n'aho twiremaremamwo udusenyi. Ariko kandi udusenyi twiremarema ngaho mu gasaho k'indurwe twotwo, iyo utwihweje ntusanga tumeze neza nka kurya kw'utwiremarema mu bindi bihimba nko mu mafyigo, mu mitsi itembereza amaraso canke mu mahaha, ahubwo two turoroshe gushika naho wokwibwira ko ari ibinure vyagandanye, ari naco gituma ibihe vyinshi ushobora no kuba ufise iyo ngorane, bagupima kwa

muganga ntibigere babona ikimenyetso na kimwe kibereka ko udufise n’aho nyene ivyo bitakubuza kuguma usinzikara, eka mbere no gusandaba.

Igihe rero utwo dutete tumeze nk’imisenyi twarundarundanye mu gasaho k’indurwe (ari vyo bita calculs biliaires), bituma umuntu agira iseseme, adahwa kandi agasha cane nk’uko twari twabivuze haruguru. Mu kwikingira ico cago rero, ni nkenyerwa cane kumenya umwifato ubereye na cane cane mu mirire no mu minywere, narirya abenshi bagira iyo ngorane babitewe n’uko bimbishije imva zabo imbugita n’ifurusheti. Senèque ati: « *umuntu ntapfa, ariyahura* »⁹.

Umuti

Tangura woze igitigu ubigenjeje uku gukurikira :

- Mara imisi 3 yiramvuriye ataco ukojeje ku munwa atari umutobe w’icamwa citwa pome, hanyuma kw’iherezo ry’iyo misi usozeresheko kwirongomeza igikombe cuzuye amavuta ya Elayo (huile d’olive, “première pression à froid”) n’ic’umutobe w’indimu.
- Namba munsu y’ibere mu kuboko kw’i buryo ahahereranye n’igitigu havyimvye cane hatonekara cane, fata ifu y’ibumba ryera ryanikiwe, rigasekurwa kandi rikayungururwa, uritobe mu mazi asanzwe gushika naho uronka utwondo tugumye kurya kw’ubugari uce urisanza kw’ibabi ry’ishu uhomeke

⁹ Sciences Naturelles, p.3

aho hantu, bigire intibatimba yongana nka santimetero imwe n'insu uvuye ku mubiri, bihamare amasaha abiri canke atatu. Bikore incuro 3 ku musi. Kwama ukora ivyo buri musi bizogabanya uburibwe kandi bihavyimbure, hanyuma kuvyimbuka nakwo kwihute cane, narirya ibumba nk'iryo risanzwe rikora ibitangaza mu kuvura n'indwara zisumvya iyo ubuhambazi.

- Wirinde kubagwa (opération chirurgicale) aho hantu kuko, ivyo ari vyo udakeneye. Ubushakashatsi buherutse gukorwa kuri kaminuza yo mu gisagara ca Pittsburg (Amerika), buherutse kuvumbura ko gusohora agasaho k'indurwe (vésicule biliaire) hanze (cholécystectomy) bituma ivyo kwandura kanseri yo mu rura rukuru (cancer du colôn) vyikubamwo incuro zibiri. Inama y'umuganga **Hypocrate** rero, nikubere inyoboze : « *Igifungurwa cawe ni kikubere imiti, maze umuti wawe nawo ukubere igifungurwa* ».

Nko mu gihe ugomvye kwirinda iremwa ry'udutete tw'umusenyi

Ico gihe wohoza ku muzirikanyi izi nama zikurikira:

- Ubushakashatsi mu vy'ingaburo n'amagara y'abantu bwarerekanye neza ko abantu batihereza inyama, amagi, amata y'inka n'ivyabihinguwemwo vyose badakunze kurwara iyo ndwara ifise ingaruka ziteye ubwoba mu mubiri, kuko ingaburo igizwe

n'ibiva mu bikoko ari yo yiganjemwo ikinure kolesterole kibi (cholesterol LDL) kivyara utwo dusenyi (calculs). Nk'akarorero, kirya gihimba gisa n'umuhondo c'irigi rimwe kiba kirimwo amamiligrama 275 ya kolesterole.

- Abanywa inzoga bakihereza ibintu bigwiriye mu isukari yo mu mahinguriro nyinshi, baronka intanganguvu (calories) zirenze izo umubiri ukenera. Izirenzeho rero, amaraso azijana mu gitigu zigahindurwamwo ibinure binovu cane kandi bifise ingaruka zimwe na ya kolesterole duhejeje kuvuga, ivyo binure bavyita triglycérides. Ivyo rero vyari bikwiriye kwitonderwa cane namba umuntu atoba anyotewe kwikwegera akarambaraye.
- Kunywa amazi na cane cane akanyiyemwo indimu bikinga kwiremarema kw'amaraso ngo acike udusenyi. Abantu bakunze guhura n'iyi ngorane ukunze no gusanga banywa utuzi tw'intica ntikize, ahubwo bakibanda ku nzoga, icayi n'ikawa kandi ivyo bisanzwe ari n'uburozi bubi cane ku rugero badasobanukiwe.
- Igihe unyoye nk'ibirahuri 2 vy'amazi ingunga, nko mu minota 15-20 aba amaze kwoza ibiri mu gasaho k'indurwe. Kunywa neza amazi rero, niyo nzira irashe yotuma imyanda itaba muri ako gasaho kandi kakama gasukuye, ariko kandi ivyo bikaba vyoshoboka mu gihe ata myanda iva mu nyama, mu mata, mu magi, mu cayi n'ikawa, inzoga n'itabi

n'ibindi vyinjiza uburozi muri wewe nk'imiti yo kwa muganga.

- Kubaho mu buzima bwo gukorera aho wama wiyicariye, uhagaze canke uryamye ntukore imyimenyerezo ngorora mubiri (sédentarité), ni imwe mu nzira igororotse yotuma woroherwa cane kwironkera udutete tw'umusenyi mu gasaho k'indurwe kuko ca kinure kolesterole kiri mubigize indurwe kica cama kigandanye mw'ako gasaho, mu gihe iyo ukora imyimenyerezo ngorora mubiri hoho gica gisohoka mu gitigu no mu gasaho k'indurwe n'ingoga na n'ingoga kitaronse akaryo ko kurema twa dusenyi.
- Wirinde kurya imbura gihe aho ubiboneye hose narirya indya bakunze kurya mubwo buryo zikunze no kuba zirimwo isukari yo mu mahinguriro.
- Igihe cose bishoboka, wirinde kwihereza amafiriti kiretse hamwe woba wayatekesheje amavuta ya Elayo, ku muriro muke kandi amavuta wakoresheje ugaca uyamena.kuko aba yononywe n'umuriro, yacitse umwanda
- Igihe cose bishoboka, uce kure indya n'ibinyobwa vyononekariye mu mahinguriro nk'ivyakozwe mw'irya farini yeruka, umuceri weruka, isukari y'intete n'ivyo yashizwemwo n'ibindi nk'ivyo.
- Icayi, ikawa, itabi n'inzoga ubitinye nk'uko utinya uburozi.
- Namba ufise ubuvyibuhe bw'ikirenga, gabanya ubunini bwawe kandi namba ufise ubunini

bubayabaye ariko ukama kuri bene urwo rugero rudahinduka naho, ntukigere urazwa ishingira no kuvyibuka, kuko kwibera uko umeze ni amahirwe kuri wewe kandi bizokurinda indwara nyinshi tudasize inyuma iz'igitigu. Nk'akarorero, abagore bavyibushye vy'umurengera (obèses) barengeje imyaka 40 y'amavuko nibo ukunze gusanga bafise udutete tw'umusenyi mu mibiri yabo.

- Kunywa imiti yo guhagarika imvyaro canke uwundi muti wose urimwo orumone (hormone) bita Estrojene (oestrogènes) utuma ca kinure kolesterole kigagirana mu ndurwe ari na vyo biheza bikazovyara twa dutete tw'umusenyi.
- Kurya ingaburo irimwo inyama, amagi, amata y'inka, isukari yo mu mahinguriro, ibiva mu mafu yeruka n'ibihingwe muri vyo bituma indemamubiri n'ibinure bibibonekamwo canke bibihingurwamwo bivyara kwiremarema kw'amaraso kuvyara udusenyi (calculs) dusinzikaza igitigu n'ibindi bihimba vy'umubiri.
- Kudakunda kwihereza imboga n'ivyamwa bidatetswe kandi arivyo bituma umuntu aronka insanganyangaburo.
- Buri musu wokwama urya ibiyiko 4 vya sezame n'ivya soja kuko bigwiriye mu ibinure bita lesitine (lécithine) nyinshi cane. Igihe iyo lesitine igwiriye mu maraso naho, ica igabanya kandi ishwaragiza twa dusenyi (calculs) twari mu gasaho k'indurwe.

- Guhora wihereza indemamubiri (protéines) ziva mu bimera bigenda bigabanya ubunini bw'udutete tw'umusenyi.
- Ibitunguru vya sumu n'indimu bifise ubushobozi budasanze mu kugabanya ca kinure kibi kolesterole (choléstérol LDL) mu maraso, kurinda ko cihoma mu mitsi kiri kumwe n'icunyungu kalisiyumu, kandi bikarinda ko ciremamamwo udutete nk'utw'umusenyi (calculs) mu maraso. Rero wobikoresha uku gukurikira:
 - Buri mu goroba, kanya umutobe w'indimu 3 nini zitavunditswe.
 - Sekura udutete 20 canke 30 twa sumu.
 - Biraze mu gacupa gapfundikiye neza ntibiheme.
 - Mu gatondo, ushatse womimina ugaca uza uranywa ikiyiko 1 buri saha, gushika burinde bwira.

Ico kwitonderwa

- Umuti w'ubuvuzi kama, kiretse aho vyerekanywe gusa, kirazira kuwunywa mu mwanya wo gufungura. Bawufata isaha 1 imbere canke inyuma yo gufungura.
- Igihe cose uva amaraso nko mu gihe c'imihango, kuva umwuna canke ibindi bihe nk'ivyo, wokwirinda gukoresha ibitunguru sumu kuko bituma amaraso arushiriza kuva.

*« Abenshi barambajije, bati nokora iki ngo ngumane amagara meza? Inyishu yanje ni iyi ngo: hagarika guhonyanga amategeko agenga umubiri wawe; hagarika kunezereza akayabagu kononekaye, rya imfungurwa zibayabaye, ambara mu buryo butabangamira amagara, ari navyo bisaba ukwiyorosha cane, kora mu buryo butageramira amagara, niho utazorwara ».*¹⁰

¹⁰ Ellen G. White, Review, N° 39, 1884 (Natural Remedies Encyclopedia, p.17)

INDWARA
Z'UMUSHISHITO

INDWARA Z'UMUSHISHITO

Indwara z'umushishito ni nyinshi ku buryo tutoronka ikibanza co kudondagura imw'imwe yose ukwayo muri kino gitabo. Hano twitwararitse kuvuga kuvy'indwara z'umushishito zikunze gusinzikaza amasinzi kenshi. Ariko kandi, uwogendera inama zose twatanze kw'izi ndwara zine z'umushishito tugiye kuvuga, yoba yivuye kandi yikingiye n'izindi zisigaye zibangamiye ico gihimba gikora ibikorwa bitangaje.

Gusha mu mushishito (gastrite)

Ibimenyetso

Indwara y'umushishito twokwita mu kirundi « *gusha mu mushishito* » ni indwara isinzikaje abantu ibihumbi vyinshi kw'isi, eka mbere no mw'ako karere urimwo tutibagiye kumbure no mu nzu yawe, bitewe n'ubujuju bufatiye ku kutamenya ibigize ingaburo n'ingaruka bigira ku magara yacu canke naho bikava kuko abenshi tuganzwa n'inda zacu n'akayabagu. Igihe umuntu yafashwe nayo yumva ariko aratonekara canke ariko asha mu mushishito, uwo nawo ukaba uherereye mu gikiriza, harya hatangurira iyunganirizo ry'amagufa y'imbavu. Igihe iyo ndwara yo gusha mu mushishito ikomeje kwi Yongera, umuntu asigara yumva iseseme ridahera, akadahwa agize ico yihereje, agakomereka umushishito kandi akababara bikomeye. Aguma acira urute, agize ico ariye akumva ibintu biduga mu kanwa bigenda biraturira mu muhogo, maze mu mugongo ahatumberanye n'umushishito naho akumva naho nyene hari ubushuhe (inflammation).

Ibituma

Indwara y'ubushe bwo mu mushishito ni indwara iterwa n'ibintu vyonona amagara biboneka muvuyo twihereza : nikotine (nicotine) iboneka mu mwotsi w'itabi, teyine (théine) iboneka mu cayi, kafeyine (caféine) iboneka mu kawa, alukolo (alcool) iboneka mu nzoga zambiye, akoroleyine (acroléine) n'ibindi bintu bibi cane biboneka mu mavuta yose akoreshwa mu gukora ifiriri (uretse gusa amavuta ya Elayo « huile d'olive »). Kwimenyereza imiti iimw'imwe nka aspirine n'iyindi igabanya ububabare (anti-inflammatoires), umuti wa frajire (fragyl) batanga kwa muganga kuri amibe n'iyindi miti. Kugira akamenyero ko gufungura canke kunywa ibintu bikanye cane canke bishushe cane, kutanoza neza imfungurwa mu kanwa ugapfa guhenagurira mu mushishito ibihére bitanoze ubitewe n'indwara z'amenyo canke umunoho wawe, kurya wihutagiza, indwara zimwe zimwe nka giripe (Grippe), indwara z'igitigu, kwama wihereza imfungurwa zipakangiyemwo indemamubiri (protéines) na cane cane iziva mu bikoko ; inyama amata amagi amafi n'ibindi bihinguwe muri vyo. Kwamana uburuhe bwo mu mutwe (stress) butewe n'ingaburo mbi, imyitwarariko y'ivy'ubu bugingo, amaganya n'agahinda k'ivyagushikiye canke witeze ko bizogushikira, navyo birateza indwara yo « gusha mu mushishito ». Kuvangavanga amoko y'ibifungurwa bitajana, aha twovuga nk'ivyamwa n'imboga (kiretse ivoka, indimu na pome bisanzwe bijana n'imboga), inkarisha

(vinaigre) na mayoneze (mayonnaise) mu mboga mbisi na cane cane mu gihe washize n'amavuta muri izo mboga, ibinure vyinshi mu ngaburo kuko bituma izo mfungurwa zigorana gusebwa mu mushishito ; kunywa amazi uriko urarya. Ayo makosa yose tudondaguye n'ayandi tutavuze, atuma mu mushishito hisuka aside kororidirike (acide chlorhydrique) nyinshi ivuye mu maraso, ari nayo yonona umushishito bigatuma wumva umengo urahiye hamwe na birya bimenyetso twerekanye mu mwanya.

Kwikingira

Hamwe woba ugomba kwirinda gufatwa n'indwara yo gusha mu mushishito (gastrite), wokwirinda kurya no kunywa ivyo twerekanye bitera iyo ndwara, ukirinda kubaho no mu buryo twabonye buyisasira indava nko kwama wihebuye kubera intambara y'ivy'ubu buzima. Mbega wibaza ko ari wewe washikiwe n'ivyago n'amakuba kuruta abandi ? Wibaza ko ingorane ufise zabaye umurengera cane gushika n'aho Imana ataco yoba ikizikorako ? Haba namba, kiretse gusa hamwe woba ariwe wagereye kure y'uwo muvyeyi arajwe ishingira n'ibibondo vyawe bibabarizwa mw'iyi si.¹¹

Umuti

¹¹ Yesaya 59:1-14

Igihe cose umenye ko urwaye indwara yo gusha mu mushishito (gastrite), ivyo navyo kugira ubimenye ukaba wokwipimisha kwa muganga kugira ngo barabe ko ya aside kororidirike (acide chlorhydrique) yabaye umurengera mu mushishito canke naho ukanywa ibiyiko 2 vy'umutobe w'indimu (kuko uca wumva n'ivyahuha bihuhutse, vyunyutse) ; woca wisunga izi nama zikurikira :

a) Kwigizayo ivyamwa vyose birimwo aside (fruits acides): indimu, pamplemusi, inanasi n'ibindi nk'ivyo, kuko naho ubwavyo bidateza indwara, birabujijwe kuvyihereza igihe umuntu yagize aside kororidirike nyinshi mu maraso.

b) Ca kure igifungurwa cose kigwiriye mu indemamubiri (protéines), n'aho coba ari ikiva mu bimera : ibiharage n'ubwishaza vyumye, inazi, ivoka, ibiyobba, ingano, isombe, inyama, amata, amafi, amagi n'ibibihinguwemwo.

c) Ibifungurwa bitetswe bigashaya biba bifise ama aside menshi ababaza umushishito , utibagiye n'ibindi bituma twerekanye.

d) Buri mugoroba, niwinike ibiyiko 3 vy'intete z'ingano mu mazi birarane uce uyamena mu gatondo. Zirirwe zipfundikiye canke zitekeye mw'isashe gushika ku mugoroba. Raba ko zameze imigera (germes) ingana santimetero 1, niyaba itaraza naho, ku mugoroba ukurikiye ukwiye kwongeramwo amazi uzomene mu gitondo bukeye maze zice zirirwa nka kumwe twabivuze mu kanya. Imigera ibonetse, zironge uce

uzisanza kw'isahani igaramye (nk'isiniya) ntizitutikirane kuko zoca zibora n'ingoga kandi ntuzanikire kuko woca uzihekenya zisyegenya kandi zigumye. Hora uhekenya ibiyiko 3 harya uhejeje gufungura, kabiri ku musi. Ushobora kuzivanga n'ubuki buke canke n'imboga mbisi (salade crue).

Bene izo ngano ziba zipakangiranyemwo indemamubiri (protéines), ibinure vyorohera umubiri (acide gras insaturés), ivyunyunyu (minéraux) n'insanganyangaburo (vitamines) vy'agaciro gahambaye. Ikindi naco insanganyangaburo zo mu murwi wa B ziganje mu ngano zimejeje zituma umuntu arindwa indwara zo mu mutwe : urwibagiza, kurakara, kubura itiro, kutihangana, kumeneka umutwe no kudafata ku mutwe hamwe rero n'uburuhe bwo mu mutwe butewe n'imytwarariko, mu gihe ico ca nyuma gishobora kuba n'impamvu itera indwara yo gusha mu mushishito.

e) Nywa n'imiburiburi ibirahuri 8 vy'amazi meza buri muni, uyihereze kuri uru rutonde rukurikira :

- Mu gatondo uvyutse ataco urihereza :ibirahuri 2
- Nka harya saha zitanu :ibirahuri 2
- Nka harya isaha umunani :ibirahuri 2
- Nka harya ugiye kuryama :ibirahuri 2

Igihe umuntu anyoye amazi akwiye aba ashwiragije ya ma aside kororidirike (acide chlorhydrique) yari irundanye mu mushishito ari nayo yamubabaza cane.

f) Ku mugoroba harura ibirayi binini 2 bitavunditswe uce ubironga ubikatagure duto duto cane canke ubicishe muri ka kuma gasya amakaroti barya ari mabisi (râpe-carottes). Ca uvyinika mw'iritiro y'amazi avuye ku ziko ariko arabira biyagumemwo ijoro ryose, n'ukuvuga amasaha 12. Mu gitondo, mimina uce ubika uwo mutobe w'ibirayi mw'icupa ritabonerana kandi ripfundikiye neza, hanyuma uze uranywa ikirahuri 1 iminota 30 imbere yo kurya, incuro 3 ku musi.

Icitonderwa

Kirazira kubika bene uwo mutobe upfunduruye canke ku mucu, kuko igihe bishitse, umuco canke izi mpwemu duhema (oxygène) bikinjiramwo, bica vyonona ivyunyuny (sels minéraux), insanganyangaburo (vitamines) n'ibindi uwo mutobe ukesha ubushobozi bukiza. Nico kimwe no ku vyamwa, imitobe yavyo no ku mboga zose.

g) Ca kure bimwe twerekana bitera indwara yo « gusha mu mushishito » (gastrite). Uzoshishikara gukoresha izo nzira zose twerekanye gushika wumvise ko wakize neza, hanyuma uje kwa muganga agusuzume neza ko wakize. Ikindi naco, uzoce uhora usengana umwete kugira ngo Imana iguhe ubuntu n'inkomezi vyayo bizokuzibira ngo ntusubire kwongera kwimbisha imva yawe amenyo nk'uko wari warabikoze.

Igikomere co mu mushishito canke co mu rura ruto

Abantu 10 kw'ijana mu baba kw'isi bararwara iyi ndwara yo gukomereka mu mushishito canke mu rura ruto (duodénium). Igihe umuntu yagize ibikomere mu rura ruto (ulcère duodéal) ntibimutera kanseri (cancer) ariko igihe yakomeretse mu mushishito hoho (ulcère gastrique) bishobora kwandurukiramwo kanseri. Abantu 3 kw'ijana nibo baca barwara kanseri.

Ibimenyetso

Igikomere co mu mushishito no mu rura ruto kirangwa no kwumva ubushuhe (brûlures) n'ububabare haruguru y'inda, harya hepfo y'ihuriro ry'amagufa y'imbavu, ari naho umushishito uherereye. Ivyo bikunze gushika inyuma y'iminota 60 canke amasaha 3 uhejeje kurya, uretse ko hari ighe bicureshwa no kurya canke kunywa. Mu mugongo aha hereranye n'umushishito wumva umengo hariko harasha, ukagira iseseme ryinshi, ukadahwa; rimwe na rimwe ukaba wodahwa amaraso. Hariho n'igihe usonza cane, canke ukabura akayabagu, warya naho inda ikaguma yuzuye.

Ibimenyetso biranga ibikomere vyo mu mushishito (ulcère gastrique) nico kimwe n'ibiranga igikomere co mu rura ruto (ulcère duodéal). Itandukaniro riri mu kibanza imw'imwe yose iherereyemwo. Ingingo wofata ngo wikingire canke ngo wivure ivyo bikomere vyose ni bimwe.

Ibituma

Igituma nyamukuru gitera ibikomere vyo mu mushishito (ulcère gastrique) n'ico mu rura ruto (ulcère duodéale) ni umugera bita *Helicobacter pylori* (Hp) umuntu yandura mu bwana ukazokwibera mu rukoba rw'umushishito. Ufashe abantu 100 bakomeretse mu mushishito, 70 muri bo baba babitewe n'uwo mugera *Helicobacter pylori* (Hp), mu gihe abakomeretse mu rura ruto nabo, ufashe 100, usanga 90 aribo babikwegewe n'uwo mugera Hp. Uwo mugera rero, iyo umaze kwinjira mu mushishito, uca utuma hisuka aside kororidirike y'umurengera ivuye mu maraso ariyo ica ihakomeretsa.

Kugira ngo imfungurwa zishobore gusyebwa neza no hanyuma zishike mu maraso neza na cane cane mu gihe ziba zirimwo indemamubiri nyinshi, hariho ibintu bita aside kororidirike (acide chlorhydrique) biva mu maraso bikisuka mu mushishito. Iyo aside kororidirike rero yica ibintu vyokwonona imfungurwa vyoba bibonetse ngaho mu

mushishito, ituma indemamubiri (protéines) zisebwa aho mu mushishito, ituma inzira imfungurwa zisohokanamwo zivuye mu mushishito zija mu rura ruto ariyo bita pilore (pylore) yiyugurura ikiyugara. Igihe iyo aside ibuze mu mushishito rero (achlorhydrie), imfungurwa na cane cane indemamubiri (protéine) ntizisebwa, inda iguma yuzuye, bigatuma umuntu akena insanganyangaburo B, ivyunyunyu vyinshi, n'indemamubiri (protéines). Imfungurwa nyinshi zisigara zikugwa nabi (allergies alimentaires), ivyo bikaba vyoba intandaro yo gufutana kw'amagara gukomeye. Kunywa n'imiburiburi ibirahuri 2 vy'amazi akanyiyemwo indimu imwe canke zibiri iminota 30 imbere yo gufungura vyotuma uronka iyo aside, no mu gihe woba ugeze mu zabukuru. Umenye ko igihe umuntu amaze imyaka hagati ya 35 na 50 aca atakaza ubushobozi bwo kuronka iyo aside kororidirike ikwiye mu mushishito, ari naco gituma akunda kurya ntibihoke ningoga, akagwara n'indwara nyinshi, akama akitswe n'amagara kenshi.

N'aho nyene iyo aside ikora ibikomeye mu mubiri w'umuntu, igihe ibaye umurengera mu mushishito (hyperacidité gastrique), ica ituma umuntu yumva ariko arasha mu mushishito canke mu muhogo, igihe iyo ngorane ikomeje kubaho ikazotuma umuntu afatwa na vya bikomere vyo mu mushishito (ulcère gastrique) canke y'urura ruto (ulcère duodénal) n'izindi nkurikizi zitoroshe namba. Hariho n'ibindi bituma iyo aside

kororidirike iba umurengera, vyiyongera kuri wa mugera wa *Helicobacter Pylori* (Hp): kwama ubabaye, wuzuye agahinda, intimba, utuntuye, ufise inzigo n'ishari n'imyitwarariko y'ivy'ubu buzima. Bishobora kandi gutumwa n'imiti itari imwe yo kwa muganga nka aspirine, iyigabanya ububabare (anti inflammatoires) na antibiyotike, farajire (fragyl) bakoresha kuri amibe n'iyindi miti. Kunywa itabi, kunywa inzoga zambiye zirimwo alukolo, kwihereza ingaburo igwiriyemwo inyama, ifi, amagi amata y'ibikoko, n'ibindi bihinguwe muri vyo. Bene iyo ngaburo ituma indemamubiri (protéines) ziba umurengera bigatera ibikomere mu mushishito canke vyo mu rura ruto. Umunyu w'umurengera mu ngaburo nawo uratera bene ivyo bikomere. Imiti y'ikizungu baha abarwayi ba diyabeti kugira ngo babagabanye umurengera w'isukari yo mu maraso; urakomeretsa umushishito n'urura ruto. Ni naco gituma abarwayi ba diyabeti benshi usanga barwaye umushishito. Ingaburo igwiriyemwo isukari yo mu mahinguriro na cane cane irya yera; amagato, amafanta, imitobe y'ivyamwa (jus), icayi, ikawa n'ibindi.

Kugira akamenyero ko kurya amafiriti y'ubwoko ubwo aribwo bwose ukuyemwo ay'amavuta ya Elayo (huile d'olive) bituma aside kororidirike iba umurengera mu maraso ari navyo bica biteza ibikomere vyo mu mushishito (ulcère gastrique) canke vyo mu rura ruto (ulcère duodénale). Kunywa icayi n'ikawa, amashokora (chocolats), ibirungo (épices) nka clous

de girofle, ipiripiri n'ibindi bikaze nk'inzoga ziboreza. Ivyo navyo biteza ibikomere vyo mu mushishito canke vyo mu rura ruto. Kurya canke kunywa ibishushe cane canke bikanye cane, kurya wihutagiza cane bigatuma ibifungurwa bitavangwa n'amate menshi biteza ibikomere vyo mu mushishito.

Mu bisanzwe, mu mate haba harimwo ibintu bita mikisi (mucus) bivangana n'imfungurwa bikaza gukingira umushishito ngo ntiwisye mu gihe uza kuba uriko urasya imfungurwa. Igihe uriye wihutagiza, ubabaye canke uhagaritse umutima, bituma ya mikisi itaboneka ikwiye, igihe bibaye akamenyero rero bigakomeretsa umushishito.

Kwikingira

Kugira ngo ube wikingiye indwara irangwa n'ibikomere vyo mu mushishito (ulcère gastrique) canke vyo mu rura ruto (ulcère duodénale), ni ngombwa kwigana ubwitonzi "ibituma" no kwitegeka cane cane mu bifungurwa no mu binyobwa. Ahandi ho umwitwarariko n'utwigoro twose wogira mu kwivura canke kwivuza, ntakizobibuza kuba impfagusa. **Ellen White** niwe yanditse ati: *"Igarama rimwe ryo kwirinda ringana n'ikiro co kwivuza"*.

Umuti

- a) guhagarika ivyo kwimbisha imva amenyo ni imwe mu nzira zikomeye zo gutuza indwara yo gukomereka mu mushishito no mu rura ruto. Aho tuba tuvuze kwigizayo ivyo vyose bituma iyo ndwara ibaho nk'uko twavyerekanye aho haruguru.
- b) Hamwe umurwayi yoba atanguye kudahwa amaraso, ahakwa no gusezera isi. Ubwo nyene musimbane kwa muganga ningoga. Nywa ikirahuri c'amazi adakanye kandi adashushe, kuko aca ajaborora kandi agashwiragiza ya aside kororidirike yo nkwezi y'iyi ndwara.
- c) Buri mugoroba ni winike ibiyiko 3 vy'intete z'ingano mu mazi mabisi canke y'akazuyazi uyamene mu gatondo bukeye, ziheze zirirwe uko zipfundikiye. Ku mugoroba ziba zimeze imigera (germes). Hamwe zoba zitaramera imigera naho, ca wongera ayandi mazi uzomena bukeye mu gitondo gikurikira, zirirwe uko zipfundikiye. Zizanye imigera ingana na santimetero1, zironge buhoro buhoro udataye imigera, uzisanze kw'isahani igaramye kugira ngo ntizigume zitutikiranye. Hora uhekenya ibiyiko 3 igihe cose uhejeje gufungura. Ibiyiko 6 birahagije ku musi. Uzohore utegura urugero nk'urwo twerekanye aho haruguru kugira ngo ruhwane n'umusi umwe, ahandi ho zoca zuma canke zikabora.

Ingano zinitse zikazana imigera muri bene ubwo buryo ziba ziyongereyemwo ibintu vyinshi cane bifasha umubiri. Akarorero, mu ngano nk'izo insanganyangaburo (vitamine) C iba yiyongereye incuro 6, E iba yiyongereye incuro 3, mu gihe izo mu murwi wa B ziba ziyongereye incuro 7 gusumba izari mu ntete zitinitse. Ikindi naco uzosanga izo nsanganyangaburo B (nka B1, B2, B6 n'izindi) zituma ibihimba vyo mu mutwe nk'ubwonko bikora neza bikakurinda agahinda, kutihangana, kutakirana ituze mu gihe agahinda konyene gashobora kuba intandaro y'igwirirana rya ya aside mu mushishito itera ibikomere vyo mu mushishito (ulcère gastrique) canke vyo mu rura ruto (ulcère duodénale).

d) Nywa n'imiburiburi ibirahuri 8 vy'amazi (amalitiro

2) kw'uru rutonde rukurikira:

- Mu gatondo ataco urihereza :ibirahuri 2
- Nk'isaha zitanu :ibirahuri 2
- Nk'isaha icenda :ibirahuri 2
- Harya ugomba uryame :ibirahuri 2

Icitonderwa: Umenye ko kizira kikaziririzwa kunywa amazi n'ibindi vyose bitamba nkayo (imitobe, amafanta) uriko urarya. Banywa iminota 30 imbere yo gufungura canke amasaha 3 inyuma. Guhonyanga urwo rutonde bitera indwara z'umushishito n'amara (intestins) kandi bigatuma urusengero rwa Mpwemu yera rufutana.

e) Katagura ishu. Ryinike mu mazi avuye ku ziko ariko arabira riyamaremwo amasegonda 30. Ryinure urisekure ukanye ikirahure kimwe c'umutobe udatetse kandi utavanze n'amazi. Iminota 30 imbere yo gufungura, nywa igice c'ico kirahure, maze imbere yo gufungura iyindi ngaburo, ubigenze nk'uko. Bikore iminsi 30. Ishu nk'iryo riba ririmwo insanganyangaburo (vitamine) U ikiza ibikomere mu buryo bukomeye ariko ikaba itaboneka mw'ishu ritetse kuko itihanganira umuriro. Ikindi naco, mu myaka irenga 44 ishize, ubushakashatsi bwavumbuye ko mw'ishu harimwo ibintu bita S-méthycylstéine sulphoxyde bikiza ibikomere vyo mu mushishito.

Menya neza !

Ishu ririmwo ibintu bita thio-urée bituma urwara umwingo (goître) igihe urigize nyabere mu ngaburo. Nico gituma atari vyiza kuryihereza imisi yose. Kira noneho, nta gifungurwa na kimwe kiriho kw'isi gifise agaciro kogituma kiba ikibereye kuribwa imisi yose.

Kugwa mpishi

Mu gihe imfungurwa ari nziza, zakanjwe neza, ziherejwe mu bihe vyiza kandi umuntu atarwaye umushishito, zikamara amasaha hagati ya 3 na 5 mu mushishito utarwaye ziba zisohotse, kuko igihe umuntu ariye, inyuma y'iminota 20 gusa, ibifungurwa yihereje biba bitanguye kuva mu mushishito bija mu rura ruto (intestin grêle) buhoro buhoro. Umuntu aba aguye mpishi canke yuzuye inda (indigestion) igihe afunguye inda yiwe ikaguma yuzuye no mu masaha 4 canke 6 inyuma yo gufungura. Kwuzura inda rero ni ikimenyetso c'uburwayi hamwe n'ukwandura kw'urusengero rwa Mpwemu yera.

Ibimenyetso

Kurwa mpishi canke kwuzura inda (indigestion) kurangwa no gusuragura kenshi kubera impwemu nyinshi (gaz) zuzuye mu nda, imisonga mu nda, kurazirana ibitaja ntibize igihe usinziriye, gucika intege, kubura umunezero, kumeneka umutwe, iseseme; kubura akayabagu. Igihe iyo ngorane ibandaniye hoho, umurwayi arakama amaraso, agakaza ishavu n'urwibagiza, kwamana umwivvyira, ibizunguzungu bitewe n'amaraso make, gusigara ugubwa nabi n'ibifungurwa bitari bimwe (allergies

alimentaires), kurwaragurika cane gutewe no kugira abasoda bake bakingira umubiri, kwama urushe kenshi mu buryo budasobanutse, kwadukwako n'indwara z'urukoba (nk'amahere n'izindi) bitewe n'uko ivyari kurinda ayo mabi yose Imana yanyegeje mu bifungurwa bitanogerejwe mu mushishito ngo vyinjire mu maraso. Ntitwoba twihenze hamwe twokwemeza ko kurwa mpishi (indigestion) canke gufungura ukaguma wuzuye inda ari umuzi w'amarushwa isinzi ageramiye benshi atewe no kutamenya amategeko ngenderwako y'ubugorozi bw'ivy'amagara.

Ibituma

Kurwa mpishi (indigestion) ni indwara iterwa n'agahinda, guta umutwe, intuntu. Imibereho nk'iyi ituma mu mushishito hataboneka ibintu bita anzime (enzymes) binoza imfungurwa mu mushishito. Iyo ngorane iranaterwa n'ubumenyero bubi bukorwa mu vy'ingaburo. Kuryagagura canke kurya buri mwanya bikuguye mu minwe, kurya wihutagiza ubitewe n'umunoho canke ukwihuta kw'ibihe vyawe, kwibanda ku mfungurwa zapfiriye mu mahinguriro nk'isukari n'ivyo vyose yashizwemwo, umukate n'amandazi (vyakozwe mw'ifarini yera), amavuta yononekariye mu mahinguriro (huiles raffinées). Kwibanda ku mfungurwa zitetswe gusa, maze imboga mbisi n'ivyamwa bikabura ikibanza

mu ngaburo, kunywa ibinyobwa birimwo uburozi bwica mu bwiyorobetsi nk'icayi n'ikawa. Kwihereza inzoga zirimwo alukolo, kunywa itabi ririmwo uburozi bita nikotine (nicotine, monoxyde de carbone), kuguma wihereza ibifungurwa bikurwa nabi n'aho vyoba vyari vyiza ku bandi, kurya canke kunywa ibikanye cane canke bishushe cane. Mu bisanzwe twategerezwa gufungura ibintu bishushe buhoro imisi yose, bibaye ari ibinyobwa naho bikaba bitavuye muri firigo, n'ukuvuga bidakanye cane.

Kurya ugaca uryama hadaciye n'amasaha 2 gushika kuri 3 ni iyindi nzira irashe yo kwimbisha imva amenyo no gutera kurwa mpishi; kuvangatiranya amoko arenga atatu y'imfungurwa ukayarira rimwe canke imfungurwa zitajana nko kurya ivyamwa n'imboga mu mwanya umwe (kiretse mu gihe ivyo vyamwa vyoba ari ivoka, pome, indimu), vinegre na mayoneze mu mboga, kunywa amazi canke ibindi bitemba nk'amazi (nk'imitobe) mu mwanya wo gufungura aho kubinywa iminota 30 imbere yo gufungura canke amasaha 3 inyuma; kuko bene ako kamenyero kagayitse gatuma ibintu bisya imfungurwa bitangwa n'umushishito n'amate bijoboroka.

Kwimenyereza amafiriti akozwe n'amavuta yononywe n'umuriro (mukibuka ko amavuta abereye gukora amafiriti ari aya Elayo gusa), aba

agwiriyemwo imyanda bita akololeyine (acroléine) atuma imfungurwa zidasebwa neza mu mushishito arico gituma amafiriti ay'ariyo yose usanga ahoka atevye. Kubura aside kororidirike (acide chlorhydrique) mu mushishito (achylie) nko mu gihe umuntu adafise insanganyan,gaburo (vitamine) B₁₂ canke kurwara indwara yo gusha mu mushishito igihe kirekire. Kubura ama anzime (enzymes) amw'amwe nka lipaze (lipase), bile, pitiyaline (ptyaline) binoza imfungurwa nk'isukari, ibinure, indemamubiri n'ibindi bitera kurwa mpishi. Indwara z'igitigu, z'urwagasha (pancréatite), z'umushishito n'amenyo, zitera kurwa mpishi (indigestion).

Kwikingira

Kugira ngo tube twikingiye indwara iteye ubwoba nk'iyiyo yo kugwa mpishi, ni ngombwa kuvira hasi kurwanya ibituma twivuye inyuma, tugasaba Imana inkomezi zo kwitegeka n'izo kurwanya ubumenyero bubi mu vy'ingaburo twakwegewemwo n'ubujuju twahoranye igihe kirekire.

Umuti

Gira akamenyero ko kunywa ibirahuri 8 vy'amazi canke ibikombe vya mironko 4 (amalitiro 2) ku musi wakanyiyemwo indimu 4 canke zirenga gato kuri uru rutonde:

-Mu gatondo utarafungura :ibirahuri 2

-Nk'isaha zitanu	:ibirahuri 2
-Nk'isaha icenda	:ibirahuri 2
-Ugiye kuryama	:ibirahuri 2

Amazi anyowe neza kandi meza, ashobora gukinga ibice 80 kw'ijana vy'indwara zisinzikaje abantu no kurwa mpishi bidasigaye inyuma. Nko kuri bamwe badafise aside kororidirike mu mushishito nabo, indimu yoyibaronsa na cane cane bafashe ikirahuri c'amazi y'akazuyazi gikanyiyemwo indimu yose bakakinywa iminota 30 imbere yo gufungura.

Umuntu akarirwa no kurwa mpishi kandi yokwibanda gufungura ibiribwa bidatetse nk'imboga mbisi n'ivyamwa kuko ivyo bibonekamwo ibintu bituma umushishito, urura ruto, igitigu n'urwagasha bitanga vya ngombwa bikenewe vyotuma imfungurwa zinozwa neza umuntu ntagume yuzuye inda. Kwihereza ivyamwa bigwiriye ama aside nk'indimu, inanasi, pamplemusi... bica bisubirira ya aside kororidirike itaboneka, bikarinda kwuzura inda. Gukora imyimenyerezo ngororamubiri birinda agahinda no kwama wijiriwe kuko bituma ubwonko, ibintu bita andorofine (endorphine) biruhura ubwenge bigacuresha ububabare umuntu yagize, mukibuka ko kwama ubabaye ari kimwe mu bitera indwara yo kurwa mpishi. Mu gukora iyo myimenyerezo ngororamubiri rero, umuntu yogendagenda n'amaguru nk'iminota 30-60 buri

musi, yokwiruka ativunye, yokwoga mu nzuzi
(natation), yosimba umugozi n'ibindi.

***IZINDI NDWARA
ZIKUNDA
GUSINZIKAZA
ABANTU***

Kunanuka

Abantu bose ntusanga bafise uburemere bungana. Bamwe baravyibushye, abandi bavyibushye vy'umurengera. Bamwe ni bato bato, abandi barananutse canke baronze. Umuntu rero aba afise umubiri mwiza igihe atonze ariko akaba ari muto muto.

Umuntu avyibuha vy'umurengera ryari ?

Abahinga basanze ko umuntu aba avyibushye vy'umurengera (obèse) igihe afise ibiro 20 birenga ku vyo yategerezwa kuba afise¹², mu kubimenya naho bakaba bafatira ku burebure bw'umuntu. N'ukuvuga ko isantimetero zirenga ku metero 1 arizo zitegerezwa guhura n'ibiro akwiriye kuba ufise. Nk'akarorero, umuntu apima imetero 1 n'isantimetero 50 (1.50m) akwiriye gupima ibiro 50 mu gihe yoba atari munsu canke ngo abe hejuru y'ibikenewe.

Ni ryari umuntu aba ananutse ?

Umuntu aba ananutse (maigre) igihe afise ibiro 10 biri musu y'ivyo yategerezwa kuba afise. Ivyo bisigura

¹² Natural Remedies, Encyclopedia, p. 244

ko nk'umuntu yategerezwa gupima ibiro 60 agaca apima ibiro 50 aca aharurwa mu bananutse¹³.

Ibimenyetso vy'ukunanuka.

Gusonza cane, kwama wijiriwe, udayeye mu maso, kwama urushe, gukunda kuba uciye intege, gukarirwa no kuba ukanye, gutakaza ubushake bwo guhahamira ikintu runaka (ambition). Kwonda ni ingorane kuri bamwe, mu gihe ari amahirwe ku bandi. Kuki ? Mu bisanzwe, uko umuntu agenda asaza ni nako n'ukwonda kugenda kumubera kwiza mu nzira zitari zimwe. Hamwe woba ufise amagara meza ariko ukaba wonze, hariho igihe atari nkenerwa ko wirirwa urahagarikwa umutima no kuvyibuka. Abanze basanzwe baramba cane kandi bakaba banafatwa n'indwara z'umutima gake cane kurusha abavyibushye cane.

Ariko rero naho biri uko, kwonda bishobora kuba bifitaniye isano rya hafi n'ingorane z'amagara. Ukwiriye guhora wipimisha ku munzani ibiro vyawe. Nko mu gihe wubona ibiro vyawe biza biraduga bikoroka, biduga bikoroka, uragaba cane ! Namba bigushobokera, gerageza umenye imvo ituma ugabanuka ibiro, ukaguma kuri vya bindi canke naho ukagenda ushira umunywera. Hano rero, turaguha urutonde rw'ibintu bitari bimwe bishobora gutuma

¹³ Vance Ferrel, Natural Remedies Encyclopedia, p. 245

utakaza ibiro bidakenewe canke naho bikagutera kunanirwa kwunguka ibiro :

1. Umushishito n'urura ruto.

Gutakaza ibiro atari we uvuyiteye bishobora kuba bitewe n'uko umushishito n'urura ruto biba bifise ingorane yo gusya ivyo wariye canke naho urwo rura ruto (intestin grêle) rukaba rudashoboye kwinjiza mu maraso uruziri (chyle intestinal) rw'indya zasyerewe mu mushishito no mu rura ruto.

2. Inzoka zo mu nda.

Kunanuka (Amaigrissement) gushobora guterwa n'uko urwaye inzoka zo mu nda nka Ankilostome n'izindi ziba mu rura rukuru (gros intestin) zikanunuza indemamubiri (protéines), amaraso n'ibindi umubiri ukeneye, ukabikena kandi wari wavyinjije.

3. Igitigu

Kwonda (Amaigrissement) gushobora guterwa n'igihe umuntu arwaye indwara zitari zimwe z'igitigu kikaba kitagishoboye kurangura bimwe bimwe vyo mu mabanga kijejwe. Akarorero :

1. Gishobora kuba kitagitanga indurwe (bile), bigatuma ibinure n'indemamubiri bidasyebwa neza mu rura ruto kandi vyinshi bikaza

gusohokana n'umwanda mukuru bitinjiye mu maraso.

2. Gishobora kurwara gushika naho kitagishoboye kwakira no guhingura ibinure umubiri ukeneye, bigatuma umurwayi asabwa kubeshwaho n'ingaburo nkene mu binure izomutera kwonda.
3. Igitigu gishobora kurwara gushika naho kitaba kigishoboye kwakira, guhingura no gutanga isukari ikenewe mu maraso ngo itange inkomezi, ivyo bigaca bituma umubiri wikora ku binure biri munsu y'urukoba ngo bikore ivyari gukorwa n'isukari yo mu maraso nko kuzana ubushuhe n'inkomezi umubiri ukeneye, ari navyo bica bitera umuntu kunanuka.

4.Urwagasha.

- Indwara z'urwagasha nazo (pancréatite) zishobora gutuma umuntu yonda, agenda ashira umunywera canke ananirwa kwunguka ibiro mw'ubu buryo bukurikira :
- Urwagasha rushobora gupakangiranamwo ibinure gushika n'aho rutaba rugitanga lipaze (lipase) ifasha mukunozza neza ibinure n'indemamubiri biri mu rura ruto bivuye mu mushishito, ivyo bigatuma bidashika mu maraso, ahubwo bigasohoka uko vyinjiye.

- Urwagasha rushobora kuba rutagishoboye gutanga ya ndemamubiri bita ensiline (insuline) itunganya isukari yo mu maraso kandi ikaba ifise n'uruhara rwo gutuma abantu bamwe bamwe baba banini banini naho boba barya ibisanzwe nk'abandi bose.

5.Amate.

Ushobora kugira akamenyero ko guhora urya ushavuye, uhagaritse umutima canke wihutagiza, bikagutera kutaronka amate menshi avangwa n'ivyo urya kandi muri yo harimwo ibintu bifasha kugira ngo bize gusyebwa neza mu mushishito, ivyo bigatuma bitinjira neza mu maraso, ugaca uagenda wonda.

6.Sike gastrike

Umushishito (Estomac) usanzwe utanga amazi bita sike gastrike (suc gastrique) agizwe n'ibintu bitari bimwe bifasha mw'isebwa ry'indya ziri ngaho mu mushishito nyene, aha twovuga nka aside kloridike (Acide chlorhydrique) ijejwe gusya ibinure n'indemamubiri. Kuyibura bitera kurwa mpishi (Dyspepsie) no kutinjira mu maraso kw'ivyo twariye na cane cane ibinure n'indemamubiri, mu gihe ukunanuka hamwe n'izindi mpanuka bigendana n'iyo ngorane navyo bica bikurikira.

7.Kudahwa.

Igihe umuntu akunze kudahwa, usanga adahwa ivyo yariye vyari kwinjira mu mubiri kandi na ya ma sike gastrike asya indya agasohokana n'ivyo adahwa, ivyo bigatera kunanuka kuko ata kamaro biba bikimugiriye.

8.Gucibwamwo.

Gucibwamwo gutuma ivyo wihereje aho gushika mu maraso bica vyisohokera bigishika mu rura. Mu gihe vyoba akamenyero bikaba vyotera kugenda umuntu ashira umunywera.

9.Kwankirwa n'indya runaka.

Hariho ibihe bishika ugasanga umubiri wawe uguwe nabi n'ibifungurwa runaka (allergie alimentaire) kandi ari vyiza, ugasanga ntukivyihereza kandi ari vyo wari ukeneye kugira ngo agumane canke yunguke ibiro, agaca yonda.

10. Diyabete.

Kurwara diyabete bishobora gutuma abantu bamwe bagenda bashira umunywera.

11. Galande tiroyide.

Agahimba ko mu muhogo bita glande tiroyide (glande thyroïde) gashobora gukora kurenza ivyo gasabwa (hyperthyroïde) bigatera umuntu kugenda ashira umunywera. Hariho n'igihe uba ubitewe n'uko kadakora ngo gashikire ivyo gasabwa (hypothyroïdie). Kugira ngo umenye ko kwonda kwawe kuva kuri glande tiroyide idakora ibihagije (hypothyroidie) uzohora ubona ugenda wonda bijaniranye no kwama ukanye cane kandi ata mbeho ihari.

12. Indwara z'ururambira.

Kunanirwa kwunguka ibiro canke kugenda ushira umunywera ushobora kubiterwa n'indwara yakubereye akaziri ikanka kukuvako (maladie chronique).

13. Kubagwa kwa Muganga.

Igihe umuntu yabazwe, umubiri ntuba ugikora neza kandi ntaba agifungura ibikenewe vyose, ahubwo asigara yihereza utwo gusama agatima gusa bikamutera kwonda.

13. Agahinda

Kwicwa n'agahinda (stress) gutewe n'ivyago vyagishikiye (kubura uwawe wakunda n'ibindi) canke

ivyo wibaza ko bigiye kugushikira, bishobora gutuma umubiri wose ukora nabi, bimwe usanga birimwo ibintu bisya indya (sucs digestifs) ntibibe bikiboneka neza, ivyo bigatuma n'ivyo wariye ataco bimarira umubiri, canke naho agahinda kagatuma n'umutima usiba, nturye canke ngo unywe neza arivyo bituma wonda ugata ibiro canke ugashira umunywera.

14. Kubura akayabagu.

Kubura insanganyangaburo B_1 , icunyunyu zenke (zinc), kwama wihereza inanasi bishobora gutuma utakaza akayabagu (Anoréxie) ntube ucipfuza kurya canke kunywa nk'uko wabitegerezwa, ugaca unanirwa kwunguka ibiro canke ukagenda ushira umunywera.

15. Indwara zitari zimwe.

Kurwara indwara zitari zimwe nka kanseri, umushishito, kwashi, igituntu (tuberculose) n'izindi ndwara z'amahaha atari zimwe, zitera kunanuka.

16. Kwisonzesha.

Kwama wisonzesheje kenshi nk'imisi ibiri mu ndwi (amasaha 48) bituma utakaza ibiro cane, kuko umubiri

ukoresha inguvu (énergie) utinjije, bikagutera gushira umunywera

17. Kurenza urugero mu bikorwa.

Abantu bakora ibikorwa bisaba inguvu nyinshi cane nko kwiruka n'amaguru, kunyonga ikinga, gukina umupira, kwoga mu biyaga no mu nzuzi (nager), kubaza, kuba umuyedi mu nyubako, kurima n'ibindi, bituma umubiri ukoresha isukari y'umurengera mw'izo nguvu akoresha gushika naho biba ngombwa ko imubana nke umubiri ukikora ku binure biri munsu y'urukoba ngo bikore igikorwa co gutanga inkomezi n'ubushuhe nk'ica ya sukari yakeshe. Igihe iyo ngorane ishishikaye rero, uwo muntu aca atakaza ibilo kandi rimwe na rimwe abaye adashoboye kurya ibintu bitanga isukari nk'ibinyantete atari bimwe, ibitanga ibinure n'indemamubiri vyiza nk'ibiharage, soya, ubwishaza, ibiyoba, amavoka n'ibindi agaca agenda ashira umunywera.

18. Ingaburo yondesha.

Umuntu ashobora gutakaza ibiro canke bikamunanira kuvyunguka kandi abikeneye abitewe no kwama yibanda ku ngaburo yondesha kandi atabizi. Iyo nayo yoba igizwe n'ibi bikurikira :

- Kunywa amazi menshi cane kandi utarya ibihagije, n'ivyo uronse bikaba atari ngirakamaro.
- Kurya cane imboga n'ivyamwa (atari ivoka canke inazi) kandi ata ngaburo igwiriyemwo ibinure n'indemamubiri ukunze kuronka.
- Kurya rimwe ku musi canke naho ukama urya intica ntikize z'imburakimazi.

Igihe umwana atunguka ibiro canke akagenda ashira umunywera, akunze kuba abiterwa n'ingaburo y'imburakimazi canke indwara afise ubizi canke utabizi. Igihe ari uwugeze mu zabukuru naho, ashobora kuba abitewe n'uko kenshi aba atagihurumbira kurya cane, ubukene, bigatuma umubiri wiwe ukoresha intanganguvu (calories) zirenze izo yinjiza. Nko mu gihe iyo ngorane rero yoba ishikiye umwana, ishobora guteza ingaruka ziteye ubwoba kurusha izoba ku muntu akuze, ku buryo ashobora no kuzingama ku mubiri, mu bwenge no mu vya Mpwemu. Abo bana bananutse bakunze kurwaragurika, indwara y'umusonga (pneumonie) no gucibwamwo (diarrhée) birabageramiye, kandi bakaba bakarirwa no gupfa. **Vance Ferrel** ati : « *Wari ukwiriye guhagarikwa umutima cane n'umwana muto aboneka ko adakunze kugenda yunguka ibiro nk'uko bikwiriye* ».

14

UMUTI

¹⁴ Natural Remedies Encyclopedia, p. 246

Umubiri wawe ugenda unanizwa n'intambara z'ubuzima, kandi ukaba ukeneye kuringanizwa, mu gihe ivyo usabwa kuwukorera mw'iyi ntumbero atakivunanye kirimwo :

1.Niwihereze ingaburo ikwije ibisabwa vyose.

- soya (ubuyi canke ifu yayo mu bifungurwa, inyama yazo).
- Ibiyoba, ingano (ubugari canke ubuyi), ibiharage, ubwishaza, ibigori.
- Ivyamwa nk'amavoka, imicungwe, indimu, ipapayi, mandarine, pome (pomme) n'ibindi.
- Imboga nk'amashu, ibitunguru, ibitunguru sumu, amakaroti, epinari, seleri, itomati n'izindi.
- Umukate w'ingano (pain complet).

Icitonderwa :

Muri mwene iyo ngaburo, mu gihe yoba ihindagurwa kandi bikaba bitononywe n'umuriro hamwe n'amahinguriro, ariko bikaba bitetswe neza nk'uko bisabwa biba bifise ivyo umubiri usaba :

- Indemamubiri (protéines)
- Ibinure (lipides)
- Insanganyangaburo (vitamines)
- Isukari (hydrates de carbone)
- Ivyunyunyu (sels minéraux)

- Amazi (yo kwunganirwa n'ayo tunywa « eau »), n'ibindi vyinshi.

2.Imyimenyerezo ngororamubiri.

Imyimenyerezo ngorora mubiri ya buri musu nko kwiruka n'amaguru, kwoga mu nzuzi canke mu kiyaga (nager), kuduga imisozi bituma umushishito, urura ruto bisya neza ivyo wariye kugira ngo bibonekemwo ibifasha umubiri kandi bigakinga kugwa mpishi.

3.Kuruhuka.

Gufata iminota 15, 30 canke 60 yo kubanza kuruhuka imbere yo gufungura, bifasha umubiri kugira inkomezi zo guhangana n'umutwari w'imfungurwa uhava uwuremeka, ivyo bikaba vyosubirira rya kosa rikomeye ryo guca uryama ugiheza kurya (sieste).

4.Kwirinda agahinda.

Agahinda gatuma ibihimba vy'umubiri na cane cane ubwonko bikora nabi kandi bikagira ingaruka mbi kw'isyebe ry'indya twihereza kuko ari sike (suc digestifs) ataba akiboneka ku rugero rwiza.

5.Fungura incuro 3 ku musu kandi ufungure za mfungurwa ngirakamaro ziva mu bimera : ibiyoba, inazi, soya, ubuyi, n'ibindi.

Diabete

Diyabete ni indwara irangwa n'umurengera w'isukari mu maraso (Hyperglycémie), iteye ubwoba kandi ikaba ikwiragiye mu mihingo yose yo kw'isi. Uko abantu bagenda barushiriza gutegekwa n'akayabagu kabo, ni nako n'iyi ndwara nayo igenda irushiriza gukwiragira itikiza inganda .

Diyabete ziri amoko abiri, ariyo y'aya :

- Diabete abana bavukana (**Diabète de type I ou Héréditaire**).
- Diabete y'abakuze (**Diabète de type II**).

Hamwe woramuka usuzumye abarwayi 100 ba diyabete, wosanga ko abarwayi 90 barwaye iyo diyabete igira kabiri y'abakuze. Ikindi naco, Diabete y'abana iragoye cane kuvura gusumba iy'abakuze.

Ibimenyetso

Igihe umuntu yafashwe na diyabete mvukanano (Diabète de type I) canke y'abakuze (Diabète de type II), ibi bimenyetso bica vyibonekeza :

- Isukari mu mwanda muto (glucosurie): igihe umuntu agiye kwihagarika usanga isazi canke ubunyegeri, bica biza gutonda kuri uwo mwanda muto bikwegakwezwe n'uyo sukari. Ikindi naco, uwo mwanda muto uramutse uwushize ku rurimi usanga usosa. Mu bisanzwe nta sukari iba mu mwanda muto. Ariko rero, igihe yabaye umurengera mu maraso (Hyperglycémie) hoho, n'ukuvuga ugwaye diyabete, amafyigo (reins) aca ayisohora hanze.
- kwumva inyota y'umurengera (polydipsie) ari navyo bituma umuntu yumva ashaka kuguma ariko aranywa amazi buri kanya.
- kwamana inzara y'umurengera (polyphagie), gushika n'aho umurwayi avyuka no mw'ijoro kurya kandi yari aryamye yahaze.
- Umurwayi yama yumva akenera gusohoka ku mwanda muto (polyurie) na cane cane mw'ijoro, ku buryo ashobora gusohoka nk'incuro 5 gushika ku 7.
- Umurwayi afatwa n'indwara z'amaso zituma ataba akibona neza mbere no guhuma bigashika ko ahuma hamwe atoba agarukiwe vuba.
- Umurwayi akarirwa n'indwara z'amafyigo zirangwa no kubabara mu mugongo.

- Amaguru aravyimbagana kuburyo aho ufyondesheje urutoke haguma haboneka kumara umwanya utari muto.
- Amaraso asigara yirukangana umuvuduko udasanzwe (hypertension artérielle) kandi hakaba no kwihutagiza kw'indihaguzi z'umutima (tachycardie) .
- Umurwayi akarirwa no kugumbiza (constipation) gushika n'aho adashobora kuja ku mwanda mukuru kiretse akoresheje umwino (lavement) kubera y'uko umwanda mukuru wiwe uba ugumaraye cane.
- Umurwayi asigara yumva akonyokewe (acitse intege) kandi akababara mu ngingo z'amagufa ku buryo bitaba bikimworoheye kuduga akadugo canke ingazi.
- Atakaza ubushake bwo kurangura amabanga y'abubabara canke ntabwo akibifitiye n'ubushobozi; canke naho hamwe yoba ari umugore agasigara ababara cane mu gihimba c'irondoka mu gihe c'imibonano mpuzabitsina.
- Umurwayi asigara yumva yumye mu kanwa akabura amate, aramutse aje naho akaba ameze nk'ifuro.

- Akaza urwibagiza canke naho agatakaza ubushobozi bwo gufata ku mutwe.
- Akunda gushavuzwa n’ubusa kandi bikamugora kwihangana.
- Imitsi ikura amaraso mu mutima w’ibubamfu (ventricule gauche) iyakwiragiza mu mubiri hose (ariyo bita artères), irakomantara igakoberana (iyo ndwara yitwa artériosclérose), kubera umurengera w’ibinure mu maraso bikaba ari ivyo bita triglycérides igitigu cahinguye muri wa murengera wa ya sukari yo mu maraso. Iryo binure mbere biranatuma n’imitsi yo mu maso no mu bwonko yononekara cane.
- Ingorane zijaniranye n’ivy’irondoka zishobora no gutuma umurwayi acika ingumba.
- Rimwe na rimwe, umurwayi aronda akagenda ashira umunywera.
- Umurwayi agira isukari nke mu maraso igenda ikurakuranwa n’umurengera wayo (arivyo bita *hypoglycémie consécutive*).
- Umurwayi wa diyabete, arashobora no kugwara ibikomere vyiyadukije kandi bidakira ku maguru gushika n’igihe bamukata amaguru. **Uragabe!**

- Ubushakashatsi bwakozwe n’abahinga bwasanze ko abantu benshi cane bashobora gusinzikazwa na diyabete batigeze babimenya. Muri Amerika honyene, buri mwaka baronka abantu bashika imiliyoni 16 barwaye diyabete, kandi abashika imiliyoni 7 bo muri bo ntibaba bavyiyiziko. Igihe bishitse rero umuntu akayigendana igihe kirekire atayimenye ngo afate ingingo zikomakomeye na cane cane mu vy’imirire, niho ibimenyetso biteye ubwoba bica vyibonekeza : Guhuma, kugwara amafyigo, kuba ingumba n’ibindi. Kugira ngo umuntu amenye ko arwaye Diyabete rero, si ngombwa ngo arinde kuba afise ivyo bimenyetso vyose, kuko bigenda biribonekeza bitewe n’urwego iba igezeho hamwe n’imirire yiwe.

Ibituma

Inyama : Ubushakashatsi bwakozwe n’abahinga, bwasanze ko inyama zifise uruhara rutoroshe mu gutera iyo ndwara iteye ubwoba Diyabete. Ibinure binovu cane (acides gras saturés) bigwiriye mu nyama, mu mata y’ibikoko, bituma uduhimba two mu rwagasha (Pancréas) tujejwe guhingura isukari twononekara; bigatuma ya sukari yo mu maraso imubana umurengera. Dogiteri **Georges Pamplona Roger** yemeza ati: «*Abatarya inyama barwara gake cane Diyabete*». Ikindi naco ubushakashatsi bwakoze, bwarerekanye ko kurya inyama nyinshi bishobora kuba intandaro ikomeye yo kurwara ama

Diyabete. Abandanya ahinyura inyifato y'abantu bamwe bamwe (aha twovuga nk'abaganga) bahimiriza abarwayi ba Diyabete ngo ntibobaho batariye inyama, ati: «*Rero bishoboka ko boba bariko bategeka abarwayi ba Diyabete kwihereza bimwe nyene bitera canke vyunyura indwara yabo*».

15

Umurengerwa w'ibinure biboneka mu nyama, mu mata, mw'ifi no mu bihinguwe muri vyo, utuma twa duhimba two mu rwagasha bita *cellules bêta des ilots de langerhans* tudendebukirwa ntitube tugishoboye gutanga mu maraso indemamubiri (protéines) bita ensiline(insuline) igabanya isukari mu maraso. Igihe iyo ndemamubiri (protéine) ibuze rero, canke naho ibonetse idafise ubushobozi kw'isukari yo mu maraso, umuvo w'isukari yo mu maraso uca usendanisha, ugatuma umubiri utaba ugishoboye gukora neza. Indemamubiri (protéines) twihereza mu vyo dufungura canke zihingurirwa mu mubiri, ibinure (acides gras) n'isukari (hydrates de carbone), ntibisubira guhingurwa neza. Iryo bica bishobora no gutuma ama acides arundarundana mu maraso (acidose) gushika n'aho ubwenge buzimira, umuntu akaraba. Hamwe atoca agarukirwa vuba na vuba, ashobora no guca asezera iyi si.¹⁶

¹⁵ Croquez la vie, P.115, 117

¹⁶ Biochemistry, Forth Edition p.322

- **Uburwayi bw'urwagasha** (Pancréatite): Hariho igihe bishika ugasanga umuntu agize nk'ibivyimba bimwe bimwe mu rwagasha canke naho hakaboneka udutete tw'umusenyi twiremaremeye mu binure vyo mu maraso no mw'ayo maraso nyene. Ivyo rero bishobora gutuma ya ndemamubiri yitwa insuline ibura, umuntu akaba arwaye diyabete.
- **Ubunini bw'umurengera** (Obésité) : Ubushakashatsi bwakozwe n'abahinga, bwasanze ko abarwayi 2 kuri 3 barwaye diyabete, babiterwa no kuvyibuha vy'umurengera gushika n'aho bagira ibiro 20 birenga ku vyo bategerezwa kugira, arivyo bita Obésité. Mukibuka ko ibiro bibereye ku muntu akuze afise amagara meza bategerezwa guhwana n'amasantimetero arenga ku metero 1 y'uburebure bwiwe. Akarorero umuntu akuze areha n'imetero na santimetero 60 yategerezwa gupima ibiro 60. Ubuvyibuhe bw'umurengera rero, nabwo bwonona urwagasha (pancréas) rukagenda ruratakaza ubushobozi bwarwo bwo gutanga ya ndemamubiri (protéine) bita insiline (insuline) igabanya isukari mu maraso umuntu agaca agwara diyabete.
- **Indwara z'igitigu.** Mu gihe igitigu (foie), ari naco gihimba kijejwe gushingura isukari yo mu maraso kugira ngo ntigume irundarundanye mu maraso canke ngo ibure mu maraso, igihe rero igitigu kirwaye indwara zimwe zimwe birashika ko isukari

ibura canke ikaba umurengera mu maraso. Ibaye umurengera rero umuntu aba arwaye diyabete.

- **Kubura imyimenyerezo ngororamubiri :** Imyimenyerezo ngororamubiri ituma ibice vyose vy'umubiri bikora neza, irinda ipakangirana ry'ibinure n'imyanda mu mubiri. Igihe bishitse umuntu akama akora yicaye canke ahagaze uruhande rumwe hoho, bituma ibihimba vy'umubiri vyononekara n'urwagasha narwo rurimwo, ari vyo binatera diyabete. Ivyo bikunze gushika na cane cane igihe umuntu abayeho mw'ubwo buryo kandi yihereza ibinure n'isukari yo mu mahinguriro mu ngaburo.
- **Kubura insanganyangaburo B :** Umuntu akuze mu bisanzwe, afise amaraso angana na litiro 5 na 6 amutemberamwo. Urugero rwiza rw'isukari yo mu maraso ni igarama rimwe (1g) mw'iritiro ry'amaraso. Nko mu gihe bishitse isukari yo mu maraso (glucose) ikaduga gushika n'aho ingana n'igarama 1 n'ibice 6 (1,6g/l), niho bavuga ko arwaye diyabete. Kugira ngo isukari yo mu maraso ntibe umurengera mu maraso rero, ya ndemamubiri (protéine) bita ensiline (insuline) itangwa n'urwagasha (pancréas) ifadikanya n'insanganyangaburo (vitamines) zo mu murwi wa B (izo nazo akaba ari 14) hamwe na E kugira ngo igende guhingurwamwo ibinure bita glikojene (glycogène). Igihe bishitse izo nsanganyangaburo zo mu murwi wa B nka B1,B2,B6,B12 (n'izindi) zikaba nke canke zikabura

mu maraso, ya insuline yonyene ntiba igishoboye kugabanya isukari, nayo ica iba umurengera aho mu maraso (hyperglycémie), ari naho bavuga ko umuntu arwaye diyabete.

- **Agahinda (stress)** : Mu bwonko bw’umuntu hariho igihimba bita glande pituitaire (hypophyse) n’ico bita hypothalamus. Igihe bishitse ivyo bihimba bikononekara, isukari ntiba igihingurwa neza mu mubiri. Kugira agahinda, kwamana imyitwarariko myinshi vyonona ivyo bihimba kandi bikaba intandaro ya diyabete.
- **Isukari nyinshi mu ngaburo** : Abantu benshi barafise akamenyero kabi cane ko kwama bihereje ingaburo igwiriye mu isukari yo mu mahinguriro n’ivyo yashizwemwo. Mwene iyo sukari, na cane cane irya yera ituma umubiri ukena insanganyangaburo (vitamines) zo mu murwi wa B (B1,B2,B6, n’izindi) ari navyo bica bituma isukari yo mu maraso (glucose) iguma irundarundanye mu maraso (hyperglycémie), umuntu agaca arwara diyabete. Ikindi naco, isukari yo mu mahinguriro ituma urwagasha pancréas rutanga ya ndemamubiri (protéine) bita ensiline (insuline) y’umurengera mu maraso kugira ngo igerure ya sukari igiye kuba umurengera mu maraso. Ivyo bica bituma twa duhimba tw’urwagasha duhingura iyo ensiline turuha cane tukadendebukirwa gushika n’aho tutaba tugitanga iyo ensiline canke turamutse tuyitanze naho ikaba ata bushobozi igifise mu

maraso ari navyo bica bituma iba umurengera aho mu maraso (bavyita hyperglycémie), umuntu akaba arwaye diyabète.

Ikindi mwomenya, ibintu vyose vyacishijwe mu mahinguriro bikahamburirwa insanganyangaburo (vitamines) n’ivyunyuny (sels minéraux): aha twovuga nk’irya fu yeruka n’ibiyihinguwemwo nk’imikate n’amandazi (amabenyi) vyera, amavuta ava mu bimera uzosanga yanditsweko ngo: *“refined vegetable oil”* canke ngo *“pure vegetable oil”* ari navyo bisigura ko bene ayo mavuta aba yarambuwe vyinshi cane mu vyo umubiri wari ukeneye, bica bizana izo ngaruka zimwe n’iz’irya sukari yera. Ikindi naco, kwimenyereza guhora wihereje ibintu vyuzuyemwo isukari yera yo mu mahinguriro (saccharose) nk’ifanta, amagato (gâteaux), imitobe (jus), amabombo (bonbons), ibisuguti n’ibindi nk’ivyo, bituma umurengera w’intanganguvu (calories) ubivamwo igitigu kiwuhinguramwo ibinure binovu cane bita trigliseride (triglycérides). Mumenye kandi ko n’aho nyene umubiri w’umuntu wese usanzwe ukeneye ubwo bwoko bw’ivyo binure, igihe bibaye umurengera mu maraso hoho, biteza amasanganya akomakomeye nk’ayaterwa na ca kinure kibi bita kolesterole (cholésterol): amaraso aravuragira cane ntabe agitembera neza mu mubiri, bikonona imitsi itembereza amaraso, igakomantara kandi igakoberana, bica biteza indwara z’amafyigo,

z'amahaha, z'amaso, z'ibihimba vyo mu mutwe n'ibindi vyinshi.

Icayi n'ikawa: nk'uko vyemezwa na dogiteri **Robert C. Atkins**, kunywa icayi n'ikawa bigoberera urwagasha (pancréas) gutanga ya ndemamubiri (protéine) igabanya isukari mu maraso arivyo bita ensiline (insuline). Ivyo rero, dusanzwe tuzi ko igihe bibaye umugenzo mu buzima bituma isukari iba munsu y'urugero yategekanijwe kuba iriko mu mubiri (bakavyita hypoglycémie) bigakwega imvururu nyinshi nko kumeneka umutwe, kwamana ishavu n'agahinda, gucika intege, kwama wumva ukeneye kurya kenshi, kwadukana imico n'imyifato bitabereye n'ibindi bitewe n'iyi ngorane. Ku rundi ruhande naho, twa duhimba tuba mu rwagasha dutanga ensiline (bita cellules beta des îlots de Langerhans) duca turuha ntitube tigishoboye kugabanya umurengera w'isukari yo mu maraso ariho duca tuvuga ko umuntu arwaye diyabete y'igisukari.

Igihe cose ugombye kwirinda, kwikingira, kwivura canke kwivura diyabete utamenye ibiyituma ngo uyizibirire kure, umenye ko nk'uko bisanzwe bimeze ku zindi ndwara zose, utwigoro twawe twose dusigaye tuzokubana impfagusa. **Ellen G. White** niwe yabivugishijwe neza ati: *“Ni ukwiruhiriza ubusa kwigisha abantu ngo nibatege amakiriro ku Mana nk'aho ariyo ibakiza ubumuga bwabo, mu gihe*

*batigishijwe no gushira i ruhande imikorere ibonona. Kugira ngo baronke imigisha yayo (y'imana) nk'inyishu y'amasengesho, bategerezwa guhagarika gukora nabi bakiga gukora neza. Bategerezwa guhagarika gukora nabi bakiga gukora neza. Ahabazengurutse hategerezwa kuba hatageramiye amagara, ubumenyero bwabo nabwo bukaba bukosowe. Bategerezwa kubaho bisunze amategeko y'Imana, yaba ay'umubiri canke ay'impwemu".*¹⁷

Ingingo zo kwikingira

Kugira ngo ube wikingiye ayo moko ya diyabete, co kimwe n'izindi ndwara zigisibije, ni ngombwa kumenya ibituma no kubituzza, ahandi ho umuntu yoba ariko yiruhiriza ubusa.

Umuti

- a) **Amazi arimwo indimu:** Buri munsu nywa n'imiburiburi ibirahuri vyisumbuye 8 wabanje gukanyiramwo indimu 1 nini muri buri kirahuri, uce uyanywa kuri uru rutonde rukurikira
- Mu gatondo ataco urihereza: ibirahuri 2
 - Nk'isaha zitanu z'umutaga: ibirahuri 2
 - Nk'isaha icenda z'umuhingamo : ibirahuri 2

¹⁷ Counsels on Diet and Foods P.447

- Harya ugomba uryame mw'ijoro : ibirahuri 2

Bene ayo mazi arimwo indimu arinda kwuma mu kanwa, asohora imyanda mu bice vyose vy'umubiri, atuma ubwonko bwose bukora neza hamwe n'amafyigo, igitigu n'urwagasha narirya ivyo arivyo bihimba bikomeye cane mu bisanzwe bitunganya urugero rw'isukari yo mu maraso, ayo mazi kandi agabanya ubunini bw'umurengera, arinda umurwayi kwama yumva akonyokewe (arushe), akamurinda kugumbiza (constipation), kandi agatuma isukari yo mu maraso ikoreshe neza n'umubiri.

Icitoronderwa

Kirazira kikazirizwa kunywa amazi uriko urarya n'aho woba utarwaye diyabete. Kunywa amazi uriko urafungura canke ukarya imfungurwa zirimwo ikidengeri c'amazi biteza ingorane 3 nyamukuru:

- *Kutanozwa neza kw'indya mu nda:* igihe imfungurwa zuzuyemwo ikidengeri c'amazi, bica bituma ibintu bita (enzymes) biba mu mate no mu mushishito bijoboroka (dilution) bigatakaza ubushobozi bwavyo bwo kunoza imfungurwa mu mushishito, ari navyo bica bituma umuntu aca ateba akazohura n'ingorane yo gusigara aya imfungurwa inda ikaguma yuzuye (indigestion), zikamara amasaha 6 canke 8 mu gishingo c'amwe 3 na 5 asanzwe.

- *Ibikomere vyo mumushishito canke mu rura ruto:* Muri ya mate haba harimwo ibintu bita mikisi (mucus) ari navyo bivangavangana n'indya mu kanwa hanyuma igihe zigeze mu mushishito ziriko zirasebwa, bigakingira imisoso (muscles) y'umushishito kwisya ngo uhave ukomereka. Igihe umushishito usya indya zidengereyemwo amazi mikisi (mucus) irajoboroka (dilution), bigatuma umushishito wisya, ivyo bigateza ibikomere vyo mu mushishito (ulcère gastrique) canke vyo mu rura ruto mu gahimba imfungurwa zishikiramwo zikiva mu mushito (bita duodénum), igikomere c'aho naco citwa ulcère duodénal).
- ***Gukena vyangobwa mu mubiri:*** Igihe za mfungurwa zitanogejwe neza mu mushishito n'ibintu zari zituzaniye ntituba tukibironse nk'uko vyategerezwa kuko bitanogejwe. Si igitangaza rero kubona ko umuntu akunze kurwa mpishi canke kwuzura inda (indigestion), akunze no kugira amaraso make (anémie), akama amenetse umutwe, akama ababaye ata gituma kiboneka, akama arushe. Kunywa amazi uriko urarya rero, ni kwimbisha imva yawe umuhogo. Amazi anyobwa iminota 30 imbere yo gufungura (kuko uza gufungura yavuye mu mushishito) canke naho ukayanywa amasaha 3 inyuma yo gufungura (kuko imfungurwa ziba zavuye mu mushishito)

b) **Ingano zimejeje:** Buri mugoroba, ni winike mu mazi akanye bisanzwe canke y'akazuyazi ibiyiko bitatu vy'intete z'ingano birare mw'ico kintu (nko mw'icupa rivamwo confiture) kugeza mu gatondo. Mena ayo mazi zirirwe uko ata tuzi turetsemwo. Ushobora nko kuba wazirije muri rya cupa rya confiture ripfundikije igitambara kandi ricuritse kugira ngo amazi yose avemwo. Ku mugoroba, nyinshi zo muri izo ngano zizoba zameze, imigera yongana na santimetero imwe. Hamwe yoba itaraboneka, woca wongeramwo ayandi mazi uzomena bukeye bwaho, zice zimera imigera ku murango wa kabiri. Ca uzironga neza ariko buhoro buhoro udataye iyo migera kugira ngo ute ama aside yagiye arazamwo hamwe wazinika, uce uzisanza kw'isahani igaramye (nk'isiniya) zitarundarundanyeko.

Hora uhekenya ibiyiko bibiri canke bitatu harya uhejeje gufungura, kabiri ku musi. Bene izo ngano rero, ziba zirimwo insanganyangaburo nyinshi, na cane cane izo mu mugwi wa B (nka B_1 , B_2 , B_3 , B_5 na B_6) zisanzwe zikorana n'imwe ya E na ya ndema mubiri bita insuline mu gutunganya ya sukari yo mu maraso ngo ntibe umurengera. Ikindi naco, dogiteri **Ernst Schneider** yemeza ko ziba zirimwo insuline kama nk'imwe yategerezwa gutangwa n'urwagasha ngo irinde ko isukari iba umurengera. Ico tutavuze naco ni ic'uko izo ngano zigwiriye mwo ibinure vyinshi vyiza cane, indemamubiri nyinshi; hamwe n'umukimba

w'ivyunyuny (sels minéraux) nka kalisiyumu, fere, n'ibindi. Izo ngano rero, si umuti gusa ugabanya isukari ku barwayi ba diyabete, ahubwo ni n'igifungurwa kizima kuri bene ubwo burwayi no ku bakomeye.

C. Ibiharage vya soja: Buri mugoroba, niwinike ibiyiko bitatu vy'intete za soja maze bukeye umene ayo mazi uce uzicisha ku kazuba zumuke. Zikarange nka kurya kw'ibiyoba uce uhekenya ibiyiko 2 canke 3 kabiri kabiri ku munsu harya uhejeje kurya. Isoya ntuzozisangamwo akanovera gatanga gusa, ahubwo ziratanze n'ibintu vyinshi cane bigaburira umubiri nk'indemamubiri (protéines) z'agaciro gasumba ak'izo mu nyama, ibinure bitonona amagara nk'uko bisanzwe bikorwa n'ivyo mu nyama no mu mata y'ibikoko, insanganyangaburo (vitamines) n'ivyunyuny (sels minéraux) vyinshi cane. Ikindi naco, isoya nta ya sukari bita amido (amidon) itihanganirwa n'umurwayi wa diyabeti irimwo, nk'uko igwiriye cane mu biharage n'ubwishaza vyumye, mu vyamira mu kuzimu nk'ibirayi, ibijumbu, imyumbati, mu muceri n'ahandi. Ntizigabanya isukari yo mu maraso ku barwayi ba diyabete gusa, ahubwo zizobera uwo murwayi igifungurwa c'igitangaza mu gusubirira inyama, ifi, amagi n'amata y'inka bisanzwe bigeramiye amagara yiwe atabizi.

c) **Kwiyuka imikaratusi:** Fata igipfunsi c'amababi y'imikaratusi ay'ariyo yose yasoromwe ku biti

bikomeye cane ariko bidashaje, yanikiwe mu nzu ntiyumishwe n'izuba, uyateke mu maritiro 3 y'amazi gushika bibire bipfundikiwe neza. Icara ku gatebe kagufi utereke uwo muti hagati y'amaguru. Itwikire n'ikirengeti hose ukuyemwo umutwe gusa, umuhisha wose uguhereremwo wunamye hejuru y'uwo muti, umare iminota cumi gushika cumi n'itanu uguma ugaragura ya mababi . Uhejeje fata isume (essuie-mains) ikanye uyicishe aho hose hageze ubushuhe bwinshi ubigire n'ingoga na ningoga, hanyuma nk'inyuma y'iminota 10 uce wiyuhagira umubiri wose. Bikore uko incuro 4 canke vyakugoye cane incuro 3 ariko utongera gukoresha wa muti wari wakoresheje ubwa mbere.

Kwiyuka (bain de vapeur) muri mwene ubwo buryo rero, bituma imyanda yari yararundanye mu maraso no mu ngingo zose z'umubiri isohokana mu vyuya, bigatuma ibihimba vy'umubiri nk'ubwonko, igitigu (foie), amafyigo (reins), urwagasha (pancréas) n'ibindi vyose bikora neza, na rirya ivyo nyene tudondaguye arivyo bisanzwe bijejwe itunganywa ryiza ry'isukari yo mu maraso ngo ntibe umurengera canke ngo ibure mu maraso.

Ikitavuzwe coco nko mu gihe wiyutse nko muri ubwo buryo, niho uzoca wumva uremurutswe bitangaje nk'aho umengo wituye umutwaro, bikakurinda

kugumbiza , kwama urushe, kubura agatiro uryamye, amaherehere yo mu maso n'ibindi.

Icitonderwa

Mu gihe indwara y'umuvuduko w'umurindi w'amaraso (hypertension artérielle) isanzwe ikunze gukarira abarwayi ba diyabeti, uwo murwayi yokwiyuka yabanje kwipimisha kwa muganga kugira ngo amenye neza ko atayirwaye; ahandi ho n'ivyahuha vyoca bihuhuka. Uwufise amaraso make (anémie), indembe, akana gato, n'uwuva amaraso mu buryo ubwo aribwo bwose (nk'umugore ari mu bihe vyawe, uwuva umwuna....) bokwirinda kwiyuka gushika bawe mw'ivyo bihe.

d) **Imboga mbisi:** Ronga ukatagure ishu, ronga gusa urutomati runini, ikaroti 1 nini, igoma 1 ry'igitunguru gitukura, udutete 6 twa tunguru sumu uce uvyinika vyose mu mazi arurumba avuye ku ziko ariko arabira ureke biyamaremwo amasegonda 30 (igice c'umunota). Zinure hanyuma bimwe utari wakataguye uce ubikatagura duto duto, kimwe kimwe ukwaco. Bivangire kw'isahani uce uvanga n'ivoka rizifyo-nyorewemwo hamwe n'ibiyiko bibiri vy'umutobe w'indimu n'ivy'amavuta y'ibihoke (huile de tournesol) canke ya elayo (huile d'olive) hanyuma ubifate imbere yo gufungura, kabiri ku musi.

Izo mboga mbisi (salades) ntuzozisangana akanovera gusa, ahubwo ziragwiriyemwo n'insanganyangaburo nyinshi z'agaciro nka A (iyo zitabitswe imisi inyuma yo kuzisoroma), nka B, C, E n'izindi, ivyunyunyu hamwe n'ibindi bisohora imyanda mu mubiri, bikavura kandi bigakinga indwara z'amaraso zisanzwe ari bwome ku barwayi ba diyabete, bimurinda kwama amaherehere no kugumbiza (constipation), kumeneka umutwe no kugwa mpishi canke kwama wuzuye inda (indigestion). Ikindi naco, ben'izo mboga mbisi ziba zirimwo ibintu bituma isukari yinjira mu duce ndema ngingo (cellules) twose ngo itange inguvu aho kuguma irundanye mu maraso. Aho twovuga nk'ibitunguru vyavumbuwemwo ibintu bita glikokinine (glucoquinine) bigabanya isukari mu maraso y'abarwayi ba diyabete nk'uko bisanzwe bikorwa na ensiline (insuline).

Icitonderwa

Ibintu bibisi vyose, vyaba imboga canke ivyamwa bitegerezwa kuribwa imbere y'ibifungurwa bitetswe. Imboga kandi, zaba mbisi canke zihiye, ntivyigera bijana mu ngaburo imwe n'ivyamwa kuko bituma umuntu yoca atura amangati akagwa mpishi (indigestion) kandi bikagabanya n'ubushobozi bw'urura rukuru bwo guhingura insanganyangaburo (vitamines) zimwe zimwe. Inkarisha (vinaigre) na

mayonaise birabujijwe cane mu mboga kuko bituma imfungurwa zidasyebe neza mu mushishito ukagwa mpishi (ukuzura inda) kandi bigatikiza n'umutuku w'amaraso (globules rouges), ari navyo biteza indwara yo gukena amaraso (anémie).

Ivyo kwirindwa

Amido

Umurwayi wa Diyabete yoca kure ikintu cose kibonekamwo ubwoko bw'isukari igumye rwose bita amido (amidon), kuko igihe cose bishitse ukihereza ibintu birimwo isukari ica imubana nyinshi mu maraso (hyperglycémie). Ibifungurwa bibonekamwo isukari amido navyo nivyo vy'ibi:

- Ibijumbu, ibirayi, imyumbati (uburobe)
- Ubwishaza n'ibiharage vyumye
- Umuceri, umukate n'amabenyi hamwe n'ico cose gikozwe mw'irya farini yera, ibigori...

Ivyamwa bisosagirika cane

Bivanye n'uko umurwayi wa Diyabeti aba afise umurengerwa w'isukari mu maraso yiwe (hyperglycémie), kandi iyo ngorane ikaba ikunze kugenda ikurikirana no gukena isukari mu maraso (hypoglycémie consécutive); umuntu wese, eka mbere n'umurwayi wa Diyabeti ntiyobaho adafise isukari mu maraso. Ivyamwa bisosagirika vyotuma isukari iba

umurengera. Inanasi, imihwi, imicungwe, ipapayi n'ibindi vyamwa nk'ivyo vyokwirindwa. Biramutse vyiherejwe naho, bikiherezanywa ubwitonzi kandi umurwayi nawe akaba ariko arivura. Umucungwe umwe, umuhwi umwe biratoheje ku musi.

Ibinure binovu

Mu bisanzwe, ibinure binovu co kimwe n'isukari, biri amoko menshi ariko bikaba bigabuwe mu mirwi ibiri mikuru mikuru: hariho ibinure vyoroshe (acides gras insaturés) hakaba n'ibinure binovu (acides gras saturés). Ivyo binure vyoroshe rero nivyo umubiri ukeneye kuko bitananiza umubiri na cane cane igitigu (foie) n'urwagasha (pancréas).

Aho biva

Ibinure vyoroshe biboneka mu bifungurwa bimera: ibiharage, ubwishaza, ivoka, ibiyoba, ingano, ibigori, soya, ibirayi n'ibindi. Turabisanga no mw'ifi uretse ko hoho duca dusanga ivyo binure vyoroshe (acides gras insaturés) biherekejwe n'umukimba wa ca kinure gitikije inganda mw'isi bita kolesterole (cholestérole LDL). Igihe umuntu yihereje cane ingaburo igwiriye mu ibinure bigumye (acides gras saturés) hoho, bisinzikaza cane ibihimba vyakira bigatunganya ibinure, na cane cane urwagasha (pancréas) n'igitigu

(foie). Impamvu, ni kubera ko urwagasha arirwo rutanga ibintu bita lipaze mu gihe igitigu naco gitanga ivyo bita bile (indurwe), kandi ivyo akaba arivyo binoza ibinure bigeze mu rura ruto (intestin grêle) imbere y’uko bishika mu maraso.

Igihe bishitse rero ingaburo y’umuntu ikaba yiganjemwo ubwo bwoko bw’ibinure binovu, rwa rwagasha ruca rusinzikara, na cane cane umurwayi wa Diyabete we aba afise urwagasha rudakora neza canke rwatabagaye rwose.

Ibinure binovu (acides gras saturés) tubisanga mu nyama zose, mu mata y’ibikoko, mu magi, mw’iforomaji, eka mbere no mu bimera bimwe bimwe nko mu mamesa, mu mavuta y’inazi (huile de noix), muri maragarine. Igihe cose bishoboka, abahinga mu vy’ingaburo batari bake basaba ko ubwoko bwa mwene ivyo binure bwokwigizwa kure y’imfungurwa zacu, ariko bigeze ku murwayi wa Diyabete hoho bica biba ibindi bintu.

Ingaburo yemewe

Agatoke kadakomeye, ibiharage n’ubwishaza bitoto, umukate wakozwe mu ngano zimejeje (pain complet), imboga zose zitakugwa nabi na cane cane zirura (intore n’isogo) n’iziribwa ari mbisi (ishu, itomati, ibitunguru, tungurusumu, konkombre, ikaroti n’izindi nk’izo); ibiyiko 2 vy’ubuki bw’umutsama butatetswe

canke ngo buvangwe n'isukari ku mayeri. Wokwirinda ubuki usanze kw'isoko na cane cane burya busukwa nk'amata kuko buba bwarajoborowe; hamwe rero na vya bindi bindi twereka umurwayi yokwikorako.

Umuntu avyihweje, biboneka ko iyo ngaburo igoye cane kwisungwa ariko nta kundi. Igituma Diyabete isinzikaje abantu benshi cane kw'isi, n'uko abantu batigera berekwa ingaburo ibereye iyo ariyo.

Icitonderwa

Hamwe umurwayi yokwisunga inama no kugabishwa kwose kwatanzwe muri kino gitabo, ashobora kuba atunganiye ibijanye n'uburwayi bwiwe mu kiringo kiri hagati y'amayinga 3 na 6. Ariko rero mw'ico kiringo cose n'inyuma yaco, yoguma akurikiranwa n'umuntu afise ubumenyi bwimbitse mu vy'ingaburo n'amagara y'abantu, na cane cane nko mu gihe yoba arwaye n'amafyigo n'umutima, na rirya izo ndwara zibiri zisanzwe ari nk'impeta n'urutoke ku barwayi ba **Diyabete**.

"Igifungurwa cawe nikikubere umuti maze umuti wawe ukubere igifungurwa". Vyavuzwe na HIPPOCRATE, Umuganga w'umugiriki wo mu kinjana ca 5 imbere ya Kristo.

Ku bifungurwa tugura mu masoko.

- Toranya mwene birya bitononekariye mu mahinguriro mu kuvyambura insanganya ngaburo, ivyunyunyu, ibinure vyiza n'ibindi umubiri ukeneye. Ivyo navyo nk'uko muvyibuka, tukaba tubironka mu ntete z'amoko atari amwe, mu mboga, mu vyamwa no mu vyamira mu kuzimu.
- Igihe ugura umunyu, wirinde kugura urya usyeye cane kuko uba waratakariye ivyangombwa mu mahinguriro.
- Rondera ibifungurwa bitarimwo ibinure vy'ikirenga canke bigora umubiri. Ben'ivyo bifungurwa vy'ibinure biri ku rugero rwiza rero dusanga ari soja, ibiyoba, ibiharage, ingano, amavoka, inazi, udutete twa sezame (sésame), amavuta y'ibigazi (amamesa).
- Soma inyuma ku vyandiko biranga ico uguze ico arico (étiquette) hanyuma urabe cane ku bintu birimwo (nk'umunyu, ibibimotesha neza, bibirinda gupfa n'ingoga n'ibindi).

Namba ugikoresha amagi, koresha kirya gihimba cera gusa kuko kirya gisa n'umuhondo arico gipakangiranyemwo ca kinure kibi Kolesteroles (Cholestérol L.D.L) giteza indwara z'umutima, hamwe n'insanganyangaburo (protéine) yitwa avidine itera indwara z'urukoba.

- Mw'ico gihe kandi uwo muntu akirya amagi Dogiteri **G. Pamplona Roger** amuhanura ko adakwiriye kurenza atatu mu ndwi n'aho nyene icari kibereye kwari ukuyabura mu ngaburo burundu

- Ibande ku gukoresha amavuta ava mu bimera maze nk'amavuta y'inka (beurre) uheze uyatere umugongo.
- Ama maragarine nayo nyene arimwo ibinure bitorohera umubiri n'aho nayo nyene ava mu bimera kandi akaba atarimwo ikinure kibi ca Kolesteroles (Cholestérole L.D.L.). Kubw'ivyo nayo nyene akwiriye gusubirizwa ay'ibiyoba, ibihoke, aya Elayo, aya soya n'ibindi bimera.
- Bandanya ugabanura inyama wahora ukoresha gushika uzisubirije ibikorwa muri soya
- Igihe vyoshika ukaramuka uriye inyama z'ibikoko, n'aho zitabereye kuribwa banza uzikureko birya binure vyose ubonesha amaso kandi uhebe inyama z'ibiguruka kuko zipakangiyemwo ibinure vyinshi cane.
- Nko mu gihe ari mu kero k'ibintu, koresha birya bisoromeweho kuko ari vyo biba bigifise ivya ngombwa vyavyo na cane cane insanganyangaburo n'ivyunyuny.
- Niwirinde kwama utegura imfungurwa zimwe imisi yose ahubwo uze urazihindaguranya, bishobotse ivyo wafunguye mu gitondo ntibibe ari vyo wihereza ku muhingamo.

Imboga zotegurwa gute ?

- Hora urya imboga mbisi kenshi gashoboka. Ubwo nibwo buryo bwo kuzironkamwo ivyo zitunze vyose. Insanganyangaburo, ivyunyuny, umwambiro

w'ibifungurwa turiye utuma bisyebwa (enzymes), isukari idasanzwe (cellulose). Si agaseseshwarumuri ko ivyo bisaba kuba ufise amenyo akomeye neza yo kubikanja; ariko kandi muzosanga arizo zifise akanovera. Mbega woba umaze kwumviriza ku makaroti yasyewe hakoreshejwe kakuma kabigenewe (Rape-carottes) harimwo n'ibitunguru n'amavuta ngo wumve akanovera kazo ?

- Niwirinde amafiriti kubera yuko amavuta ayakora usanga yononywe n'umuriro mwinshi akaba ari navyo bituma uyariye ateba mu nda igihe kirekire cane ukaguma wuzuye inda amasaha menshi.
- Igihe vyoba ngombwa ko ukora amafiriti naho, ukwiriye kurondera amavuta ya Elayo (huile d'olive) kuko ariyo yonyene basanze atononwa n'umuriro mugukora amafiriti, ariko naho nyene, ayo wakoresheje ntiwosubira kuyakoresha mu kindi gihe. Ivyo bisigura ko wokarangisha ayo uca umara atayaza gusigara naho asigaye ugaca uyamena.
- Ku bashobora kuronka ifuru ikoreshwa n'umuyagankuba, bokotsamwo ibisoromano nk'ibirayi, ibijumpu, ibitunguru, intore, pwavro n'ibindi, bobanza no kubimenako amavuta hamwe n'ibitunguru-sumu bisekuye. Usanga bimota neza maze akanovera nako ari kose bigahoka n'ingoga kandi bicuzuyemwo vya ngombwa vyavyo, umubiri ukeneye.

- Imfungurwa ziteguye ku buryo zihishwa n'indungumba nko mw'ifuru, kwotsa ibintu n'umufugutu muri vya vyuma bita micro-ondes, bituma igifungurwa kitononekara kandi kikaza gifise akanovera kaco kenshi cane. Ariko kandi ico cuma bita micro-ondes bakunze kuvuga ko coba conona indya naho ata muntu aravyerekana neza, akaba ari naco gituma ukwiriye kugikoreshanya ubwitonzi.
- Igihe uteka imboga n'ibindi vyamira mu kuzimu koresha amazi make ashoboka, kuko amazi ajoborora insanganyangaburo (vitamines) hamwe n'ivyunyuny (sels minéraux).
- Ukwiriye guhora utegura isupu y'imboga kugira ngo uhore uyihereza na cane cane igihe hakanye, kugira ngo ntiwice insanganya-ngaburo n'ivyunyuny mu guteka.
- Imbere y'uko ushira indya mu bintu birimwo amazi ariko arabira (nk'isafuriya irimwo amazi ku ziko) banza ukuremwo amazi hanyuma ubone gushiramwo ico kintu ugomba guteka. Muri ico gihe za mpwemu (oxygène) zisanzwe zisanzara mu mazi zica ziyavamwo, ivyo bigatuma zitaza gutikiza za Nsanganyangaburo n'ivyunyuny. Mu guteka ibirayi, ibijumpu, amakaroti, ibitoke canke ibindi bifise amashishwa abikingira, bitekane amashishwa uze kubitonora bihiye. Ayo mashishwa arabikingira kugira ngo ivyunyuny n'insanganyangaburo ntivyicwe n'ubushuhe hamwe n'ugutakara kwa kirya cya, naco

kikaba ari amazi nyene. Indya ziteguye mur'ubwo buryo ziba zifise n'akanovera kandi ushobora no kuzifata zihiye ukazikurako amashishwa maze ukazitegura uko wipfuzza (nko kuzikorera isupu ituma zirushirizaho kugira akanovera).

- Katagura cane ivyo bintu utetse kuko ivyo bituma bisha n'ingoga. Ibipande binini binini bisaba gutekwa cane, umwanya muremure, ivyo bigatuma insanganyangaburo (vitamines) n'ivyunyunyu (sels minéraux) vyinshi cane bitikizwa n'umuriro.
- Namba utetse mw'isafuriya ifise intimbatimba (épaisseur) nini cane, ivyo bituma ibifungurwa utetse bitabangamirwa n'umuriro.
- Raba ko ico kintu gipfundikiye neza kuko irya ndugumba isohoka, igenda isahuye insanganyangaburo n'ivyunyunyu vyinshi cane.
- Tekesha umuriro ugereranye utagurumana kuko umuriro mwinshi utikiza ibigize ico mfungurwa zawe.
- Wirinde gushayisha kuko uba uzononye cane kandi ico gihe n'ibihimba vyo mu mubiri bizakira biraheza bigacumukura cane.
- Izo mfungurwa zihereze kuva harya zitanguye kuvamwo umuriro hanyuma wirinde guteka ico uza kubika kiretse nko mu gihe ata kundi wobigenza, aho twovuga nk'izitekwa ku wanyuma w'imisi indwi zizoribwa kw'isabato. Ku babishoboye rero ico mfungurwa zisigaye zitetswe zobikwa muri ca Cuma gikanyisha ibintu, zigashirwa hariya hakanye cane kandi hatagira umuyaga; bikaba biri mu bikoresho

bipfundikiye n'umurumyo wa plastique canke muri rwa rupapuro rukoze muri aluminiumu (aluminium). Bene izo mpapuro barazidandaza mu ma mangazine menshi y'ibikoresho vyo mu gikoni i Bujumbura, bakaba bazita « papier en aluminium ». Umuyaga hamwe n'umuco biratikiza insanganyangaburo hamwe n'ivyunyunyuyu.

- Igihe vyoba bishoboka hose, wohora utegura imfungurwa uca uriraho utarinze kuzishusha, kuko gushusha indya zatetswe bitikiza ivyunyunyuyu n'isanganyangaburo gusumba mbere no kuziteka.
- Mu cegeranyo cashizwe ahabona n'umugwi w'abahinga ujejwe kwiga indwara n'ibizitera bo mw'ishirahamwe mpuzamakungu ryitaho amagara y'abantu (OMS), bavuga bati: « *Igihe indya zatetswe ziramutse zikanye ku rugero rudasanze (zitari nko muri frigo) zica zitangura kurundarundanamwo imikorobi. Uko umuntu akomeza kuzirindiriza igihe kirekire ninako n'ingorane zikomeza kwiyoungera. Kugira mwikingire rero, ni murye imfungurwa zitetswe uhereye harya zigiheza gutekwa* »¹⁸. OMS rero ibandanya isaba ko mu gihe bibaye ngombwa ko imfungurwa zitekwa imbere y'igihe kugirango zize kuribwa handi hato, vyoba ngombwa ko zogumizwa ku gacanwa (60°C) canke naho zigakanyishwa rwose (10°C) canke munsu y'ubwo bukanye, ivyo navyo bikaba vyoshoboka nko muri frigo canke nko mu bantu bari mu karere gakanye bihebuje.

¹⁸ Régime alimentaire, Nutrition et Prévention des Maladies Chroniques 1990, page 197

- Iryo rero ngo n'itegeko ryo kwisungwa rihambaye cane mu gihe cose umuntu yoba abitse imfungurwa zitetse yipfuzako ziza kuribwa inyuma y'amasaha atanu gushika kuri atandatu inyuma y'aho zatekewe.
- Ngo icoba ciza n'uko imicuko idakwiye kubikirwa izitetse.
- Hariho irindi kosa abantu bafise amafirigo bakunze guhurirako rikabakwegera ingorane nyinshi batabizi. Bafata indya zitetse bakazibika muri frigo hejuru hakanye cane (Refrigérateur) ariko kandi bakaba babishize mu kintu kimwe ari nyinshi cane. Mu gihe indya z'umurengera zipakangiranye muri frigo hariya hakanyisha cane (Réfrigérateur), indya ntiziheza ngo zihutire gukonja ningoga na ningoga gushika na harya mu ntebe y'ico zirimwo. Mu gihe indya zo hagati zimaze umwanya munini zishushe cane zirengeye ama dogeri cumi (10°C), imikorobi ica izishikamwo gushika n'aho zigera ku rugero rwo gutera indwara.

Imfungurwa zitajanye

Kugira duhangare ikibazo c'imfungurwa zitajana kiraje ishingira abatari bake ni ngombwa ko tumenya ibi bikurikira :

- Imibiri yacu ikeneye ibiyigaburira vy'amoko atari make ariko bicangacanze ku rutonde rwiza.
- Kuvangavanga indemamubiri (Protéines) zivuye mu mfungurwa zitandukanye niyo nzira irashe yo

kwongereza agaciro zifise mu mubiri kuko zica zuzuzanya.

- Hagarika ivyo gutekesha ibinure, isukari hamwe no kwihereza ibirwiriye indemamubiri z'ikirenga kuko ivyo biteba mu nda bigateza ibibi vyinshi .
- Koresha ibinure biva mu bimera mu gishingo c'ibiva mu bikoko.
- Hitamwo ibinure bitagoye kwakirwa n'umubiri nk'ibiva mu mavuta y'ibimera.
- Tera ibitugu amafiriti cane cane mu gihe yoba ari ay'ibintu biva mu bikoko nk'inyama n'amagi. Ibinure vyavyo bica vyononekara mu gihe bitekeshejwe canke vyokeshejwe umuriro mwinshi nk'uko bisanzwe bikorwa ku mafiriti : Ivyo rero bituma bene izo mfungurwa zidahoka vuba inda nayo ikaguma yuzuye tutibagiye ko inyama bene izo zica ziteramwo ya migera itera ingwara ya cancer.
- Ivyo bintu biboneka muri izo mfungurwa zitekesheje umuriro mwinshi bigatuma zihoka zitevyeye navyo bavyita akroleline(acroléine).
- Ntukarye imfungurwa z'amoko menshi zigwiriye ibinure n'aho vyoba ari ibimera nk'akarorero : ivoka na Mayonnaise.
- Suzuma neza ibinure bikunda kuba vyihishije mu bifungurwa vyo mu makopo, mu ma gato (gateaux), no mu mashokora (chocolats), mu biyeri, mw'isukari n'ahandi kuko benshi badakunze kubishira ku mutima bakaza kwibuka kubogora basheshe.

- Kugira ngo imibiri yacu ishobore gukura akunguko mu ndemamubiri zitari zimwe (acides aminés) izo mfungurwa zitegerezwa kuba ziririwe mu mwanya umwe. Nk'akarorero twobaha, imibiri yacu ikoresha neza indemamubiri ziva mu muceri, mu ma rantiye (lentille) no mu biharage mu gihe izo mfungurwa zoba ziririwe icarimwe, bimwe bimwe vyose bitaziye mu gihe vyiharije.
- Insanganyangaburo (vitamines) n'ivyunyuny (sel minéraux) vy'ubwoko butandukanye, imibiri yacu ikenera buri munsu bikwiragiye mu mfungurwa zitari zimwe ku rugero rugenda rusumbasumbana. Ibifungurwa bimwe usanga bifise zirya ndemamubiri, ivyunyuny, ibinure n'ibindi mu gihe ibindi bifungurwa usanga bifise urugero rwavyo.
- Iyo mbere ni nayo mpamvu ituma ingaburo y'umuntu wese itegerezwa kwama ihindagurika kugira ngo ivyo utaronse mu biharage no mu muceri mu gatondo ubironke mu birayi no mu bwishaza ku muhingamo gurtyo gurtyo.
- Nkuko tubibona rero kuvangavanga amoko atari amwe y'imfungurwa mu ngaburo imwe n'igikorwa c'ingirakamaro ku muntu wese. Ntidukwiriye guhagarikwa umutima n'imfungurwa itajana n'izindi maze ngo ivyo bidutere gushiraho urutonde rurerure nkuko bamwe babigira kugirango tumenye imfungurwa zijanye izarizo n'izitajanye izo ari zo. Ariko kandi izi ngingo nkeya ngenderwako kandi ziyoroheje zirahagije :

- Ntukigere uvangavanga amoko menshi y 'imfungurwa kugira ngo ntiziremere umushishito ngo zitebe guhoka zitume urwa mpishi hamwe n'izindi ngorane bigendana. Kubw'ivyo rero amoko 2 canke 3 arahagije.
- Umuntu wese ntategerezwa gufungura imfungurwa yagerageje kenshi akaguma asanga zimurwa nabi n'aho abandi baba bazirya zikabagwa neza. Mbega woba wibuka ko na **Ellen White** atashobora kurya ibiharage kuko vyamumerera nk'uburozi kandi ubwavyo ari vyiza ku magara y'abantu ? Impanuro y'ivyo n'uko imibiri yose itakira kumwe. « *Ubwanje sinigira urufatiro rw'uwo ariwe wese. Hariho ibintu nshobora kurya ntibintezwe ingorane nyishi. Ngerageza kwiga ibingwa neza ivyo ari vyo kandi ntarinze kugira uwo mbwira na kimwe, mfata ivyo nshobora kurya ivyo navyo kenshi biba ari amoko abiri canke atatu gusa atazonteza uruhagarara mu mushishito .* » Buri mubiri w'umuntu wese urisa. Uruvange rumwe rw'imfungurwa, rugwa nabi bamwe mu gihe abandi nabo rubagwa neza ; niwisuzume ubwawe hanyuma umenye ibigukwiriye ivy'ari vyo. Hariho uruvange rubi rushobora guteza uruhagara mu mibiri, urwo na rwo ni nko kurira imboga n'ivyamwa icarimwe. Ivyo rero bitegerezwa kwirindwa kuri bose nk'uko twamye tubibona kenshi muri kino gitabo. Ariko kandi wibuke ko hariho ivyamwa bimwe bimwe bishobora kujana ntihagire

ingorane bitera mu mubiri. Ivyo navyo ni : ivoka, indimu na pomme.

- Gushira isukari mu mata.Ivyo bituma umuntu arwa mpishi(indigestion).
- Kuvanga imikate, imitsima n'ibirayi, biramutse bivanzwe n'amavoka amwe y'ibinure biteba kuva mu mushishito bikavyara ingorane nyinshi cane.

Isuku ry'ibifungurwa

Igihe ugomba gutangura guteka canke gukora ku gifungurwa icarico cose banza urabe ko wakaravye intoke zawe n'isabuni.

Igihe wari wakaravye mu gutegura imfungurwa hanyuma ugasimba kugira ibindi ukora nko guhindura impuzu z'umwana, kuja ku mwanda mukuru canke muto, wakiriye amahera canke wakoze ibindi, niwibuke kwongera gukaraba, imbere yo gusubira gutegura imfungurwa.

Wame wibuka ko ibivunguka, ibishishwa n'imyavu ari co cibare c'imikorobi. Ivyo vyose rero ntibikwiriye kubikwa mu gikoni canke ahandi bategurira ibifungurwa. Nko mu gihe bitaratabwa naho bikwiriye gushirwa mu kintu gifundikirwa neza kandi ntibihamare amasaha menshi cane.

Udutambara two kwumutsa no guhanagura ibikoresho vyo mu gikoni vyogejwe (serviette) dutegerezwa kwama twahinduranijwe kandi tukanikirwa ku zuba.

Inyoni n'imbeba ukunze gusanga nazo ziteza imigera itera indwara zikomoka ku bifungurwa. Uburyo bwo kwikingira ben'izo ngwara rero n'ukwirinda gukoresha ivyamwa canke ikindi kintu icari co cose cariweko nazo canke utundi dukoko nk'imbeba, kuvyirinda n'uko ibiribwa vyoshingurwa mu kintu gipfundikirwa neza.

Amazi yo gutegura imfungurwa

Amazi meza nayo arahambaye cane mw'itegurwa ry'ibifungurwa co kimwe n'igihe afatwa nk'ibinyobwa. N'ivyo bihe vyose, igihe utazi neza ko ayo mazi ari meza, banza uyateke ikitavuzwe co ni igihe ayo mazi agomba gutegura ibifungurwa vy'imicuko, mu gihe ategura ibiribwa ari bibisi hamwe no mu gihe ari ayo kunyobwa.

Imboga ziribwa ari mbisi nk'amashu, amakaroti, itomati, ibitunguru, peresile n'ibindi; bikwiriye kurongwa neza mu mazi meza kandi menshi ariko kandi bikabanza no gucishwa mu mazi ukuye ku ziko ariko arabira. Ukabimazamwo nk'amaseconda 30 kugira ngo vyice imikorobi utabonesha amaso: « *Ubwitonzi n'umwitwarariko bikomeye bikwiriye gukoreshwa mu gutegura ibifungurwa bigaburira umubiri mu gusubiriza ivyahora bigize ingaburo y'abariko bariga kuba abagorozi b'ivyamagara.* » **Ellen G.White**

Kugumbiza

Wabimenya canke utabimenya, kugumbiza ni umuzi w'indwara hafi nka zose zigeramiye abantu. Mu gitabo ciwe c'igitangaza yise ngo Ubuhinga bwa none mu vy'ubuvuzi kama¹⁹, Dogiteri **Carlos KOZEL** atubwira ku vyo kugumbiza ati: *“Ntitwoba twihenze hamwe twovuga ko ibice 80% vy'umubabaro usinzikaje abantu kw'isi, biterwa n'iyi ndwara”*.

Ibimenyetso

Kugumbiza bishika ku muntu igihe atakigenda ku mwanda mukuru, umwanda mukuru ukaza wumye, kuburyo ashobora kujayo incuro ziri musu ya zitu mu ndwi, kiretse gusa igihe yakoresheje umwino (lavement). Ibindi bimenyetso ni nko gucika intege, kuvurugana mu nda imisonga mu nda, kumeneka umutwe, kubura akayabagu, kuvunika umugongo, umuruho, kwuzura impwemu mu ndw, kumeneka umutwe w'uruhande rumwe.

Mu bisanzwe igihe ivyo dufunguye bishitse mu mushishito, birasyebwa gushika n'aho bisigara bimeze kurya kw'umusururu (ubuyi). Ico gihe rero niho bica biza

¹⁹ The Science of Natural Healing

birashugurukira mu rura ruto (intestin grêle) buhoro buhoro. Aho mu rura ruto birongera bigasyebwa cane gushika n’aho bw buyi bucika ibintu vy’uruziri rwera (chyle intestinal) ari narwo ruca ruvamwo ibinure vyoroshe (acide gras), indemamubiri zoroshe (acides aminés) n’isukari yoroshe (glucose) bishoboye kwinjira mu maraso biciyye muri twa dutsi twonze cane nk’umushatsi turi mu rura ruto (réseaux capillaires sanguins). Igihe ibinure, indemamubiri, isukari, insanganyangaburo, ivyunyunyu, amazi n’ibindi vyamaze kwimiminuriza mu maraso biciye ngaho mu rura ruto, ibisigazwa bitashoboye kwinjizwa bica vyerekeza mu rura rukuru (gros intestin) ari naho bisohoka biva ari umwanda mukuru (selles). Umuntu atarwaye, atarya nabi kandi atama yicaye ashobora gusohoka incuro 1 ku masaha 24. Igihe bishitse rero umuntu ntasohoke akamara amasaha 24 adasohotse, ni ikimenyetso c’indwara y’urura rukuru canke izindi. Dogiteri Georges Pamplona Roger we yemeza ko kugumbiza ari ikimenyetso c’imirire mibi.

Ibituma

Kugumbiza (constipation) gushobora guterwa n’ikora nabi ry’igitigu (foie), ry’agasaho k’indurwe kaba mu gitigu (vésicule biliaire), ikora nabi ry’ibihimba bimwe bimwe vy’ubwonko, ry’amafyigo, ry’urwgasha (pancréas). Ivyo bituma urura rukuru (gros intestin)

ruha urunyanteye nke. Gushobora guterwa kandi n'ibivimba (tumeurs) vyo mu rura rukuru.

Kwamana akamenyero ko kuguma ngaho ataco ukora canke naho ukama wiyicariye ata myimenyerezo ngororamubiri, kunywa amazi ari ku rushi bituma umuntu agumbiza n'urura rukuru rugatakaza inkomezi zo gusunika umwanda mukuru ngo usohoke. Urya muti muganga aha abafise amaraso make (anémiques) ngo bagarukane amaraso (fer) nawo uratera kugumbiza. Kwibanda ku gufungura canke kunywa ivyononekariye mu mahinguriro nk'isukari year, amafanta, imitobe (jus), imikate, amabenyi, amagato n'ibindi bikoze mw'ifarini year, amavuta yononekariye mu mahinguriro (huile raffinée), umuceri wera, bitera kugumbiza kuko bituma umuntu abura insanganyangaburo zo mu mugwi wa B, A n'iviyunyuyuu vyinshi.

Ibinura bigumye mu ngaburo: amata, amagi, amavuta y'inka, maragarine, umurengera w'umunyu, icayi n'ikawa, kwamana agahinda n'imyitwarariko y'ivy'ubu bugingo, bitera kugumbiza. Kubura ivyamwa n'imboga na cane cane bidatetse hamwe n'intete n'ivyamira mu kuzimu bituma umuntu abura isukari idasanzwe bita seliloze (cellulose) irinda kugumbiza.

Indwara zimwe zimwe nka diyabeti, inzoka zo mu nda, amibe, kurwara ukamara igihe kire kire uri aho hamwe rero no kwibungenga, ni isoko ryo kugumbiza. Amakosa nk'ayo ni yo atuma ingaruka ziteye ubwoba

zivurunganya isi. Kugumbiza ni inzira irashe wocamwo kugira ngo ushikire: kwumva imisonga mu nda, indwara z'igitigu, igisokoro canke se wa mutsi usohoka mu kibuno (hémorroïde), indwara z'umutima, z'umusonga (pneumonie), indwara z'amafyigo, kubura akayabagu (anoréxie), impwemu zimota nanbi (mauvaise haleine), guhumiura nabi kw'umubiri, umushipa (hernie), kurwa mpishi (indigestion), kuvyibuha ugasesa inda (obésité), muhekenyi (affections rhumatismales), hasima, kwama uruherehere, gushangashirwa, ibizunguzungu, guta umutwe (dépression nerveuse), indwara zo mu muhogo nk'umwingo (goitre), mugiga (meningite), n'izindi zitterwa no kugumbiza.

Ivyo ntibitangaje, kubera y'uko twisunze ivy'ubushakashatsi bumaze gushira ahabona, igihe umwanda wategerezwa gusohoka buri musi ugumye urundanye mu rura rukuru, uvyara uburozi bukomeye. Dogiteri Ernst Schneider atumenyesha ko hariho umuganga umwe w'umwongereza yasuzumye umuntu yari amaze imyaka 34 agwaye indwara yo kugumbiza akamusangana amoko 34 y'uburozi mu rura rwiwe bumwe mw'ubwo burozi bukaba bwari bukaze cane nk'ubumara bw'inzoka.²⁰ Ubwo burozi rero nibwo bwinjira mu maraso bwinjiranye aho mu rura rukuru nyene hanyuma bukaroga ibihimba vy'umubiri nk'ubwonko, nk'igitigu nk'urwagasha, nk'amafyigo

²⁰ La santé par les aliments, p.246

n'ibindi, gushika nn'aho kugumbiza gucika umuzi w'indwara hafi nka zose.

Kwikingira

Kugira ngo tube twikingiye ico cago cateye muri kino gihe c'iterambere Atari ryo, ni ngombwa kwigana ubwitonzi ibituma no kubirwanyana ububangutsi dushorewe n'ubushobozi buva ku wanesheje ububasha bw'akayabagu mu misi 40.

Umuti

Muri ca gitabo ciwe c'igitangaza, The science of natural healing, Dogiteri carlos Kozel asaba ko umuntu yivura indwara yo kugumbiza yohindura ingaburo yiwe igasigara igizwe n'ibimera gusa, nayo ibiva mu bikoko nk'inyama, ifi, amata, amagi, n'ibihinguwemwo bigashirwa ku ruhande. Uwo niwo mwifato ubereye amagara meza, ariko kandi utoroshe kwisunga muri kino gihe abantu benshi twahindutse imbohe z'akayabagu.

Nywa ibirahuri 8 wakanyiyemwo indimu 8 nyene, maze urwo rugero urugwize na 2 canke na 3 mu ci canke igihe cose ukorera ahantu hashushe cane canke ubira ivyuya vyinshi.

Kora imyimenyerezo ngororamubiri nk'iminota 30 gushika 60 buri musi. Ushobora kurima ,gutama ivyatsi, kkwiruka, kwoga mu nzuzi n'ibindi kandi

ukanywa n'amazi menshi ngo usubirize ayo watakaje mu vyuya no mu ipwemu uhemagurika.

Rya imboga n'ivyamwa vyinshi na cane cane ibiribwa bidatetse: ishu, itomati, ikaroti, ibitunguru, indium, imicungwe, ipapayi, mandarine, pome, inanasi, umwembe, umutima w'impfizi, umutagafero n'ibindi. Ivyo bigwiriye insanganyangaburo A, B, C, n'izindi hamwe rero n'ivyunyunyuru bikora ibitangaza mu mubiri tutibagiye ya sukari idasanze ariyo seliloze (cellulose) igwanya kugumbiza mu buryo bukomeye. Hamwe kugumbiza woba wagutewe n'iyindi ndwara nka amibe na diyabete n'ibindi ni nkenerwa kubanwa kuvura icabaye intandaro hanyuma wame witwararikagufata neza urura rukuru rwawe kandi wamize ku muzirikanyi ko Atari urw'iwawe ahubwo ari ingabire y'Imana. Ico cose kirwonona kiguturutseko ni igitutsi ku muremyi. "Ikora nabi ry'urura na cane cane kugumbiza biharurwa mu vyago vyateye muri kino gihe cacu kubera y'uko urura ku muntu rufise uruhara runini nk'urwo umuzi ufise ku giti. Umuntu ntiyobaho adafise urura nk'uko igitinaco kitomara kabiri cambuwe umuzi."²¹

²¹ Dogiteri Ernst Schneider

Gucibwamwo n'amacinya

Gucibwamwo (diarrhée) ni indwara ifatira mu mara iterwa n'amakosa akorwa mu mirire canke bitewe n'izindi ndwara.

Ibimenyetso

Gucibwamwo birangwa no gusohoka umwanda mukuru, umuntu agasohoka aknya ku kandi gushika n'aho asohoka umwanda urenza amagarama 300 ku musi. Umuntu asigara yumva umenga arafise ubushuhe mu kibuno, akababara akanyoterwa cane, akadahwa mbere rimwe na rimwe akagira n'umururumbo. Igihe iyo ngorane ibandanije naho, umuntu arahondobera, akajonjogora cane, akonda kandi akagira ihindagurika ry'amagara muri rusangi. Ibimenyetso n'ibituma vy'amacinya (dysentérie) ni bimwe uretse gusa ko ku macinya usanga yituma ubusa kandi hakaza amaraso avanze n'amashira. Ku bw'ivyo rero, ingingo zofatwa mu kwikingira no mu kwivuza izo ndwara zose, ni zimwe.

Ibituma

Kurenza urugera mu mirire no mu minywere ni bimwe mu bitera kuvurungana mu rura rukuru gushika

n'aho umuntu atangura gucibwamwo. Kwihereza indya zononekaye (aliments avariés), kurya wihutagiza utanoza neza, kwamana agahinda, inzoka zo mu nda, amibe, gukoresha imiti imwe imwe yaba iy'ikizungu canke iy'ikirundi (nk'uko bamenyereye kuvyita), kunywa icayi n'ikawa, kunywa amazi, amata, imisururu cannke imfungurwa vyanduye imigera itera gucibwamwo canke y'amacinya (imigera nka salmonelles, shigella, campylobacter, staphylocoques, yersinia, colibacilles antéro-pathogènes, n'ibindi), kurya ivyamwa bidahiye neza canke bishaye, kurya ibintu vyatekeshejwe amavuta yononywe n'umuriro nka'amabenyi, amandazi, amafiriti yakoreshejwe ayandi mavuta atari aya Elayo (huile d'olive), kurira canke kunywera ku bikoresho vyogeshejwe isabuni ariko akaba yyasigaye kuri ivyo bikoresho, bitera kuvurugana mu mara gushika n'aho umuntu acibwamwo, mu gihe bimwe vy'ivyo bituma bitera n'amacinya (dysentérie).

Ku bana bonka n'abakiri bato naho, ukwo gucibwamwo kuba gutewe n'amata mabi nk'amata y'inka canke yateguwe kandi akagirako akabikwa nabi kubera urwangara canke naho agaterwa n'imfungurwa mbi baba bahawe nk'izo bahawe zimaze amasaha arenga 5 zivuye ku ziko. Ku bana bisumbuye nk'imicuko n'abandi, gucibwamwo bashobora kuguterwa no kurya canke kunywa ibigwiriye isukari nyinshi nko kunywa amake menshi (umutobe

w'ibitoke), kurya ivyamwa vyinshi bidahiye neza canke bishaye canke naho bakaba babitewe na vya bindi bitma twavuga aho haruguru.

Ku bakkuze naho, amakosa nk'ayo tuvuze n'ibituma twerekanye bishibora gutera gucibwamwo canke amacinya. Ikindi naco ibifungurwa n'ibinyobwa vyandujwe n'isazi hamwe n'utundi dukoko biba birimwo imigera itera imwe mw'izo ndwara zibiri, ari naco gituma ari nkenyerwa kwitwararika cane kw'ivyo twihereza vyagiriwe isuku rikwiye.

Kwikingira

Kugira ngo abato n'abakuze bikingire indwara z'amacinya no gucibwamwo, ni ngombwa kwitwararika ko ibinyobwa n'ibifungurwa vyateguranywe isuku, amazi n'ibindi binyobwa bitekwa, bikabira, bigapfundikirwa neza kugira ngo bibe kure y'isazi, kuraba neza n'isabuni igihe cose tuvuye kwitabara canke twakoze ico cose codusigira imyanda hamwe rero no kumenya ko inzoka za amibe zitahawe indaro tutibagiye no kuba abigerera mu gufungura ibisanzwe bibereye.

Umuti

Igihe umuntu ashishikaye gucibwamwo canke afashwe n'amacinya, atakaza amazi n'ivyunyuny

(sels miinéaux) nka potasiyumu (potassium), ari na vyo bituma umubiri utakaza ubushobozi bwo kugenzura isohoka ry'amazi asohorwa n'amafyigo. Ibice 70% vy'uburemere bw'umubiri (nk'uko vyemezwa na Benjamin Harrow) ni amazi. Gutakaza ibice 10% vy'amazi ari mu mubiri, biteza indwara nyinshi, mu gihe gutakaza ibice 20% bituma umuntu aca asezera isi abitewe no gukama amaraso bo n'ibiyazigama mu mubiri 'deshydratation cellulaire'. Ni naco gituma abantu usanga banywa amazi ari ku rushi (nk'ibirahuri 2 ku musu) usanga bakunze bakunze kurwaragurika canke kurwara indwara zikomeye nk'amafyigo, kugumbiza n'izindi.

Mu kwirinda ingorane yo gutakaza amazi menshi mu gihe co gucibwamwo canke c'amacinya, umuntu akuze yonywa amazi angana n'ibirahuri 8 canke birenga vy'amazi atetse, akayakanyiramwo indimu nka 4 canke zirenga, kandi agashira akayiko gato k'umunyu mu kirahuri, ari umwana naho agashiramwo akunyu yoshobora gufatira hagati y'intoki 2 mu tuzi ashobora kunywa. Ayo mazi azoca asubirira ayasohotse mu gucibwammwo, uwo munyu urimwo uvyunyunyu bibiri (chlore na sodium) bizigamira amazi mu mubiri, mu gihe ya ndimu nayo iba irimwo ibindi vyunyunyu bizigamira amazi mu mubiri. Ayo mazi yoguma aza arayabwa umwanya ku mwanya.

Amakara: Sekura amakara y’umukaratusi canke ay’ikindi giti mu gihe umukaratusi utabonetse. Ronka agafu kagogoretse wayunguruje akayungiro k’intoboro ntoya canke karya kamimina icayi. Shira ibiyiko 2 vy’iyo fu mu kirahuri c’amazi atetse uvange neza uce ugotomerera icarimwe ataco utaye, hanyuma uce urenzako ikindi kirahure c’amazi utashizemwo amakara. Bikore uko incuro 4 zitandukanye ku musi. Ku bana bashikanye imyaka 9, bofata urugero nk’urw’umuntu akuze naho abafise kuva kuri 3 gushika ku 8, bocamwo kabiri urugero rw’umuntu akuze. Ku bari musi y’imyaka 3 nabo, bagafata ica gatatu canke ica kane c’urugero rw’umuntu akuze, ariko ibihe vyo gufata uwo muti bikaba nka bimwe.

Uruhara amakara afise mu buvuzi rwakozweko ubushakashatsi bwinshi n’abahanga mu vy’amagara y’abantu. Nka Dogiteri Mary Ann Mc Neilus atubwira ati: “amakara ntiyigera aba uburozi, yakoreshe uko ugomba kwose”. Amakara yateguwe kandi akiherezwa muri ubwo buryo twerekanye aba afise ubushobozi bwo kwegeranya imyanda n’uburozi umuntu yihereje abizi canke atabizi bikaza kuza birasohoka mu mwanda mukuru. Ivyo ntibikiza gucibwamwo gusa, ahubwo ni umuti utoroshe namba no ku bantu barya bakaguma buzuye inda ‘bagwa mpishi’, buzuye impwempu nyinshi mu nda, bahema impwemu zimota nabi, bakaza isesema, badahwa, bariye ishano, bakomowe n’inzoka n’ibindi.

Umutobe w'ibitunguru vya sumu: Sekura udutete 20 canke 30 twa tunguru-sumu uvange n'umutobe ukanye mu ndimu 3 nini nini zitavunditswe. Bishire mu gacupa katabonerana, gapfundikiwe neza bimarane amasaha 12 (ijoro ryose) uce uza uranywa akayiko 1 buri minota 30 canke isaha wabanje kumimina canke utamiminye ibitunguru-sumu.

Pline, uwo ni umuromani yigeze kwemanga ko tunguru-sumu ishoboye kuvura indwara 61. Ubushakashatsi bwasanze ko ivyo bitunguru vya sumu bifise n'ubushobozi bwo gutikiza imyanda n'imigera nka salmonelles n'ibindi bitera gucibwamwo n'amacinya. Igihe ivyo bitunguru vya sumu bijaniranye n'indimu n'ibitunguru bitukura hoho, bikora ibitangaza. Uronse uwo muti woba ushoboye kwivura gucibwamwo n'imisonga yo mu nda, kurwa mpishi, kugumbiza, imyanda mu maraso, umuvuduko w'umurindi w'amaraso (hypertension artérielle), kubura akayabagu n'ibindi vyinshi.

Kunywa ibumba

Mu gihe umuntu acibwamwo canke arwaye amacinya, henger a harya ku mugoroba canke uwundi mwanya utobe ikiyiko c'ifu y'urwatsi rutoto (argile verte) canke risa n'isima mu kirahuri c'amazi uce upfundikira bimarane amasaha nka 12. Mimina n'igitambara ciza cane kidafise intoboro zorekura udusenye uce unywera icarimwe utarinze kuzungagiza. Ubwo nyene ca

utegura irindi uza kunywa mw'ubwo buryo nyene inyuma y'amasaha 12 canke 6 n'imiburiburi. Umenye ko abahinga basanze ibumba rikiza indwara zibabwirwa mu 300, muri izo gucibwamwo n'amacinya bikaba bidasigara inyuma.

Icitonderwa

Ibumba ntirikigere rihura n'icuma canke na plastike, ntunye irirenze utuyiko 3 tw'ifu urwaye umuvuduko w'umurindi w'amaraso. Igihe ucibwamwo wirinde kurya ivyamwa n'aho umubiri woba ubikeneye, kuko iyo ngorane ishobora kwiyongera. Ariko kandi urashobora kunywa isupu (potage) y'imboga nk'iy'ikaroti, ibitunguru vy'amapwari, isereri, itomati washizemwo ibirayi n'umunyuyu. Ikindi kandi, hariho ibihe gucibwamwo kuba ngirakamaro cane, igihe kutamaze igihe kirekire. Aho naho ni mu gihe biboneka ko ari nkenerwa kwoza imyanda iri mu mara. ICo gihe ntikuba gutewe n'indwara; ahubwo kuba gutewe n'umuti mwiza canke insanganyangaburo.

“Hariho inzira nyinshi zo gukoreramwo ubuhinga bwo kuvura, ariko kandi hariho imwe rudende ijuru ryemerwa. Imiti yemerwa n'Imana ni irya yoroheje iva mu vyaremwe, itaremwa canke ngo icobogoke umubiri biciye mu bukomezi bwayo.”²²

²² Ellen G. White, Counsels on Diet and Foods, p.301

Gutoboka amenyo

N'aho nyene uburosi bw'amenyo (brosse à dents) bwakwiragiye mu mihingo yose yo kw'isi, eka mbere n'imiti isukura amenyo ikaba iri ku giciro hafi ya buri muntu wese ashoboye guhamvya, indwara yo **gutoboka amenyo** (carie dentaire) ikomeza kwigira ndanse mu mihingo yose yo kw'isi. Ubushakashatsi bwakozwe n'abahinga muvy'amagara y'abantu bwasanze ko ku bantu ijana, abantu batanu ari bo bonyene bafise amenyo atarwaye mu gihe abo mirongwicenda na batanu bose usanga barwaye indwara z'amenyo zitandukanye ; gutoboka amenyo nakwo kukaba gusinzikaje abantu benshi.

Ibimenyetso

Igihe umuntu aflashwe n'indwara yo gutoboka amenyo (carie dentaire), iryinyo rirataboka canke rikabozoka. Ivyo rero bishobora kwibonekeza mu ntango canke naho ukazobibwirwa n'uko usigaye urembejwe n'uburibwe bw'aho hantu hatobotse.

Ibituma

Hamwe twofatira ku vyiyumviro vya Miller, inyuma yo kwihereza imfungurwa canke ikinyobwa

kirimwo isukari, ibisigazwa vy'amoko y'isukari (hydrates de carbone) bisigara hagati n'inyuma y'amenyo bica bivyara ama aside. Ayo ma aside aca arengera kuri kirya gihimba cera c'amenyo (émail dentaire) maze hagaca haboneka ibintu bita bactéries saprophites biba mu kanwa arivyo bica bija gutera iryinyo no kuriharagata gushika ribozotse. Ariko rero, iyaba ata yindi mvo yotera indwara yo gutoboka amenyo (carie dentaire) uretse ivyo bisigazwa vy'ibifungurwa na cane cane vy'isukari bisigara ku menyo no hagati yayo, amaborosi y'amenyo (brosse à dents) n'imiti yayo bigezweho biba vyararanduranye n'imizi iyo ndwara, igapfuma isigara n'iburiburi muri barya banyagihugu barembejwe n'umwanda wo mu kanwa kuko batoga neza babitewe n'uko biyogesha amazi n'urutoke gusa inyuma yo gufungura. None rero, ubwoko bw'ibifungurwa hamwe n'ibisigazwa vyavyo bifise uruhara ruhambaye cane mw'iyaduka ry'iyi ndwara.

Ubushakashatsi bwakozwe n'ishirahamwe mpuzamakungu ryitaho amagara y'abantu kw'isi (OMS), bwarerekanye ko guhera igihe isukari yo mu mahinguriro ibonekeye maze ifu yera yatakarije ivyangombwa mu mahinguriro hamwe n'akamenyero kabi ko guhingura ingaburo yashizwemwo isukari bigashirwa imbere, akaranda k'indwara y'itoboka

ry'amenyo (carie dentaire) kagiye kararandagata cane kandi mu buryo bwihuse cane.²³

Mu cegeranyo cashizwe ahabona mu 1990 n'iryo shirahamwe, berekanye ko n'aho isukari yo mu mahinguriro (saccharose) isanzwe ari inkwezi y 'indwara yo kubozoka amenyo (carie dentaire) gusumba uko bikorwa na ya sukari bita amido (amidon) iva mu bijumpu, imyumbati, ibirayi, ibiharage no mu bwishaza vyumye no mu bindi bimera ; ngo kwigiza kure isukari yo mu mahinguriro siwo muti wonyene wo gutuza indwara y'ibozoka ry'amenyo.

Ifanta ya koka kola

Kubw'ubushakashatsi mu vy'ingaburo n'ubuvuzi kama w'igihangange **Vance Ferrell**, coca-cola nayo nyene ngo ni intandaro ikomeye itera ibozoka ry'amenyo kuko yuzuyemwo ivyo bita aside fosiforike (acide phosphorique) hamwe n'umukimba w'isukari yamburiwe ivya ngombwa mu mahinguriro (sucre raffiné). Erega umenye ko ifanta 1 gusa irimwo ibiyiko 7 n'igice vy'isukari, mu gihe urwo rugero rurenze kure urw'iyo umuntu yokwihanganira ku musu. **Vance Ferrell** abandanya yemeza ko ifanta itegerezwa kurundwa umukimba w'isukari kugira ngo ugusosagirika kwayo gupfuke wa murengerwa w'ama

²³ Régime Alimentaire, Nutrition et Prévention des Maladies Chroniques (1990),p.88,OMS.

aside bayishizemwo. Umenye reo ko iyo aside fosforike (acide phosphorique), iyo sukari na fosforo (phosphore) ari intandaro y'iyi ndwara yo gutoboka amenyo²⁴. Iyo aside y'inkomezi iraharagata iryinyo mu gihe ca cunyunyu fosforo naco gica kibuza ko ca cunyunyu bita Kalisiyumu (calcium) cinjira neza mu maraso no kwihoma ku menyo (no ku magufa), ari navyo bica bituma ya ndwara y'itoboka ry'amenyo (carie dentaire) irandagata. Ivyo ni waba ugomba kubihinyuza, ufate iryinyo ryahongotse uriterere mw'ifanta ya koka kola maze urabe ko mu kiringo kitari kirekire cane utaza gusanga ahari impene hasigaye ikiziriko.

Gukena ivyunyunyu fosforo na kalisiyumu

Igihe bishitse umuntu akabeshwaho n'ingaburo ikenye ivyunyunyu kalisiyumu (calcium) na fosforo (phosphore) bica bituma agira amenyo (n'amagufa) adakomeye. Ivyo bivanye n'uko uwo muntu adafise akamenyero ko kwiyoza mu kanwa inyuma yo gufungura, na cane cane ico gifungurwa canke ico kinyobwa kirimwo isukari yo mu mahinguriro canke ivyakozwe mw'irya farini yeruka (basanzwe bakoramwo imikate), ya ndwara y'itoboka ry'amenyo ica icikebera. Nico kimwe n'iyi bishitse umuntu akihereza igifungurwa kirimwo fosforo ku rugero rurenze urwa kalisiyumu. Nk'uko vyerekanywe

²⁴ Natural Remedies Encyclopedia, p.202

n'abahinga mu vy'ingaburo nka Dogiteri **Roger Pamplona** n'abandi, yaba kalisiyumu canke fosiforo, nta na kimwe giheza ngo cinjire mu maraso kandi ivyo vyunyuny 2 ari vyo bikomeza amenyo n'amagufa.

Ubushakashatsi bwashizwe ahabona na Dogiteri **Hans Diehl** mu mwaka w'2000, bwerekanye ko buri mwaka abagore babarizwa mu miliyoni 36 bafise indwara irangwa no kugira amagufa adakomeye avunika bukwi (Ostéoporose), mu gihe abarenga miliyoni 16 bo muri abo bavunika amagufa buri mwaka, kandi aho ni muri Amerika gusa. Impamvu zibitera ni nyinshi ariko kubura icunyuny kalisiyumu na fosiforo mu mubiri bifata ikibanza ca mbere. Igitangaza abahinga mu vy'ingaburo, n'uko ico cunyuny ca kalisiyumu ciganje mu mata y'inka mu gihe fosiforo nayo ari umurengera mu nyama, kandi bagasanga muri Amerika bihereza inyama n'amata vy'umurengera kuruta ahandi hantu kw'isi. Rero nk'uko incabwenge zanonosoye ivy'ingaburo **Benjamin Harrow** na **Abraham Mazur** bavyerekanye, amata y'inka arimwo ibintu bibuza icunyuny kalisiyumu (calcium) kwinjira mu maraso. Igihe umuntu anyoye amata, ibice 20 gushika 30 kw'ijana (20 à 30%) vy'ico cunyuny nivyo vyinjira mu maraso, ari naco gituma amenyo n'amagufa bihasinzikarira²⁵. Ivyo vyoba biterwa n'umurengera w'ibinure n'uw'indemamubiri (protéines) biboneka mu mata y'inka no mu nyama, ari naco

²⁵ Biochemistry, Forth Edition, p.303-304

catumye Dogiteri **Georges Pamplona Roger** yiyamiriza inyobwa ry'amata ati : «*Amata y'inka arimwo ibinure vyinshi bibereye gukuza inyana y'inka ariko atari ikiremwa muntu, na cane cane hamwe yoba ari umuntu akuze* »²⁶.

Kubura ivyunyunyu fluworo na manyeziyumu

Igihe umuntu akenye ivyunyunyu (minéraux) fluworo (fluor) na Manyeziyumu (magnésium) mu mubiri wiwe bica bituma kirya gihimba cera gipfutse iryinyo (émail dentaire) cononekara gushika n'aho kivunika, kigatobagurika bivanye n'ivyo vyunyunyu 2 tuvuze arivyo bikorana na vya bindi vya kalisiyumu na fosiforo mu gikorwa co gukomeza amenyo (n'amagufa). Ivyunyunyu fluworo na manyeziyumu biriganje cane mu binyantete bitononekariye mu mahinguriro: nko mu biharage n'ubwishaza, mu ngano, mu bigori, mu muceri, mu masaka, mu buro, muri soya n'ahandi. Ariko rero mu gihe izo ntete zamaze kwononekarira mu mahinguriro (nk'ifu y'ingano yera bakoramwo imikate n'amandazi), biba vyaratakaje fluworo na manyeziyumu n'irindi sinzi ry'ivyunyunyu hamwe rero n'insanganyangaburo (vitamines) z'agaciro gahambaye mu mubiri.

²⁶ Croquez la Vie, p. 79

Ivyo rero bica bidufasha gutahura neza ukuntu indwara nyinshi ziterwa n'iterambere nko gutoboka amenyo (carie dentaire), tutibagiye na Diyabete, umuvuduko w'umurindi w'amaraso (hypertension artérielle n'izindi zifise umuzi w'ihindagurika rifatiye ku mirire igezweho iteza indwara abatavyikeka. Kurya canke kunywa utabanje kumenya neza ivyo wihereje n'uburyo uvyiherejemwo, ni imwe mu nzira zirashe zituma umuntu asanga ariko arimbisha imva yiwe amenyo ku buryo atavyibaza. Rya kandi nywa ibiguhimbaye n'igihe cose biguhimbaye, ariko kandi umenye ko ico cose gisinzikaza ibihimba vy'umubiri Imana yagutije ari igitutsi ku muremyi:

*« Guhonyanga amategeko agenga umubiri nikwo guhonyanga amategeko y'Imana. Umuremyi wacu ni Yesu. Niwe nkomoko y'amategeko agenga umubiri, nk'uko ariwe nkomoko y'amategeko agenga umutima. Buri muntu wese afata minenerwe kandi akirengagiza ubumenyero n'imikorere yerekeranye n'ubuzima n'amagara aba acumuye ku muremyi »*²⁷.

Kwikingira

Kugira ngo tube twikingiye icago c'itoboka n'ibozoka ry'amenyo (carie dentaire), ni ngombwa ko twirinda imfungurwa z'inyiganano, zifise ishusho y'imfungurwa nzima kandi zarapfuye. Aha twovuga nk'isukari yo mu mahinguriro na cane cane irya yera

²⁷ Ellen G.White, Counsels on Diet and Foods, p.43

n'ico cose yashizwemwo, ifu yera bakunze gukoramwo imikate n'amabenyi vyera n'ibindi bikoze muri vyo, amavuta yononekariye mu mahinguriro (huile raffinée), inyama, amafi, amata n'amagi hamwe n'ibindi bikoze muri vyo.

Umuti

Hamwe umuntu yoba amaze gufatwa n'indwara yo gutoboka no kubozoka amenyo, yoca yigiza kure ivyo vyose bisanzwe bibangamira amenyo: isukari yo mu mahinguriro, amavuta yononekariye mu mahinguriro n'aho yoba ari ayava mu bimera, amata, inyama n'amafi, amafanta n'imitobe bashizemwo isukari (jus), jojo, imikate, amasandwice, n'amabenyi vyakozwe mw'ifu yera. Ariko kandi igihe tuba tuvuze « isukari » mbi nta na rimwe tuba tuvuze irya iboneka mu buki, mu ntete no mu vyamira mu kuzimu bidacishijwe mu mahinguriro kuko yoyo yinjira mu maraso iherekejwe n'insanganyangaburo (vitamines) n'ivyunyunyu (sels minéraux) bituma ihingurwa neza mu mubiri.

Niwirinde itabi kubera uburozi bwaryo bita Nikotine (nicotine) n'inzoga ziboreza zirimwo alukolo (alcool) kuko ivyo bisohora insanganyangaburo n'ivyunyunyu mu mubiri canke bigatuma bitinjira neza mu maraso biciye mu rura ruto (intestin grêle), ivyo bigaca bituma na kalisiyumu, fosiforo, fluworo na

manyeziyumu bikomeza amagufa n'amenyo navyo biken, bigasonga umurwayi.

Umurwayi yoca kure imfungurwa n'ibinyobwa birurumba canke bikanye cane. Igihe cose ahejeje kugira ico atamiye, yoca yiyugumura neza n'uburosi bwabigenewe kandi butashwanyaguritse kugira ngo ntihagire ibisigazwa vy'ivyo yihereje bisigara ku menyo biyihomyeko canke ngo binyengetere ahatobotse h'iryinyo kuko ivyo bica bituma ya ndwara iba ndanse, umurwayi nawe bikunyuka.

Umurwayi yokwibanda ku ngaburo igwiriyemwo ivyunyunyuru nka kalisiyumu (calcium), fluworo (fluor), na manyeziyumu (magnesium) n'ibindi kuko arivyo bituma amenyo akomera : ibiyoba bidakaranze, soya, ibiharage n'ubwishaza vyumye, intete za sezame (sésame), inazi (noix de coco), igisuru (grande ortie), ivoka, epinari (épinard), nivyo bisanzwe birunzemwo ivyo vyunyunyuru bikomeza amenyo (n'amagufa), tubaye turirengagije umukimba w'ibinure vyiza n'indemamubiri (protéines) n'insanganyangaburo (vitamines) umubiri ukenera. Nta muntu afise imirire ishingiyeye kuri bene izo mfungurwa yorwara indwara zifatye kumirire mibi kiretse gusa abaye azihereza nabi canke mu bihe bitari vyo, nko kubirya agaca aja kuryama, agaca anywa amazi, n'ayandi makosa tutiriwe tuvuga ubu. Ariko kandi, mu gihe abantu bakomeza kwihereza ingaburo zirimwo imboga z'ama

epinari, bozifatana amakenga, ni ukuvuga gake cane mu ndwi kuko ziba zirimwo ibintu bita aside ogizalike (acide oxalique canke oxalate de calcium) bizibira ca cunyunyu calisiyumu ngo nticinjire neza mu maraso, ari navyo bica biteza indwara yo kugira amagufa n’amenyo bidakomeye. Ivyo rero birahambaye cane kumenywa, na cane cane ku murwayi w’indwara y’itoboka ry’amenyo (carie dentaire).

Mu kugabanya uburibwe bw’iryinyo ryatobotse wobigenza uku gukurikira : sekura amakara y’umukaratusi canke y’ikindi giti maze uyungurure agafu kagogoretse. Toba ako gafu mu mazi adashushe uronke agatsima uce ugahomeka ha hantu hababara ugafatishe itama canke ururimi. Ushobora kandi gusekura udutete duke twa tunguru-sumu ukaduhomeka aho hakubabaza. Ayo makara ashobora kuhaguma nk’isaha yose, hanyuma ukaza urashirako ayandi kenshi ku musu, co kimwe na za tunguru-sumu.

Itwararike ko waronse insanganyangaburo (vitamine) D itoheje kuko ariyo ituma ca cunyunyu kalisiyumu (calcium) cinjira mu maraso kandi kikihoma ku menyo (no ku magufa) kugira ngo akomere. Iyo nayo, n’aho isanzwe ikenye mu mfungurwa zigizwe n’ibimera, umubiri w’umuntu (igitigu) usanzwe uyihingura ku rugero rukwiye. Igihe karya kazuba ko mu gatondo canke ko ku kirengazuba (kuko ariko keza) kakurasiye ku rukoba nk’iminota 30 gushika 60 n’iyo hoba ari ku

maboko no mu maso gusa, ibinure bita erigositerore (érgostérols) biba musu y'urukoba bica bishonga maze vyashika mu gitigu bitwawe n'amaraso, kigaca kibihinguramwo insanganyangaburo D. **Imana ni IGITANGAZA !!!**

Uragaba !

Niwaramuka ugiye kwa muganga w'amenyo gukuza iryinyo ryononekaye rigatoboka, mu gishingo caryo azoca ahahomeka umuti. Ibice 50% vy'ibigize uwo muti bita amagalme bigizwe n'uruvange rw'ibintu vyonona umubiri, bavyita **mercure**. Igihe iyo mercure ishizwe ahahora iryinyo, igenda itumuka buhoro buhoro ukayimirana n'ibifungurwa wihereza utabizi ukazosanga vyarasinzikaje amagara yawe utabizi. Nico gituma ukwiye guhoza ku muzirikanyi ko **kwirinda indwara kuruta kwivuza** . « *Umuti w'ingorane zihanze amagara mw'isi y'uno musu utegerezwa gusangwa mu miti kama, tutarinze kurogesha umubiri wacu imiti yo mu mahinguriro. Naho ishobora (iyo miti) kuboneka nk'iyitanga agahengwe k'igihe gito, yongereza umwanda w'uburozi businzikaza buzovyara ingorane zikomeye nyuma* ».²⁸

Imana y'urukundo yatugeneye ibimera ngo igihe bikoreshejwe neza bitubere ibifungurwa n'umuti w'indwara, bitugabanye umubabaro.²⁹

²⁸ Dr John Harvey Kellogg, M.D, Natural Remedies Encyclopedia

²⁹ Bibiliya Yera, Ivyah.22:2 ; Ezek.47:12

Ubucamvyaro n'inkurikizi zabwo

Ubucamvyaro (ménopause) bushika igihe “udusabo” tw’umugore (Ovaires) tutaba tugitanga ama orumone (hormones) atuma aja mu butinyanka (imihango), ari navyo bica bisigura ko uwo muntu ahagaritse gusama inda nk’uko yahora abigenza. Ivyo rero birasanzwe kuri zina mugore wese, kandi bikaba bikunze gushika nko mu gihe amaze imyaka iri hagati ya 42 na 55.

Ibimenyetso

Nko mu gihe twa “dusabo” tw’umugore (ovaires) bishitse aho tutagitanga yama orumone (hormones) abiri ajejwe imihango n’irondoka ariyo progésterone na oestrogènes rero, n’aho nyene bisanzwe ari ibitegerezwa gushika mu bihe nk’ivyo vy’ubucamvyaro (ménopause), bishobora no guteza ingorane zikomeye umubiri nk’izi zikurikira:

Kubura itiro (insomnie), kubura icunyunyu (sel mineral) kalisiyumu (calcium) kuko kitagishoboye gukoreshwa neza n’umubiri, kurakazwa n’ubusa, kubura ivyiyumviro birashe, kwijirwa, kuribwa mu ruti rw’umugongo, kumeneka umutwe, ingorane zifataye ku gasaho kabika indurwe (vesicule biliaire), kwumagana

no gusaza kw'urukoba, gusigara uhema udashikana, indihaguzi z'umutima, kuvyimbagana mu gihimba c'irondoka, kujegenyuka amagufa agasigara ahwahutse kandi avunika bukwi n'ibindi.

Abagore benshi kandi babishoboye iyo bageze muri mwene ivyo bihe vy'ubucamvyaro (ménopause) bakunze kuja kwa muganga guhabwa imiti ya oestrogène kugira ngo bikingire ingaruka mbi zitewe n'uko iyo oestrogène itagitagitangwa na twa dusabo. Ariko umenye neza ko kwimenyereza kwihereza mwene iyo miti bishobora no guteza kanseri³⁰, nayo ikitavuzwe ho ni nko mu gihe iyo oestrogène ifatiwe rimwe na ya progésterone.

Wame wibuka ko oestrogène y'impingurano itavuye mu bimera, iyo umuntu ayivurishije ica ipakangirana mu mubiri kandi ikabangamira ibikorwa vy'igitigu. Ivyo bishobora gutuma uwo mugore arwara umuvuduko w'umurindi w'amaraso (hypertension artérielle), kwireka kw'amazi munsu y'urukoba no kuvyimbagana (oeudêmes), kwiremarema kw'amaraso agacika nk'udutete tw'umusenyi (calculs) n'ingorane bijana navyo. Mu gihe rero umugore yoba ageze muri mwene ivyo bihe vy'ubucamvyaro, ntibisobanura ko birya bimenyetso biranga ico gihe ari ntibukuka ngo bimushikeko. Hariho ibintu yokwitwararika gukora, akaba yikingiye ziryana ngaruka mbi twabonye.

³⁰ Dr Vance Ferrel, Natural Remedies Encyclopedia, p. 384

Umuti

1. Yohora yihereza ingaburo igwiriyemwo isanganyangaburo (vitamines) zo mu murwi wa B, E, izo nazo zikaba zigwiriye cane mu ngano zinitse zikazana imigera. Buri mugoroba , niwinike ibiyiko 3 vy'intete z'ingano mu mazi mabisi uyamimine mu gitondo uce ureka zirirwe zipfundikiye hamwe ku mugoroba zoba zitarazana imigera (germes), shiramwo ayandi mazi uzomimina mu gatondo uce uziriza uko gushitsa ku wundi mugoroba. Zizanye imigera ingana nk'isantimetero 1 zironge udataye imigera uce uzisanza kwisahani ufungure ibiyiko 3 uheze uze uzifungura kabiri ku musi.
2. Yohora yihereza ingaburo igwiriyemwo insanganyangaburo A na C, izo nazo akaba yozisanga ku bwinshi mu makaroti, mu mavoka, mw'ishu, mw'itomati, mu mucungwe, mu ndimu bidatetse.
3. Yohora aronka insanganyaburo D, iyo nayo ikaba iboneka biciye mu kwota akazuba ko mu gitondo hagati y'iminota 30 na 60.
4. Sezame (sésame) ni nkenerwa cane mu kwironsa icunyunyu kalisiyumu ku bwinshi, narirya umugore ageze muri mwene ico gihe ataba akiyifise bivanye n'uko ya orumone oestrogène itaba ikiboneka itanzwe n'udusabo (ovaires) ku rugero rusabwa. Ku bantu 250000 bavunika amagufa (fractures) muri

Amerika buri mwaka, ibice 80 kw'ijana (80%) vyo muri bo ni abagore babiterwa no kubura icinyunyu kalisiyumu mu mubiri.

5. Icunyunyu fere na manyeziyumu ntivyohara mu bifungurwa, ivyo navyo akaba yobisanga ku bwinshi muri soja, ivoka, mu biyoba no mu nazi (noix de coco).
6. Yokwihereza indemamubiri (protéines) gusumvya uko yihereza isukari. Izo nazo zikaba zigwiriye cane muri soja, mu mavoka, mu biyoba, mu nazi, mu biharage, mu bwishaza, mu gisuru. Mu nyama, mw'ifi, mu magi no mu mata y'inka naho zirimwo ariko zitera indwara nyinshi.
7. Kugira ngo agire amagufa akomeye n'amagara meza muri rusangi, yohora afata iminota 30-60 buri musu agakora imyimenyerezo ngororamubiri hanze, kandi imbere yuko afungura sasita no ku mugoroba akabanza kuryama gato akaruhuka.
8. Yonywa nk'ibirahuri 6-8 vy'amazi buri munsu, bikamurinda kwumagana kw'urukoba n'izindi nkurikizi mbi zitari zimwe zo kubura amazi mu mubiri.
9. Yokwirinda ibi bintu vyose bikurikira: Inyama, amafi, amagi n'ikintu cose cakoze muri ivyo.
9. Yokwirinda ikintu cose cakoze muri irya farine yeruka nk'umukate, ibenye, gato (gâteau) n'ibindi. Isukari yo mu mahinguriro, ifanta, imitobe (jus) yatetswe ikagurishirizwa mu mamangazini y'ibifungurwa, kuko kenshi usanga irundanyemwo

isukari y'ikirenga. Icyi n'ikawa, inzoga n'itabi, ibirungo bibaba nk'ipiripiri kuko ivyo bisohora icunyunyu kalisiyumu mu mubiri bigatera igikankara c'amagufa n'amenyo kudakomera. Amata y'inka kuko abuza kalisiyumu kwinjira neza mu maraso. Ku bwa **Benjamin Harrow**, Umuhinga yanonosoye ivy' ingaburo, igihe umuntu anyoye amata y'inka, ibice 20 gushika 30 kw'ijana vya Kalisiyumu nivyo vyonyene bishika mu maraso maze ibindi 70 gushika 80 kw'ijana navyo bikisohokera. Ivyo rero nivyo bituma abagore bashika ku miliyoni 36 muri Amerika gusa, bagira amagufa adakomeye buri mwaka.³¹

Umunyu nawo wosimbuzwa ibifungurwa bibisi n'ibitunguru vya sumu, kuko nawo iyo ubaye mwinshi utuma umuntu asohoka icunyunyu kalisiyumu mu mwanda muto.

Ivyamwa n'imboga vyokwiherezwa cane, na cane cane bidatetswe, ariko akitondera ama epinari kuko agwiriyemwo ogizalate (oxalate de calcium) ibuza icunyunyu kalisiyumu kwinjira mu maraso nk'uko bikwiye bikonona amagufa.

Abantu nka bose bishizemwo ko ingaruka mbi zitewe n'uko umugore ageze mu bucamvyaro (ménopause) zitegerezwa kwama zashitse atakabuza baribesha. N'ikivyerekana n'uko vya bimenyetso bidasanzwe bishikira abagore bose bageze mw'ivyo bihe bitabashikako ku rugero rumwe. Hariho abo

³¹ Biochemistry, Sixth Edition, p.303

bisinzikaza kurusha abandi. Ivyo rero biba bitewe n'uko vyunyurwa n'uburyo runaka bwo kubaho. Bica vyumvikana neza rero ko imbohe z'akayabagu atakizozibuza gushikirwa n'ayo marushwa no kuyigumiramwo. Ariko kandi Yesu ariteguye kugukingira iyo ngorane niwemera ko ivyipfuzo vyawe, ivyo ukunze, imigambi n'akayabagu vyawe bigengwa nawe.

*« Kugira ngo dutsinde ubumenyero twamaranye ibihe birebire cane bishobora kudasaba kurwana urugamba rutoroshe namba, ariko kandi dushobora kunesha biciye mu buntu bwa Kristo ».*³²

*«Umuntu ntiyokwigeze ashobora kunesha ububasha bw'akayabagu iyo Kristo atamuneshereza, ariko noneho ubu umuntu arashoboye kuronka intsinzi. Kristo yaje azanye ubushobozi buva ku Mana kugira ngo bufadikanywe n'akigoro ka kimuntu kugira ngo naho nyene twafutanijwe n'akayabagu kononekaye, turonke ubutwari, kuko turi imbohe z'ivyizigiro. Ntidusabwa kuneshereza mu nkomezi zacu ubwacu, biciye mu kwizera kuzima, dushobora gucakira ukuboko kw'ububasha atakibunanira, hanyuma satani nawe aramutse aduteje amageragezwa yiwe, tugaca dushobora gutunga urutoke umusalaba w'I Kaluvari tukavuga duti: «Kristo yarampfiriye, mw'izina ryiwe nshoboye kandi nzoshobora kuhaneshereza».*³³

³² Ellen G. White, Tell of His Power, p.118

³³ Ellen G. White, Tell of His Power, p.120

Amibe

Amibe ni ingwara iteye ubwoba ishobora kwiyerekana mu bice bitari bimwe vy'umubiri nko mu rura rukuru (gros intestin) , mu gitigu (foie), mu mahaha (poumons) eka mbere no mu bwonko bivanye n'uko iba imaze kuremvyira umuntu. Amibe iba mu ruhu rw'urura rukuru ikaba isohokana n'umwanda mukuru uruvuyemwo. Ikindi naco, hariho n'ibikoko bimwe bimwe biyirwara, aha twovuga nk'akayabu.

Ibimenyetso

Iyo umuntu yanduye amibe, ibimetso vyibonekeza nko mu ndwi 3 na 6, navyo akaba ari nk'ibi bikurikira : Kubabara munda hose, kubura akayabagu, gusohoka umwanda mukuru utumutse, gucika intege, gucibwamwo, kugumbiza, kubiragira indugumba bidasanzwe utabitewe n'ubushuhe bw'ikirere canke bw'ahantu, kwama urushe kenshi, kwonda, gucibwamwo amaraso, kudidagizwa kw'umutima, umutima uratera ukumva ntushikana, umururumbo, gusha mu kibuno n'ibizunguzungu. Imisi 10 gushika 15 inyuma y'uko umurwayi atanguye kwituma amaraso, umwanda mukuru utangura kuza umeze nk'amashira, ukamengo n'ibinure bivanze n'amaraso kandi hariho n'igihe ata mwanda mukuru uboneka usohoka. Ico gihe rero kiba giteye ubwoba kuko umurwayi ashobora

n'ugukena amazi mu mubiri akananuka cane gushika n'aho asezera n'isi hamwe atoba agarukiwe n'ingoga.

Amibe yo mu gitigu

Igihe amibe yamaze gushika mu gitigu hoho ico gitigu gishobora kunyanya amashira, kikavyimbagana, ukumva ububabare ahahereranye n'igitigu, wa mururumbo nawo ukiyongera ukurikiwe n'ihindagurika rikomeye ry'amagara muri rusangi. Ico gihe rero hadaciye haboneka ubuvuzi bwihutirwa, kwitega urupfu ntibiba bikiri agaseseshwarumuri.

Amibe yo mu mahaha

Igihe amibe yamaze gushika mu mahaha, asigara anyenya amashira, akagira n'ibivimba (abcès pulmonaires), akadengeramwo amazi (épanchement pleural).

Ahandi amibe igera

Gake cane utuvyimba twa amibe turashobora kwibonekeza mu bwonko canke mu bihe vyishi naho umurwayi agahurirwa ku rukoba akama uruherehere rumutera kwiya gaza.

Ibituma

Amibe yandurwa igihe umuntu akoze ku mwanda mukuru w'umuntu ayigwaye canke akoze ku kintu cahuye

n’uwo mwanda maze akacihereza. Ibifungurwa biribwa bitarinze gutekwa nk’ivyamwa n’imboga bishobora kuba bizifise. Amazi adatetse hamwe n’isazi zishobora kwanduza amibe ibifungurwa canke ibinyobwa.

Kwikingira

Kugira ngo tube twikingiye amibe ni ngombwa ko amazi, cane cane ayo kunywa yoba atetswe akabira kandi agashingurwa neza. Ibifungurwa bitararibwa n’ibinyobwa bitaranyobwa vyorindwa isazi, umuntu akisukura n’isabune avuye mu kazu ka surwumwe. Mu gihe twihereza imboga mbisi (amakaroti, itomati, ibitunguru n’ibindi), bikinikwa mu mazi avuye ku ziko ariko arabira bikayamaramwo amasegonda 30.

Ubuvuzi

1. Ibumba

Buri mugoroba fata ikiyiko cuzuye ifu y’ibumba risa n’isima canke n’urwatsi rutoto, uritobe mu kirahuri cuzuye amazi birarane ijoro ryose. Mu gitondo, fata igitambara ciza cane kitorekura udusenyi abe arico umiminisha uce unywera icarimwe ayo mazi y’ibumba ataco urarya, kandi nturye hadaciye nk’isaha yose. Ubwo nyene ca utegura irindi bumba nk’iryo nyene no muri ubwo buryo nyene uze kurinywa ku mugoroba isaha imwe imbere yo gufungura canke amasaha atatu inyuma. Ivyo rero bisobanura ko ari ngombwa kurinywa 2 ku musi. Bikore gurtyo amenzi atatu canke icenda bijanye n’urugero amibe yari igusinzikajeko, ariko gusa ukibuka ko buri kwezi urinywa indwi 3

zikurikirana ukaruhuka indwi 1 irangiza ukwezi, gurtyo gurtyo.

Icitonderwa :

- Kirazira kunywa ibumba rirenza utuyiko 3 duto duto tw'ifu ku ndwi urwaye umutima (hypertension artérielle).
- Hamwe utorinywa wamininye neza, turya twondo twireka hasi mu kirahure turashobora kugutera kugumbiza canke kugumirwa mu nda (constipation).
- Hamwe wokwimenyereza kurinywa indwi zirenze zitatu zikurikiranya, ushobora kurwara umutima (Hypertension artérielle).
- Ibumba ntirikigere rihura n'icuma canke plastike
- Umuntu akarirwa no kugumbiza ashobora kugumbiza anyoye ibumba n'aho ryoba ryateguwe neza nk'uko twavyerekanye mu kanya. Ico gihe rero yonywa amazi menshi nk'ibirahuri umunani (amalitiro 2) ku musi.

Ico womenya

Ibumba riteguye kandi rikiherezwa muri ubwo buryo si umuti w'agaheta uvura ingwara iteye ubwoba nka amibe gusa, ahubwo riravura n'izindi ndwara : Gucibwamwo

(diarrhée), gucibwamwo amaraso, amacinya, kurya indya ukaguma wuzuye inda (dyspepsie), kuribwa mu nda, kwuzura inda, indwara z'igitigu, iz'amara, amaherehere, kwoza umwana ari munda ngo aze avuke asa neza n'ibindi vyishi.

2. Umwino (lavement)

Nko mu gihe amibe igusinzikaje naho, ubwo buryo bwo kunywa ibumba bwojanirana no kuryiyina uku gukurikira : Fata ibiyiko cumi vya ya fu y'ibumba uyitobe mw'ilitiro ry'amazi y'akazuyazi. Yashire mw'iringateri (irrigateur) uce uyiyina yose icarimwe. Mara umwanya uyapfunganiye mu rura rukuru iyo amibe ziri. Niwiyine imisi cumi ikurikirana mu gitondo no ku mugoroba.

Icitonderwa : Biyina imbere yo gufungura, canke amasaha atatu inyuma yo gufungura. Amazi bayasuguma buhoro buhoro cane, ahandiho urura rukuru rwokononekara gushika n'aho uzosigara wituma bikuruhije.

3. Umutobe w'ibitunguru vya sumu :

Sekura udutete 20 tw'ibitunguru vya sumu. Katagura amagoma 3 y'ibitunguru bitukura (oignons rouges). Katagura indimu 3 nini zisoromeweho, biteke bibire iminota 10 mw'ilitiro y'amazi, mimina neza ushire mw'icupa ritabonerana kandi ripfundikirwa neza, maze uze uranywa udukombe tune ku musu mu mwanya atari uwo gufungurirako. Banywa uwo muti iminota 30 imbere yo gufungura canke isaha inyuma.

Icitonderwa ! Kirazira kwihereza cane ibintu bigwiriye mu ibitunguru vya sumu mw'ibi bihe bikurikira :

- Igihe cose umuntu ava amaraso (umwuna, ubutinyanka n'ibindi),
- Igihe umuntu yibungenze.

Gukoresha ibitunguru vya sumu vyishi uva amaraso bituma amaraso arushiriza kuvirirana.

4. Umusururu

Wonywa umusururu (bouillie) ugizwe na : isoya, ibigori, ingano, amasaka n'uburo. Uwo musururu, na cane cane woba ugizwe n'ifu wisyeshereje, uba ugizwe n'ibintu vyinshi cane umubiri ukeneye, narirya mu bihe vy'ubugwayi nk'ubwo bwa amibe, umurwayi aba akenye vyishi mu mubiri.

Icitonderwa : Wamane amakenga ku mafu y'ubuyi adandazwa mu masoko kuko kenshi aba yarataye agaciro. Docteur **Ernst Schneider** atumenyesha ko ifu y'ingano iba itanguye guta agaciro kuva ku munsu w'8 uhaye igihe isyereweke. Inyuma y'amezi hoho iba isigaye ataco ikimaze.

Gripe

Gripe (grippe) si indwara yo gufatwa minenerwe nk'uko abenshi tuyibaza, ahubwo ni indwara ikwiye kugwanyanwa ubutwari uhereye kuva ibimenyesto vyayo bicibonekeza kuko yandukira mu buryo bukomeye.

Ibimenyetso

Kujonjogora, umururumbo, imbeho, kubabara mu muhogo, kumenka umutwe, kubabara mu maso igihe witegereje umuco ukaze, kubabara mu nda no mu ngingo z'amagufa, gucika umugongo, kudahwa, gucibwamwo, kujugumira, kubiragira ivyuya, kubabara mu nyama, gusesa ibicurane vyishi, umuruho w'ikirenga, kubabara mu gikiriza, guhema vyanka, n'ibindi.

Ibituma

Gripe ni indwara iterwa n'umugera (virus) ikaba yandukira bimwe bikomeye. Gusomana n'uwayanduye, gusangira ibikombe, ibirahuri n'ibindi nk'ivyo, vyanduza iyo ndwara. Mu gihe inkungugu yinjira mu mubiri icye mu mazuru ikageramira abasirikare b'umubiri (globules blancs), igihe umuntu akunda kwihereza imiti bita antibiyotike (antibiotiques), mu gihe umuntu akunda kwihereza irya sukari yera yo mu mahinguriro (saccharose) inyaga umubiri insanganyangaburo (vitamines) n'ibindi

umubiri ukenera kandi igatikiza abasirikare bakingira umubiri.

Mu gihe umuntu yamana umwivira kubera inzigo, ishari, agahinda n'imyitwarariko bica intege kandi bikica abasoda barwanira umubiri. Imirire nkene itaronsa umubiri ivyo ukeneye nivyo bituma umuntu yama asinzikazwa na giripe.

Kwikingira

Kugira ngo umuntu yikingire ingaruka mbi z'umugera wa giripe, ni ngombwa kwigana ubwira n'ubwitonzi ibituma vy'yo ndwara no kubizibirira kure.

Ubuvuzi

1. Umutobe w'indimu

Kanya umutobe w'indimu uwushire ku kantu kameze nk'agapfundikizo k'icupa, shira ku zuru maze uce ukwegesha izuru uyo mutobe, wabanje gupfunga irindi zuru. Shira mu mazuru yose kandi ukwege incuro zitatu muri buri zuru ryose.

Bikore gatatu ku musu kandi ntukangwe n'uko wumva indimu ikwagaye mu bwonko maze ibicurane navyo bigaca vyisuka. Uwo si umuti uraba giripe ikigohe gusa, ahubwo ni n'umuti w'ibicurane (Rhume), umuti wa ya nyama ivyimba mu mazuru hagati y'amaso ikabuza no kuhahemera neza (sinusite), umwuna n'izindi ndwara zo mu mazuru.

2. Kwiyubikira

Fata igipfunsi c'amababi y'imikaratusi yanikiwe mu nzu kandi yasoromwe ku biti bikomeye cane ariko bidashaje, canke ibipfunsi 4 vy'amababi mabisi, yateke mu malitiro 2 y'amazi, bibire bipfundikiwe neza, niwicare ku gatebe ushire uwo muti hagati y'amaguru, witwikire n'ikirengeti, uce upfundurura uwo muti kugira ngo umuhisha ugushware umubiri wose iminota 10 gushika 15. Rindira iminota 10, ubone kwiuhagira umubiri wose. Bikore incuro 4 ku musu imbere yo gufungura canke amasaha 3 inyuma yo gufungura.

Ico womenya:

Kwiubikira bisohora imyanda ishobora kuba yaragagiranye mu mubiri, bituma amaraso atembera neza, bituma ibihimba vyose vy'umubiri bikora neza. Ntikuvura giripe gusa ahubwo kuvura ingwara zose z'amahaha : hasima, boronshite (bronchite), igituntu, inkorora. Bivura n'ibicurane, sinizite, indwara irangwa no gufungana mu mazuru, kwokerwa mu matwi no mu marakaraka no gusesa ibicurane (rhinite allergique) n'izindi ndwara zifatira mu bihimba vy'ihemero.

Icitonderwa:

Uwakamye amaraso, uwuwa amaraso mu buryo ubw'ari bwo bwose, indembe, uwurwaye umutima (hypertension artérielle), umwana mutoyi cane hamwe n'umusaza ntibokwiubikira kiretse babikorewe n'umuntu abifisemwo ubuhinga.

Malariya

Malariya ni indwara ikwiye hose kandi yica. Ifata abantu bo ku nzego zose, abana n'abakuze. Yiganje cane mu bihugu bifise ikirere gishushe (climat tropical).

Ibimenyetso

Igihe iyo ndwara igeze ku rwego rwo hejuru, umuntu arakanya ahandi naho akagira umururumbo, aradendebukirwa umubiri wose, agiye kwihagarika ku mwanda muto yihagarika ubusa, aragumbiza, agira inyota y'umurengera, arahemagurika cane, ameneka umutwe w'uruhande rumwe canke wose, arababara mu ngingo z'amagufa, acika umugongo, arakama amaraso, agahimba bita rate kaba musu y'ibere ry'ibubamfu karavyimba uhakoze ukavyumva (goflement splénique), umuntu agira ibizunguzungu vyishi, abura akayabagu, iseseme ikaba umurengera, akonda.

Ibituma

Hariho umubu w'ingore wo mu bwoko bwitwa anofele (anophèles) uba mu biziba vy'amazi atega, igihe ben'uko mubu uriye umuntu umusigamwo amoko

ane y'uburozi maze ubwo burozi bugashwara umubiri wose butwawe n'amaraso, bugatera umururumbo w'ikirenga, bugatikiza uduhimba tugize umutuku w'amaraso (Globules rouges) ari navyo bica bituma umuntu akama amaraso n'izindi ngaruka twabonye.

Kwikingira

Kugira ngo umuntu abe yikingiye icago ca malariya, yokwiyorosa umusegetera mw'ijoro na rirya uwo mubu wo mubwoko bwa anofele (anophèles) ukora mw'ijoro. Igihe cose bishoboka, yoba kure cane y'ibiziba kuko aribwo bwihisho bw'uwo mubu.

Ubuvuzi

1. Kwiyubikira

Fata igipfunsi c'amababi y'imikaratusi yanikiwe mu nzu kandi yasoromwe ku biti bikomeye cane ariko bidashaje, canke ibipfunsi 4 vy'amababi mabisi, yateke mu malitiro 2 y'amazi, bibire bipfundikiwe neza, niwicare ku gatebe ushire uwo muti hagati y'amaguru, witwikire n'ikirengeti, uce upfundurura uwo muti kugira ngo umuhisha ugushwara umubiri wose iminota 10 gushika 15. Rindira iminota 10, ubone kwiyuhagira umubiri wose. Bikore incuro 4 ku musu imbere yo gufungura canke amasaha 3 inyuma yo gufungura.

2. Kwirinda mu kurya

Igihe cose ugifise umururumbo, wokwirinda kurya indrya zigumye ukanywa umutobe ukanywe mu vyamwa nk'imirungwe, indimu, inanasi n'ibindi ahandi ho vyotuma umururumbo wiyongera

3. Gushira ibumba ku nda

Mukurwanya umururumbo, toba ifu y'ibumba ryera mu mazi mabisi uronke utwondo tumeze nk'umutsima, sanza uwo mutsima kw'ibabi ry'ifu rifise intibatimba (épaisseur) ya santimetero 1 n'igice uhomeke ku nda, rihamare amasaha 2 gushika kuri 3. Bikore gatatu canke kane ku musi gushika umururumbo uheze .

4. Amazi adashushe

Nywa ibirahuri 8 gushika kuri 16 ku musi ukamenya ko vyoba vyiza ukanyije indimu canke igice cayo muri buri kirahuri. Wibuke ko amazi ategerezwa kunyobwa iminota 30 imbere yo gufungura canke amasaha 3 inyuma. Kunywa amazi mu mwanya wo gufungura biruhisha umushishito kandi bigateza indwara zitari zimwe z'ico gihimba gimbaye.

5. Amazi ashushe

Shusha ilitiro ry'amazi ku rugero wokwihanganira, ambara imyambaro yogutera indugumba uce uyagotomerera icarimwe uryame ako kanya nyene witwikire hose ubiragire indugumba kandi ugume uko

gushika yikamije nko mu minota 30. Niwiyuhagire amazi akanye ubikore incuro 4 ku musu. Gukoresha amazi muri ubwo buryo birwanya umururumbo, kujugumizwa n'imbeho, kumeneka umutwe, iseseme, kugubwa nabi mu nda, kubabara mu magufa no mu ngingo bitewe na malariya. Igihe cose uhejeje kubikora wumva uguwe neza, ukamengo wituye umutwaro wari ukuremereye.

Inyuma y'umururumbo: Mu gihe wa mururumbo woba ucureshe, umurwayi yoca atangura kurya imfungurwa zoroshe na cane cane akihereza ivyamwa n'umusururu. Ivoka ryoba muvya atobura kuko uretse ko ririmwo indemamubiri (protéines), ibinure (graisses), insanganyangaburo (vitamines) n'ivyunyonyu (sels minéraux) vyinshi, iranagwiriye mu icunyonyu fere (fer) congereza amaraso mu mubiri.

IgiKomere

Mugihe umuntu akomeretse, yofata ico gikomere akacogesha amazi n'isabuni agaca arenzako umutobe w'indimu, hanyuma nko mu gihe ico gikomere coba ari gishasha agaca amemerako ifu y'ibumba ryera (yokoresha irindi iryo ryabuze) rikumirako. Nk'inyuma y'amasaha nk'atanu (5), yoca yoza ca gikomere, ariko ibumba ryumiyeko cane ntiyonigana naryo rizovako uruguma rukize. Yoca ashirako irindi, gurtyo gurtyo gushika uruguma rwumye neza.

IgiKomere kimaze igihe

Nko mu gihe uruguma rwoba rumaze igihe kirekire naho, ogesha amazi meza n'isabuni uce urenzako n'umutobe w'indimu. Toba ifu y'ibumba ryera mu mazi mabisi uronke utwondo tumeze nk'agatsima. Sanza ako gatsima kwibabi ry'ishu ibumba rigire intibatimba nk'iy'isantimetero 1 canke 2, uce uhomeka aho harwaye, ibabi rije hejuru y'ibumba. Rigumizeko nk'amasaha 2 canke 3 hanyuma ico kiringo giheze urikureko urite mu kazu ka surwumwe (W.C) kuko ryanduye. Ivyo bikore nk'incuro 4 ku musi, ariko ku mugoroba ugashirako iriza kurarako ijoro ryose.

Ico womenya:

Iryo bumba ntirigabanya ububabare canke ngo rivyimbure ahavyimvye nk'igihe umuntu yakashutse canke yahinyagaye, ahubwo rikwega n'imyanda ishobora kuba iri aho harwaye, rifasha gukuraho umubiri ushaje no mu kurema uwundi mushasha, uruguma rugakira gushika n'aho n'inkovu itazoba ikiboneka aho yigeze.

Umwana acibwamwo, agira umururumbo, adahwa akaguma arira kenshi

Sekura udutete 10 tw'ibitunguru vya sumu ubivange n'umutobe ukanywe mu ndimu 1 nini ubishire mu gacupa gapfundikirwa neza kandi katabonerana. Bireke bigumane amasaha 12 (canke 5 niyaba ari ingorane yihutirwa cane), muhe akayiko 1 k'uwo mutobe uko haheze iminota 30 gushika ubone ko akize. Nko mugihe umwana yoba ataragera kurya, uwo mutobe ubanze uwuminine kandi ako kayiko ugomba umuheshe ubanze ukavange n'utuzi duke .

Icitonderwa

Igihe cose umwana canke umuntu akuze adahwa, acibwamwo kandi akagira umururumbo, ni ivyo kubera maso cane, kuko umunyu n'ibindi vyunyuny atakaza mu kudahwa no mu gucibwamwo bishobora gutuma amazi amukamamwo agasezera isi mu gihe utiteze .

Icokorwa

Munyweshe amazi menshi washizemwo akunyu. Hamwe koba ari akana gato, wofata akunyu wofatira hagati y'intoke 2 ukagashira mu tuzi tw'akazuyazi ukaza uramunywesha kenshi. Mu gucuresha umururumbo,

mushire ibumba ku nda mu buryo twerekanye ku rupapuro rwa 11.

«Bene wacu na basazanje bari bakwiye kugaragaza umwitwarariko udasanzwe mu gikorwa c'ubuvuzi. Nibitegure kuba ngirakamaro babicishije mu gusoma ibitabo bivuga kw'iki kibazo (ubuvuzi). Ivyo (bitabo) bikwiriye kwitabwaho cane gusumba uko vyakozwe muri kahise. Umuntu wese afise inyungu akura mu kubimenya , kuko ahanini vyandikiwe kutwigisha ku vy'amategeko agenga amagara. Abashira mu ngiro ayo mategeko bazohabwa imigisha myinshi mu buryo bw'umubiri no mu vya mpwemu. Inyigisho y'ivy'amagara y'abantu izobabera inkinzo ibakingira ikibi kigenda cyongera na ntaryo»
Service Chrétien, P. 167.