

UBUVUZI KAMA CANKE UBUFYITIRIZI?

Vyakozweko ubushakashatsi kandi vyandikwa na:

Maitre HARIMENSHI Alexis

Masters of Science in International Public Health Management (USA)

Bikwiragizwa hose na:

Nutrition and Food Technology for Health (NUFOTEC)

WhatsApp: +257 79 6664 39/Tel: +254 743 031 262

Web site: www.nufotec.com/Email: nufotec2017@gmail.com

Nairobi-Kenya

Casohotse Ubwambere muri Ntwarante, 2018

INTANGAMARARA (Introduction)

Ivyigwa vyakozwe n’abahinga rurangiranwa mu vyo amagaray’antu nka Dr William Osler, umuganga rurangiranwa wo mu gihuguca Kanada (Canada), bemeza kokubantu 100bagwaye kw’isi yose, abashika 90 bo muri bo bazira ivyo kurya, ivyo kunywa hamwe n’inyifato mbi yabo muri rusangi. Dr Georges Pamplona Roger nawe, ni umuganga yanonosoye ubuhinga bwo kubaga indwara z’bihimba vyakira bigahingura ibifungurwa (Spécialiste de la Chirurgie de l’appareil digestif) akaba n’umuhinga yanonosoye ivy’ingaburo ibereye (Expert Nutritioniste) wo mu gihugu ca Esipanye (Espagne), mu gitabo ciwe gitangaje yise *Croquez la Vie, des Aliments qui Préviennent et qui Guérissent*, yemeza ko mu vyaremwe bihema (Les être- vivants) bigizwe n’abantu, ibikoko hamwe n’ibimera, umuntu ariwe wenye asanzwe yisambagurirako amagara yiwe ariwe avyihitiyemwo ubwiwe, abicishije mu kwihereza ibintu bikora nk’ubumara bikamwonona (L’homme et le seul être-vivant qui détruit volontairement sa santé par des substances toxiques).

Mu gihe abantu bariko bariyahura babizi, ariko abenshi batanabica n’ikanda, kandi ahabazengurutse hakaba huzuye ivyiza Imana yaremeye kugabanya imibabaro kw’isi bishobora kubakingira no kubavura indwara zibasesereje batabizi, ikigo c’ubuhinga n’ubushakashatsi mu vyo ubuhinga bwo gukinga no kuvura indwara biciye mu ngaburo ibereye (Nutrition Clinique) hamwe no mu Buvuzi Kama (Naturothérapie) buzirau-bufyitirizirico “NUFOTEC-Nutrition and Food Technologie for Health” ciyem- ejegukwiragiza ubumenyi n’ubuhinga kw’isi, ubuhiga bugamijegushoboza abantuama- miliyoni menshi kumenya kwikingira no gutuza indwara zigisibije biciye mu guhindura ingendo no mu buvuzi kama bukozwe uko bibereye.

Mugihe wewe uriko urasoma ino nyandiko « **UBUVUZI KAMA CANKE UBUFYITIRIZI** » woba uri umusomyi atarazingamikwan’indwara ngendanwa (Maladie chronique) y’ur- wangara no kwisamaza isanzwe igipfukamye mu nda kuri benshi, ugiye kwiyungukira ubumeyi n’ubuhinga bukomeye bugiye kugufasha kumeya no kumenyesha abandi uko wokinga ukongera ukavura zimwe mundwara zizingamitse amasinziy’abantu kw’isi, na cane cane izi zikurikira:

- ☛ Guhirira (Ronflements nocturnes)
- ☛ Giripe (Grippe)
- ☛ Sinizite (sinusite)
- ☛ Gusasatwa mu mazuru (Rhinite allergique)

- ☛ Ubushe bwo mu mahaha(Bronchite)
- ☛ Hasima (asthme)
- ☛ Ibigoga (Les amygdalites batazira angine)
- ☛ Kuvyibuha ugasesa inda (obésité)

Ukimara gucakira iyi nyandiko itangaje y'imbonekarimwe mu rurimi rw'ikirundi, ntugotwe ngo usamare kuyinyanyagiza hirya no hino mu ncuti no mu bagenzi, mu mirwi (Groupes) yose ya WhatsApp uzi, kuko ari inyandiko ikigo NUFOTEC categoriye gukingira no gutabara amamiliyoni y'abantu bugarijwe n'indwara zigisibije kubwo kutamenya no kwiynona.

- ❖ **USHAKA IKI GITABO, CANKE URONDERA IBITARO (Hopital)?**
- ❖ **ABENSHI BIKUNDIRA IBITARO GUSUMBA IBITABO BITANGAUBWENGE!!**
- ❖ **SOMANA UBWITONZI**
- ❖ **GIKWIRAGIZE HIRYA NO HINO UTABARE ABARUSHE BENSHI**

Umwanditsi

Ku Mwanditsi

Maitre HARIMENSHI Alexis, akaba ari nawe mwanditsi yatungnije (yatunganije) kinogitabo **“UBUVUZI KAMA CANKE UBUFYITIRIZI”**, mu ntara ya Ngozi mu Burundi, hari mu mwaka wa 1973, muri Afrika y’Ubugeruko (EAC). Maitre HARIMENSHI Alexis arumije imyaka 18 mu bushakashatsi bwerekeranye n’ubuhinga bwo gukinga no kuvura indwara biciye mu ngaburo ikinga ikavura (Nutrition Clinique) hamwe no mu Buvuzi Kama (Naturothérapie) buziraubufyitirizi (Carlataisme).

Inyuma y’imyaka myinshi yo gutsontsomera ibitabo umukimba bikomakomeye, vyanditswe n’abashakashatsi ruragiranwa vyerekeranye n’ingaburo ikinga ikavura indwara (Nutrition Clinique) hamwe n’Ubuwuzi Kama (Naturothérapie) n’amagara y’abantu muri rusangi, umushakashatsi Maitre HARIMENSHI Alexis yarakurikiranyeinyigisho zerekeranyen’ubuhinga bwo guhingura ibifungurwa n’ibinyobwa (Technologie de transformation agroalimentaire) mu kigo c’igihugu ca Leta y’Uburundi kijewe ubuhinga bwo guhingura ibifungura (Centre National de Technologie Alimentaire-CNTA) kiri mu gisagara ca Bujumbura. Ubuuhinga nk’ubwo bufadikanijen’Ubuwuzi Kama yaranabwize kandi no kw’ishuleryitwa Riverside Farm Institute i Lusaka ku murwa mukuru w’ igihugu ca Zambia.

Aho bigeze ubu, umwanditsi w’iki gitabo ugiye gutsontsomera afise impamyabushobozi yo ku rwego rw’ama “Masters” mu vyigwa vyo gufasha kubungabunga amagara y’abantu ku rwego mpuzamakungu (International Public Health Management), yaronkeye kw’ishule ryitwa “Madison Institute and Business School” ryo muri Leta Zunze Ubumwe za Amerika.

Imwe mu migambi ikomeye ya kazozo ka hagufi (Perspectives à court terme) umwanditsi yiyemeje, harimwo kubandanya amashuri yiwerekugira ngo ace impamyabushobozi yo ku rwego rwo hejuru cane (Doctorat) mu vyigwa vyerekeranye nogukingira hamwe no kuvura indwara biciye mu ngaburo ikinga ikavura (Doctor of Clinical Nutrition-DCN), abikoreye muri kimwe mu bihugu bikomeye kuruta ibindi kw’isi. Ivyo rero aravyipanzemwo neza amaramaje, ku buryo yiyumvamwo neza ko atabubasha na bumwe buriho kw’isi bushoboye kumubuza gushika kuri icyo ntabwo ikomeye atari Imana yonyene. Ivyo bigiye kumushoboza kugira ijamba rimufasha kwagura amarembo, kuburyo asigara akora ibikorwa vyawe vyo gukingira no kugarukira amagara y’abantu ku rwego rw’isi.

Isi yugarijwe n’indwara zigisibije hamwe n’amarushwa ajanye nazo, kandi ibice bishika 90 kw’ijana vy’indwara zose zihari, biterwa n’amakosa akorwa mukurya indya zipfuye n’izindi zitikije inganda, mu kunywa inzoga, itabi, ikawa, icayi, amafanta hamwe

n'ibindibinyobwa bigeramiye amagara y'abantukw'isi, hamwe no mu zindi nyifato zozona amagara y'abantu. Kubera yuko abenshi biyonona batabizi, umwanditsi w'iki gitaboyiyemeje gukoresha ubwitange n'utwigoro twose dushoboka ngo abantubo kw'isi bakangurwe, baburirwe, bakurwe mu mwiza w'ukutamenya, bagire kandi bazigame amagara meza, abicishije mu ndimi zitandukanye zivugwa kw'isi.

Turavyeuko ibintu vyifashe mw'si mu vyo amagara y'abantu n'Ubuwuzi Kama, na cane cane mubihugu vya Afrika, Imana irakeneye abagabo b'ijunja n'ijambo kandi bamaramarije, bakanubahuka kuba ibikoresho vyo guhindura ibintu aho baherereye no kw'isi.

Umwanditsi w'ikigitabo "UBUVUZI KAMA CANKE UBUFYITIRIZI" ntiyahagurukiye guhindura ibintu muBurundi, ahubwoyahagurukijwe noguhindura ibintukw'isi.

Abaramvye bazobona!!

ABO GUSHIMIRWA

Amashimwe yanje avuye ku muzirikanyi ndayatumbereje ahanini kuri aba bakurikira: **Uhoraho Imana yanje**, yoyo yampisemwo ngo nugururirwe amarembo yoguhishurirwa amabanga akomeye mu vyo amagara y’abantu, mu vyo ingaburo ibereye ikinga ikavura indwara (Nutrition Clinique) n’Ubuvuzi Kama (Naturothérapie), ikandosa umutima wo kutavyigungirako, hamwe n’uwo kubisabikanya n’amamiliyoni y’abantu bakwiragiye hiryana no hino kw’isi, mu bwitange ntangere, ikananashoboza kuvyigisha mu buryo butuma abantu benshi bayishimira ko vyabaruhuye imibabaro yoroshe n’iyikomeye;

Umupfasoni wanjye, Madame UWIMBABAZI Claudine we yakomeje kumba hafi mu kungira inama z’ubwenge zerekera ahanini n’ukuntu noshira akatuzo ku kwerekana uko abantu bosobanukirwa kandibakivuraindwara zigisibije nk’iziri muri kino gitabo, ntiyigere ampa agahengwe gushika abonye iki gikorwa ndagishikanye ku musozo, kandi ntanababazwe n’uko amabanga ari muri kino gitabo tuyatangira ubuntu kubo tuzi n’abo kumbure tutazokwigera tunamenya;

Incabwenge zose zanfashije gukosora no gupanga kino gitabo, mu bwitange ntangere, atagihembo kimvuyeko ziteze, kiretse inyota bafise yo kbona ingwira zisinzikaje benshi zituratujwe bimwe biboneka, cane cane **Mr MBONYIMANA Osée** ku gikorwa kidasanzwe yakoranye ubutwari n’ubukerebutsi budasanzwe;

Ku bakunzi amajana n’amajana b’imirwi (Groupes) ya WhatsApp y’intungamagara yitwa “NUFOTEC-IMIRIRE IKIZA” bantereye ivyiyumviro vy’ubwenge vy’ukuntu iki gikorwa cotunganywa neza ku buryo gishikira benshi bashoboka, bakantuma mara imirango n’amajoro menshi ntaronse n’akaruhuko, gushitsa iki gikorwa gihambaye kirangiye;

Mwese, umwe wese mu mwanya wiwe no muruhara yagize, ndabakengurukiye bimwe bivuye ku mutima.

Umwanditsi

IBIRIMWO

(Table des matières)

<i>Guhirira/Kugona (Ronflements nocturnes)</i>	8
<i>Giripe (Grippe)</i>	15
<i>Sinizite (Sinusite)</i>	20
<i>Gusasatwa mu mazuru (Rhinite allergique)</i>	27
<i>Ubushe bwo mu mahaha (Bronchite)</i>	31
<i>Hasima (Asthme)</i>	37
<i>Ibigoga (Les amygadalites batazira anjine)</i>	47
<i>Kuvyibuha ugasesa inda (Obésité)</i>	51
<i>Zimwe mu ndwara tumaze imyaka 18 tuvura</i>	57
<i>Uko umugwayi yivuzza muri NUFOTEC atatwegereye i Nairobi-Kenya</i>	68

GUHIRIRA

(Ronflements nocturnes)

Guhirira ni iki ?

Guhirira usinziriye canke kugona, cane cane mw'ijoro arivyo bita « Ronflements nocturnes », ubwavyo si indwara. Ariko kandi, kenshi kiba ari ikimenyetso (Symptôme) simusiga kiranga ko ugendana ingorane ikomeye y'amagara yinyegeje muri wewe utabica n'ikanda, ikaba yoshobora kugukwegera akarambaraye muri kazoza ka hafi canke ka kure utavyicura. Kugona rero, ntukabifte minenerwe. Usabwe kuvyivuzza neza amazi atararenga inkombe, uhagaze ku kuvura icabiteye. Abakuzi b'ikigo « **NUFOTEC-Nutrition and Food Technologie** » benshi bagiye batubaza ibibazo bitandukanye kuri iyi ngorane, duca tubona ko ari ikibazo mu miryango. Nico catumye duhitamwo gutanga insiguro itomoye ishingiyeye ku kumeya uko iyi ngorane imeze, ibiyitera, uko woyikingira hamwe n'uko ivurwa yamaze kubaho.

Guhirira ni harya umuntu agona asinziriye, mbere kenshibikanatera n'uruhagarara uwo muba muryamanye, akabura amahoro. Abantu barwaye indwara yo kuvyibuha cane (Surcharge pondérale), na cane cane barya bageze ku gusesa inda (Obèses), abagwaye indwara zo mu bihimba vy'ihemero nka sinusite, rhinite allergique, ibicurane, tudasize inyuma abanywi b'inzoga, itabi, ibiyayura umutwe (Drogues), nibo bageramiwe n'ingorane yo guhirira kuruta abandi. Turaza kuvyagura tugeze aho dusigura ibituma (Causes).

Uko iyi ngorane ikwiragiye kw'isi (Prévalence mondiale)

Ivyirwa vy'abahinga birerekana ko ingorane yo guhirira ifata abantubenshi kw'isi :

- ❖ Ibice 57 kw'ijana (57%) vy'abahirira ni abagabo ;
- ❖ Ibice 40% kw'ijana (40%) vy'abahirira kw'isi yose ni abagore.

Abantu bose ntibanganya ingorane yo guhirira. Hariho abantu bahirira kugezan'aho ubumva urimu kindi cumba canke uri hanze, kugeza n'aho na nyene guhiriraubwiwe bimukoma mw'itiro, bikanamubuza amahoro kuko amenya ko ariko arubuza amahoro abandi, cane cane abo/uwo baryamanye.

Inkurikizi mbi zo guhirira

a. Inkurikizi mbi mu kibano (Conséquences sociales)

- ☛ Bibuza amahoro uwo/abo muryamana mu cumba canke muhereranije ivyumba. Bihorabiteza uruhagrara, n'ingo zigasambuka kubera guhirira kw'umwe mu bubakanye ;
- ☛ Birashika bamwe bakanagandagurwa (Etre assassiné) bazira gusa uguhirira kwabo.

b. Izindi nkurikizi mbiziterwa no guhirira

- ☛ Guhirira gutera nyenekwo gukangagurika (Réveils fréquents) ;
- ☛ Kwumva usa n'uwubuzeimpwemu (Etouffement) ;
- ☛ Gukarirwa no kwisinzirirako ku murango (Somnolence diurne excessive) gutewe n'uko utaba warisinziriye neza mw'ijro ;
- ☛ Hari n'abavyuka bameneka umutwe mu gatondo (Céphalées matinales), bigaterwa n'igituma hamwe n'aho ingorane itumaugonaiba ikugejeje, n'ibindi.

Uko ivyo guhirira bimera(Physiopathologie)

Guhirira (Ronflements nocturnes), bibaho mu gihe umuntu aba asinziriye, hanyuma impwemu zikaba zidashoboye kurengana neza mu nzira z'ihemero (Voies respiratoires):Mu mazuru, mu muhogo, mu turingoti tujana tukavana impwemumu mahaha (Bronches)...

Umwihwezo w'ukuntu iyo ngorane ibaho(Etologie)

a. Uguhirira kudakaze (Ronflement primaire)

Mu bisanzwe, abantu bose bokw'isi barahirira, n'abazungu barimwo, bahirira/bagona kumwe, ikibatandukanya gusa, ni urugero ingorane y'umwe n'uwudi ruba rugezeke (Degré de gravité).

Uguhirira kudakaze (Ronflement primaire), ni harya umuntu agona ariko bidashemeye, kuburyobitamutera gukangagurika kenshi mw'ijro rimwe (Eveil ou réveils excessifs), igihe agona arikobitajaniranye n'ingorane yo guhema bigoranye (Limitation de la circulation de l'air), kwinjiza umwuka ogisijene (Oxygène) w'inkehwa mu maraso (Hypoxémie), gutera indihaguzi z'umutima mu kajagari usinziriye (Arythmie cardiaque du sommeil).

b. Guhirira gukaze (Apnée obstructive du sommeil)

Rimwe na rimwe, uguhirira/kugona ni icerekana ko umuntu ariko arahema nabi asinziriye bitewe n'uko inzira z'ihemero za ruguru mu mubiri (Voies respiratoires supérieures) nk'amazuru, umuhogo, uturingoti tujana impwemu mu mahaha (Bronches) zituguruye neza (Obstruction des voies respiratoires supérieures), ivyo bikanashikana umurwayi n'aho asigara ahema vyanka asinziriye (Apnée obstructive du sommeil).

Igihe bishitse umurwayi agashika ku rwego rw'aho asigara ahema vyanka asinziriye (Apnée obstructive du sommeil), ashobora kwitega n'inkurikizi z'amagara (Conséquences cliniques) n'imibano (Conséquences sociales) zikurikira :

a. Inkurikizi mbi ku magara yawe

- ☛ Guhema vyanka usinzirye (Apnée obstructive du sommeil) ;
- ☛ Kubura agatiro keza karuhura umubiri (Manque du sommeil réparateur) ;
- ☛ Kwisinzirirako ku murango (Somnolence diurne) gutewe n'uburuhe bw'umubiri n'ubwo mu mutwe (Fatigue psycho-somatique), butewe n'uko umwuka ogisijene (Oxygène) winjiza mw'ijoro uryamye hamwe n'agatiro wasinziriye vyabaye intica ntikize ;
- ☛ Kwamana uburuhe budasiguritse, ukayuzza kenshi wigorora, uburuhe budatewe n'ibikorwa wakoze kandi butavanwaho n'uko wihaye ikonji (Asthénie) ;
- ☛ Kwama wumva ubabaye atamvo igaragara (Stress émotionnel), bikanakuvi-ramwo no kwama utongana n'uwo ariwe wese bivuye ku buruhe bwo mu mutwe (Fatigue nerveuse) no gukena umwuka ogisijene mu mubiri (Hypoxie) ;
- ☛ Kugwara ingwra y'umutima irangwa n'ivumbuka rirenze ry'umurindi w'amaraso (Hypertension artérielle-HTA), ukomotse kw'ikora nabi ry'ubwonko, n'ibindi, n'ibindi.

b. Inkurikizi mbi zitewe no guhirira ku mubano

- ☛ Abo mubana, na canecane uwo/abo murarana mucumba, birababuza amahoro;
- ☛ Birashobora gukwegera uwuhirira kurabwa ribi n'uwo/abo bababana abuza amahoro;

- ☛ Birashobora kuba intandaro y'uruhagarara mu rugo, ubwicanyi canke kwa hukana.

c. Ibimenyetso biranga uwamaze guseserezwa (Complications)

N'aho guhirira ubwavyo bidasanze bitera indwara iyo ariyo yose, ntawoshira agati mu ryinyo ngo guhirira ni ibisanze, ngo ntaco bimutwaye. Ighe ivyo guhirira biba bitewe n'indwara iyo ariyo yose ibuza impwemu kwinjira neza mu mahaha, kandi bikamara ibihe birebire, ikabuza n'itiro riruhura umubiri, zimwe mu ndwara zikomakomeye ushoborakwitega ni izi zikurikira:

- ☛ Indwara y'umutima irangwa n'ivumbuka rirenze ry'umuindi w'amaraso (Hypertension artérielle-HTA) ;
- ☛ Amasanganya y'imitsi yo mu bwonko inkomantara (Artério-sclérose cérébrale), ikoherana (Athérosclérose cérébrale) ikongera ikaziba (Obstruction vasculaire cérébrale) igaturika (Rupture), maze amaraso akavirirana mu bwonko (Les accidents vasculaires cérébraux hémorragiques-AVC). Iyi ni indwara y'amasanganya y'imitsi yo mu bwonko (AVC);
- ☛ Gukanyarara (Paralysie) uruhande ruwe rw'umubiri (Hémiplégie), ugasigara utiyumva n'aho bohakuzibura urushinge (Insensibilité);
- ☛ Gutakaza ubwenge ntumenye iyo uri (Coma cérébral), ukamara iminsi, amayiga, amezi, imyaka n'iyindi utazi iyo uri kandi utacikanye ;
- ☛ Guca ucikana ubwo nyene ukigira amasanganya, bagahamba batagaraguye (Mort subite).

Ibituma abantu bahirira(Causes)

Igihe cose woba wipfuzwa kuvura ingorane yo guhirira utabanje kwitura abahinga ngo bagufashe kuraba icoba ari intandaro y'ukwo guhirira, ushobora gutangara wisanze uriko uraruhira ubusa.

Ibituma abantu bahirira ni vyinshi, ariko ibikunze gushika ni ibi bikurikira :

Indwara zituma imiringoti y'amazuru iziba

Igihe umuntu arwaye indwara izo arizo zose zituma imiringoti y'amazuru iziba, bituma adahemaneza, hanyuma iyo hageze gusinzira agatangura guhiritana. Imbere yo kwiyumvira kuvura indwara ijanye no guhirira, utegerezwa kubanza kuraba ko utagwaye n'imwe mu ndwara zikurira, kugira ngo abe arizo uvura:

- A. Guhirira/Kugona (Ronflements nocturnes)
- B. Gripe (Grippe)
- C. Sinizite (Sinusite)
- D. Gusasatwa mu mazuru (Rhinite allergique)
- E. Ubushe bwo mu mahaha (Bronchite)
- F. Hasima (Asthme)
- G. Ibigoga (Les amygadalites batazira anjine)
- H. Kuvyibuha ugasesa inda (Obésité)

IBINDI BISONGA ISIBE

(Facteurs de risque)

Imbere yo gusobanukirwa ibi ugiye gusoma, banza wibuke ivyo twavuze ku ndwara yo Kugona/Guhirira (Ronflements nocturnes).

Hambavu y'ivyo twasiguye ku vyo abahinga basanze bishobora kuba imbarutso y'ingorane yo guhirira (Ronflements nocturnes) : Gripe (Grippe), Sinizite (Sinusite), Bronchite (Bronchite), Hasima (Asthme), Ibigoga (Les amygadalites batazira anjine), kuvyibuha ugasesa inda (Obésité).

Hariho n'ibindi ubwavyo bidatera iyo ngorane, ariko bikayorohereza ko ibaho, canke bigasonga uwuyisanganywe (Bavyita facteurs de risque).

Ivyorohereza indwara yo guhirira :

- ✓ Ubusaza (Grand âge)
- ✓ Kunywa inzoga, cane cane ku mugoroba
- ✓ Kunywa itabi hamwe n'ibindi bivyura umutwe
- ✓ Kugira imibangabanga (Machaires) mito mito
- ✓ Ku bantu b'igitsina gabo
- ✓ Kuba uri umugore yaciye imvyaro (ménopausées)
- ✓ Kuba uri umwirabure (Race noire)
- ✓ Kuba wibungenze
- ✓ Kuba uvuka mu miryango basanzwe bahirira
- ✓ Kwihereza imiti y'ikizungu isinziriza (Les somnifères)
- ✓ Kwihereza imiti y'ikizungu itururuza akabonge (Les anxiolytiques)
- ✓ Kurara mu cumba gisakiye umuryango n'idirisha, cane cane ku bantubagwaye indwara iyo ariyo yose yo mu bihimba vy'ihemero (Hasima, bronchite, sinizite, gripe, ibigoga...)
- ✓ Kuryama ugaramye.

Imbere yokuvura ingorane yo guhirira, ni ngombwa kubanza kurondera ico vyoba bivako, cane cane izo ndwara twadondaguye, tukerekana uko zibaho n'uko zovurwa.

Uko wotsinda ingorane yo guhirira mu majambo make

Hariho abansi batandatu nyamukuru bashobora kugutera guhirira uryamye, bategerezwa kubanza gutotezwa nambawipfuza kunesha ingorane yo guhirira, nabo nibo b'ababakurikira:

1. Isuzume urabe ko utagwaye indwara iyo ariyo yose isanzwe ishobora gutera ivyo guhema vyanka usinziriye (Apnée obstructive du sommeil):
 - ☛ Indwara y'umutima irangwa n'ivumbuka rirenze ry'umurindi w'amaraso (Hypertension artérielle) ;
 - ☛ Indwara y'imitsi yo mu mutima ituma umutima utaronkaamarasoakwiye (Ischémie circulatoire coronarienne) ;
 - ☛ Umutima watakaje inkomezi zawo zo gukwiragiza amaraso kure yawo (Insuffisance cardiaque) ;
 - ☛ Amasanganya y'imitsi y'ubwonko (Les accidents vasculaires cérébraux) ;
 - ☛ Igihe wuza ivyo wariye (Reflux gastro-œsophagien), kumbure ubitewe n'uko umushishito wawe utiyugara (Béance du cardia) ;
 - ☛ Ingwra y'akabonge (Dépression nerveuse) ;
 - ☛ Kuvyibuha ugasesa inda (Obésité), cane cane igihe usigaye ugeze aho urenzako ibiro 40 kuduga ku vyo wategerezwa kuba ufise (Obésité morbide) ;
 - ☛ Indwara y'igisukari (Diabète sucré) ;
 - ☛ Indwara y'amazuru yazibishijwe n'indwara iyo ariyo yose (Sinizite, Rhinite allergique) ;
 - ☛ Indwara y'ibigoga (Les amygdalites) izibira impwemu kurengana neza ;
 - ☛ Indwara y'amahaha adacamwo impwemu neza kubera indwara yayabangamiye (Hasima, n'izindi) ;
2. Ibagire akabare hamwe n'inzoga;
3. Sezera itabi hamwe n'ibindi biyayuramutwe (Drogues), hamwe woba utabona uko wovyifatamwo naho, dusabe impanuro z'ubuhinga n'imirire ibigufashamwo ;
4. Wiyubare imiti y'ikizungu izinziriza (Les somnifères) hamwe n'imwe bafata ngo itururuze akabonge (Les anxiolytiques), kuko itera guhema nabi;
5. Kurara mu cumba gisakiye umuryango n'idirisha, cane cane ku bantubagwaye indwara iyo ariyo yose yo mu bihimba vy'ihemero (Haima, bronchite, sinizite, giripe, ibigoga...) ;

6. Kuryama ugaramye, n'aho ubwavyo bitari bibi.

Ibi bisigura rero ko umuhinga wo gukinga nogutuza ingorane yo guhirira ari uwubanza kuraba icyiteye akaba arico avira hasi, aho kwishinga kuvura ibimenyetso (Symptômes) biranga ingwra gusa. Umuganga w'umunya Amerika Dr Aileen Ludngton, mu gitabo ciwe HEALTH POWR, Health by Choice, not by Chance aratugabisha vyeruye ati:

« Medical science is treating symptoms, but it is time to attack the cause »

Bisobanura ngo:

« Ubuhinga bwa none mu kiganga buriko buvura ibimenyetso vy'indwara, ariko kandi igihe kirageze co guhagurukira ibitera izo ndwara»

Indwara zitera guhirira tugiye kurabira hawe muri kino gitabo ni izi zikurikira:

- A. Guhirira/Kugona (Ronflements nocturnes)
- B. Gripe (Grippe)
- C. Sinizite (Sinusite)
- D. Gusasatwa mu mazuru (Rhinite allergique)
- E. Ubushe bwo mu mahaha (Bronchite)
- F. Hasima (Asthme)
- G. Ibigoga (Les amygdalites batazira anjine)
- H. Kuvyibuha ugasesa inda (Obésité)

Nico gituma twabonye ko ari ibihambaye cane kubategurira neza ibikenewe vyose kuri zimwe mu ndwara nyamkuru zitera guhirira, kugira ngo mu gihe zizoba zituratujwe, wizere ko no guhirira ubikize kandi ubisezeye.

GIRIPE (Grippe)

Giripe (Grippe) yonona amazuru, amarakaraka, mu muhogo, mu matwi, mu mahaha. Umuntu agomba kuyuba rero, yokwiyubara kuyuba na giripe kuko ishobora kumukwegera akarambaraye atavyiteze. Hagati y'umwaka wa 1918 na 1918, Giripe yo mu gihugu ca Esipanye (Spanish flu) yihaye inkumbi y'abantu bari hagati y'imiliyoni 27 na 50, mu gihe amakuru amwe yemeza koabahasize agatwe boba babarizwa mu miliyoni 100, nk'uko tubisoma mu kinyamakuru « dpa » co muri Nzero 2018. Muri Leta Zunze Ubumwe za Amerika, Giripe yo mu gihugu ca Esipanye mu mwaka wa 1918 yirahiye abantu barenga 650 000, mu kiringo kidashika n'amayinga ane (4).

Abantu bashika 36000 barapfa buri mwaka muri Leta Zunze Ubumwe za Amerika bahitanywe na Giripe, kandi abashika 90 kw'ijana yishe baba bafise imyaka 65 n'iyirenga. Ishirahamwe Mpuzamakungu Rytaho Amagara y'Abantu (OMS) rigereranya ko kw'isi yose, abantu babarizwa m'umuliyaridi bandura Giripe kw'isi buri mwaka, abashika imiliyoni ziri hagati ya 3 na 5 ikabasinzakaza, mugihe ababarizwa mumiliyoni 300 na 500 nabo bakahasiga agatwe. Igihambaye gua, ni ic'uko tubafitiye inkuru nziza y'umuti uhasha giripe mu kiringo gito caane kandi utagusizemwo ubumara buzoguhindukaejo.

Ibimenyetso (Symptômes)

- Kuziba mu mazuru no kugira ibicurane vyisuka buri kanya
- Kumeneka umutwe cane kuribamwe
- Gucika intege
- Gukorora
- Kwuma no gusararamu mihogo
- Umururumbo
- Kudahwa no gucibwamwo, canecane ku bana

Ku bagwayi basanganywe izindi ndwara zikomeye nk'igisukari, hasima n'izindi, kugwara giripe bituma ubugwayi bwiyoungera.

Igihe giripe yagusinzikaje

Bimwe mu bimenyetso vyo gusinzikazwa na giripe (Complications) ni ibi bikurikira:

- Umusonga (Pneumonie) ;
- Hasima (Asthme) ;

- Umwumira (Déshydratation cellulaire) utewe n'umururumbo (Fièvre) ukaze ;
- Ku mukenyezi yibungenze, giripe itavuwe neza, ishobora gutuma umwana avukana ubumuga runaka (Malformations congénitales) canke agahemukira mu bitaro (Hospitalisation), ari naco gituma kuva mu mwaka wa 2005, Ishirahamwe Mpuzamakungu Rytaho Amamagara y'Abantu (OMS) ryasavyeko abakenyezi bibungenze boza baracancwa (Vaccin) urucanco rwa giripe, n'ahonyene bake cane kw'isi aribo bavyitwararika.

Abo giripe ikarira kuruta abandi

- Abana bato bari munsiy'imyaka 2 y'amavuko, na cane cane batonka neza, kandi batagaburirwa ibibereye, kuko baba bafise abasirikare badafise ubushobozi bukwiye (Faiblesse immunitaire) bwo guhangana n'indwara zandukira (Maladies infectieuses) ;
- Abantu bageze mu zabukuru, bafise imyaka y'amavukoiri hagati ya 65 na 80 kuduha, kuko baba bafise abasirikare badafise ubushobozi bukwiye (Faiblesse immunitaire bwo guhangana n'indwara zandukira (Maladies infectieuses) ;
- Abantu baseserejwe n'indwara ngendanwa (Maladies chroniques) zicobogoya igisirikare gikingira umubiri, nka diyabete y'igisukari, indwara y'igitigu (Les hépatopathies)..., na canecane umugera Sida;
- Abantu barya intica ntikize, bama ku ndya imwe (Monotonie) alientaire) hamwe n'abiyamira kundiya zipfuye (Ibivaku myumbati, umuceri wera, imikate yera, ibitumbura... kuko badashobora kuronka ibikomeza abasirikare ;
- Abanywi b'inzoga, amafanta n'ibindi bibi nk'ivyo bicobogoya abasirikare b'umubiri ;
- Abavyeyi baherutse kwibaruka mu kiringo kitarenza iminsi 30 ;
- Abantu biyamira ku nfungurwa zapfiriye ku ziko gusa, zitagwiriyewe ivyamwa vyeze neza kandi bitanikiwe ku zuba no kw'itara, imboga ziribwa ari mbisi, umutobe w'ivyamwa...bavyihereza gake babitewe n'amikoro make, imigenzo mibi y'akarere babamwo hamwe n'ukutamenya.

Abo bese tuvuze, bakunze kuba bafise igisirikare gikingira umubiri kigoyagoya (Faiblesse immunitaire, akaba ari naco gitumabakarigwa kuruta abandi.

Ibituma (Causes)

Giripe ni indwara yandukira, ikwiragizwa n'imigera (Virus) itandukanye bita « Influenza virus », nawo ubwawo ukaba uri amoko atatu: Virus A, B na C. Imigera ya virus A na

B niyo benshi bakunze kugwara, mu gihe iyo wanduye umugera wa Aariho ubangamirwa bikomeye.

Uko umugera wa giripe wandukira

Umugera utera giripe abantubawuhanahana biciye muri izi nzirazikurikira:

- ☛ Guhema imwipwemu z’umuntu yamaze kuwandura.
- ☛ Ukwiragizwa n’ukwasamura (Eternuement) ;
- ☛ Ukwiragizwa mu gukorora (Tousser) no mu kwikokomora;
- ☛ Kwonkana indimi (Tire-lagues), narirya mu mate ariho yandukira kurutaizindi nzira.

Igihe umuntu yanduye Giripe, birasaba ikiringo kiri hhati y’iminsi 4 na 5 kugira ngo umuntu agaragaze ibimenyetso vy’ubugwayi (Incubation). Irasbora no kwikiza itavuwe, mu kiringo c’yinga 2 na 3 n’aho nyene kurera amaboko ngo igiye kwikiza kwoba ari kubura ubwenge, narirya utabauzi ubwoko bwayo ubwo aribwo.

Ntujandajande kuri Giripe

Giripe ni imwe mu ndwara zandukira (Maladies infectieuses) wandukira ku rwego rukaze caane. Bamwe iyo bafashwe canke biketse ko bafashwe na giripe, aho kuyivura ngo bayihashye bakoresheje imiti iyihasha, bishinga gusa gufata imiti y’kizungu ihwamika umururumbo (Médicaments antipyrétiques). Igihe bumvise wa mururumbo (Fièvre) ucuresshe, baca bashira agati mu ryinyo bati “ubu ni amahoro”, bakibagira koi-cateye indwara hamwe n’indwara ubwayo bitaba navyo vyirukanywe.

Ivyigwa vyakorewe mu gihugu ca Kanada (Canada) mu mwaka wa 2004, vyerekanye ko kugwaraugaca wikora ku ku miti ihwamika umururumbo, vyongereza urgero rw’ukwicwa n’iyo ndwara ku bice 1 gushika 5 kw’ijana. Ni vyo, igihe umururumbo ukomeje kuduga, birashobora gukwega inkurikizi zikomeye, harimwo gukama amaraso gutewe n’itikira ry’uduce twubatseamara (Anémie hemolytique) n’umusonga (Pneumonie). Ariko kandi, kugabanya umururumbo naho kandi icawuteye kitavanyweho, biratuma imigera (Virus) igwirirana caane, Ikindi, umurwayi amaze kwumva umururumbo ucuresshe, aca atangura kwibeshya ngo yakize mu gihe giripe yoyo ibaibandanyagutema itongora. Aho niho ishobora no kwonona amahaha, igatera umusonga, umugwayi agatangura guhiriraiyo asinziriye.

UMUTI UHASHA GIRIPE

Uko bawufata bivanye n’imyaka

1. Umutobe w’indimu mu mazuru

Umaze kuronga neza indimu nshasha, yikatemwo kabiri, uyikuremwo imbuto, kugira ngo ntizihave zija mu mazuru.

Uko bawufata bivanye n’imyaka

- ☛ **Umwana afise amezi 3-9:** Tonyangiriza amama nka 4 muri buri zuru, incuro 3 ku munsu. Ubaye ufise kamwe gaharura amama bagura mu maduka y’imiti (Pharmacies), birushiriza kuba vyiza, Ntutinye, indimu nta nakimwe imwo-nonera;
- ☛ **Umwana afise amezi 10-36:** Tonyangiriza amama nka 6 muri buri zuru, incuro 3 ku munsu.
- ☛ **Umwana afise imyaka 4-9:** Tonyangiriza amama nka 8 muri buri zuru (Wibuke ko umuntu aba afise amazuru abiri), incuro 3 ku munsu.
- ☛ **Umuntu afise imyaka 10+:** Tonyangiriza amama nka 10 muri buri zuru, incuro 3 ku munsu.

2. Amazi akanyiwemwo indimu

Uko bayihereza bivanye n’imyaka

- ☛ **Umwana afise amezi 3-9:** Ntakenewe, ntarugero tuzi;
- ☛ **Umwana afise amezi 10-36:** Ntakenewe, ntarugero tuzi;
- ☛ **Umwana afise imyaka 4-9:** Yonywa akaraturi gato bita nyumbakumi, wakanyiyemwo igipande c’indimu igereranye, agafata uturaturi nka 3 ku munsu wose;
- ☛ **Umuntu afise imyaka 10+:** Yonywa amalitiro 2-4 y’amazi yakanyiyemwo indimu 1-2 kw’ilitiro buri munsu.

Ico bigufasha ku magara yawe (Muri make)

- Indimu yo mu mazuru hamwe n’iyinyowe mu mazi, iba irimwo insanganyanga-buro (Vitamine) C, ivyanyunyuru (Sels minéraux) nka calcium, potassium, phosphore, fer... Haba hariwo acide citrique, acide coumarique na acide

chlorogénique. Haba harimwo ivyo bita flavonoides n'ibindi vyinshi. Giripe ni imwe mu ndwara zishika 300 zitihanganirwa n'indimu (Dr Carlos Kozel-Allemagne);

- Indimu yo mu mazuru hamwe n'iyinyowe mu mazi, iziburura amazuru yasakiranye, ihagarika inkorora, gusarara no kwuma mu mihogo, ihagarika umutwe wariko urajanjagurika, irinda gucika intege, yirukana umugera (Virus) utera giripe.

Ikiringo co gufata umuti: **Iminsi 3-7**

SINIZITE (Sinusite)

Menya Sinizite ico arico

Amasinisi (Les sinus) ni uduhimba tune (4) duherereye mu magufa y'uruhanga, Uumuremyi yadupanze uku gukurikira:

- a) Hari udu sinisi turi hejuuru gato y'utwoya tuba hejuru y'ijisho, dukinga ngo amazi n'imvura ntibishoke bishororokera mu jisho (Sourcils), mu ruhanga (Sinus frontaux);
- b) (2) Uturi hagati y'amaso abiri (Sinus éthmoïdaux);
- c) (3) Uduhagatiye amazuru (Sinus sphénoïdaux);
- d) (4) Uturi hagati y'urwinjiriro rw'amazuru n'amatama (Sinus maxillaires), ari natwo dukunze kugwara kuruta utwo tundi.

Kwumva ubushe (Inflammation) muri utwo duhimba nivyo vyitwa *Sinizite* (Sinusite ou inflammation des sinus). Ububabare uza kwumva, buterwa n'umugabane wa sinisi zigwaye uwo ariwe hamwe n'aho ubugwayi bugeze. Hari igihe bishika n'amazuru akaziba, hamwe umuntu ahema vyanka, agasigara ahanini ahemera mu kanwa kurusha mu mazuru.

Igihe bishitse mu mazuru hakaziba rero, bishobora kuba bivanye n'uko utuziri mikisi (Mucus) dutanzwe na za sinisi tutagishoboye kwisuka mu mazuru, tukaca duhinduka ikigega c'amamikorobi (Microbes) atugwiriranamwo. Igihe umuntu agwaye sinizite zitaramara amezi 3, tuvuga ko ari sinizite itari ngendnwa (Sinusite aiguë), mu gihe iyo indwara imaze amezi atatu kuduga naho, tuvuye sinizite ngendanwa (Sinusite chronique). Kuba ari Sinizite ngendanwa ntibisigura ko idashobora kuvurwa ngo ikire, hamwe itavuwe imirenzako.

Ibimenyesol biyiranga (Symptômes)

Igihe umuntu agwaye Sinuzite, bishobora kugaragarira mu bimenyetso bikurikira :

- ✓ Kwasamura
- ✓ Gucika intege umubiri wose (Faiblesse généralisée)
- ✓ Kuremerwa (Sensation de pression) hejuru gato y'utwoya tuba hejuru y'ijisho, dukinga ngo amazi n'imvura ntibishoke bishororokera mu jisho (Sourcils), mu mazuru, mu matama, ahazengurutse amaso hamwe n'i nyuma y'amaso ;
- ✓ Kwumva umururumbo udakaze (Fièvre légère)
- ✓ Kugaduka mu mazuru (Congestion nazale) ;

- ✓ Kuzana ibicurane biza bisa n'umuhondo canke n'urwatsi rubisi, biremereye, birimwo amashira, ivyo bikerekana ko icateye ubwo bwandu (Infection) ari imigera yo mu bwoko bwa bagiteri (Infection bactérienne) ;
- ✓ Gusigara utagishobora kumoterwa canke kunukirwa neza (Diminution de l'odorat) ;
- ✓ Kuzana ibicurane vy'utuzituzi bitagira ibara, ico kikaba ari icerekana ko ubwandu bukumoka ku migera yo mu bwoko bwa virisi (Virus- Infection virale);
- ✓ Igihe ugwaye hasima, Sinizite iragusongana mu kukubuza guhema neza ;
- ✓ Akamoto kabi ko mukanwa (Mauvise haleine)

Hariho n'ibindi bimenyetso bshika gake bishobora kwigragaza:

- ✓ Kumeneka umutwe (Céphalées) ;
- ✓ Agasate canke kumeneka umutwe w'uruhande rumwe (Migraine)
- ✓ Kubabara mu menyo (Douleurs aux dents) ;
- ✓ Kumota nabi mu kanwa (Mauvaise haleine ou halitose) ;
- ✓ Inkorora idacika (Toux grasse) ;
- ✓ Guhirira canke kugona usinziriye (Ronflements nocturnes) ;
- ✓ Kuzana amosozi;
- ✓ Kubabara mu maso (Douleurs oculaires) ;
- ✓ Gutakaza ivyo kumoterwa no kunukirwa (Anosmie) ;
- ✓ Kubabara igihe uriko urahekenya ibiribwa;
- ✓ Gutakaza ijwi ugasigara uvuga vyanka (Aphonie).

Ibimenyetso vyo guseserezwa n'indwara (Complications) ya Sinizite

Igihe indwara ya Sinizite yamaze kugusaturiramwo kuko utayivuye canke naho ikavurwa imirenzako, ishobora kugukwegra akarambaraye:

- ✓ Iradwebera mu bwonko ikadukamwo indwara ya mugiga (Méningite) ;
- ✓ Urashobora kugwara ibihute (Abcès) mu bwonko ;
- ✓ Amaraso yo mu mitsi y'amaso ariremaremamwo udutetetete tuyizivya (Thrombophlébite des veines des yeux) ;

Amoko (Types) ya Sinizite

Iyi ndwara iri amoko abiri, ariyo y'aya:

1) Sinizite itari ngendanwa (Sinusite aigue):

Iyo sinezite iba itaranakumarako amayinga ashika ane, kenshi ikaba iba itewe n'ibicurane (Rhume), uguhuganirwa kw'umubiri (Allergie) hamwe n'imyanda itwanduza (Polluants) iva mu bidukikije ;

2) Sinizite ngendanwa (Sinusite chronique):

Iyi ni sinezite iba imaze kukumarako nk'umwaka n'imiburiburi, kenshi ikaba iba itewe n'uguhuganirwa kw'mubiri (Allergie)

Sinizite iragisibije

Iyi ndwara ifata abana, ariko itageze umutwe n'abakuze. Hafi y'ibice biri hagati ya 10 na 15 kw'ijana (10-15%) vy'ababa kw'isi bose bigwaye iyi ndwara.

Ibitera Sinizite (Causes)

Ibikunze gutera iyi ndwara ya Sinizite ni ibi bikurikira :

- ☛ **Ibituma bishingiye ku bidukikije:** Imyotsi y'ibabi, ubukanye (Humidité) nk'igipfungu (Brouillard) giherera mu masuru, ivyotsi bituma bizananye mu mamoteri y'amahinguriro n'amamodokari, ikiyovyabenge kokayine (Cocaine), hamwe n'imyanda itwanduza (Polluants) iyerera mu kirere ;
- ☛ **Ubushe (Inflammation) bwo mu mazuru:** Kenshi na kenshi buba buterwa n'imigera (Bacteria, virus) itwinjiramwo, hamwe n'ibidutera guhuganiwa kw'umubiri (Les allergènes), nka birya twauze kuri bimw bitera ingwa za Hasima n'Ubushe bw'amahaha (Bronchite) ;
- ☛ **Intege nke z'abasirikare b'umubiri (Faiblesse immunitaire):** Ingaburo nkene, umugera wa sida, kwama mu buzima bw'amaganya n'agahinda, isukari yo mu mhin-guriro hamwe n'ivyo vyose yarunzwemwo ni bimwe mu bicobogoza abasirikare bari bajejwe gukingira umubiri. Umusokoro w'amagufa (Moelle osseuse) utakaza ubushobozi bwo guhingura abasoda bitwa lymphocytes B (Urudome « B » ruhaga-rariye ijamba ry'icongereza « Bone marrow », risigura ngo « Umusokoro w'ama-gufa), ari nabo badushoboza guhingura ibigwanisho vyitwa « Les immunoglobu-lines » (Anti-corps). Nk'igihe umubiri ukenye ikibombe citwa immunoglobuline E, umubiri ushobora guca useserezwa no guhuganirwa (Allergies) ;
- ☛ **Ibivyimba vyo mu mazuru:** Hari igihe umuntu agwara ibivyimba vyo mu mazuru (Polypes nasaux) bikamukwegera indwara ya sinuzite ;
- ☛ **Kwandura imigera (Infections virales et bactériennes):** Amasinisi ari hagati y'ur-winjiriro rw'amazuru n'amatama (Sinus maxillaires) niyo akarigwa no kugwara, ahanini atewe n'imigera yo mu bwoko bwa virisi (Infection virale), mu gihe amasi-nisi yo mu ruhanga (Sinus frontaux), amasinisi ari hagati y'amaso abiri (Sinus éth-moïdaux) hamwe n'amasinisi ahagatiye amazuru (Sinus sphénoïdaux) yoyo akunze-guterwa n'imigerayo mu bwoko bwa bagiteri (Infection bactérienne) ;
- ☛ **Isuku rike ryu mu kanwa no mu menyo (Défaut d'hygiène buco-dentaire):** Hari abantu barya ariko bakirengagiza guca biyugumura neza bakoresheje uburosi bwoza

amenyo butarashwanyagurika hamwe n'umuti wabigenewe (Dentifrice) canke ifu y'amakara igogoye neza (Poudre fine de charbon), ivyo bigatuma mu kanwa hasigara akamoto katoroshe kwihanga nira (Mauvaise haleine), n'aho nyene benako kamoto kabi ko mu kanwa gashobora no guterwa n'izindi ndwara zitandukanye, mu menyo no mu binyigishi hagagiranamwo imigera y'indwara ishobora kudwebera no mu masinisi ari hagati y'urwinjiriro rw'amazuru n'amatama (Sinus maxillaires), bigatuma hadukamwo umururumbo (Inflammation des sinus maxillaires) ;

☛ **Ibozoka ry'amenyo (Caries dentaires) hamwe n'ibihute vyo mu binyigishi (Abscesses dentaires):** Izi ndwara zirakwiragiza imigera itera ama sinisi maze sinizite ikaziramwo ;

☛ **Isukari nke mu maraso (Hypoglycémie):** Ingaburo mbi ikenye ibinure n'inde mamubiri (Carence protéino-énergétique), ibikorwa vy'umubiri hamwe n'ikora nabi ry'mubiri, igihe bishoboye gutuma umubiri ukena isukari mu maraso (Hypoglycémie) birashobora kwonona ama sinisi gushika n'aho ugwara sinizite ;

☛ **Ibintu (Objets) vyatsindagiwe mu mazuru:** Birashika aho ugasanga abana bitsindiye ibintu mu masuru bikahaguma umwanya muremure abarezi babo ntibabice n'ikanda, bigahobora kugwaza amasinisi ;

Ibitera hasima (Asthme) n'ubushe bw'imiringoti y'amahaha (Bronchite), ibicurane (Rhume), giripe (Grippe), ibitera uguhuganirwa kw'umubiri (Les allergènes) bituma twadusinisi tuzamwo umururumbo (Inflammation des sinus ou sinusite), bigatuma utwo duhimba sinisi duhinduka ikirimbiro ry'imigera ituma tunavyimba, uturingoti twatwo natwo tukanaziba.

Umuti wose ushoboye kuvura no gukiza indwara ya sinizite, ni uwo ufise ubushobozi bwo gukomeza abasirikare b'umubiri, maze nabo bagashobora gusangangura imigera n'ibindi biba vyateye iyo ndwara.

Kwikingira (Prophylaxie) sinizite

Hamwe woba usanzwe ugwaye sinizite, hari ibintu ukwiriye kwitwararika cane:

- Kunywa amalitiro 2-3 y'amazi meza ku munsu ;
- Kunywa umutobe ukanywe mu vyamwa (Imicungwe, imyembe, mandarine, indimu n'ibindi) n'imboga (Ikaroti, beterave n'ibindi). Bituma mu mazuru hataba umwumira;
- Guca kure ibintu vyose bishobora gutumukira mu mazuru nk'imyotsi, intumo n'ibindi, kuko bibabaza (Irritation) mu mazuru, bigakwegaga sinizite;
- Kutaba ahantu hashushe, ukaba ahantu hapfutse ;
- Kwirinda kuba mu cumba gisakiye urugi n'amadirisha, cane cane mw'ijoro, kuko bituma ubugwyi bwiyongera.

UMUTI WA SINIZITE

Iyi miti kama twerekanye hano hepfo, niyakoreshwa neza nk'uko vyanditswe, bizotangaza umugwayi n'abari bamuzi aseserejwe.

1. KWIYUKA AMABABI (Fumigation)

Ibiyagize (Ingrédients) :

- Ibipfunsi 3 vuzuye neza (Bonne poignées) amababi mabisi y'imikaratusi imaze imyaka itatu canke irenga (Ikomeye ariko idashaje) ;
- Ibiyiko 2 binini (Cuillerées à soupe) vy'ifu y'igiterwa-muti (Plante médicinale) gikomeye bita time (Thym) yanikiwe ahatagira izuba canke umuco w'itara ;
- Amalitiro 3 y'amazi.

Uko ubitegura, ukavyiyuka

- Ivyo vyose biteke ku ziko bimare nk'iminota 5 biriko birabira biphundikiwe neza ku buryo bidasohora umwuka (Vapeur) mw'isafuriya canke inkono (Marmite) y'ikirundi ;
- Kura ku ziko bigipfundikiye neza, ubitereke ku meza ;
- Iyegereze ikintu wokwipfuka nk'ishuka iremereye, ikirengeti... ;
- Curika umutwe hejuru yaya safuriya/ ya nkono irimwo vya bindi birurumba, phundurura witwikire umutwe wose, uce ureka umwuka wose wavyo uguhereremwo, uwuheme mu mazuru gushika bihore, nko mu minota 20 ;
- Bisese, hanyuma ubikore uko incuro 3 buri muni.

Ku badashobora kuronka imikaratusi

Ukaba uri mu karere ko kw'isi bitoroshe kuronka amababi y'imikaratusi, henger aya mazi abize, uyakure ku ziko, uce uyajoterezamwo ubwo nyene amama 15 y'amavuta yahinguye mu mababi y'imikaratusi (Huile essentielle d'eucalyptus), ubone kwiyuka kurya twavyerekanye ku mababi.

Ibihe bibereye kwiyuka

Biyuka i mbere yo gufungura, canke i nyuma y'amasaha 3 wamaze gufungura.

Ni ryari kizira kwiwuka?

Aba bantu bakurikira barakwiye kwiwubara ubu buhinga bwo kwiwuka:

- ☛ Umukenyenzi yibungenze
- ☛ Umugwayi w'indwara y'umutima irangwa n'ivumbuka rirenze ry'umurindi w'amaraso (Hypertension artérielle)
- ☛ Indwara yo gukama amaraso (Anémie)
- ☛ Igihe isukari ari nke mu maraso (Hypoglycémie)
- ☛ Igihe uva amaraso mu buryo ubu na buriya: Mu gihe c'ubutinyanka (Menstruation), igihe uva umwuna (Episxis), wakomeretse ukaba uriko uravirirana (Diathèse hémorragique)...
- ☛ Igihe umuntu aba ashonje cane (Etat de faim), kuko isukari mu maraso yiwe iri nke.

Ico bifasha amagara yawe

Kwiwuka (Fumigation) si ubupfumu canke ubufyitirizi (Charlatanisme). Abahinga benshi bakoze ubushakashatsi bushingiye k'ukuvurisha indwara ibimera (Phytothérapeutes) nka Dr Carlos Kozel (Allemagne) mu gitabo ciwe « The Science of Natural Healing » hamwe na Dr Georges Pamplona Roger (Espagne) mu gitabo ciwe « Encyclopedia of Medicinal Plants », barerekanye ukuntu ubu buhinga bwo kwiwuka (Fumigation) bukomakomeye cane mu kuvura indwara nyinshi, na cane cane izo mu bihimba vy'ihemero (Appareil respiratoire) nka Hasima (Asthme), inkorora (Toux), igituntu (Tuberculose) co mu mahaha, sinizite (Sinusite), gusasatwa mu mazuru, (Rhinite allergique, Rhume des foins, Pollinose), indwara ya gute (Goutte), muhekenyi (Rhumatisme), igisukari (Diabète sucré) n'izindi ndwara zisesereje abantu benshi uyu munsu. Mu gihe imwe muri izo ndwara idashingiye mu mazuru, biwuka umubiri wose.

Amababi y'umukaratusi ikomeye (En pleine maturité) arimwo ibintu vyinshi bivura indwara nyinshi, aha tukavuga nk'amavuta (Huile essentielle ou essence) agizwe n'ivyo bita écalyptol n'ibindi, mu gihe amavuta nk'ayo bita thymol nayo agwiriye muri time (Thym). Kwiwuka rero bituma aya mavuta écalypol na thymol yinjira mu mazuru no mu maraso. Bituma amazuru yazivye azibuka, abasirikare bagwanira umubiri (Globules blancs) baragwira, bitoteza uguhuganirwa kw'umubiri (Allergie), bigashoboza abasirikare b'umubiri guanganura imigera (Virus, bactéries) itera indwara (Phagocytose).

Kwiwuka time (Thym) n'amababi y'umukaratusi (Feuilles d'eucalyptus) rero, ni umuti utavyoroshya namba, udasanze mu gutoteza indwara ya sinizite (Sinusite)

2. UMUTOBE W'INDIMU MU MAZURU

Umaze kuronga neza indiumu nshasha, yikatemwo kabiri, uyikuremwo imbuto, kugira ngo ntizihave zija mu mazuru.

Uko bawufata bivanye n'imyaka

- ☛ **Umwana afise amezi 3-9:** Tonyangiriza amama nka 4 muri buri zuru, incuro 3 ku munsu. Ubaye ufise kamwe gaharura amama bagura mu maduka y'imiti (Pharmacies), birushiriza kuba vyiza. Ntutinye, indimu nta na kimwe imwo-nonera;
- ☛ **Umwana afise amezi 10-36:** Tonyangiriza amama nka 6 muri buri zuru, incuro 3 ku munsu.
- ☛ **Umwana afise imyaka 4-9:** Tonyangiriza amama nka 8 muri buri zuru (Wibuke ko umuntu aba afise amazuru abiri), incuro 3 ku munsu.
- ☛ **Umuntu afise imyaka 10+:** Tonyangiriza amama nka 10 muri buri zuru, incuro 3 ku munsu.

Ico bigufasha ku magara yawe (Muri make)

Amama y'indimu mu mazuru afise ubushobozi budasazwe bwo kuzibura amazuru yazivye, ni umuti w'igitangaza kuri giripe...

3. IMBOGA MBISI

Umaze kuronga n'amazi abize, katagura ibi bikurikira:

- Ikaroti 2 zitayumbiranye, zitanikiwe ku zuba
- Itomati 2 zihishiye neza
- Igitunguru c'igoma gitukura kinini
- Katiramwo ivoka ryumutse neza
- Kanyiramwo akayiko k'umutobe w'indimu
- Shiramwo akayiko gato k'amavuta ya Elayo (Huile d'olive extra-vierge) canke y'amahoke (Huile de tournesole xtra-vierge)

Vyihereze iminsi yose ugiheza kubitegura, ubishoboye bikore kabiri ku munsu.

Ikiringo co gufata umuti: **Iminsi 30-60**

GUSASATWA MU MAZURU

(Rhinite allergique)

Iyi ndwara yo gusasatwa mu mazuru, (Rhinite allergique, Rhume des foins, Pollinose), isinzikaje abantu benshi, ariko kenshi ikitiranywa na sinizite kandi atari zimwe mu vyo ukuri. “Rhin” ni ijambo ry’ikigiriki risobanura “Izuru”, hanyuma “ite” rigasigura gusasatwa (Inflammation), mu gihe allergie twovyita uguhuganirwa. Rhinite allergique rero bica bisigura ngo “Gusasatwa mu mazuru”. Indwara y’ubusasatwe bwo mu mazuru (Rhinite allergique ou pollinose) ni indwara ibabaza caane kandi igirainkurikizi mbi zirenze gutera umuntu guhirira.

Uko iyi ndwara ikwiragiye kw’isi

Ibice 10 gushika kuri 25 kw’ijana vy’abantu bose baba kw’isi bagwaye iyi ndwaray’ugusasatwa mu mazuru (Rhinite allergique). Ibice 30 kw’ijana vy’Abafaransa bose bakuze barayigwaye,

Ibimenyetso biyiranga (Symptômes)

Bimwe mu bimenyetso nyamukuru biranga indwara y’ubusasatwe bwo mu mazuru (Rhinite allergique) ni ibi bikurikira:

- ☛ Gusesa ibicurane bizabimeze nk’utuzi mu mazuru ;
- ☛ Kwasamura (Eternuements) ;
- ☛ Gusasatwa ukumva wokwiyagaza (Démangeaisons) mu mazuru, mu matwi, mu marakaraka, mu kanwa, mu muhogo hamwe no kwivyiringira mu maso ;
- ☛ Kumeneka umutwe
- ☛ Guhishira amaso
- ☛ Kuziba amatwi ariko kudakaze cane (Bikunze kuba ku bana)

Hariho abantu usanga bagwaye ndwara y’ubusasatwe bwo mu mazuru itamaho, ariko yama ihengera ibihe bidahinduka akaba ariho ishika (Rhinite allergique saisonnière).

Ibitera iyi ndwara

Bimwe mu bitera iyi ndwarayo gusasatwa mu mazuru ni ibi bikurikira :

- ☛ Nk'uko bikuze gushika kuri hasima, indwara yo gusastwa mu mazuru iterwa n'ibintu bivuye hanze y'umubiri ariko uwo mubiri udashoboye kwihanganira, bikawutera guhuganirwa navyo (Réaction allergique). Bica bituma abasirikare b'umubiri basuka ibintu bita histamine vyinshi n'ibindi bisa navyo mu maraso, akaba arivyo bica bikwega vya bimenyetso vyo guhuganirwa nko kwasamura, kwivyingira mu maso no mu matwi, kwumva wonyengeretereza urutoke ngo wiyagaze mu magage, n'ibindi ;
- ☛ Indwara yo gusasatwa mu mazuru irashobora guterwa n'ubwoya bw'akayabu bwakwinjiyemwo;
- ☛ Ibihunguruka vy'ibimera bimwe bimwe bituma mu kirere woba wagiye winjiza muri wewe;
- ☛ Akaronda (Prédisposition génétique): Igihe umwe mu bavyeyi babiri aba arwaye indwara yo guhuganirwa, akarwara indwara yo gusasatwa mu mazuru (Rhinite allergique), ibice biri hagati ya 30 na 60 kw'ijana vy'abana babo bazoyigwara nabo, mu gihe ibice biri hagati ya 50 na 70 kw'ijana vy'abana arivyo biyirwara igihe abavyeyi bose uko ari babiri baba bayirwaye.

Inyifato ibereyeuwamaze kugwara

Umuntu yamaze gufatwa n'indwara yo guhuganirwa, akagwara indwara yo gusasatwa mu mazuru, yobera maso ibi bikurikira :

- ✓ Yokwigiza kureyiwe ibintu vyose bibika intumo: Itapi, ibirago n'ibindi ;
- ✓ Imatela itegerezwa kuba itekeye neza mu gitambara, kugira ngo ibivunguka vyayo ntibimutumukiremwo ;
- ✓ Intebe, ububati, etajere n'ibindi, vyohora bihanaguzwa igitambara gikanye ku-gira ngo ntibikwegere intumo mu mazuru no mu maso ;
- ✓ Igizayo ibiterwa vyoba bitewe imbere mu nzu, kuko iyo bishaje bigatunda bi-vyara ibituma umurwayi ahuganiwa ;
- ✓ Ibikoko vy'ibitungano bifise ubwoya butumuka nk'ubuyabu...vyigizweyo ;
- ✓ Kuja kure y'intumo, imyotsi ;
- ✓ Kuraba amavuta yose ashobora kubaagutera guhuganirwa akigizwayo ;
- ✓ Kwitura umuganga yanonosoye ivyo indwara zijanye no guhuganirwa (Allergo-logue) akagufasha gusuzuma ibintu bitandukanye, harimwo n'ibifungurwa, bigu-tera guhuganirwa (Les allergènes), kugira ngo ibishoboka vyose ubizibukire.

Ni ukwibuka ariko ko bitama vyoroshe kuba kure y'ibintu vyose bishobora kugutera guhuganirwa (Les allergènes), ari naco gituma umuti ushobora gucuresha canke ukana-vura iyo ndwara ari ngombwa.

UMUTI W'INDWARA YO GUSASATWA MU MAZURU

1. Umutobe w'ibitunguru vya sumimu

Ibiwugize(Les ingrédients)

- ☛ Intete 15 z'ibitunguru vya sumimu (Gousses d'ail) zitonyoye
- ☛ Amagoma 3 y'ibitunguru bitukura (Oignons rouges)
- ☛ 1/2kg y'ikaroti nini nshasha
- ☛ Indimu 2 nini, nshasha
- ☛ Ikigundu ca seleri
- ☛ Ikirahuri c'igice c'iritiro ry'amazi atetswe canke ahinguye

Uko babitegura

- Bironge n'amazi yitwako ari meza yo kw'irobine mu mazi avuye ku ziko abiragira
- Bikatagure vyose ukuyemwo ibitunguru vya sumimu
- Vyose hamwe uko vyakabaye, bisye mu kamashini gakanya umutobe w'ivyawa n'im-boga (Centrifugeuses, extracteur de jus) uronke umutobe
- Vanga uwo mutobe uronse n'ibiyiko 3-4 vy'ubuki
- Nywa uwo mutobe w'igitangaza buri muni.

Ico bifasha ku magara muri make

- Allicine yomu bitunguru vya sumimu
- Quercétine yo mubitunguru bitukura
- Insanganyangaburo (Vitamine) A yo mw'ikaroti, seleri
- Insanganyangaburo (Vitamine) C ipakangiye muri ivyo vyose ukuyemwo amazi
- Flavonoides zo mu ndimu n'ibindi vyinshi tutadondaguye :

Bikomeza abasirikare bagwanira umubiri (Système immunitaire), bishoboza umusokoro w'amagufa guhingura ikigwanisho bita immunoglobuline E, bikagabanya histamine hamwe n'ubundi bumara buhingurwa n'umubiri butera guhuganirwa (Allergie).

Ku badashobora kuronka akamashini

Bobironga uko twavyerekanye, bakabisekura bitarimwo amazi, bakabisukamwo ilitiro 1 ry'amazi atetswe canke ahinguwe, bagakanya neza bakamimina. Bowunywa incuro 2, mu kiringoc'amasaha abiri ku muni.

2. Amazi arimwo indimu

Nywa amalitiro 2-3 y'amazi, wakanyiyemwo indimu 1-2 kw'iritiro, iminota 30 canke irenga imbere yo gufungura, canke amasaha 2 inyuma yo gufungura.

Urahagabira!!

- Indimu irabujijwe urwaye indwara y'ubushe bwo mu mushishito (Gastrite), kuko acide citrique, acide chlorogénique na acide coumarique vyongereza ubushe (Inflammation) mu mushishito;
- Allicine yo mubitunguru vya sumimu ishobora gukorora inda no kuvirirana amaraso ku bava umwuna (Epistaxis), abagore bari mu butinyanka (Menstruation);
- Céleri ishobora gukorora inda;
- Umutobe w'ikaroti urabujijwe ku bagwayi b'igisukari n'aho nyene ikaroti idatetse irekuwe.

UBUSHE BWO MU MAHAHA (Bronchite)

Indwara y'Ubushe bwo mu mahaha (Bronchite) isobanura kwumva ubushe canke ububabare mu miringoti yinjiza impwemu mu mahaha (Inflammation des bronches). Bronchite ni indwara ibabaje y'amahaha yugara uturingoti tujana impwemu mu mahaha, igatera kubura impwemu, guhiritana no kugona. Uwugwaye iyi ndwara bituma ahema vyanka kuko imiringoti itwara impwemu mu mahaha (Bronches) isigara yisukamwo utuziri bita mikisi (Mucus) dutuma ikoherana, ikamera nk'iyugaye (Bronchocontraction partielle), mbere igihe iyi ndwara yabaye ndanse hoho, no kwiugara iriyugara burundu (Bronchocontraction totale), ari naho umugwayi aca aguca mu myanya y'intoke biciye mu kubura impwemu.

Indwara y'Ubushe bwo mu mahaha (Bronchite) irafitanye isano rya hafi na Hasima (Bronchite asthmatiforme). Hasima, ni igihe imiringoti itwara impwemu mu mahaha iba yikoheranyakoberanya birenze urugero (Contraction anormale des bronches), ikongerako no jubamwo umururumbo urenze (Inflammation trop importante des muqueuses bronchiques, ari navyo bibuza impwemu kwinjira mu mahaha.

Mu bitaro bibifitiye ubushbozi, igihe umugwayi wa hasima canke w'indwara yo gusha mu mahaha (Bronchite) ageze ahatemba kubwo gukena impwemu, hari aho biba ngobwa kumucomeka ku munwa no kumazuru imashini imurungikamwo umuti umwugurura amahaha ikanamwongerereza umwuka ogisijene (Oxygène) amahaha yiwe atakironka bikwiye mu kirere. Iyo bitagenze uko, umugwayi ashobora no guca asezero isi.

Igihe cose indwara y'Ubushe bwo mu mahaha (Bronchite) itavuye neza kare canke naho ikavugwa imirenzako, ivyara hasima ngendanwa, ari nayo baca bita « Bronchite asthmatique chronique ». Aha rero ibintu biba bigeze ahatemba, uretse ko ivyizigiro vyo gukira navyo biguma ari vyinshi ku wavyifashemwo neza, ntiyisamaze. Bisigura rero ko hasima ariyo ndwara ikaze cane kuruta n'iyi y'ubushe bwo mu mahaha.

Ibimenyetso biyiranga (Symptômes)

- ✓ Umugwayi arabura impwemu zikwiye (Essoufflement), bivanye n'uko imiringoti yinjiza impwemu mu mahaha (Bronches) irimwo umururumbo kandi ikamera nk'iyiyugaye (Bronchoconstriction) ;

- ✓ Guhema uhiritana, bikumvikana ushize n'ugutwi mu mugongo canke mu gikiriza ahatumbereye amahaha
- ✓ Umugwayi ahema ajwigira (Respiration sifflante sonore), ivyo bikunywurwa n'uko hasima nayo yamaze kwitamwo (Bronchite asthmatiforme chronique ;
- ✓ Umugwayi aseserezwa n'inkorora y'urudaca, kandi kenshi ikaba ari inkorora y'akanira idacika (Toux sèche), ivyo bigakara cane cane mw'ijoro hamwe n'igihe ahuye n'intumo canke ibintu bimurakira nk'amavuta bisiga n'ibindi nk'ivyo ;
- ✓ Kubabara mu muhogo, bivanye no guseserezwa n'inkorora ;
- ✓ Kubabara mu gakaraza (Thoracalgie) ukamengo hagiye gusaduka, bitewe ahanini no guseserezwa n'inkorora ;
- ✓ Gucika umugongo (Lombalgie), kubera gukorora cane ;
- ✓ Kumeneka umutwe (Céphalées) gutewe no gukorora ;
- ✓ Birashika iminwa (Lèvres) igasigara isa n'urwatsi rubisi, akavyimba amaguru (Enflure des membres inférieurs), cane cane mw'ifatanirizo ry'ukuguru n'iki-ringe (Cheville) hamwe no mu birenge ;

Ibituma (Causes)

Hari amoko abiri y'iyi ndwara y'ubushe bw'amahaha (Bronchite): Ubushe bw'amahaha butari indwara ngendanwa (Bronchite aiguë) hamwe n'ubushe bw'amahaha nk'indwara ngendanwa (Bronchite chronique)

a. Ubushe bw'amahaha butari indwara ngendanwa (Bronchite aiguë)

Iyi ndwara y'amahaha inyaruka kwigaragza igihe imigera (Virus et bactéries) biba bigavye ibitero mu mahaha. Umugera utera indwara ya giripe (Influenza virus uko iri amoko atatu: Virus A, B na C) n'ibicurane (Rhume) nivyo bikunze gutera ubu bwoko bw'indwara y'ubushe bw'amahaha butari indwara ngendanwa (Bronchite aiguë). Ishobora kandi no guterwa n'imigera itera indwara y'agasama (Les germes de la rougeole) hamwe n'iyitera inkorora y'akanira (Germes de la coqueluche). Muri ivyo bihe vyose, indwara ica yitwa «Indwara y'ubushe bw'amaha butaraba ngendanwa butewe n'imigera (Bronchite infectieuse aiguë), mu gihe iyo ubwo bushe bw'amahaha buvuye ku ntumo (Poussières), imyotsi (Fumées) canke umwuka vyababaje amahaha, tuvuyita «Indwara y'ubushe bw'amaha butaraba ngendanwa butewe n'ibitumuka vyatumukiye mu mahaha bikayabaza (Bronchite irritative aiguë)».

b. Ubushe bw'amahaha nk'indwara ngendanwa (Bronchite chronique)

Umwotsi w'itabi: Mu mwotsi w'itabi, haba harimwo ubumara bushika 4000 (Nicotine, benzopyrène, goudron, nitrosamine, monoxyde de carbone n'ubundi bwinshi), kandi bwinshi muri ubwo, cane cane nicotine na monoxyde de carbone, bwonona amahaha kuruta iyindi migabane y'umubiri, bugatera indwara z'amahaha zikomeye nka hasima, ubuhe bw'amahaha... Muri rusangi, indwara y'ubushe bw'amahaha bukomotse ku bumara buva mu mwotsi w'itabi ikunze gufata abaynwi b'itabi bamaze imyaka 45 y'amavuko n'iyirenga.

Mu gihe umuntu amaze imyaka myinshi agendana indwara y'ubushe bwo mu mahaha (Bronchite chronique), cane cane bitewe n'ubumara buva ku mwotsi w'itabi, amaherezo bimushikana ku ndwara y'amahaha yo ku rwego rukaze cane kuruta urwo: Hasima (Bronchite asthmatiforme)..

Intumo iva mu mahinguriro: Ibindi bitera iyi ndwara, ni intumo ziva kw'iturirwa ry'amakara n'ibindi vyonona amahaha bituma biva mu mahinguriro bitari bimwe, nko ku mamashini asya imyumbati, ibigori, ingano, amasaka, soya n'ibindi nk'ivyo. Abafundi babaza imbaho, bakatagura bagateranya ivyuma (Soudeurs) nabo bakwiye kuhagabira, kuko bashobora kwisanga amahaha yabo yahasinzikariye.

Umwotsi w'urukarango: Umwotsi w'urukarango rw'amavuta yazigiye bita ikambiri mu gihe bakaranga inyama, imikeke, ibitumbura n'ibindi; uba urimwo ubumara bwinshi bwonona amahaha, bugatera n'indwara ya kanseri hamwe n'I zindi ndwara zikomeye (Benzopyrène, nitrosamines, les amines hétérocycliques, acroléine, tri-méthylcho-lenthène...).

Kuzitira utaronerwa (Prophylaxie)

Nk'uko bisanzwe bimeze no kuzindi ndwara zose ngendanwa (Maladies chroniques) nk'indwara y'igisukari (Diabète pancréatique), indwara z'umutima (Cardiopathies), kanseri (Cancer) n'izindi; biroroshe kwikingira indwara y'ubushe bwo mumahaha (In-flammation des bronches ou bronchite) hamwe na hasima bigendana, mu gihe utarag-wara (Prévention primaire), ugaca kure y'ibintu vyose bitera izo ndwara mu kuvyifatamwo uku gukurikira:

- ☛ Kuzibukira ubumara bushika 4000 buva mu mwotsi w'itabi hamwe n'ibindi biyayuramutwe vyose binyobwa nk'itabi: Urumogi, marijuana, cannabis n'ibindi;
- ☛ Kwihereza cane imboga mbisi (Salades), ivyamwa vyinshi bitanikiwe ku zuba canke ngo bisoromwe bitarera neza, umutobe w'ivyamwa n'imboga udatetswe, mu ntumbero yo gukomeza abasirikare b'umubiri (Système immunitaire) ngo nti-

bakarirwe n'imigera (Virus na bactéries) itera giripe n'ibicurane, kuko biba intandaro y'ubushe bw'amahaha na hasima. Insanganyangaburo (Vitamines) A na C bibivamwo ni bimwe mu bikomeza abasirikare b'umubiri bakadushoboza guhangana n'ibitera indwara;

- ☞ Igihe cose dukorera mumahinguriro mato canke manini afise ibintu vy'intumo canke imyotsi asuka mu kirere, dukwiye kwama twashize ku mazuru no ku minwa vyacu ibintu vyo guhemerawo vyabigenewe, bigurirwa mumaduka y'imiti (Pharmacies);
- ☞ Kuvura hakiri kare kandi neza, indwara zose zishobora kwonona amahaha: Ibicurane (Rhume), sinizite (Sinusite), ibigoga (Les amygdalites), ubushe bwo mu mazuru (rhinite allergique), n'izindi;
- ☞ Kwiubara cane gucanira amavuta yo gukaranga ibifungurwa gushika n'aho ahin-duka nk'ubumara (Ikambiri).

UMUTI UHASHA UBUSHE BWO MU MAHAHA

Sezera indwara y'ubushe bwo mu mahaha (Bonchite) udakeneye imiti y'ikizugu n'amapompo!!

Ibiwugize (Igrédients)

- Ikilo 1 (1kg) c'isukari, bishobotse isa n'inginagina (Sucre roux)
- Ikilo 1 (1kg) c'ibitunguru bitukura (Oignons rouges), binini binini biteguwe neza
- Intete 30 z'ibitunguru vya sumimu (Gousses d'ail) zisekuye/Zisyeye
- Indimu 5 (Citrons) nini, zitayumbiranye zikataguwe duto duto n'amashishwa yazo
- Ilitiro n'igice (Ibikombe 3 vyamironko) ry'amazi
- Ibiyiko binini (Cuillerées à soupe) 15 vy'ubuki bw'umutsama (Budatetswe), budashaje kandi buzize (Butabonerana mw'icupa (Miel foncé), kuko aribwo butunze ibikomeye kumagara yacu.

Isukari, uyikoreshe nk'umuti gusa mu kiringo runaka, hanyuma uce uyibagira. Ukayigira igifungurwa cawe izoguhitana agatwe!!

Uko bategura umuti

- ✓ Shira ya sukari yose mu gasafuriya ku ziko, ishongeshwe n'umuriro ;
- ✓ Shiramwo ivyo bindi vyose bisigaye ukuyemwo ubuki bwo nyene (Burankana n'umuriro), ubicanire ku muriro utagurumana (Feu doux), gushika ugereranije ko hasigaye nk'ica gatatu (1/3) ca ya mazi wabitekesha, bipfundikiye neza ;
- ✓ Bikure ku ziko urindire bihore utabipfunduruye kuko umuti urimwo wotumuka ku bwinshi;
- ✓ Mimina mu gitambara cera kitagira irangi canke ukoreshe papier à filte niwaba ubishoboye ;
- ✓ Sukamwo bwa buki, ubone kuvangavanga cane ;
- ✓ Shira mw'icupa rimeneka (Bouteuille en verre), ritabonerana, urumye neza.

Uko bawufata bivanye n'imyaka

- ☛ *Umwana afise amezi 3-9:* Ibiyiko 1 kinini buri saha, igihe cose adasinziriyeye
- ☛ *Umwana afise amezi 9-36:* Ibiyiko 2 buri saha, igihe cose adasinziriyeye
- ☛ *Umwana afise imyaka 4-9:* Ibiyiko 3 buri saha, igihe cose bishoboka
- ☛ *Umuntu afise imyaka 10+:* Ibiyiko 4 buri saha, igihe cose bishoboka

ICITONDERWA

Hari ibihe bimwebimwe kizira kikaziririzwa gushira ibintu bimwe bimwe muri uyu muti:

- Isukari n'ubuki, mugihe urwaye indwara y'igisukari (Diabète sucré)
- Ibitunguru vya sumimu mu gihe uva amaraso mu buryo ubwo aribwo bwose canke wibungenze
- Indimu mu gihe ugwaye ingwira y'ubushe bw'umushishito (Gastrite)
- Isukari mu gihe ugwaye ibikomere vyo mu mushishito (Ulcère gastrique)

- Isukari hamwe n'ubuki birashobora kubozora no gutobagura amenyo (Effet cariogène). Bisabarero ko igihe cose wihereje uwo muti, uca wiyugumura neza ubwo nyene.

Ico bigufasha ku magara yawe (Muri make)

- Mu bitunguru bitukura hapakangiyemwo Quercétine ikomeza abasirikare bagwanira umubiri (Cellules blanches), bagashobozwa guhangana n'imigera yateye amahaha (Agents infectieux) iyo ariyo yose;
- Mu bitunguru vya sumimu (Ail) hagwiriyemwo allicine ikomeza abasirikare bagwanira umubiri (Cellules blanches), bagashobozwa guhangana n'imigera yateye amahaha (Agents infectieux) iyo ariyo yose;
- Indimu iba irimwo insanganyangaburo (Vitamine) C, ivyunyunyuru (Sels minéraux) nka calcium, potassium, phosphore, fer... Haba hariwo acide citrique, acide coumarique na acide chlorogénique. Haba harimwo ivyo bita flavonoïdes, n'ibindi vyinshi. Indimu irakinga ikanagwanya indwara zishika 300 (Dr Carlos Kozel-Allemagne), bronchite idasigaye inyuma;
- Ubuki buzize ni kuvuga butabonerana mw'icupa (Miel foncé), buba burimwo ibintu bita flavonoïdes vyinshi bikomeza abasirikare b'umubiri (Système immunitaire), ivyo bita pollen bitunze indemamubiri nyinshi, hamwe n'ivyo bita méthylglyoxal (Enzyme) bisangangura imigera y'indwara itari imwe (Effet anti-microbien) ;
- Indimu ikoranye n'ibitunguru bitukura, ibitunguru vya sumimu hamwe n'ubuki bw'umutsama, bikomeza abasirikare bagwanira umubiri, bituma igikororwa gicika (Effet mucolitique), kigasezera, vyugurura imiringoti yo mu mahaha (Broncho-dilatation), bigatuma umugwayi ahera atavunitse, indwara yari imuzingamitse igatungwa n'ayo yameze, mu gihe itariko iravugwa mu rwangara no mu kwisamaza.

Muri make, uyu muti w'igitangza, utoteza inkorora ikaze (Effect anti-tussif), ugatuma mikisi (Mucus) igagiranye mu miringoti itwara impwemu mu mahaha (Bronches) ivamwo, maze bigatuma umurwayi yoroherwa guhema (Effet mycolitique, fluidifiant bronchique).

Kuri hasima, ubushe bwo mu mahaha hamwe no ku nkorora y'akanira (Coqueluche), uyu muti ni igitangaza! Ibiwugize vyashizweho n'Imana mu ntumbero yo gukinga no kugwanya imibabaro mu bantu.

IKIRINGO CO GUFATA UMUTI: Iminsi 30+

HASIMA_(Asthme)

Menya neza Hasima ico arico!!

Hasima (Asthme), ni igihe imiringoti itwara impwemu mu mahaha iba yikoberanyako-beranya birenze urugero (Contraction anormale des bronches), ikongerako no kubamwo umururumbo urenze (Inflammation trop importante des muqueuses bronchiques), ari navyo bibuza impwemu kwnjira mu mahaha. Hasima ni indwara ngendanwa (Maladie chroïque) y'amahaha, irangwa n'uko imiringoti ijana impwemu mu mahaha (Bronches) iba yuzuyemwo uruziri bita mikisi (Mucus) ikongera ikikoberakoberanya (Constriction), ivyo bigatuma ica yaga (Broncoconstriction). Umugwayi asigara yinjiza impwemu akanahema bigoranye cane.

Mu yandi majambo, Hasima ni indwara itoroshe y'amahaha, igaragaza ibimenyitso vyayo bivanye n'aho igejeje umurwayi, ivyonyavyo bikagaragarira mu bice (Phases) bitatu nyamukuru:

1. *Ubushe bw'imiringoti yinjiza impwemu mu mahaha (Inflammation des bronches)*

Ubu bushe(Inflammation), bubera imbere mu miringoti yinjiza impwemu (Air) mu mahaha igasohora umwuka udakenewe mu mubiri (Gaz carbonique). Ya miringoti ica itangura kuvyimbavyimba (Enfler), ivyo bigatuma ikibanza yakiriramo impwemu zivuye hanze imbere y'uko zibandanya mu mamiliyoni 300 (300 000 000) y'udusaho tw'amahaha twakira impwemu n'umwuka ogisijene (Oxygène) mu mahaha yose uko ari abiri, aritwo bita « sacs à air » canke « alvéoles pulmonaires » gica caga, umwuka ogisijene ugaca ukena mu maraso (Hypoxémie) no mu nyama z'umubiri (Hypoxie).

Inkurikizi ku magara y'umugwayi, ziza kuvana n'aho ubushobozi bw'amahaha bwo kwakira impwemu (Air) zirimwo umwuka ogisijene hamwe n'ubwo gusohora umwuka umubiri udakeneye ariwo « gaze karibonike (Gaz barbonique) » bugeze. Wibuke ko uko indwara ikura, ari nako ubwo bushobozi bugenda bugabanuka, umugwayi nawe akaremba kugeza n'aho aheba agacikana abuze impwemu. Ariko ukaba ugwaye canke ugwaye hasima, rema kuko umuti warabonetse. **Imana ikorera mu vyaremwe yitayeho ikibazo c'abantu kuruta uko bo ubwabo bacitwararitse.**

2. Kwikoberanya kw'imiringoti yinjiza impwemu mu mahaha (Rétrécissement des bronches).

Ivyo tuvuze aho hejuru bimaze gushika, ya miringoti yinjiza impwemu (Air) mu mahaha igasohora umwuka udakenewe mu mubiri (Gaz carbonique) iraha ikikoberanya, ari nacyo bituma impwemu ziva hanze zirushiriza kubura aho zinjirana ngo zishike mu mahaha.

3. Utuziri twitwa mikisi (Mucus) tugwirirana mumiringoti yinjiza impwemu mu mahaha, tugatuma tubuza umugwayi guhema nk'abandi.

Mu nyuma, ya miringoti yinjiza impwemu (Air) mu mahaha igasohora umwuka udakenewe mu mubiri ariwo (Gaz carbonique) ica iherako itangura kugenda yuzuramwo utuziri bita mikisi (Mucus) bivanye na kwa kuntu iba yajemwo ubushe (Inflammation des bronches), hanyuma utwo tuziri mikisi tukazivya ya miringoti (Bronco-constriction ou obstruction des bronches pulmonaires) isanzwe yaramaze gukoberana (Rétrécissement).

Umuti wose ushobora kugarukana amahoro n'umutekano mu mugwayi, ni uwufise ubushobozi bwo guhagarika ikoberana ry'uturingoti, ukongera ugahagarika igwirirana rya twatuziri mikisi imbere mu miringoti y'amahaha. Kuzibura iyo miringoti ngo impwemu zirengane zishike mu mahaha y'uwurembejwe na Hasima (Bronco-dilation) vyonyene birashobora gukorwa n'ipompo yo kwa muganga canke imiti runaka yugurura iyo miringoti, bigatanga agahengwe, ariko ntibiba bitoreye umuti urama indwara.

Birabereye kumenya no gukoreshanya ishaka ryinshi umuti utavyoroshya mu gutabara abarembejwe na Hasima.

Hasima ni imwe mu ndwara zibabaje kandi zikomeza kurandagata kw'isi yose uko bukeye uko bwije, ahanini kubera inyifato za twebwe abantu hamwe n'ibidukikije bitatworohereza kubaho neza. Ishirahamwe Mpuzamakungu Ryitaho Amagara y'Abantu kw'Isi (OMS) hamwe n'Urunani Rwishinze Kugwanya Hasima kw'Isi (Global Asthma Network) babona ko hashobora kuba hari abagwayi bagendana Hasima babarizwa mu miliyoni 334 kw'isi, mu gihe muri Kanada honyene abashika imiliyoni 3 ibageramiye caane.

Ibimenyetso biyiranga (Symptômes)

Ibimenyetso biranga hasima biratandukanye, bitewe naho iba igejeje umuntu:

a. Igihe ugitangura gufatwa

- Umuntu atangura kwumva ababara mu muhogo

- Yama yumva afise uburuhe budasiguritse (Asthénie)
- Yumva arakajwe n’ubusabusa (Irritabilité)

b. Ibimenyetso simusiga

- Guhema vyanka, ubura impwemu (Essoufflement), kubera yuko imiringoti yinjiza impwemu mu mahaha iba yuzuyemwo uruziri mikisi(Mucus) kandi ikoberanye (Broncoconstriction) ;
- Umugwayi ahema ajwigira (Respiration sifflante sonore), ivyo bigashika igihe hasima nayo yamaze kwinjiramwo (Bronchite asthmatiforme chronique ;
- Kwumva mu gikiriza umengo haratekeye (Opression de la poitrine) ;
- Inkorora idacika, ibabaza cane (Toux sèche), ivyo bigakara cane cane mw’ijoro hamwe n’igihe ahuye n’intumo canke ibintu bimurakira nk’amavuta bisiga n’ibindi nk’ivyo ;
- Gucika umugongo (Lombalgie), kubera gukorora cane ;
- Kumeneka umutwe (Céphalées) gutewe no gukorora ;

MENYA NEZA

Igihe umugwayi ahema vyanka, agira ingorane zibiri nyamkuru :

- a. Bituma umwuka wategerezwa gusohoka hanze y’umubiri (Gaz carbonique) udasohokana mu mahaha neza, ivyo bigahinduka ubumara mu maraso yiwe ;
- b. Bituma impwemu(Air) ziva hanze zishika mu mahaha ku rugero rudashitse, maze umwuka uva ku bimera (Oxygène) uba inkehwa mu maraso (Hypoxémie) no mu mubiri (Hypoxie), ivyo bigakwegaga ingorane zikomakomeye harimwo guta ubwenge (Coma) no gucikana ukenyutse.

Namba hari indwara yo guca kure, ni indwara ikubuza guhema nka Hasima.

Ibitera Hasima (Causes)

Hasima ni indwara ngendanwa ikaze y’amahaha, iterwa n’ibituma vyinshi, hakaba n’ibitayitera ariko bigasonga uwuyirwaye. Hamwe wosomana ubwitonzi utisamaza ibi bituma bikurikira, bizogufasha kumenya uko wikingara ngo aka kabi kabishe kitwa « Hasima » ntikagushikeko. Mu gihe ugwaye naho ukaba watanguye kwivuza imiti twatanze

aho hepfo, umenye ivyo ukwiye kwiubara kugira ngo ntusange uriko wisonga (uriko urisonga) ubwawe, kandi bidakenewe.

a. Ibitera guhugunirwa (Les allergènes) vyinjiye mu mubiri

Ibice bishika 80 kw'ijana vy'ubugwayi bwa Hasima vyose vyoba biterwa no guhuganira (Réaction allergique). Bimwe mu bintu bitera umubiri guhuganirwa (Les allergènes) bikonona amahaha gushika n'aho umuntu agwara Hasima ni nk'ibi bikurikira :

- Intumo (Poussières) y'ibintu vy'amasakamburira yo mu ngo n'ahandi, itumukira mu mazuru no mu kanwa;
- Ibintu vyavunze (Moisissures) bishobora gutumukira mu kanwa no mu mazuru ;
- Ubwoya bw'ibikoko, cane cane vy'ibitungano nk'ubuyabu, butumukira mu mazuru ;
- Ibihungurukahunguruka bitumuka mu kirere bivuye ku biti no kuvyatsi (Pollen), cane cane mu ci ;
- Imiti yo kwa muganga yo guhwamika ububabare (Les anti-inflammatoires) nka acide acétylsalicylique ou AAS ;
- Imiti yo kwa muganga bita « Antibiotiques) ;
- Ibintu bashira mu binyobwa n'ibifugurwa ngo bibikike igihe kirekire (Les conservants chimiques) ;
- Ipampa ;
- Isabuni y'amazi bita « détergents » bogesha ibikoresho vyo mu mazu;
- Ibinyantete birimwo indemamubiri bita gluten nk'ingano ;
- Ibivungukavunguka vy'imatela (Mousses);
- Amarangi basiga inyubakwa n'ibikoresho bimwe bimwe (Peintures);

b. Imigera y'indwara (Virus et bactéries) ibangamira amahaha

Hariho umugera (Virus) utera indwara ya giripe (Influenza virus uko uri amoko atatu: Virus A, B na C) n'ibicurane (Rhume). Uyu mugera urashobora kubangamira mahaha ugatera indwara y'ubushe bwo mu miringoti itwara impwemu mu mahaha (Bronchite), hanyuma iyo itavuwe kare ngo ikire, igahava ivyara Hasima (Bronchite asthmatiforme) ;

Hasima ishobora kandi no guterwa n'imigera ikwega indwara y'agasama (Les germes de la rougeole) hamwe n'iyitera inkorora y'akanira (Germes de la coqueluche) ;

c. Umwotsi w'itabi

Ubushakashatsi bwakozwe n'abahinga bwerekana ko mu mwotsi w'itabi, haba harimwo ubumara bushika 4000 (Nicotine, benzopyrène, goudron, nitrosamine, monoxide de carbone n'ubundi bwinshi), kandi bwinshi muri ubwo cane cane nicotine na monoxyde de carbone, bwonona amahaha kuruta iyindi migabane y'umubiri, bugatera indwara z'amahaha zikomeye nkahasima, ubushe bw'ahaha.... Muri rusangi, indwara y'ubushe

bw'amahahaukomotse k'ubumara buva mu mwotsiw'itabi ikunzegufataabanywib'itabi bamaze imyaka 45 y'amavuko n'iyirenga.

Mu gihe umuntuamaze imyaka myinshi agendana indwara y'ubushe bwo mu mahaha (Brochite chronique), cane cane bitewe n'ubushe buva ku mwotsi w'itabi, amaherezo bimushikana ku ngara y'amahaha yo ku rwego rukaze cane kuruta urwo: Hasima (Bronchite asthmatiforme).

d. Intumo iva mu mahinguriro

Ibindibitera Hasima, ni intumo ziva kw'iturigwa ry'amakara n'ibindi vyonona amahaha biva mu mahinguriro bitaribimwe, nko ku mamashini asya imyumbati n'ibinyantete bitandukanye. Abakora mw'ibaziro ry'imbaho hamwe na barya bakatagura bagateranya ivyuma (Soudeurs) barageramira amahaha yabo kubera intumo n'ibihunguruka vyisuka mu mazuru no mu kanwa, bikababaza (Irriter) amahaha.

e. Umwotsi w'urukarango

Urya mwotsi w'urukarango rw'amavuta yazigiye bita ikambiri mu gihe bakaranga inyama, imikeke, ibitumbura n'ibindi, uba urimwo ubumara bwinshi (Benzopyrène nitrosamines, les amines hétérocycliques, acroléine, tri-méthylcholentène...) bwonona umubiri, amahaha adasigaye i nyuma. Bitera n'indwara ya kanseri.

f. Amata y'inka n'ibiyakozwemwo

Amata y'inka hamwe n'ibiyakozwemwo bisanzwe bitunze ubwoko bw'indemamubiri (Protéine) yitwa « caséine ». Iyi ndemamubiri isanzwe itera guhuganirwa kw'umubiri (Allergie) gushobora kubangamira umubiri, amahaha nayo adasigaye inyuma, na cane cane ku basanzwe bagwaye indwara zo mu bihimba vy'ihemero nka Hasima.

Hariho ivyigwa vyakorewe muri Leta Zunze Ubumwe za Amerika, bikoze n'ikigo c'abanya Amerika kijejwe ivyo Guhuganirwa kw'umubiri, Hasima hamwe n'ivyerekanye n'Abasirikare b'umubiri (American Academy of Allergy, Asthma and Immunology). Basanze ko amata y'inka arico gifungurwa cambere mu bitera guhuganirwa kw'umubiri gukomoka ku bifungurwa n'ibinyobwa (Allergies alimentaires). Dr Fank Osi aremeza ko hafi y'igice c'abana bose bavuka muri Amerika bagerwako n'ukwo guhuganirwa kw'umubiri (Allergies) gutewe n'amata y'inka. Amata y'inka iyo yaguteye guhuganirwa, agushikana aho atuma imiringoti y'amahaha ihingura umurengera w'utuziri bita mikisi (Mucus tuzivya imiringoti yinjiza impwemu mu mahaha).

Ishirahamwe Mpuzamakungu Ryitaho Amagara y'Abantu kw'Isi (OMS), mu gatabo gato kitwa « Alaitement maternel », risaba ko abana bato badakwiriyeye guhabwa amata y'inka n'imiburiburi batarakwiza imyaka itatu y'amavuko, kiretse mu bihe bigoye vy'amaburakindi. Dr Georges Pamplona Roger, mu gitabo ciwe "Croquez la Vie, des

Aliments qui Préviennent et qui Guérissent” avuga ko amata y’inka yagenewe inyana atari ikiremwa-muntu, na cane cane abaye ari umuntu akuze.

Amata y’inka rero n’ibiyakozwemwo, birundanyemwo ibintu bitandukanye bituma abayagize ingaburo yabo canke y’abana babo batiteze gukura akarengwe kwa muganga. Ikibabaje gusa ni ic’uko n’aho azogusinzikaza, utokwitega guhura na muganga akwibira akabanga ko amata ariyo yagukwegeye amagorwa akwugarije. Amata y’inka n’ibiyakozwemwo, ni kimwe mu bituma amavuriro akomeza kwiyongera kw’isi.

j. Akaronda (Prédisposition génétique)

Hasima, ni indwara ikunze gufata abantu izananywe mu kurandagata mu miryango ku mvo z’uko ikunze kuva ku karonda (Hérédité). Ibice biri hagati ya 80 na 90 kw’ijana vy’abana bagwaye Hasima usanga babikomora mu miryango bavukamwo bayigwaye (Hérédité), mu gihe ku bakuze (Les patients adultes) naho ari ibice bishika 30 na 50 kw’ijana. Ibi ntibisigurako abo bana n’abakuze baba bavutse ku bavyeyi bagwaye Hasima nabo baba bavutse bayirwaye. Oya, habanamba. Ahubwo bisigura yuko, iyo uvyawe n’umuvyeyi agwaye Hasima, uvukana umubiri udafise ubushobozi bukwiye bwo guhangana n’ibitera Hasima nk’ivyo vyose twabonye aho hejuru. Ico gihe rero, iyo ubaye mubitera iyo ndwara, uyigwara vyoroshe ugereranije n’abandi bantu batavuka ku bavyeyi bayigwaye (Bavyita prédisposition génétique).

Kwikingira (Prévention)

Hari uburyo bubiri bwonyene bwokwikingira indwara: (1) Kuzitira utaronerwa (Prévention primaire), hamwe no (2) Kwirinda ibigusonga bikabuza n’umuti gukora umawe kugwara (Prévention secondaire).

a) Kuzitira utaronerwa

Kuzitira utaronerwa (Prévention primaire), nikumenya ivyo vyose bishobora kugukwegera ubugwayi runaka, hanyuma ibishobora kwirindwa vyose ukabizibukira, ariko indwara itarakugendera. Ubu buryo bwo kuzitira bwambere nibwo buhambaye kuruta ubwa kabiri, narirya hariho indwara zimwe zimwe ngendanwa (Maladies chroniques), iyo zamaze kugusaturiramwo, zica ziba ubwome (Maladies incurables) kuri wewe. Kugira ngo dushobore kuzitira tutaronerwa kuri Hasima no kuzindi ndwara zigisibije, turasabwa ibi bintu bihambaye bikurikira :

- ☛ Kwemera kwigana (Apprendre/Etudier) umwitwarariko uhambaye, tukamenya neza ibitera iyo ndwara dushaka kwikingira, hanyuma ibishoboka vyose tukabizibukira ;
- ☛ Kwiyubara bikomeye ngo ntidusange turiko tuganzwa n’ububasha bw’akayabagu buzingamitse benshi muri kino gihe cacu, mu kurya no mu kunywa ivyo tuzi ko ari bibi kandi tutabuze uko tugira ;

☞ Kutaba abaja b'imigenzo mibi y'abatuzengurutse (Mauvaises habitudes de l'entourage).

b) Kwirinda ibigusonga bikabuza n'umuti gukora ku ndwara.

Kwirinda ibigusonga bikabuza n'umuti gukora ariko waramaze gufatwa n'indwara (Prévention secondaire), bisigura kwiyubara birya vyose bitera iyo ndwara, kuko kuguma tubigenderamwo bitabuza umuti nyawo kurangura igikorwa cawo gusa, ahubwo bisonga n'umurwayi mu bibazo bimuhanze (Empirer la situation).

UMUTI UVURA HASIMA UKAKWIBAGIZA IPOMPO

Toteza indwara ya Hasima udakeneye imiti y'ikizugu n'ama pompo!!

A.UMUTI WO KUNYWA

Ibiwugize (Ingrédients)

- Ikilo 1 (1kg) c'isukari, bishobotse isa n'inginagina (Sucre roux)
- Ikilo 1 (1kg) c'ibitunguru bitukura (Oignons rouges), binini binini biteguwe neza
- Intete 30 z'ibitunguru vya sumimu (Gousses d'ail) zisekuye/Zisyeye
- Indimu 5 (Citrons) nini cane, zitayumbiranye, zikataguwe duto duto n'amashishwa yazo
- Ilitiro n'igice (Ibikombe 3 vya mironko) ry'amazi
- Ibiyiko binini (Cuillères à soupe) vy'ubuki bw'umutsama (Budatetswe), budashaje kandi buzize (Butabonerana mw'icupa –(Miel foncé) kuko aribwo butunze ibikomeye kumagara yacu

Menya neza: Isukari, yikoreshe nk'umuti gusa, mu kiringo runaka, hanyuma uce uyi-bagira. Ukaygira igifungurwa cawe izoguhitana agatwe!!

Uko bategura umuti

- ✓ Shira ya sukari yose mu gasafuriya ku ziko, ishongeshwe n'umuriro
- ✓ Shiramwo ivyo bindi vyose ukuyemwo ubuki bwo nyene (Burankanan'umuriro), ubicanire ku muriro utagurumana (Feu doux), gushika ugereraniye ko hasigaye nk'ica gatatu (1/3) ca ya mazi wabitekesha, bipfundikiye neza

- ✓ Bikure ku ziko urindire bihore utabipfunduruye kuko umuti urimwo wotumuka ku bwinshi
- ✓ Mimina mu gitambara cera kitagira irangi canke ukoreshe papier filtre, niwaba ubishoboye
- ✓ Sukamwo bwa buki, ubone kuvangavanga caane
- ✓ Shira mw'icupa rimeneka (Bouteuille en verre), ritabonerana, urumye neza

Uko bawufata bivanye n'imyaka

- ☞ *Umwana afise amezi 3-9:* Ikiyiko 1 kinini buri saha, igihe cose adasinziriye
- ☞ *Umwana afise amezi 9-36:* Ibiyiko 2 buri saha, igihe cose adasinziriye
- ☞ *Umwana afise imyaka 4-9:* Ibiyiko 3 buri saha, igihe cose bishoboka
- ☞ *Umuntu afise imyaka 10+:* Ibiyiko 4 buri saha, igihe cose bishoboka

ICITONDERWA

Hari ibihe bimwe bimwe kizira kikaziririzwa gushira ibintu bimwe bimwe muri uyu muti:

- Isukari n'ubuki mugihe urwaye indwara y'igisukari (Diabète sucré)
- Ibitunguru vya sumimu (Allicine) mu gihe uva amaraso mu buryo ubwo aribwo wose canke wibungenze
- Indimu (Aides citrique, acide oumrique, cde chlorogénique) mu gihe ugwaye ingwra y'ubushe bw'umushishito (Gastrite)
- Isukari mu gihe ugwaye ibikomere vyo mu mushishito (Ulcère gstrique)

Isukari hamwe n'ubuki birabozora, bigatobagura amenyo (Effet cariogène). Bisaba ko igihe cose wihereje uwo muti, uca wiyugumura neza. Wiyubare kugira isukari igifungurwa cawe kuko itazokwigera yorohereza amagara yawe.

Muri make, uyu muti w'igitangaza, utoteza inkorora ikaze (Effect anti-tussif), ugatuma mikisi (Mucus) yari igagiranye mu miringoti itwara impwemu mu mhaha (Bronches) ivamwo, maze bigatuma umurwayi yorohereza guheba (Effet mycolitique, fluidifiant bronchique).

Kuri hasima, ubushe bwo mu mahaha hamwe no ku nkorora y'akanira (Coqueluche), uyu muti uzobatangaza!

B. AGATSIMA GATOBWE MW'IBUMBA RYERA (Cataplasme d'argile blanche)

Mu gikoresho (Ustensile) atari icuma canke plastike (Isahani y'ibumba yagutse, ikindi kintu gikozwe mw'ibumba canke mu giti) :

- Shiramwo ibipfunsi (Poignées) 8 vyuzuye neza, vyuguruye (Udapfumbase) vy'ifu y'ibumba ryera (Argile blanche, kaolin);
- Vanga vanga n'amazi make asanwe ukoresheje agati, atari icuma, gushika bihindutse nk'agatsima k'ubugri bw'umwumbati ;
- Sanza ako gatsima uronse ku mababi 4 y'ishu ridakabiranye, bigire intibatimba (Epaisseur) nk'iyasantimetero imwe n'igice (1,5cm), ariko ntiwuzuze kw'ibabi hose, kugira ngo niwabirambika ahagwaye, ntibize gufyriruka ngo bikoroke ;
- Rambika buri babi ryose kuri buri ruhande rw'amahaha, ufatishe ibande (Bande) igurwa mw'iduka ry'imiti (Pharacie), bihamareko amasaha 3-4 ;
- Bite uce uruhuka iminota 30, ubone gusubizako ibindi nk'ivyo, incuro 3 buri muni.

Ico bigufasha ku magra yawe (Muri make)

Biciye mu bubasha butangaje bukozwe n'ivyunyunyu (Sels minéraux) biba mw'ibumba (Aluminium, potassium, magnésium, phosphore, calcium...) bigize ibumba ryera (Argile blanche), igihe utaguye mu bambuzi n'abaguhendesha ivyondo bise ngo niryo bumba (Narirya ubona ko abafyitirizi bagwiriye nk'ubumegeri bwo murushana), agatsima gateguwe mw'ifu y'ibumba ryera nyaryo, gafise ububasa butangaje bwo:

- ☛ Kuzibura imiringoti y'amahaha yakoberanye (Bronco-dilatation);
- ☛ Gutuma indembe ya hasima na bronchite yiruhutsa.

Iribumba wewe wabumbwemwo (*Muri Bibiliya Itanguriro 2:7*), iri bumba ryahumuye impumyi mu kinjana ca mbere (*Muri Bibiliya Johana 9:6-7*) bikoze n'umuganga rurangiranwa kuruta abandi yitwa "Yesu"; iri bumba ryakozweko ubushakashatsi n'abahinga rurangiranwa kw'isi wewe ugisinziriye mu bwenge, bikanandikwa mu bitabo vyinshi bikomeye nka "*Les Sept Couleurs d'Argile*" (Amabara 7 Agize Ibumba), *Argile*

qui Guérrit” Ibumba Rikiza Indwara), risanzwe rikiza n’igwara nyinshi, harimwo izi zikurikira:

- ✓ Ibihute (Abcès)
- ✓ Ibikomere (Blessures)
- ✓ Ibisebe bitumva umuti (Plaies chroniques)
- ✓ Ibiherehere vyo ku mubiri bizamwo amashira
- ✓ Uburima (Indwara irandagura amaguru agahinduka ibisebe bizamwo n’amashira)
- ✓ Umududu (Indwara iturira ikabozora urutoke)
- ✓ Guhinyagara (Entorse)
- ✓ Umugongo ucikira mu kayunguyungu (Sciarcalgie-Nerf Sciatique)
- ✓ Ibimeme (Mycoses)
- ✓ Imvutu (Ibiteme vyo kubirenge)
- ✓ Agahenera
- ✓ Ibivyimba bitarimwo kanseri (Tumurs benignes) vy’i mbere n’inyuma ku mubiri
- ✓ Isununu, n’izindi nyinshi.

Menya neza

- A. Ibi tukumenyesheje k’ubushobozi butangaje bw’ibumba, si inkuru twasomye mu bitabo canke twumvise zivugwa n’abahita. Ni ivyo twiboneye n’amaso yacu, dushingirwa intahe n’abagwayi twavuye muri iyi **myaka 18** tumaze muri kino gikorwa c’iteka co gukinga no kugabanya imibabaro mu bantu;
- B. Gukoresha urya muti wa mbere wonyene biravura neza hasima, ariko ufadikanije n’ibumba hoho, unyaruka gutangazwa n’ingaruka z’iyo miti itavyorosha.

IKIRINGO CO GUFATA UMUTI: Iminsi 30+

IBIGOGA_(Les amygdalites)

Indwara y'ibigoga ni ubushe bw'uduhimba twitwa *Les amygdales* tuba munsu y'ururimi (Inflammation des amygdales ou amygdalites), indwara batazira anjine (Angines).

Ibimenyetso biyiranga (Symptômes)

Wumva mu muhogo hababara, ukamira vyanka, mbere bigashika n'aho mu muhogo n'izosi bivyimba, ukumvayo ububabare bukomaye. Uduhimba duto duto bita *les amygdales* tuba munsu y'ururimi nitwo tuba twahihirirwe (Inflammation). Biranashika ukumva utonekara mumatwi, narirya umuhogo n'amatwi bisangiye imitsi nsozabwenge (Nerfs).

Umuntu aranagera n'ibindi bimenyetso nk'umururumbo (Fièvre), gucika integer umubiri wose (Malaise généralisée), kumeneka umutwe (Céhalées), gusesemwa (Nausées) kujanjiranye no kudahwa (Vomissements).

Ibigoga birashobora no kwikiza bitavuye. Ariko kandi igihe vyatewe n'umugera (Bactérie) bita *Epsten-Baar*, ishobora kutavyoroshya, bigasaba kuyihagurukira wivuye inyuma.

Igihe itavuye canke ikavurwa vy'imirenzako, indwara y'ibigoga, cane cane iyatewe n'imigera yo mu bwoko bwa bactéries (Streptocoques du groupe A), ishobora kwadukiramwo indwara zikaze kuruta, nka muhekenyi (Rhumatisme inflammatoire) hamwe n'indwara z'umutima (Cardiopathies). Ikindi, bene ivyo bigoga biradukwamwo ibihute vy'utwo duhimba two mu muhogo (*Abcès périamygdalien ou phlegmons*) n'ahandi mu mubiri.

Ibituma (Causes)

Umuntu umwe kuri batanu bagwaye ibigoga, aba yanduye imigera (Bactérie) bita *Streptocoques du groupe A*. Bamwe barashobora kwandura bakanandukiza abandi iyo migera kandi atan'ikimenyetso kigaragaza ubugwayi bwabo. Biranashika iyi migera ikadukamwo igwara ya Muhekenyi (Fièvre de rhumatisme) irangwa no kuribwa mu ngingo z'amagufa.

Umugabane munini w'abagwayi b'ibigoga ubiterwa n'imigera (Virus) itera indwara y'ibicurane (Rhume) na gripe (Grippe). Ubwandu (Infections) bita *Ononucose infectieuse* bitewe n'umugera (Virus) bita *Epsten-Baar*, urashobora gutera indwara y'ibigoga, cane cane ku bana bato. Imigera ya *Streptocoques du groupe A* niyo ikaze cane kuruta iyindi yose itera indwara y'ibigoga (Les amygdalites).

UMUTI UHASHA IBIGOGA

Umuti uvura indwara y'ibigoga mu buryo butari imirenzako, ni uwo wonyene ufise ubushobozi bwo kuvyimbura, gukuraho ububabare hamwe no gutuma abasirikare b'umubiri basangangura imigera (Virus et bactéries) yose iba yateye iyo ndwara :

A. AGATSIMA GATOBWE MW'IBUMBA RYERA (Cataplasme d'argile blanche)

Mu gikoresho (Ustensile) atari icuma canke plastike (Isahani y'ibumba yagutse, ikindi kintu gikozwe mw'ibumba canke mu giti) :

- Shiramwo ibipfunsi (Poignées) 1-3 vyuzuye neza (Bivana n'imyaka uwo uvura afise), vyuguruye (Udapfumbase) vy'ifu y'ibumba ryera ;
- Vanga vanga n'amazi make asanzwe ukoresheje agati, atari icuma, gushika bihindutse nk'agasima k'ubugri bw'umwumbati ;
- Sanza ako gatsima uronse kw'ibabi rimwe ry'ishu ryoshobora gupfuka mu muhogo hose, ibumba rigire intibatimba (Epaisseur) nk'iya santimetero imwe n'igice (1,5cm), ariko ntiwuzuze kw'ibabi hose ;
- Rambika kumuhogo, ufatishe ibande (Bande) igurwa mw'iduka ry'imiti (Pharacie), bihamareko amasaha 3-4 ;
- Bite uce uruhuka iminota 30, ubone gusubizako ibindi nk'ivyo, incuro 3 buri muni.

Bene ako gatsima k'ibumba gafise ububasha budasanzwe bwokuvyimbura n'ibihute biba vyaziyemwo, biri imbere mu muhogo aho utabonesha amaso, no kuzimanganya ububabare bwose mu kiringo gito cane, no mu gihe imiti y'ama *antibiotiques* iba yananiwe. Ibihute (Absès) biyokayoka batarinze kugukozako imbugita.

B. UMUTOBE W'IBITUNGURU VYA SUMIMU (Macération d'ail)

Ku mugoroba nk'isaha icumi na zibiri :

- Ronga mu mazi avuye kuziko abiragira, wongere usekure intete 30 nini z'ibitunguru vya sumimu (Gousses d'ail) ;

- Bishire mu gacupa gato kogejwe n'amazi avuye kuziko abiragira ;
- Sukamwo umutobe (Jus) ukanywe mu ndimu nini nshasha 2, uce upfundikira, uru-
mye ureke bigumane ijoro ryoshe (Amasaha nka 12);
- Mugatondo,shira mu gatambara ukanye, wa mutobe uronse uce uwusubiza muri ka
gacupa wabanje kukugunyuzwa (Gucishamwo amazi) n'amazi atetswe canke
ahinguwe ;

Uko bawufata bivanye n'imyaka

- ☞ *Umwana afise amezi 12-36:* Ibiyiko 2, incuro 3 ku munsi ;
- ☞ *Umwana afise imyaka 4- 9:* Ibiyiko 3, incuro 3 ku munsi ;
- ☞ *Umuntu amaze imyaka 10+:* Ibiyiko 4 buri saha, incuro 3 ku munsi.

Ico bimaze ku magara

Indimu iba irimwo insanganyangaburo (Vitamine) C, ivyunyunyuzwa (Sels minéraux) nka calcium, potassium, phosphore, fer... Haba hariwo acide citrique, acide coumarique na acide chlorogénique. Haba harimwo ivyo bita flavonoides n'ibindi vyinshi. Ikomeza abasirikare bagwanira umubiri, kugira ngo nabo bashobozwe gusangangura imigera (Virus, bactéries) iba yagavye ibitero ku mubiri (Phagocytose).

N'aho tutagamije kwerekana ivyiza vy'ibitunguru vya sumimu, reka tubabwire gusa ko birimwo ibintu bita *allicine* vyongereza bikanakomeza abasirikare bakingira umubiri (Globules blancs), bikanabashoboza gusasangagura imigera (Virus, bactéries) yateye umubiri (Phagocytose). Ibitunguru vya sumimu ni umwe mu miti kama y'igitangaza, bik-
inga bikavura indwara zirenga 60, harimwo indwara z'umutima (Cardiopahies), indwara z'igitigu (Le hépatites), igisukari (Diabètes), intege nke z'abasirikare bakingira umubiri (Faiblesse immunitaire), inzoka zo mu nda (Vers intestinaux), ibigoga (Les amygdalites) n'izindi nyinshi.

Hariho ibintu vyo kwiubara mukuvura ibigoga, kuko bishobora kugukwegera ingorane zitagiye kutakworohereza canke kutorohereza umwana wawe:

a. Imiti y'ama antibiotiques

Mu buvuzi tumenyereye bwo mu kizungu, igihe umuntu yagwaye ibigoga bakamuha ama *antibiotiques* bikananirana, ntakindi kiba gisigaye atari ukubaga twatu amygdalites. Arilko tumenye ko twari dusanzwe tujejwe igikorwa gikomeye co guhingura abasoda bakingira umubiri indwara ;

b. Kubagwa ama amygdales (Amygdalectomie)

Igihe abantu bagwaye ibigoga, kwa muganga hari aho babaha imiti bita *acétaminophène* canke *ibuprofène* kugira bapfufahaze gusa. Ariko hamwe iyo miti boyiha umwana wawe, urahagabira cane igihe vyoshika bakabandikira umuti witwa *acide acétylsalicylique-AAS* agwaye ibigoga vyatewe n’umugera (Virus), kuko ushobora kubatera indwara ikaze bita *Syndrome de Reye*, ishobora gusinzikaza ibice bitandukanye vy’umubiri, canecane ubwonko n’igitigu. Imiti y’ikizungu ni iyo kwiubara caane, tukayikorako mu maburakindi. Ibi ntibivuze ko kwitura abaganga bavyigiyeye bitabereye. Ahubwo dukwiriye kwirinda kwikwegera indwara n’ingaruka mbi z’imiti.

IKIRINGO UMARA WIVURA: **Iminsi 3-15**

KUVYIBUHA UGASESA INDA

(Obésité)

Ivyigwa vyashizwe ahabona n'Ishirahmwe Mpuzamakungu Ryitaho Amagara y'Abantu kw'Isi (OMS) vyerekana ko indwara yo kuvyibuha birenze urugero (Surcharge pondérale) na cane cane gusesa inda (Obésité) biyogeje isi kuri uru rugero:

- ☛ **Mu mwaka wa 2002:** Abantu bakuze barenga umuliyaridi bafise ubunini bubarenze (Surcharge pondérale);
- ☛ **Mu mwaka wa 2004:** Abantu barenza imyaka 18 y'amavuko bangana na 1 900 000 000 bari bafise ubunini bubarenze (Surcharge pondérale);
- ☛ **Mu mwaka wa 2013:** Abana bari muni y'imyaka 5 y'amavuko bari bavyibushye kugeza ho basesa inda (Obésité);
- ☛ Ibice 13 kw'ijana vy'abakuze baba kw'isi yose bagwaye indwara yo kuvyibuha bagasesa inda (Obésité);
- ☛ Ibice 39 kw'ijana vy'abakuze baba kw'isi yose bagwaye indwara yo kugira ibiro bibarenze.

Zimwe mukurikizi mbi z'ubuvyibuhe bwo gusesa inda

Abantu bavyibushye kugera aho basesa inda (Patients/Patientes obèses) baba bageramiwe n'indwara zikomeye:

- ☛ Bama biyabira uburuhe budatewe n'ibikorwa baba bakoze (Asthénie)
- ☛ Bageramiwe n'ingorane mu vyo imibonano mpuzabitsina
- ☛ Bakarigwa n'indwara zokwononekara kw'ingingo z'amagufa (Arthrite athrose...)
- ☛ Bakunda gucika umugongo (Lombalgie/Lombalathrose)
- ☛ Bagwara umugongo ucikira mu kayunguyungu (Sciarcagie-Nerf sciatique)

- ☛ Imitsi yabo yo ku maguru iravyimba, ikitunatuna (Vaines variqueuses)
- ☛ Bakarirwa no kugwara indwara y'igisukari (Dibète sucré), ku bice birenga 90 kw'ijana vy'abayigwaye bose kw'isi
- ☛ Bahanzwe n'indwara y'umutima irangwa n'ivumbuka rireze ry'umurindi w'amaraso (Hypertension artérielle-HTA)
- ☛ Bakunze kuba bafise ikinure kibi kibi (Cholestérol LDL) c'umurengera mu maraso (Hypercholestérolémie)
- ☛ Igitigu cabo (Foie) gikunze gutwikirwa n'ibinure (Statose hépatique) ivyo bikaba vyobakwegera indwara y'urusina (Cirrhose de foie) na kanseri y'igitigu (Carcinome hépato-cellulaire-CHC), ahanini bitewe n'ingaburo mbi iba yagukwegeye indwara yo gusesa inda
- ☛ Barakarigwa n'indwara zifatira mu bwonko, mu mutima no mu mitsi itembereza amaraso (Maladies cérébro-cardio-vasculaires)
- ☛ Mu maguru, bakarigwa n'indwara yo kwibumbabumba kw'amaraso akamera nk'udutete tw'umusenye (Maladie thrombo-embolique) dushobora no kwica umugwayi mu kanya gato iyo dutembereye tugashika mu bwonko (Thrombose cérébrale) mu mahaha (Thrombose pulmonaire) no mu mutima (Thrombose coronaire)
- ☛ Basaza kare (Vieillessement précoce)
- ☛ Bapfa bakenyutse (Mort précoce)
- ☛ Bakarirwa n'indwara zo mu bihimba vy'ihemero

Dr Aileen Ludigton, mu gitabo ciwe *Helth Power, Health by Choice and not by Chance* yemeza yuko abantu bavyibushye bagasesa inda (Persones obèses) bameze nk'umuntu ahegekeye iki bombe giteze, kirindiriye imwe mu ndwara zikomeye (Igisukari, indwara z'umutima...) kigasabira mu mubiri wiwe.

Ibice 5 kw'ijana vy'abagwaye indwara y'ubuvyibuhe bwo gugusea inda biterwa n'imitegere mvukanano dukomora ku bavyeyi canke mu miryango yacu (Hérédité) arivyo twita *akaronda*, mu gihe ibice 95 kw'ijana navyo biterwa no kuganzwa n'akayabagu hamwe no kwifata nabi muri rusangi.

Abantu bafise ibiro bibarenze (Surcharge pondérale), na cane cane abamaze kugera ku rwego ruteye ubwoba rwo gusesa inda (Obésité), bakunze kugira ingorane yo guhirira, kubera yuko imiringoti y'amahaha ishobora kutaba yuguruye neza.

Ibituma (Causes)

Igihe indwara yo kuvyibuha ugasesa inda iba yavuye ku nyifato y'umuntu (Style vie), iba yatewe n'umurengera w'ibintu bitatu, mu mubiri:

1. Ibinure (Graisses),
2. Indemamubiri (Protéines),
3. n'isukari (Glucides).

Ibituma abantu bavyibuha bagasesa indani nk'ibi bikurikira :

- ☛ Kurya inyama nyinshi, zitukura (Ibikoko binini binini nk'inka, ingurube, impene intama n'ibindi) canke zera (Inkoko, imbata, inkwavu, amafi n'ibindi bikoko bitobito). Bivamwo umurengera w'indemamubiri hamwe n'ibinure (Inyama zera zigira ibinure bike) bituma abavyisutseko bavyibuha bagasesa inda ;
- ☛ Amata y'ibikoko hamwe n'ivyo bayahinguyemwo (Amavuta y'inka, iforomaji...), bivamwo umurengera w'indemamubiri hamwe n'ibinure bituma abavyisutseko bavyibuha bagasesa inda ;
- ☛ Isukari n'ivyo vyose yarunzwemwo nk'amafanta, icayi, ikawa, umusururu n'ibindi. Isukari yonona ubwonko ituma agahimba ntanga-nkaburamubiri (Glande) bita ipofize (Hypophyse) kadasubira gutanga inkaburamubiri (Hormone) iturira ibinure, ariyo bita *Hormone mobilisatrice des graisses*. Umuntu atangura gusesa inda, mu gihe impumyi n'abatazi ayo agowe baca bibwira ngo ni amagara meza, kumbe ariko yiyimbira icobo atabizi ;
- ☛ Inzoga zose (Boissons alcoolisées), zitanga umurengera w'isukari ihingurwamwo ibinure mu gitigu, bigatuma uwazigize umugenzi atangura gusesa inda ;
- ☛ Kurya ugutwarwa n'akyabgu ukihereza umurengera (Suralimentation/Excès de table) ubitewe n'umurengera w'akayabagu (Hariho n'indwara yitwa *boulimie* irangwa n'uko umuntu aya ntahage), ivyo bikunyurwa n'ibintu bibiri: ubwoko bw'ivyo yihereza hamwe n'uko abayeho yamayiyicariye canke yiryamiye (Sédentarité) ;
- ☛ Kuryagagura, umuntu ugasanga ntagira urutonde rwo gufungurirako, agahakwa gusumbwa urutonde n'ingurube, abitewe nokuganzwa n'ubuja bw'akayabagu ;

- ☛ Imiterere mvukanano/akaronda (Hérédité ou prédisposition génétique), aho umuntu ashobora kuvyibuha vy'umurenge, no mu gihe asanzwe yihereza n'ibidakwiye.

Ivyigwa vy'abahinga biratomora neza ko ibice 95 kw'ijana (95%) vy'abantu bose bagwaye indwara y'umuvyibuho ubarenze kw'isi, biterwa n'ubumenyero bubi mu kurya nomu kunywa, mu gihe ibice 5 kw'ijana (5%) vyonyene arivyo biterwa n'akaronda. Guhamira umubiri uvyibushye bigereranye ariko utabanje kwiyezeza kwitegeka mu kayabgu kawe no guhindura ingendo, ni kuruhira ubusa. Ubuvyibuhe bw'umurenge butewe n'ingaburo mbi buroroshe kugabanya kuruta ubutewe n'akaronda ko mu miryango, kubera yuko igihe uhinduye ingendo yabitumye, hanyuma ugafata umuti uturira ibinure vy'umurenge, uca ukira.

UMUTI WO KUGABANYA UBUVYIBUHE UTIYONONYE

1. Umutobe w'ananasi, indimu, seleri, konkombure, ibitunguru vya sumimu

Ibigize umutobe (Ingrédients):

- ☛ Igipande c'ananasi ihishiye neza ariko itavunditswe
- ☛ Indimu 3 nini, itayumbiranye
- ☛ Konkombure (Concombres) 2
- ☛ Ibigundu 2 vya seleri
- ☛ Intete 10 z'ibitunguru vya sumimu (Gousses d'ail)

Uko bitegurwa

- Bironge neza, uce uvyinika mu mazi akiva ku ziko abiragira, biyamaremwo iminota 3
- Kura inananasi mu bishishwa vyayo, uyikatagure udupande dutoduto
- Tonora/Hwata konkombure, uyikatagure udupande dutoduto
- Katagura indimu n'amashishwa yazo
- Katagura seleri
- Vanga na vyabitunguru vya sumimu bitonoye

- Shiramwo amazi atetse canke ahinguwe angana n'igice c'ilitro canke kirenga
- Bisye vyose mu kamashini gasya ivyamwa (Blender/Moulinex/Mixeur), ubisye gushika binywanganywanganye, bibe ikinyobwa
- Ihereze uyu mutobe w'igitangaza iminota 30 canke irenga imbere yo gufungura, canke amasaha 2 inyuma yo gufungura.

Hambavu y'umkimba w'insanganyangaburo, ivyunyuyu n'ibindi tutadondaguye bipakangiranyemwo ku neza y'amagara yawe muri rusangi, uyu mutobe urimwo insanganyangaburo (Vitamine) B3 hamwe n'ibintu vyitwa fibres, bigabanya akayabagu (Effet anorexygène), bigatuma uwahora avyibushwa no kutigerera mu vyo yihereza agenda agabanya ivyamuvyibuhisa. Ikindi naco, insanganyangaburo (Vitamine) B3 ifise ubushobozi bwo gushongesha ibinure, ikabitorira ngo bivyare inguvu ho kuguma bipakangiranyemwo mu mubiri.

2. Umutobe w'ibitunguru vya sumimu

Ibiwugize

- Intete 30 z'ibitunguru vya sumimu
- Indimu nini 3 nshasha
- Igipande (1/2) c'inganasi ihiye neza
- Ibiyiko 4 vy'ubuki bw'umutsama

Ukobitegurwa

- Bisye vyose mu kamashini gasya ivyamwa (Blender/Moulinex/Mixeur), ubikanyemwo umutobe (Extraction de jus), bibe ikinyobwa ;
- Ihereze uyu mutobe w'igitangaza iminota 30 canke irenga imbere yo gufungura, canke amasaha 2 inyuma yo gufungura.

Iyi miti ibiri yerekanywe mu gutakaza ibiro, ntisaba gufatirwa rimwe. Ushobora gufata uwukworoheye.

Icitonderwa

- Uyu muti n'aho ufise ubusobozi butangaje bwo guturira ibinure no gutuma uwawufashe neza atakaza ibinure vyawe, ntagitangaza wohava ukorera umuntu

uwo ariwe wese ashishikara gukora amakosa mu kurya no mu kunywa canke akomeza ingendo yokuganzwa n'inda yiwe;

- Igihe woba wibugenze, wokwirinda gufata iyo ngaburo-muti kuko ushobora gukwega ingorane zikomeye, harimwo no gukorora inda;

UKABA UFISE ICO COSE WIPFUZA GUSIGUZA KU VYO USOMYE
HANO, KU MAGARA Yawe CANKE AYO ABAWE, URAHawe IKAZE :

WhatsApp: +254 743 031 262

ZIMWE MU NDWARA TUMAZE IMYAKA 18 TUVURA :

**ZIMWE MU NDWARA TUVURA, TUKANABARONSA INGABURO MUBERANYE, NI
IZIZIKURIKIRA:**

-
- ☞ ABAGABO BADASHUKWA NEZA (Impuissance sexuelle masculine)
 - ☞ ABAGORE BADASHUKWA (Frigidité/Anorgasmie)
 - ☞ INDWARA Y'IGISUKARI (Diabète pancréatique et complications)
 - ☞ INDWARA Z'UMUTIMA (Cardiopathies et complications)
 - ☞ INDWARA Z'IMITSI NSOZABWENGE (Neuropathies)
 - ☞ INDWARA Z'AMASO (Pathologies oculaires)
 - ☞ INDWARA Z'IGITIGU (Les hépatopathies)
 - ☞ IBIVYIMBA VYO MU GITEREKO (Fibromes)
 - ☞ UBUVYIMBE BWA PROSTATE (Hypertrophie prostatique)
 - ☞ IKINYAMUGONGO (Lombalgie)
 - ☞ UMUGONGO UCIKIRA MU KAYUNGUYUNGU (Nerf sciatique)
 - ☞ INDWARA Z'UMUSHISHITO (Les affections gastriques)
 - ☞ INDWARA Z'AMARA (Les affections intestinales)
 - ☞ INDWARA Z'AMAHABA (Les affections pulmonaires)
 - ☞ UBUSHE MU RWAGASHA (Pancréatite)
 - ☞ UMUSIPA (Hernie inguinale), **n'izindi ndwara tuterekanye hano...**

UKO UMUGWAYI YIVUZA MURI NUFOTEC ATATWEGEREYE I NAIROBI-KENYA

Aho uherereye hose kw'isi, mu kwivuzza canke mu kuvuza uwawe utatwegereye i Nairobi-Kenya, ubigenza uku gukurikira:

- ☛ Urungika amahera y'umubonano ahwanye n'igihugu ubamwo ;
- ☛ Uturungikira ibipimo vyo kwa muganga kuri Email yacu igihe ubisanganywe canke naho twabigusavye ;
- ☛ Turaheza tukakwandikira mu bwitonzi bwinshi umuti n'ingaburo muberanye, tuka-bikurungikira kuri Email canke WhatsApp ;
- ☛ Igihe ukeneye ivyo usiguza, uraturonka atayandi mahera y'umubonano utanze ;
- ☛ Kubari i Burundi aho ariho hose, murashobora kuronka vyoroshe imiti tuba twa-bandikiye, **kandi mutarinze kumanuka i Bjumbura.**

IVUZE UTATWEGEREYE I NAIROBI!!

Igihugu urimwo	Inzira urungikamwo amahera	Ayo usabwa kurungika (Prix Promotionnel)
Uburundi	Ecocash kuri: 79 666 439	10 450Fbu
-Rwanda -Ubuganda -Kenya -Tanzaniya	MPESA kuri +254 743 031 262	10 USD (1000Kshs)
Afrika y'Epho	Hello paisa to: +254 743 031 262	20 USD
-Amerika -Kanada n'ahandi...	Wave Money to: +254 743 031 262	20 USD

URAGABE! WIRINDE ABATWIYITIRIRA TUTABATUMYE, BAKATWIGANA MU GUHENDA ABANTU BATABAZI. HARI BENSHI BARIKO BARIBWA MURI UBWO BURYO!!

Ku bwo Uburongozi Bukuru bw'ikigo **NUFOTEC LTD**

Maitre Alexis HARIMENSHI

Masters of Science in International Public Health Management (USA)