Dynamical models of disease spread

Jonathan Dushoff, McMaster University

National Taiwan University College of Public Health

March 2023

Outline

What is dynamical modeling?

Modeling approaches

Conceptual modeling

Deterministic models

C. I I I I I

Stochastic models

Statistical fitting


Limitations

Heterogeneity

Behavioural changes




Measles reports from England and Wales




► Start with rules about how things change in short time steps






- ▶ Start with rules about how things change in short time steps
 - Usually based on individuals






- ▶ Start with rules about how things change in short time steps
 - Usually based on individuals
- Calculate results over longer time periods





- ▶ Start with rules about how things change in short time steps
 - Usually based on individuals
- Calculate results over longer time periods
 - Usually about populations






- Start with rules about how things change in short time steps
 - Usually based on individuals
- Calculate results over longer time periods
 - Usually about populations

► A dynamic model is based on a model world




- A dynamic model is based on a model world
- ► The model world has *enough* assumptions to allow us to calculate dynamics



- A dynamic model is based on a model world
- The model world has enough assumptions to allow us to calculate dynamics
- ► The model world is *simpler* than the real world




- A dynamic model is based on a model world
- The model world has enough assumptions to allow us to calculate dynamics
- ► The model world is *simpler* than the real world
- Essentially, all models are wrong, but some are useful. – Box and Draper (1987), Empirical Model Building . . .




- A dynamic model is based on a model world
- The model world has enough assumptions to allow us to calculate dynamics
- ► The model world is *simpler* than the real world
- Essentially, all models are wrong, but some are useful. – Box and Draper (1987), Empirical Model Building...



► Divide people into categories:




▶ Divide people into categories:




► Susceptible: can be infected

Divide people into categories:




- Susceptible: can be infected
- ► Infectious: can infect others

Divide people into categories:




- Susceptible: can be infected
- Infectious: can infect others
- ► Recovered: cannot be infected

Divide people into categories:




- Susceptible: can be infected
- Infectious: can infect others
- Recovered: cannot be infected

What determines transition rates? (preview)




What determines transition rates?




► People get better independently

What determines transition rates?



- ▶ People get better independently
- ► People get infected by infectious people

What determines transition rates?



- ► People get better independently
- ▶ People get infected by infectious people

Outline

What is dynamical modeling?

Modeling approaches

Conceptual modeling Conceptual modeling Deterministic models Stochastic models Statistical fitting

Limitations

Heterogeneity
Behavioural changes

Outline


What is dynamical modeling?

Modeling approaches Conceptual modeling

Conceptual modeling
Deterministic models
Stochastic models
Statistical fitting

Limitations

Heterogeneity
Behavioural changes





Outline

What is dynamical modeling?

Modeling approaches

Conceptual modeling

Conceptual modeling

Deterministic models


Stochastic models

Statistical fitting


Limitations

Heterogeneity


Behavioural changes




► What is the final result?



- ▶ What is the final result?
- ► How do disease levels change?



- ▶ What is the final result?
- ► How do disease levels change?
- ► When does disease increase, decrease?



- ► What is the final result?
- ► How do disease levels change?
- ▶ When does disease increase, decrease?

► The number of people recovering or becoming infected is *proportional* to the number infected

- ► The number of people recovering or becoming infected is *proportional* to the number infected
 - ▶ I infect three people, they each infect 3 people . . .

- ► The number of people recovering or becoming infected is *proportional* to the number infected
 - ▶ I infect three people, they each infect 3 people . . .
 - ► How fast does disease grow?

- ► The number of people recovering or becoming infected is *proportional* to the number infected
 - ▶ I infect three people, they each infect 3 people . . .
 - ► How fast does disease grow?
 - ► How quickly do we need to respond?

- ► The number of people recovering or becoming infected is *proportional* to the number infected
 - ▶ I infect three people, they each infect 3 people . . .
 - How fast does disease grow?
 - How quickly do we need to respond?

little r

► We measure epidemic *speed* using little *r*:

little r

- ▶ We measure epidemic *speed* using little *r*:
 - ► *Units*: [1/time]

- ▶ We measure epidemic *speed* using little *r*:
 - ► *Units*: [1/time]
 - ightharpoonup Disease increases like e^{rt}

- ▶ We measure epidemic *speed* using little *r*:
 - ► *Units*: [1/time]
 - Disease increases like e^{rt}
- ► Characteristic time scale is C = 1/r

- ▶ We measure epidemic *speed* using little *r*:
 - ► *Units*: [1/time]
 - Disease increases like e^{rt}
- ▶ Characteristic time scale is C = 1/r
 - ► Closelr related to doubling time


- ▶ We measure epidemic *speed* using little *r*:
 - ► *Units*: [1/time]
 - Disease increases like e^{rt}
- ▶ Characteristic time scale is C = 1/r
 - Closelr related to doubling time
 - ▶ COVID, $C \approx 1$ month

- ▶ We measure epidemic *speed* using little *r*:
 - ► *Units*: [1/time]
 - Disease increases like e^{rt}
- ▶ Characteristic time scale is C = 1/r
 - Closelr related to doubling time
 - ▶ COVID, $C \approx 1$ month
 - ▶ HIV in SSA, $C \approx 18$ month


- ▶ We measure epidemic *speed* using little *r*:
 - ► *Units*: [1/time]
 - Disease increases like e^{rt}
- ▶ Characteristic time scale is C = 1/r
 - Closelr related to doubling time
 - ▶ COVID, $C \approx 1$ month
 - ▶ HIV in SSA, $C \approx 18$ month
- ▶ Often focus on initial period (may also say r_0)

- We measure epidemic speed using little r:
 - Units: [1/time]
 - Disease increases like e^{rt}
- ▶ Characteristic time scale is C = 1/r
 - Closelr related to doubling time
 - ▶ COVID, $C \approx 1$ month
 - ▶ HIV in SSA, $C \approx 18$ month
- ▶ Often focus on initial period (may also say r_0)

Exponential growth




Result: disease does not always spread




▶ If rate out of I is faster than the rate into I

Result: disease does not always spread



- ▶ If rate out of I is faster than the rate into I
- ightharpoonup I
 ightarrow 0 and the outbreak stops

Result: disease does not always spread



- ▶ If rate out of I is faster than the rate into I
- ightharpoonup I
 ightarrow 0 and the outbreak stops

$$\blacktriangleright \ \mathcal{R} = \beta/\gamma = \beta D = (cp)D$$

▶ R is the number of people who would be infected by an infectious individual *in a fully susceptible population*.

$$ightharpoonup \mathcal{R} = \beta/\gamma = \beta D = (cp)D$$

c: Contact Rate

- $\triangleright \mathcal{R} = \beta/\gamma = \beta D = (cp)D$
 - c: Contact Rate
 - ▶ p: Probability of transmission (infectivity)

- $\triangleright \mathcal{R} = \beta/\gamma = \beta D = (cp)D$
 - c: Contact Rate
 - p: Probability of transmission (infectivity)
 - ► *D*: Average duration of infection


- $\triangleright \mathcal{R} = \beta/\gamma = \beta D = (cp)D$
 - c: Contact Rate
 - p: Probability of transmission (infectivity)
 - D: Average duration of infection
- ▶ A disease can invade a population if and only if R > 1.

- $\triangleright \mathcal{R} = \beta/\gamma = \beta D = (cp)D$
 - c: Contact Rate
 - p: Probability of transmission (infectivity)
 - D: Average duration of infection
- lacktriangle A disease can invade a population if and only if $\mathcal{R} > 1$.
- ▶ Often focus on initial period (may also say \mathcal{R}_0)

- $\triangleright \mathcal{R} = \beta/\gamma = \beta D = (cp)D$
 - c: Contact Rate
 - p: Probability of transmission (infectivity)
 - D: Average duration of infection
- lacktriangle A disease can invade a population if and only if ${\cal R}>1$.
- ▶ Often focus on initial period (may also say \mathcal{R}_0)

Yellow fever in Panama


endemic equilibrium







Example: Dengue (Taiwan CDC)

Indigenous cases




Imported cases







▶ When S gets low, then I goes down and the outbreak stops



- ▶ When S gets low, then I goes down and the outbreak stops
- ► There is not always a reason why you didn't get infected!



- ▶ When S gets low, then I goes down and the outbreak stops
- ▶ There is not always a reason why you didn't get infected!
 - Everyone in this model is assumed to be the same



- ▶ When S gets low, then I goes down and the outbreak stops
- ▶ There is not always a reason why you didn't get infected!
 - Everyone in this model is assumed to be the same

▶ We can *implement* the model and see what it's going to do

- ▶ We can *implement* the model and see what it's going to do
- ► This requires more assumptions, for example:

- ▶ We can *implement* the model and see what it's going to do
- ▶ This requires more assumptions, for example:
 - ► Time steps or continuous time?

- ▶ We can *implement* the model and see what it's going to do
- This requires more assumptions, for example:
 - Time steps or continuous time?
 - ► Deterministic or stochastic?

- ▶ We can *implement* the model and see what it's going to do
- This requires more assumptions, for example:
 - Time steps or continuous time?
 - Deterministic or stochastic?

Outline

What is dynamical modeling?

Modeling approaches

Conceptual modeling Conceptual modeling


Deterministic models

Stochastic models
Statistical fitting


Limitations


Heterogeneity Behavioural changes

Simulations




Simulations







Simulations (repeat)




Closing the circle



Closing the circle





▶ * Births and deaths




▶ * Births and deaths


Closing the circle (repeat)








* Loss of immunity




* Loss of immunity

Processes and rates




| Event | transition | rate | Effect (S, I) |
|----------------------------------------------|------------|-----------------------------------------|---------------------------|
| Infection Recovery Loss of immunity | | $\beta SI/N \\ \gamma I \\ \mu (N-S-I)$ | (-1,1) (0,-1) (1,0) |

Result: Diseases tend to oscillate




Result: Oscillations tend to be damped



What is missing from our model world? (repeat)

Measles reports from England and Wales




► Almost everything! So what's important?




Almost everything! So what's important?

> *



- Almost everything! So what's important?
- * Seasonality




- Almost everything! So what's important?
- * Seasonality

*



- Almost everything! So what's important?
- * Seasonality
- * Chinese New Year!



- Almost everything! So what's important?
- * Seasonality
- ► * Chinese New Year!


▶ *



- Almost everything! So what's important?
- * Seasonality
- ► * Chinese New Year!
- * School terms



- Almost everything! So what's important?
- * Seasonality
- ► * Chinese New Year!
- * School terms
- **▶** ≯



- Almost everything! So what's important?
- * Seasonality
- ► * Chinese New Year!
- * School terms
- ▶ * Randomness



- Almost everything! So what's important?
- * Seasonality
- ► * Chinese New Year!
- * School terms
- * Randomness
- *****



- Almost everything! So what's important?
- * Seasonality
- * Chinese New Year!
- * School terms
- * Randomness
- ▶ * Any of these things can interact with damped oscillations



- Almost everything! So what's important?
- * Seasonality
- * Chinese New Year!
- * School terms
- * Randomness
- ▶ * Any of these things can interact with damped oscillations



► How much Ebola spread occurs before vs. after death



- ► How much Ebola spread occurs before vs. after death
- ► Highly context dependent



- ► How much Ebola spread occurs before vs. after death
- ► Highly context dependent
 - ► Funeral practices, disease knowledge




- ► How much Ebola spread occurs before vs. after death
- Highly context dependent
 - Funeral practices, disease knowledge
- ► Weitz and Dushoff Scientific Reports 5:8751.




- ► How much Ebola spread occurs before vs. after death
- Highly context dependent
 - Funeral practices, disease knowledge
- Weitz and Dushoff Scientific Reports 5:8751.




Model with latent period



Include post-death transmission




Result: generation interval links $r\mathcal{R}(preview)$




Result: generation interval links $r\mathcal{R}$

► If we know \mathcal{R} , faster generations mean faster spread (bigger r)




Result: generation interval links $r\mathcal{R}$

- ► If we know \mathcal{R} , faster generations mean faster spread (bigger r)
- ► If we know *r*, slower generations mean stronger spread (bigger \mathcal{R})




Result: generation interval links $r\mathcal{R}$


- ► If we know \mathcal{R} , faster generations mean faster spread (bigger r)
- ▶ If we know r, slower generations mean stronger spread (bigger R)




Example: COVID




Example: COVID




Result: It is easier to reduce the peak than the total cases




Example: COVID waves (preview)




Example: COVID waves (preview)






Example: COVID waves (preview)


New Variants of Concern (VOCs) and Early Variants (non-VOCs)




► alpha variant was increasing even though total was decreasing



- alpha variant was increasing even though total was decreasing
- using a dynamical perspective allows us to project the effect of this



- alpha variant was increasing even though total was decreasing
- using a dynamical perspective allows us to project the effect of this



Outline

What is dynamical modeling?

Modeling approaches

Conceptual modeling
Conceptual modeling

Stochastic models

Statistical fitting

Limitations

Heterogeneity
Behavioural changes

| Event | transition | rate | Effect (S, I) |
|----------------------------------------------|------------|-----------------------------------------|---------------------------|
| Infection Recovery Loss of immunity | $I \to R$ | $\beta SI/N \\ \gamma I \\ \mu (N-S-I)$ | (-1,1) (0,-1) (1,0) |

► We can add random changes to the rates

| Event | transition | rate | Effect (S, I) |
|----------------------------------------------|------------|-----------------------------------------|---------------------------|
| Infection Recovery Loss of immunity | ·- | $\beta SI/N \\ \gamma I \\ \mu (N-S-I)$ | (-1,1) (0,-1) (1,0) |

- ▶ We can add random changes to the rates
 - ightharpoonup Contact rate (β) , for example, may go up and down for reasons we can't predict


| Event | transition | rate | Effect (S, I) |
|----------------------------------------------|------------|-----------------------------------------|---------------------------|
| Infection Recovery Loss of immunity | ·- | $\beta SI/N \\ \gamma I \\ \mu (N-S-I)$ | (-1,1) (0,-1) (1,0) |

- We can add random changes to the rates
 - Contact rate (β) , for example, may go up and down for reasons we can't predict
- ► We also get a stochastic model even by just treating individuals as individuals!


| Event | transition | rate | Effect (S, I) |
|----------------------------------------------|------------|-----------------------------------------|---------------------------|
| Infection Recovery Loss of immunity | | $\beta SI/N \\ \gamma I \\ \mu (N-S-I)$ | (-1,1) (0,-1) (1,0) |

- We can add random changes to the rates
 - Contact rate (β) , for example, may go up and down for reasons we can't predict
- We also get a stochastic model even by just treating individuals as individuals!


Deterministic spread



Demographic spread




Demographic spread



► Demographic refers to the *minimum* stochasticity corresponding to treating individuals as individuals



Demographic spread



 Demographic refers to the minimum stochasticity corresponding to treating individuals as individuals



Result: outbreaks can die out at random

▶ In simple models, the probability of a single introduction going extinct at random is $1/\mathcal{R}$



Result: outbreaks can die out at random

- In simple models, the probability of a single introduction going extinct at random is $1/\mathcal{R}$
- ► If an introduction does not lead to an outbreak, there's not always a reason




Result: outbreaks can die out at random

- In simple models, the probability of a single introduction going extinct at random is $1/\mathcal{R}$
- ▶ If an introduction does not lead to an outbreak, there's not always a reason




Result: Pattern of outbreak sizes is related to $\mathcal{R}(repeat)$


Indigenous cases




Imported cases



Result: stochasticity interacts with oscillations (preview)



Result: stochasticity interacts with oscillations



Outline

What is dynamical modeling?

Modeling approaches

Conceptual modeling

Deterministic models

Stochastic models


Statistical fitting

Limitations

Heterogeneity


Behavioural changes






Sierra Leo

► How certain or uncertain are our projections?




Sierra Leo

- How certain or uncertain are our projections?
- ► What else do we need to know?



Sierra Leo

- How certain or uncertain are our projections?
- ► What else do we need to know?



Outline

What is dynamical modeling?

Modeling approaches

Conceptual modeling Conceptual modeling Deterministic models Stochastic models

Limitations

Heterogeneity Behavioural changes

Outline

What is dynamical modeling?

Modeling approaches

Conceptual modeling Conceptual modeling Deterministic models


Stochastic models

Statistical fitting


Limitations

Heterogeneity


Behavioural changes




► Simple models treat the world like this cup




- Simple models treat the world like this cup
- ► People are all the same




- Simple models treat the world like this cup
- ▶ People are all the same
- ► Perfectly mixed



- Simple models treat the world like this cup
- ▶ People are all the same
- ► Perfectly mixed
- ► Lots of people




- Simple models treat the world like this cup
- People are all the same
- Perfectly mixed
- Lots of people
 - (for deterministic models)



- Simple models treat the world like this cup
- ▶ People are all the same
- Perfectly mixed
- Lots of people
 - (for deterministic models)

Human heterogeneity



Human heterogeneity




Human heterogeneity




Example: Gonorrhea

endemic equilibrium




Example: Gonorrhea

endemic equilibrium




Example: Gonorrhea

endemic equilibrium



► Disease levels are more resistant to change



- Disease levels are more resistant to change
- ► Higher when averaged transmission is low

endemic equilibrium 1.0 | Coefficient of variation | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 |


- Disease levels are more resistant to change
- ► Higher when averaged transmission is low
- Lower when averaged transmission is high

endemic equilibrium 1.0 | Coefficient of variation | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 |


- Disease levels are more resistant to change
- Higher when averaged transmission is low
- Lower when averaged transmission is high

endemic equilibrium 1.0 | Coefficient of variation | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 |

Example: HIV



Example: HIV



Outline

What is dynamical modeling?

Modeling approaches

Conceptual modeling Conceptual modeling Deterministic models Stochastic models

Statistical fitting


Limitations

Heterogeneity

Behavioural changes


Behavioural changes

► I can calculate the motion of heavenly bodies, but not the madness of people. — Isaac Newton




Behavioural changes


► I can calculate the motion of heavenly bodies, but not the madness of people. – Isaac Newton



Example: COVID




Example: HIV




Example: Dengue (Taiwan CDC)


Indigenous cases




Imported cases



Example: monkeypox



Example: COVID awareness



Weitz et al.

https://www.pnas.org/doi/10.1073/pnas.2009911117

▶ Dynamic models are an essential tool to link scales

- Dynamic models are an essential tool to link scales
- ► Very simple models can provide useful insights

- Dynamic models are an essential tool to link scales
- Very simple models can provide useful insights
- ► More complex models can provide more detail, but also require more assumptions, and more choices

- Dynamic models are an essential tool to link scales
- Very simple models can provide useful insights
- More complex models can provide more detail, but also require more assumptions, and more choices
 - ► Statistical fitting can guide in interpretation

- Dynamic models are an essential tool to link scales
- Very simple models can provide useful insights
- More complex models can provide more detail, but also require more assumptions, and more choices
 - Statistical fitting can guide in interpretation
- ▶ We can evaluate assumptions, and make better models

- Dynamic models are an essential tool to link scales
- Very simple models can provide useful insights
- More complex models can provide more detail, but also require more assumptions, and more choices
 - Statistical fitting can guide in interpretation
- We can evaluate assumptions, and make better models