

UNIT 1: Introduction to R

Outline

Scientific practice and approaches

Working with R and rstudio

Working with data

What are some principles for analyzing scientific data?



What are some principles for analyzing scientific data?

- ▶ * Reproducibility

What are some principles for analyzing scientific data?

▶ * Reproducibility

▶ *

What are some principles for analyzing scientific data?

- ▶ * Reproducibility
- ▶ * Clarity

What are some principles for analyzing scientific data?

- ▶ * Reproducibility

- ▶ * Clarity

- ▶ *

What are some principles for analyzing scientific data?

- ▶ * Reproducibility
- ▶ * Clarity
- ▶ * Flexibility

What are some principles for analyzing scientific data?

- ▶ * Reproducibility
- ▶ * Clarity
- ▶ * Flexibility

What are some approaches?

► Workbooks

What are some approaches?

- ▶ Workbooks
 - ▶ Excel, google sheets

What are some approaches?

- ▶ Workbooks
 - ▶ Excel, google sheets
- ▶ Scripting languages

What are some approaches?

- ▶ Workbooks
 - ▶ Excel, google sheets
- ▶ Scripting languages
 - ▶ R, python

What are some approaches?

- ▶ Workbooks
 - ▶ Excel, google sheets
- ▶ Scripting languages
 - ▶ R, python
- ▶ Menu-driven statistical applications

What are some approaches?

- ▶ Workbooks
 - ▶ Excel, google sheets
- ▶ Scripting languages
 - ▶ R, python
- ▶ Menu-driven statistical applications
- ▶ AI!!

What are some approaches?

- ▶ Workbooks
 - ▶ Excel, google sheets
- ▶ Scripting languages
 - ▶ R, python
- ▶ Menu-driven statistical applications
- ▶ AI!!

Advantages of scripting

- ▶ Everything I said

Advantages of scripting

- ▶ Everything I said



Advantages of scripting

- ▶ Everything I said
 - ▶ * Transparent, reproducible, flexible

Advantages of scripting

- ▶ Everything I said
 - ▶ * Transparent, reproducible, flexible

Advantages of workbooks

Advantages of menu-driven applications

Advantages of AI

AI questions

- ▶ Should you let the AI do your analysis?

AI questions

- ▶ Should you let the AI do your analysis?



AI questions

- ▶ Should you let the AI do your analysis?
 - ▶ * No!

AI questions

▶ Should you let the AI do your analysis?

▶ * No!

▶ *

AI questions

- ▶ Should you let the AI do your analysis?
 - ▶ * No!
 - ▶ * Depending on what you mean

AI questions

- ▶ Should you let the AI do your analysis?
 - ▶ * No!
 - ▶ * Depending on what you mean
- ▶ Should you let the AI write scripts to do your analysis?

AI questions

- ▶ Should you let the AI do your analysis?
 - ▶ * No!
 - ▶ * Depending on what you mean
- ▶ Should you let the AI write scripts to do your analysis?
 - ▶ *

AI questions

- ▶ Should you let the AI do your analysis?
 - ▶ * No!
 - ▶ * Depending on what you mean
- ▶ Should you let the AI write scripts to do your analysis?
 - ▶ * Maybe!

AI questions

- ▶ Should you let the AI do your analysis?
 - ▶ * No!
 - ▶ * Depending on what you mean
- ▶ Should you let the AI write scripts to do your analysis?
 - ▶ * Maybe!
 - ▶ *

AI questions

- ▶ Should you let the AI do your analysis?
 - ▶ * No!
 - ▶ * Depending on what you mean
- ▶ Should you let the AI write scripts to do your analysis?
 - ▶ * Maybe!
 - ▶ * So what are we doing here?

AI questions

- ▶ Should you let the AI do your analysis?
 - ▶ * No!
 - ▶ * Depending on what you mean
- ▶ Should you let the AI write scripts to do your analysis?
 - ▶ * Maybe!
 - ▶ * So what are we doing here?

Reasons to understand scripts

- ▶ What do pilots do?

Reasons to understand scripts

- ▶ What do pilots do?

- ▶ *

Reasons to understand scripts

- ▶ What do pilots do?
 - ▶ * It would generally be OK if jetliner pilots didn't really know how to fly, but it's better that they do

Reasons to understand scripts

- ▶ What do pilots do?
 - ▶ * It would generally be OK if jetliner pilots didn't really know how to fly, but it's better that they do



Reasons to understand scripts

- ▶ What do pilots do?
 - ▶ * It would generally be OK if jetliner pilots didn't really know how to fly, but it's better that they do
- ▶ * You need a certain amount of knowledge to work effectively with the AI

Reasons to understand scripts

- ▶ What do pilots do?
 - ▶ * It would generally be OK if jetliner pilots didn't really know how to fly, but it's better that they do
- ▶ * You need a certain amount of knowledge to work effectively with the AI
 - ▶ *

Reasons to understand scripts

- ▶ What do pilots do?
 - ▶ * It would generally be OK if jetliner pilots didn't really know how to fly, but it's better that they do
- ▶ * You need a certain amount of knowledge to work effectively with the AI
 - ▶ * And to understand what it's doing

Reasons to understand scripts

- ▶ What do pilots do?
 - ▶ * It would generally be OK if jetliner pilots didn't really know how to fly, but it's better that they do
- ▶ * You need a certain amount of knowledge to work effectively with the AI
 - ▶ * And to understand what it's doing
 - ▶ *

Reasons to understand scripts

- ▶ What do pilots do?
 - ▶ * It would generally be OK if jetliner pilots didn't really know how to fly, but it's better that they do
- ▶ * You need a certain amount of knowledge to work effectively with the AI
 - ▶ * And to understand what it's doing
 - ▶ * And to check that it's not just going along with what it thinks you want

Reasons to understand scripts

- ▶ What do pilots do?
 - ▶ * It would generally be OK if jetliner pilots didn't really know how to fly, but it's better that they do
- ▶ * You need a certain amount of knowledge to work effectively with the AI
 - ▶ * And to understand what it's doing
 - ▶ * And to check that it's not just going along with what it thinks you want

Other approaches

- ▶ What are other things you can and should do to evaluate your scripts?

Other approaches

- ▶ What are other things you can and should do to evaluate your scripts?



Other approaches

- ▶ What are other things you can and should do to evaluate your scripts?
- ▶ * You can check, cross-check and validate your scripts

Other approaches

- ▶ What are other things you can and should do to evaluate your scripts?
- ▶ * You can check, cross-check and validate your scripts
- ▶ *

Other approaches

- ▶ What are other things you can and should do to evaluate your scripts?
- ▶ * You can check, cross-check and validate your scripts
- ▶ * With help from AI

Other approaches

- ▶ What are other things you can and should do to evaluate your scripts?
- ▶ * You can check, cross-check and validate your scripts
- ▶ * With help from AI
 - ▶ *

Other approaches

- ▶ What are other things you can and should do to evaluate your scripts?
- ▶ * You can check, cross-check and validate your scripts
- ▶ * With help from AI
 - ▶ * Or another AI

Other approaches

- ▶ What are other things you can and should do to evaluate your scripts?
- ▶ * You can check, cross-check and validate your scripts
- ▶ * With help from AI
 - ▶ * Or another AI

Outline

Scientific practice and approaches

Working with R and rstudio

Working with data

R is a programming language

- ▶ Whether you are writing programs or not, you should understand roughly what that means

R is a programming language

- ▶ Whether you are writing programs or not, you should understand roughly what that means
- ▶ A program is a collection of simple instructions (read, write, send, manipulate, calculate) to be executed in a logical order

R is a programming language

- ▶ Whether you are writing programs or not, you should understand roughly what that means
- ▶ A program is a collection of simple instructions (read, write, send, manipulate, calculate) to be executed in a logical order
- ▶ A program's flow is controlled by *control structures* (instructions about what instruction to do next)

R is a programming language

- ▶ Whether you are writing programs or not, you should understand roughly what that means
- ▶ A program is a collection of simple instructions (read, write, send, manipulate, calculate) to be executed in a logical order
- ▶ A program's flow is controlled by *control structures* (instructions about what instruction to do next)

What is rstudio?



What is rstudio?

- ▶ * An interface for working with R

What is rstudio?

► * An interface for working with R

► *

What is rstudio?

- ▶ * An interface for working with R
- ▶ * Manage files, organize them into projects, develop and run scripts

What is rstudio?

- ▶ * An interface for working with R
- ▶ * Manage files, organize them into projects, develop and run scripts
 - ▶ *

What is rstudio?

- ▶ * An interface for working with R
- ▶ * Manage files, organize them into projects, develop and run scripts
 - ▶ * Does not have to be complicated

What is rstudio?

- ▶ * An interface for working with R
- ▶ * Manage files, organize them into projects, develop and run scripts
 - ▶ * Does not have to be complicated

Revision control

- ▶ Who has worked with git or github?

Revision control

- ▶ Who has worked with git or github?
- ▶ What is the difference?

Revision control

- ▶ Who has worked with git or github?
- ▶ What is the difference?



Revision control

- ▶ Who has worked with git or github?
- ▶ What is the difference?
 - ▶ * Git is a program for keeping track of the state of *human work* in a project

Revision control

- ▶ Who has worked with git or github?
- ▶ What is the difference?
 - ▶ * Git is a program for keeping track of the state of *human work* in a project
 - ▶ *

Revision control

- ▶ Who has worked with git or github?
- ▶ What is the difference?
 - ▶ * Git is a program for keeping track of the state of *human work* in a project
 - ▶ * Github is a site for managing and sharing git projects

Revision control

- ▶ Who has worked with git or github?
- ▶ What is the difference?
 - ▶ * Git is a program for keeping track of the state of *human work* in a project
 - ▶ * Github is a site for managing and sharing git projects
- ▶ Should we try to get into git?

Revision control

- ▶ Who has worked with git or github?
- ▶ What is the difference?
 - ▶ * Git is a program for keeping track of the state of *human work* in a project
 - ▶ * Github is a site for managing and sharing git projects
- ▶ Should we try to get into git?

Principles and practice

- ▶ Your project should be

Principles and practice

- ▶ Your project should be
 - ▶ Replicable

Principles and practice

- ▶ Your project should be
 - ▶ Replicable
 - ▶ Restart R and run everything again to test

Principles and practice

- ▶ Your project should be
 - ▶ Replicable
 - ▶ Restart R and run everything again to test
 - ▶ Don't do 'rm' instead

Principles and practice

- ▶ Your project should be
 - ▶ Replicable
 - ▶ Restart R and run everything again to test
 - ▶ Don't do 'rm' instead
 - ▶ Shareable

Principles and practice

- ▶ Your project should be
 - ▶ Replicable
 - ▶ Restart R and run everything again to test
 - ▶ Don't do 'rm' instead
 - ▶ Shareable
 - ▶ Use R projects and the 'here' package

Principles and practice

- ▶ Your project should be
 - ▶ Replicable
 - ▶ Restart R and run everything again to test
 - ▶ Don't do 'rm' instead
 - ▶ Shareable
 - ▶ Use R projects and the 'here' package
 - ▶ Don't use absolute file paths like 'C:myName/myDirectory'

Principles and practice

- ▶ Your project should be
 - ▶ Replicable
 - ▶ Restart R and run everything again to test
 - ▶ Don't do 'rm' instead
 - ▶ Shareable
 - ▶ Use R projects and the 'here' package
 - ▶ Don't use absolute file paths like 'C:myName/myDirectory'
- ▶ Traceable

Principles and practice

- ▶ Your project should be
 - ▶ Replicable
 - ▶ Restart R and run everything again to test
 - ▶ Don't do 'rm' instead
 - ▶ Shareable
 - ▶ Use R projects and the 'here' package
 - ▶ Don't use absolute file paths like 'C:myName/myDirectory'
 - ▶ Traceable
 - ▶ Use version control!

Principles and practice

- ▶ Your project should be
 - ▶ Replicable
 - ▶ Restart R and run everything again to test
 - ▶ Don't do 'rm' instead
 - ▶ Shareable
 - ▶ Use R projects and the 'here' package
 - ▶ Don't use absolute file paths like 'C:myName/myDirectory'
 - ▶ Traceable
 - ▶ Use version control!

R is old-fashioned

- ▶ Does not distinguish between values and vectors of values!

R is old-fashioned

- ▶ Does not distinguish between values and vectors of values!
 - ▶ Tries to figure out what you want

R is old-fashioned

- ▶ Does not distinguish between values and vectors of values!
 - ▶ Tries to figure out what you want
- ▶ Does not require `print()` most of the time

R is old-fashioned

- ▶ Does not distinguish between values and vectors of values!
 - ▶ Tries to figure out what you want
- ▶ Does not require `print()` most of the time
- ▶ Tries to figure out when a command is done instead of making you signal

R is old-fashioned

- ▶ Does not distinguish between values and vectors of values!
 - ▶ Tries to figure out what you want
- ▶ Does not require `print()` most of the time
- ▶ Tries to figure out when a command is done instead of making you signal

Scripting should be structured

- ▶ R and its ancestors were developed when people were using tiny terminals

Scripting should be structured

- ▶ R and its ancestors were developed when people were using tiny terminals
 - ▶ ... or punch cards!

Scripting should be structured

- ▶ R and its ancestors were developed when people were using tiny terminals
 - ▶ ... or punch cards!
- ▶ Try to avoid these tricks and shortcuts; they can lead to trouble

Scripting should be structured

- ▶ R and its ancestors were developed when people were using tiny terminals
 - ▶ ... or punch cards!
- ▶ Try to avoid these tricks and shortcuts; they can lead to trouble
- ▶ Be conscious of what belongs in your script (reproducible, key steps)

Scripting should be structured

- ▶ R and its ancestors were developed when people were using tiny terminals
 - ▶ ... or punch cards!
- ▶ Try to avoid these tricks and shortcuts; they can lead to trouble
- ▶ Be conscious of what belongs in your script (reproducible, key steps)
 - ▶ and what you can just type in the console

Scripting should be structured

- ▶ R and its ancestors were developed when people were using tiny terminals
 - ▶ ... or punch cards!
- ▶ Try to avoid these tricks and shortcuts; they can lead to trouble
- ▶ Be conscious of what belongs in your script (reproducible, key steps)
 - ▶ and what you can just type in the console

Outline

Scientific practice and approaches

Working with R and rstudio

Working with data

Structure of a data table

- ▶ We are going to work with data using tables

Structure of a data table

- ▶ We are going to work with data using tables
 - ▶ We will call them `data.frames` or `tibbles`

Structure of a data table

- ▶ We are going to work with data using tables
 - ▶ We will call them `data.frames` or `tibbles`
 - ▶ We will mostly use `tidyverse` (see below)

Structure of a data table

- ▶ We are going to work with data using tables
 - ▶ We will call them `data.frames` or `tibbles`
 - ▶ We will mostly use `tidyverse` (see below)

Structure of a data table

- ▶ A rectangle with a logical structure

Structure of a data table

- ▶ A rectangle with a logical structure
 - ▶ Columns are variables; things you can measure

Structure of a data table

- ▶ A rectangle with a logical structure
 - ▶ Columns are variables; things you can measure
 - ▶ Everything a column should have the same units

Structure of a data table

- ▶ A rectangle with a logical structure
 - ▶ Columns are variables; things you can measure
 - ▶ Everything a column should have the same units
- ▶ See an example

Structure of a data table

- ▶ A rectangle with a logical structure
 - ▶ Columns are variables; things you can measure
 - ▶ Everything a column should have the same units
- ▶ See an example

Importing data

- ▶ Save a clean worksheet from your workbook (e.g., google or Excel)

Importing data

- ▶ Save a clean worksheet from your workbook (e.g., google or Excel)
- ▶ Even better: save it as .tsv or .csv

Importing data

- ▶ Save a clean worksheet from your workbook (e.g., google or Excel)
- ▶ Even better: save it as .tsv or .csv
 - ▶ Plain formats, guaranteed no surprises

Importing data

- ▶ Save a clean worksheet from your workbook (e.g., google or Excel)
- ▶ Even better: save it as .tsv or .csv
 - ▶ Plain formats, guaranteed no surprises

Checking

- ▶ Do the variables have the names and formats you expect?

Checking

- ▶ Do the variables have the names and formats you expect?
- ▶ Is your import handling *missing values* correctly?

Checking

- ▶ Do the variables have the names and formats you expect?
- ▶ Is your import handling *missing values* correctly?

Missing values

- ▶ What kind of values do you want to allow for each variable?

Missing values

- ▶ What kind of values do you want to allow for each variable?
- ▶ What codes are you using to indicate things are missing?

Missing values

- ▶ What kind of values do you want to allow for each variable?
- ▶ What codes are you using to indicate things are missing?
- ▶ Is R picking them up correctly?

Missing values

- ▶ What kind of values do you want to allow for each variable?
- ▶ What codes are you using to indicate things are missing?
- ▶ Is R picking them up correctly?
 - ▶ R uses NA (no quotes) to indicate a missing value

Missing values

- ▶ What kind of values do you want to allow for each variable?
- ▶ What codes are you using to indicate things are missing?
- ▶ Is R picking them up correctly?
 - ▶ R uses NA (no quotes) to indicate a missing value

Missing value logic

- ▶ R thinks about missing values in careful ways

Missing value logic

- ▶ R thinks about missing values in careful ways
 - ▶ This can be confusing

Missing value logic

- ▶ R thinks about missing values in careful ways
 - ▶ This can be confusing
- ▶ What is the mean of 6kg, 5kg and NA?

Missing value logic

- ▶ R thinks about missing values in careful ways
 - ▶ This can be confusing
- ▶ What is the mean of 6kg, 5kg and NA?
 - ▶ *

Missing value logic

- ▶ R thinks about missing values in careful ways
 - ▶ This can be confusing
- ▶ What is the mean of 6kg, 5kg and NA?
 - ▶ *

Missing value logic

- ▶ R thinks about missing values in careful ways
 - ▶ This can be confusing
- ▶ What is the mean of 6kg, 5kg and NA?
 - ▶ *
- ▶ What should R do if you ask it for all mice with feet longer than 5cm?

Missing value logic

- ▶ R thinks about missing values in careful ways
 - ▶ This can be confusing
- ▶ What is the mean of 6kg, 5kg and NA?
 - ▶ *
- ▶ What should R do if you ask it for all mice with feet longer than 5cm?
 - ▶ *

Missing value logic

- ▶ R thinks about missing values in careful ways
 - ▶ This can be confusing
- ▶ What is the mean of 6kg, 5kg and NA?
 - ▶ *
- ▶ What should R do if you ask it for all mice with feet longer than 5cm?
 - ▶ * Winner

Missing value logic

- ▶ R thinks about missing values in careful ways
 - ▶ This can be confusing
- ▶ What is the mean of 6kg, 5kg and NA?
 - ▶ *
- ▶ What should R do if you ask it for all mice with feet longer than 5cm?
 - ▶ * Winner
 - ▶ *

Missing value logic

- ▶ R thinks about missing values in careful ways
 - ▶ This can be confusing
- ▶ What is the mean of 6kg, 5kg and NA?
 - ▶ *
- ▶ What should R do if you ask it for all mice with feet longer than 5cm?
 - ▶ * Winner
 - ▶ * But it has to be a new winner

Missing value logic

- ▶ R thinks about missing values in careful ways
 - ▶ This can be confusing
- ▶ What is the mean of 6kg, 5kg and NA?
 - ▶ *
- ▶ What should R do if you ask it for all mice with feet longer than 5cm?
 - ▶ * Winner
 - ▶ * But it has to be a new winner

Outliers

- ▶ Why do we look for outliers?

Outliers

- ▶ Why do we look for outliers?



Outliers

- ▶ Why do we look for outliers?
 - ▶ *

Outliers

- ▶ Why do we look for outliers?

- ▶ *

- ▶ What do we do when we find them?

Outliers

- ▶ Why do we look for outliers?
 - ▶ *
- ▶ What do we do when we find them?

Finding outliers

- ▶ If your point is an outlier, does that mean it's a mistake?

Finding outliers

- ▶ If your point is an outlier, does that mean it's a mistake?
 - ▶ What standard should you use?

Finding outliers

- ▶ If your point is an outlier, does that mean it's a mistake?
 - ▶ What standard should you use?
- ▶ If it's almost an outlier, does that mean it's not a mistake?

Finding outliers

- ▶ If your point is an outlier, does that mean it's a mistake?
 - ▶ What standard should you use?
- ▶ If it's almost an outlier, does that mean it's not a mistake?
 - ▶ *

Finding outliers

- ▶ If your point is an outlier, does that mean it's a mistake?
 - ▶ What standard should you use?
- ▶ If it's almost an outlier, does that mean it's not a mistake?
 - ▶ * **Statistics is not magic!**

Finding outliers

- ▶ If your point is an outlier, does that mean it's a mistake?
 - ▶ What standard should you use?
- ▶ If it's almost an outlier, does that mean it's not a mistake?
 - ▶ * Statistics is not magic!
- ▶ What happens if you make a standard boxplot of 10,000 points, and your data are perfectly collected and perfectly normal?

Finding outliers

- ▶ If your point is an outlier, does that mean it's a mistake?
 - ▶ What standard should you use?
- ▶ If it's almost an outlier, does that mean it's not a mistake?
 - ▶ * **Statistics is not magic!**
- ▶ What happens if you make a standard boxplot of 10,000 points, and your data are perfectly collected and perfectly normal?
 - ▶ *

Finding outliers

- ▶ If your point is an outlier, does that mean it's a mistake?
 - ▶ What standard should you use?
- ▶ If it's almost an outlier, does that mean it's not a mistake?
 - ▶ * **Statistics is not magic!**
- ▶ What happens if you make a standard boxplot of 10,000 points, and your data are perfectly collected and perfectly normal?
 - ▶ * **More than 50 of them will be “outliers”**

Finding outliers

- ▶ If your point is an outlier, does that mean it's a mistake?
 - ▶ What standard should you use?
- ▶ If it's almost an outlier, does that mean it's not a mistake?
 - ▶ * **Statistics is not magic!**
- ▶ What happens if you make a standard boxplot of 10,000 points, and your data are perfectly collected and perfectly normal?
 - ▶ * **More than 50 of them will be “outliers”**

Quality control

- ▶ Always keep original data-entry media

Quality control

- ▶ Always keep original data-entry media
 - ▶ Take notes in a lab book, or in the margin, or on the spreadsheet

Quality control

- ▶ Always keep original data-entry media
 - ▶ Take notes in a lab book, or in the margin, or on the spreadsheet
- ▶ Double-check *everything* you enter or transcribe

Quality control

- ▶ Always keep original data-entry media
 - ▶ Take notes in a lab book, or in the margin, or on the spreadsheet
- ▶ Double-check *everything* you enter or transcribe
 - ▶ If copy-pasting, triple-check

Quality control

- ▶ Always keep original data-entry media
 - ▶ Take notes in a lab book, or in the margin, or on the spreadsheet
- ▶ Double-check *everything* you enter or transcribe
 - ▶ If copy-pasting, triple-check
- ▶ Make notes of everything you change, and why

Quality control

- ▶ Always keep original data-entry media
 - ▶ Take notes in a lab book, or in the margin, or on the spreadsheet
- ▶ Double-check *everything* you enter or transcribe
 - ▶ If copy-pasting, triple-check
- ▶ Make notes of everything you change, and why
- ▶ If you find a mistake only because it's an outlier, that means your systems have failed

Quality control

- ▶ Always keep original data-entry media
 - ▶ Take notes in a lab book, or in the margin, or on the spreadsheet
- ▶ Double-check *everything* you enter or transcribe
 - ▶ If copy-pasting, triple-check
- ▶ Make notes of everything you change, and why
- ▶ If you find a mistake only because it's an outlier, that means your systems have failed

Functions

- ▶ R comes with a *lot* of useful functions

Functions

- ▶ R comes with a *lot* of useful functions
- ▶ Others can be loaded from “packages”

Functions

- ▶ R comes with a *lot* of useful functions
- ▶ Others can be loaded from “packages”
- ▶ You add new packages to your “library” with `'install.packages()'`

Functions

- ▶ R comes with a *lot* of useful functions
- ▶ Others can be loaded from “packages”
- ▶ You add new packages to your “library” with `'install.packages()'`
- ▶ And load them into your R session with `'library()'`

Functions

- ▶ R comes with a *lot* of useful functions
- ▶ Others can be loaded from “packages”
- ▶ You add new packages to your “library” with `'install.packages()'`
- ▶ And load them into your R session with `'library()'`

Tidyverse

- ▶ tidyverse is a *group* of packages designed to allow data manipulation and visualization at a higher conceptual level than base R

Tidyverse

- ▶ tidyverse is a *group* of packages designed to allow data manipulation and visualization at a higher conceptual level than base R
 - ▶ works primarily on tables

Tidyverse

- ▶ tidyverse is a *group* of packages designed to allow data manipulation and visualization at a higher conceptual level than base R
 - ▶ works primarily on tables
 - ▶ focuses on logical structure

Tidyverse

- ▶ tidyverse is a *group* of packages designed to allow data manipulation and visualization at a higher conceptual level than base R
 - ▶ works primarily on tables
 - ▶ focuses on logical structure
 - ▶ We will try to keep things simple by staying “tidy”

Tidyverse

- ▶ tidyverse is a *group* of packages designed to allow data manipulation and visualization at a higher conceptual level than base R
 - ▶ works primarily on tables
 - ▶ focuses on logical structure
 - ▶ We will try to keep things simple by staying “tidy”
 - ▶ This may still be a controversial choice

Tidyverse

- ▶ tidyverse is a *group* of packages designed to allow data manipulation and visualization at a higher conceptual level than base R
 - ▶ works primarily on tables
 - ▶ focuses on logical structure
 - ▶ We will try to keep things simple by staying “tidy”
 - ▶ This may still be a controversial choice

Loading

- ▶ If you say `'library(tidyverse)'` it will load a bunch of packages

Loading

- ▶ If you say `library(tidyverse)` it will load a bunch of packages
 - ▶ But not all of the ones you installed with tidyverse

Loading

- ▶ If you say `library(tidyverse)` it will load a bunch of packages
 - ▶ But not all of the ones you installed with tidyverse
- ▶ This is fine!

Loading

- ▶ If you say `library(tidyverse)` it will load a bunch of packages
 - ▶ But not all of the ones you installed with tidyverse
- ▶ This is fine!
- ▶ Some people prefer to just install what they're using

Loading

- ▶ If you say `library(tidyverse)` it will load a bunch of packages
 - ▶ But not all of the ones you installed with tidyverse
- ▶ This is fine!
- ▶ Some people prefer to just install what they're using
 - ▶ For clarity

Loading

- ▶ If you say `library(tidyverse)` it will load a bunch of packages
 - ▶ But not all of the ones you installed with tidyverse
- ▶ This is fine!
- ▶ Some people prefer to just install what they're using
 - ▶ For clarity
 - ▶ Or because they are addicted to restarting R, like me

Loading

- ▶ If you say `library(tidyverse)` it will load a bunch of packages
 - ▶ But not all of the ones you installed with tidyverse
- ▶ This is fine!
- ▶ Some people prefer to just install what they're using
 - ▶ For clarity
 - ▶ Or because they are addicted to restarting R, like me

readr

- ▶ You will use will use this in this week's assignment

readr

- ▶ You will use will use this in this week's assignment
- ▶ Not very different from the functions in “base” R

readr

- ▶ You will use will use this in this week's assignment
- ▶ Not very different from the functions in “base” R