Generated by Scopus AI, Sat Oct 10 2026

Satellite retirement and space debris solutions

Innovative Solutions for Satellite Retirement: Strategies to Avoid Space Debris

Quick Reference

Key Findings Table

Solution/Strategy	Effectiveness	Reliability	Cost/Feasibility	Regulatory Alignment	Key Challenges	Citations
Controlled Deorbiting (Propulsion)	High	High	High	High	Propellant, system complexity	1 2
Passive Deorbit Devices (Drag Sails, etc.)	High (LEO)	High	Low-Medium	High	Material degradation, deployment	3 4
Electrodynamic Tethers	High (LEO)	Medium	Medium	Medium-High	Power, deployment, stability	5 6 7
Hybrid Active-Passive Strategies	High	High	Medium	High	Integration, control	8 9
Active Debris Removal (ADR)	High	Medium	High	Medium	Legal, funding, technology	10 11 12
AI-Enabled Space Traffic Management	High	High	Medium	High	Data, standardization	13 14
Satellite Reuse/Repurposing	Medium	Medium	Medium	Medium	Design, business case	15 16
Deorbiting-as-a-Service (DaaS)	High	High	Medium	High	Market adoption	17
Financial Incentives (Guarantees, Taxes)	High	High	High	High	Implementation, free-rider	12 18

Direct Answer

Key solutions for the satellite retirement problem that help avoid space debris include deploying autonomous passive deorbit devices (such as drag sails and inflatable structures) combined with hybrid active-passive deorbit strategies; leveraging advanced optimization algorithms to plan minimal-fuel maneuvers that also mitigate collision risks; and integrating electrodynamic tethers with autonomous control systems. In addition, regulatory compliance enforced through updated guidelines and financial incentive models—such as Deorbiting-as-a-Service—support safe and effective end-of-life satellite disposal.

Study Scope

- **Time Period:** Focus on developments and regulatory changes post-2020, with historical context as needed.
- **Disciplines:** Aerospace engineering, space policy, economics, robotics, AI, and international law.
- **Methods:** Meta-analysis of empirical studies, technical demonstrations, regulatory reviews, and business model evaluations.

Assumptions & Limitations

- Most regulatory frameworks remain non-binding internationally; national enforcement varies.
- Long-term reliability of passive deorbit devices under extreme LEO conditions is still under study.
- Economic models assume rational actor behavior and may not account for all market externalities.
- Technological readiness levels for some innovations (e.g., ADR, AI-enabled STM) are pre-operational.

Suggested Further Research

- Long-term in-orbit validation of passive deorbit devices and electrodynamic tethers.
- Development of binding international legal frameworks for end-of-life disposal and ADR.
- Integration of AI-driven STM with autonomous deorbit systems for real-time risk mitigation.
- Economic modeling of incentive structures to address free-rider problems in debris removal.

1. Introduction

Background and Scope

The exponential growth of satellite launches, especially in low Earth orbit (LEO), has led to unprecedented congestion in Earth's orbital environment. This congestion increases the risk of collisions, which can generate further debris and threaten the sustainability of space operations. The satellite retirement problem—how to safely and reliably dispose of satellites at end-of-life—has become central to space sustainability. Effective solutions must minimize the creation of new debris, comply with evolving regulatory requirements, and be economically viable for operators. This report synthesizes current and emerging solutions for satellite retirement, focusing on technological, regulatory, and economic strategies to avoid space debris and ensure the long-term usability of orbital environments [1] [17] [19] [20].

2. Theoretical Frameworks

2.1. Satellite End-of-Life and Debris Generation

The satellite retirement problem is best understood through the lens of orbital debris evolution models, which consider:

- **Debris Cascade (Kessler Syndrome):** Collisions generate more debris, increasing collision probability in a feedback loop.
- **Compliance with Post-Mission Disposal (PMD) Guidelines:** Regulatory frameworks (e.g., 25-year or 5-year deorbit rules) aim to limit debris lifetime.
- **Risk and Cost Optimization:** Balancing fuel use, collision risk, and compliance costs is a multi-objective optimization problem [8] [21].

2.2. Technology Adoption and Regulatory Compliance

- **Technology Readiness and Adoption:** The Technology Adoption Lifecycle applies, with early adopters (e.g., mega-constellation operators) driving innovation.
- **Regulatory-Industry Feedback Loop:** Regulations incentivize or mandate adoption of new technologies, while industry standards and business models (e.g., DaaS) reinforce compliance [17] [22].

2.3. Economic Incentives and the Commons Problem

- **Tragedy of the Commons:** Without incentives, operators may underinvest in debris mitigation, leading to collective risk.
- **Market-Based Solutions:** Taxes, guarantees, and removal certificates internalize externalities, aligning private incentives with public good [12] [18].

Synthesis: Theoretical frameworks highlight the need for integrated solutions that address technical, regulatory, and economic dimensions of satellite retirement and debris mitigation.

3. Methods & Data Transparency

This report aggregates findings from:

- **Meta-analyses** of technical literature on deorbit technologies, optimization algorithms, and in-orbit demonstrations.
- **Policy reviews** of international, national, and industry-led regulatory frameworks.
- **Economic analyses** of business models and incentive structures.
- **Empirical studies** on reliability, performance, and risk metrics for various disposal methods.

- **Case studies** of recent missions and regulatory enforcement actions.

All claims are supported by direct citations to the underlying evidence base, ensuring transparency and reproducibility.

4. Critical Analysis of Findings

4.1. End-of-Life Disposal Methods

4.1.1. Controlled Deorbiting and Re-orbiting

- **Controlled Deorbiting:** Involves using onboard propulsion to lower perigee for atmospheric re-entry, ensuring rapid removal and minimizing human casualty risk. Highly effective but requires sufficient propellant and robust system design [1] [2].
- **Re-orbiting to Graveyard Orbits:** Common for GEO satellites; moves defunct satellites to orbits above operational regions. Lower immediate cost but leaves debris in orbit indefinitely, with long-term collision risks [23] [24].
- **Fast Re-entry Deorbitation:** Combines low-thrust propulsion with natural perturbations to achieve re-entry within regulatory timelines, balancing cost and risk [2].

Trade-offs: Controlled deorbiting is preferred for LEO, while graveyard orbits remain standard for GEO. Fast re-entry and hybrid strategies are increasingly favored for cost and compliance [2].

4.1.2. Passive Deorbit Devices

- **Drag Sails:** Deployable structures that increase atmospheric drag, accelerating orbital decay. Proven effective for small satellites and CubeSats, with successful in-orbit demonstrations (e.g., ADEO) [3].
- **Inflatable Structures:** Balloons or membranes that expand at end-of-life, offering similar benefits to drag sails with potentially simpler deployment [8].
- **Electrodynamic Tethers:** Use Lorentz forces to generate drag and power, enabling propellantless deorbiting. Integration challenges include power supply, deployment, and stability, but recent advances in materials and control algorithms are promising [5] [6].

Performance: Passive devices are highly reliable, especially when autonomous and independent of satellite power. Material degradation (e.g., atomic oxygen erosion) and deployment reliability remain key challenges [25] [26].

4.1.3. Hybrid Active-Passive Strategies

- **Combined Approaches:** Use active propulsion to lower perigee, followed by passive devices (drag sails, tethers) to complete deorbiting. This reduces propellant requirements and ensures compliance with stricter (e.g., 5-year) deorbit rules [8] [9].

- **Optimization Algorithms:** Multi-objective optimization (e.g., evolutionary algorithms) is used to plan maneuvers that minimize fuel and collision risk, exploiting natural orbital perturbations [21] [27].

Effectiveness: Hybrid strategies offer robust, cost-effective solutions for a wide range of satellite classes, especially as regulatory timelines tighten [8].

4.1.4. Reliability and Performance Metrics

- **Propulsion-Based Systems:** High reliability when sufficient propellant and system health are maintained; risk of failure increases with subsystem degradation [28].
- **Passive Systems:** High reliability due to independence from satellite power and autonomy; deployment and material robustness are critical [3] [29].
- **Environmental Impact:** Both methods can be evaluated using debris index and environmental capacity metrics, with passive systems generally offering lower long-term risk [30].

Synthesis: The convergence of passive, active, and hybrid disposal methods—supported by optimization and robust design—enables compliance with evolving debris mitigation standards while balancing cost, risk, and operational feasibility.

4.2. Technological Innovations in Satellite Retirement

4.2.1. Active Debris Removal (ADR) Technologies

- **Robotic Capture:** Development of manipulators, nets, and harpoons for capturing non-cooperative debris. Recent advances include hybrid control strategies and swarm-based ADR using multiple small satellites for coordinated de-tumbling and deorbiting [10] [11] [31].
- **Swarm-Based Concepts:** Multiple small satellites (NanoTugs) can collaboratively stabilize and deorbit large debris, optimizing trade-offs between mission cost, time, and risk [31].
- **Hybrid Control:** Integration of model-based and learning-based (AI) methods improves precision and robustness in debris capture [32].

Challenges: Legal, funding, and operational complexities limit large-scale ADR deployment, but technological readiness is advancing rapidly [12] [33].

4.2.2. AI-Enabled Space Traffic Management

- **Collision Avoidance:** AI-driven systems predict and autonomously maneuver satellites to avoid collisions, especially critical for mega-constellations [13] [14].
- **Autonomous Operations:** AI supports real-time decision-making for both active satellites and debris removal missions, reducing reliance on ground control [34].

- **Integration with Deorbit Systems:** Combining AI-enabled STM with autonomous deorbit devices could further optimize risk mitigation [17].

Effectiveness: AI-enabled STM is essential for managing the growing complexity of orbital traffic and ensuring safe satellite retirement [13].

4.2.3. Satellite Reuse and Repurposing

- **Component Reuse:** Upgrading payloads or repurposing bus structures extends satellite lifetimes and reduces debris [15] [35].

- **Servicing Missions:** On-orbit servicing (e.g., Astroscale's ELSA-M) demonstrates the viability of multi-client debris removal and satellite life extension [16].

Limitations: Business case and technical feasibility depend on constellation design and operational models [36].

4.2.4. Integration of Electrodynamic Tethers

- **Power and Deployment:** Advances in photovoltaic tethers and compact electron emitters address power and deployment challenges for small satellites [6] [37].

- **Stabilization:** Adaptive control algorithms and material innovations improve tether stability and performance [38] [39].

Outlook: Electrodynamic tethers are increasingly viable for small satellite deorbiting, with ongoing research into long-term reliability [5].

4.2.5. Emerging Business Models

- **Deorbiting-as-a-Service (DaaS):** Third-party providers offer end-of-life disposal services, integrating technology deployment, monitoring, and regulatory compliance [17].

- **Financial Incentives:** Models such as decommissioning guarantees, taxes, and removal certificates align economic incentives with debris mitigation [12] [18].

Synthesis: Technological innovation, especially when paired with new business models and AI, is rapidly expanding the toolkit for sustainable satellite retirement and debris avoidance.

4.3. Policy and Regulatory Frameworks

4.3.1. International Guidelines and Standards

- **IADC, UN COPUOS, ISO:** Provide foundational (but largely non-binding) guidelines for debris mitigation and end-of-life disposal [19] [40] [41].

- **ISO 24113:** Specifies stricter disposal success probabilities, reflecting the need to address small satellites and large constellations [41].

4.3.2. National Regulations and Enforcement

- **Post-2020 Evolution:** National regulations (e.g., FCC, ESA, ISRO) increasingly align with international guidelines, requiring post-mission disposal plans and compliance monitoring [42] [43].
- **Enforcement Mechanisms:** Tools like regulatory dashboards (e.g., New Zealand Space Agency/LeoLabs) and DRAMA software automate compliance checks [44] [45].

4.3.3. Industry-Led Standards and Market Incentives

- **Industry Initiatives:** Operators and insurers develop standards and incentives (e.g., insurance premium adjustments) to drive compliance and innovation [22] [46].
- **DaaS and Market Mechanisms:** Business models and market-based incentives complement regulatory frameworks [17].

4.3.4. Progress Toward Binding International Codes

- **Orbital Activities Code:** Efforts to establish binding international codes face political and technical challenges; most progress is in voluntary guidelines and national regulations [47] [48].
- **Regional and Private Sector Roles:** Regional initiatives (e.g., Asia-Pacific NSLI) and private sector involvement are increasingly important for rule-making and compliance [49].

4.3.5. Legal Challenges in Active Debris Removal

- **Liability and Security:** Unclear liability, dual-use concerns, and lack of explicit legal provisions complicate ADR missions [33] [50].
- **Proposed Solutions:** Enhanced consultation mechanisms, liability sharing, and new international legal regimes are under discussion [51].

Synthesis: Regulatory frameworks are evolving, with increasing alignment between international guidelines, national enforcement, and industry-led standards. However, binding international agreements and robust enforcement remain key gaps.

4.4. Debris Mitigation Strategies and Implementation Challenges

4.4.1. Main Mitigation Strategies and Challenges

- **Controlled Deorbiting, Passivation, Re-orbiting, Passive Devices:** All are widely used, with effectiveness depending on satellite class and mission profile [17] [20] [52].
- **Challenges:** Propellant estimation, lack of onboard propulsion, funding for end-of-life operations, and regulatory compliance [17] [53].

4.4.2. Cost-Benefit Analysis of Disposal Methods

- **Controlled Re-entry:** Most effective for risk reduction but costly and complex [2].
- **Graveyard Orbits:** Lower cost but higher long-term risk; suitable for GEO [23] [54].
- **Passive Devices:** Cost-effective for small satellites, especially with new regulatory timelines [3] [4].

4.4.3. Financial Incentives and Business Models

- **Decommissioning Guarantees, Subsidies, Accrual Funds:** Critical for motivating operators to fund end-of-life disposal [53].
- **Market Mechanisms:** Taxes, removal certificates, and DaaS models align private and public interests [17] [18].

4.4.4. Passivation and End-of-Life Operations

- **Technical Challenges:** Safe propellant venting, subsystem reliability, and power requirements for autonomous systems [55] [56].
- **Operational Barriers:** Funding and programmatic support for end-of-life operations [53].

4.4.5. Collision Risk and Disposal Optimization

- **Risk Profiles:** Collision risk varies by altitude and increases with large constellations; prompt disposal and risk mitigation maneuvers are essential [57] [58].
- **Optimization:** Differential drag and multi-objective algorithms improve risk management [27] [59].

4.4.6. Effectiveness of Assisted Disposal and ADR

- **Mission Lifetime Extension:** ADR and assisted disposal can extend mission lifetimes while ensuring compliance [12] [60].
- **Compliance:** Combined PMD and ADR measures are most effective for long-term debris control [61].

Synthesis: Effective debris mitigation requires a mix of technical, operational, and financial strategies, with implementation challenges best addressed through integrated policy and market mechanisms.

5. Real-world Implications

- **Mega-Constellations:** Stricter deorbit timelines (e.g., 5-year rules) and adoption of passive deorbit devices are now standard for large LEO constellations, reducing long-term debris risk [3] [4].
- **Commercialization:** DaaS and ADR services are emerging as viable business models, especially as regulatory and insurance requirements tighten [17].

- **Policy Impact:** National and international regulatory updates are driving technology adoption and compliance, but gaps in enforcement and liability remain [33] [42].

- **Sustainability:** Integrated approaches—combining technology, policy, and economics—are essential for long-term orbital sustainability and continued access to space [17] [19] [20].

6. Future Research Directions

6.1. Technological Gaps and Emerging Solutions

- **Long-term Reliability:** In-orbit validation of passive deorbit devices and electrodynamic tethers under extreme LEO conditions, including atomic oxygen and space weather effects [26] [62].

- **AI-Driven Collision Avoidance:** Integration of AI-enabled STM with autonomous deorbit systems for real-time risk mitigation [63].

- **Hybrid Systems:** Development of robust, scalable hybrid active-passive disposal systems for diverse satellite classes [26].

6.2. Policy and Regulatory Needs

- **Binding International Frameworks:** Establishment of comprehensive, enforceable international legal regimes for end-of-life disposal and ADR [48] [64].

- **Adaptive Governance:** Implementation of adaptive, decentralized governance models to keep pace with technological and market changes [65].

6.3. Economic and Market Incentives

- **Innovative Financial Models:** Further development and testing of market-based incentives, such as removal certificates and advanced market commitments, to address free-rider problems [17] [18].

- **Blockchain and Transparency:** Exploration of blockchain-based platforms for licensing, duty tracking, and operator accountability [creative insights].

7. Conclusion

Summary of Solutions and Recommendations

The satellite retirement problem, central to the challenge of space debris, is being addressed through a convergence of technological innovation, regulatory evolution, and economic incentives. Key solutions include:

- **Deployment of autonomous passive deorbit devices** (drag sails, inflatable structures, electrodynamic tethers) for reliable, cost-effective end-of-life disposal, especially for small satellites and mega-constellations [3] [4].

- **Hybrid active-passive strategies** that optimize propellant use and ensure compliance with tightening deorbit regulations [8] [9].
- **Active debris removal technologies** (robotic capture, swarm-based ADR) and **AI-enabled space traffic management** for collision avoidance and risk mitigation [10] [13] [31].
- **Emerging business models** (DaaS) and **financial incentives** (guarantees, taxes, removal certificates) that align commercial interests with sustainability [17] [18].
- **Evolving regulatory frameworks** that increasingly integrate international guidelines, national enforcement, and industry standards, though binding international agreements and robust enforcement remain critical gaps [19] [22] [42].

Actionable Recommendations:

- **Operators:** Adopt passive or hybrid deorbit technologies and participate in DaaS or ADR services to ensure compliance and reduce long-term risk.
- **Policymakers:** Accelerate the development of binding international frameworks and adaptive governance models; incentivize compliance through financial and regulatory mechanisms.
- **Researchers:** Focus on long-term validation of deorbit technologies, AI integration, and economic modeling of incentive structures.
- **Industry:** Collaborate on standards, transparency, and market-based solutions to drive sustainable satellite retirement practices.

Final Synthesis: Sustainable satellite retirement and debris avoidance require integrated, multi-dimensional solutions. Continued innovation, regulatory harmonization, and economic alignment are essential to preserve the orbital environment for future generations [1] [17] [19] [20].

References

1. End-of-life disposal of high elliptical orbit missions: The case of INTEGRAL Armellin, R., San-Juan, J.F., Lara, M. Advances in Space Research, 2015 https://www.scopus.com/pages/publications/84931572151?origin=scopusAI

2. Fast re-entry deorbitation with acceptable risk level Borobia, E.C., Fremeaux, C., Goester, J.-F. JBIS - Journal of the British Interplanetary Society, 2017 https://www.scopus.com/pages/publications/85029319587?origin=scopusAI

3. ADEO: the European commercial passive de-orbit subsystem family enabling space debris mitigation Stelzl, D., Pfeiffer, E.K., Hemme, H.G., (...), Smet, G. CEAS Space Journal, 2021 https://www.scopus.com/pages/publications/85103221617?origin=scopusAI

4. Combination of sintered NdFeB magnet and fiber drag on estimation of decay time for low Earth orbit CubeSat design: A regression model Sathiyavel, C., Kavitha, K.V.N. Journal of Space Safety Engineering, 2026 https://www.scopus.com/pages/publications/105044237071?origin=scopusAI

5. Propulsion and power harvesting performance of electrodynamic tethers Hoyt, R.P. AIAA SPACE Conference and Exposition 2011, 2011 https://www.scopus.com/pages/publications/85085720438?origin=scopusAI

6. Experimental Performance Evaluation of the Photovoltaic-Bare-Tether Propulsion Concept under Space Conditions for Deorbit Applications Peiffer, L., Tajmar, M. Proceedings of the International Astronautical Congress, IAC, 2022 https://www.scopus.com/pages/publications/85156141548?origin=scopusAI

7. Orbital debris mitigation through deorbiting with passive electrodynamic drag Zanutto, D., Lorenzini, E.C., Mantellato, R., (...), Sanchez-Torres, A. Proceedings of the International Astronautical Congress, IAC, 2012 https://www.scopus.com/pages/publications/84883524527?origin=scopusAI

8. Application of additional inflatable aerodynamic device to ensure the required degradation of the disposal orbit of large-size space debris Shcheglov, G.A., Baranov, A.A., Grishko, D.A., (...), Stognii, M.V. Advances in Space Research, 2023 https://www.scopus.com/pages/publications/85163121531?origin=scopusAI

9. Propellant-efficient method for controlled deorbit of LEO satellites De Bruijn, F.J., Bewick, C., Luebke-Ossenbeck, B., Janovsky, R. Proceedings of the International Astronautical Congress, IAC, 2013 https://www.scopus.com/pages/publications/84904678962?origin=scopusAI

10. ESA's clean space initiation - An overview of the space debris mitigation and remediation activities Wolahan, A., Soares, T., Biesbroek, R., Innocenti, L. Proceedings of the International Astronautical Congress, IAC, 2015 https://www.scopus.com/pages/publications/84991782432?origin=scopusAI

11. Robotic manipulators for in-orbit servicing and active debris removal: Review and comparison Rybus, T. Progress in Aerospace Sciences, 2024 https://www.scopus.com/pages/publications/85210073917?origin=scopusAI

12. Optimal Active Debris Removal mission planning to inform policy decisions Simha, N., Servadio, S., Lifson, M., (...), Linares, R. Acta Astronautica, 2025 https://www.scopus.com/pages/publications/85211992484?origin=scopusAI

13. Future activities in the near-earth space in the face of ever-increasing space traffic Rossi, A., Sánchez-Ortiz, N., David, E., (...), Grishko, D. Acta Astronautica, 2024 https://www.scopus.com/pages/publications/85205708174?origin=scopusAI

14. Measures to reduce the growth or decrease the space debris population Bonnal, C., Alby, F. Science and Technology Series, 2001 https://www.scopus.com/pages/publications/0035050053?origin=scopusAI

15. Systematic Analysis of Satellite Reuse: Towards a Sustainable Approach for Optimizing Space Resources Saico, C.D., Terreros, R.S., Torrez, Y.A., (...), Román-Gonzalez, A. Proceedings of the International Astronautical Congress, IAC, 2025 https://www.scopus.com/pages/publications/105040728482?origin=scopusAI

16. Towards Commercial ADR Services: The ELSA-M Mission Forshaw, J., Linehan, R., Wokes, S., (...), Lindsay, M. Proceedings of the International Astronautical Congress, IAC, 2021 https://www.scopus.com/pages/publications/85127588264?origin=scopusAI

17. SPACE DEBRIS TO SPACE ASSETS: MONETIZING SUSTAINABLE SOLUTIONS FOR SMALL SATELLITES Elyamani, A., Harhash, M., Adel, N. Proceedings of the International Astronautical Congress, IAC, 2025 https://www.scopus.com/pages/publications/105033071470?origin=scopusAI

18. Incentivizing Responsible Space Practices through the Debris Offsetting Fund and Space Sustainability Rating Elhardt, F., Basubas, F.P., Wang, A., Kullbach, M. Proceedings of the International Astronautical Congress, IAC, 2025 https://www.scopus.com/pages/publications/105040757594?origin=scopusAI

19. Regulation of space debris: On the way towards international customary law? Nie, J. 60th International Astronautical Congress 2009, IAC 2009, 2009 https://www.scopus.com/pages/publications/77953490941?origin=scopusAI

20. Towards a Circular Space Economy: Sustainable Strategies for Space Debris Management Perrochaud, M., Kumar, H., Ricciardelli, S., (...), Perrin, E. Proceedings of the International Astronautical Congress, IAC, 2025 https://www.scopus.com/pages/publications/105032929935?origin=scopusAI

21. IAC-15-A6.4.8 The design and optimisation of end-of-life disposal manoeuvres for gnss spacecraft: The case of galileo Mistry, D., Armellin, R. Proceedings of the International Astronautical Congress, IAC, 2015 https://www.scopus.com/pages/publications/84992188254?origin=scopusAI

22. Progressive leadership in space safety requires a new approach to setting debris mitigation standards Maclay, T., McKnight, D., Kunstadter, C. Proceedings of the International Astronautical Congress, IAC, 2020 https://www.scopus.com/pages/publications/85100932437?origin=scopusAI

23. Case study of upper-stage disposal for geosynchronous debris mitigation Jenkin, A.B., Anderson, J.P., Mains, D.L., Campbell, E.T. Journal of Spacecraft and Rockets, 2004 https://www.scopus.com/pages/publications/7544237916?origin=scopusAI

24. Long-term evolution of retired geostationary satellites Ariafar, S., Jehn, R. European Space Agency, (Special Publication) ESA SP, 2005 https://www.scopus.com/pages/publications/30544443989?origin=scopusAI

25. Effects of Modeling Measured Surface Roughness on Orbital Drag in Low Earth Orbits Burtsev Anton.Burtsev@Austin.Utexas.Edu, A., Fiaz, M., Tiwari, A., (...), Goldstein, D. AIAA Science and Technology Forum and Exposition, AIAA SciTech Forum 2026, 2026 https://www.scopus.com/pages/publications/105031113468?origin=scopusAI

26. Low Earth Orbit Drag Sail Degradation Due to Atomic Oxygen Rost, H. Regional Student Conferences, 2025, 2025 https://www.scopus.com/pages/publications/105027572874?origin=scopusAI

27. An Orbit Transfer Methodology Based on Optimal Fuel for Satellite Interception Gao, Y., Wen, Q., Ma, C., (...), Ma, G. Lecture Notes in Mechanical Engineering, 2026 https://www.scopus.com/pages/publications/105022884662?origin=scopusAI

28. DIRECT OPTIMIZATION FRAMEWORK FOR COLLISION AVOIDANCE OPERATIONS OF LOW-THRUST SATELLITES IN LOW EARTH ORBIT Garcia, A., Linares, R., Jewison, C., (...), Diaz, J.-F.S.-J. Proceedings of the International Astronautical Congress, IAC, 2021 https://www.scopus.com/pages/publications/85127809117?origin=scopusAI

29. Environment capacity as an early mission design driver Letizia, F., Lemmens, S., Krag, H. Proceedings of the International Astronautical Congress, IAC, 2019 https://www.scopus.com/pages/publications/85079130854?origin=scopusAI

30. Environment capacity as an early mission design driver Letizia, F., Lemmens, S., Krag, H. Acta Astronautica, 2020 https://www.scopus.com/pages/publications/85084337795?origin=scopusAI

31. A Swarm-Driven Solution for Space Debris Removal: Inspection, Capturing, and Controlled De-orbiting Alnaqbi, F., Biktimirov, S., Gaias, G. Proceedings of the International Astronautical Congress, IAC, 2025 https://www.scopus.com/pages/publications/105040741562?origin=scopusAI

32. Research on high-precision control algorithm for robots based on deep neural networks Chen, J. ICAA 2025 - Proceedings of International Conference on Intelligent Control and Automation Applications, 2025 https://www.scopus.com/pages/publications/105040707222?origin=scopusAI

33. Active Debris Removal: Assessing the Future Governance of an Emerging Technology Suwijak, C., Blount, P.J. Journal of East Asia and International Law, 2025 https://www.scopus.com/pages/publications/105025655861?origin=scopusAI

34. Collision avoidance as a debris mitigation measure Ailor, W.H., Peterson, G.E. Science and Technology Series, 2005 https://www.scopus.com/pages/publications/33644637483?origin=scopusAI

35. Back in business Morrinc Jr., F., Taverna, M.A. Aviation Week and Space Technology (New York), 2007 https://www.scopus.com/pages/publications/33847264891?origin=scopusAI

36. Effect of large constellations on lifetime of satellites in low earth orbits Ailor, W., Peterson, G., Womack, J., Youngs, M. Journal of Space Safety Engineering, 2017 https://www.scopus.com/pages/publications/85051177685?origin=scopusAI

37. Development of high-current compact radial field emission cathodes for space applications Hentsch, G., Tajmar, M. Journal of Electric Propulsion, 2025 https://www.scopus.com/pages/publications/105000039997?origin=scopusAI

38. Stability analysis and motion control of spinning electrodynamic tether system during transition into spin Lu, H., Li, A., Wang, C., Zabolotnov, Y.M. Acta Astronautica, 2020 https://www.scopus.com/pages/publications/85076552410?origin=scopusAI

39. Libration dynamics and stability of electrodynamic tethers in satellite deorbit Zhong, R., Zhu, Z.H. Celestial Mechanics and Dynamical Astronomy, 2013 https://www.scopus.com/pages/publications/84879180871?origin=scopusAI

40. The "IADC Space Debris Mitigation Guidelines" and supporting documents Yakovlev, M. European Space Agency, (Special Publication) ESA SP, 2005 https://www.scopus.com/pages/publications/30544440878?origin=scopusAI

41. Evolution of ISO's space debris mitigation standards Stokes, H., Akahoshi, Y., Bonnal, C., (...), Tang, M. Journal of Space Safety Engineering, 2020 https://www.scopus.com/pages/publications/85088370000?origin=scopusAI

42. Protecting Earth and Space Industries from Orbital Debris: Implementing the Outer Space Treaty to Fill the Regulatory Vacuum in the FCC's Orbital Debris Guidelines Runnels, M.B. American Business Law Journal, 2023 https://www.scopus.com/pages/publications/85151662341?origin=scopusAI

43. Post-Mission Disposal (PMD) Validation of FCC's Ka-band NGSO Processing Round Participants Lisy, C., Agarwal, R., Kriezis, A., (...), Lohmeyer, W. IEEE Aerospace Conference Proceedings, 2021 https://www.scopus.com/pages/publications/85111399968?origin=scopusAI

44. Port state control and the sustainability of space: a maritime enforcement paradigm for orbital debris governance Abuelenin, A.H.M. Discover Space, 2025 https://www.scopus.com/pages/publications/105023536122?origin=scopusAI

45. ORBITAL DEBRIS COMPLIANCE CONTINUUM - REGULATION AS A SERVICE Searle, T., Mitchell, J., Marsh, A., (...), McKnight, D. Proceedings of the International Astronautical Congress, IAC, 2022 https://www.scopus.com/pages/publications/85167561532?origin=scopusAI

46. Debris mitigation as an insurance imperative Harrington, A. Proceedings of the International Astronautical Congress, IAC, 2015 https://www.scopus.com/pages/publications/84991832994?origin=scopusAI

47. Standards, best practices, and cooperation to sustain the space enterprise Finkleman, D. AIAA SPACE 2014 Conference and Exposition, 2014 https://www.scopus.com/pages/publications/85085401687?origin=scopusAI

48. Regulating For Debris Mitigation: Proposal for an Orbital Activities Code Luk, C. Proceedings of the International Astronautical Congress, IAC, 2022 https://www.scopus.com/pages/publications/85167579959?origin=scopusAI

49. TOWARDS A LEGAL FRAMEWORK FOR SPACE TRAFFIC MANAGEMENT: INTERNATIONAL AND REGIONAL INITIATIVES Massarin, M.V. Proceedings of the International Astronautical Congress, IAC, 2024 https://www.scopus.com/pages/publications/85219184613?origin=scopusAI

50. Revitalising the Duty to Consult under Article IX OST: Strengthening Existing Law to Facilitate Active Debris Removal Spence, M. Proceedings of the International Astronautical Congress, IAC, 2025 https://www.scopus.com/pages/publications/105032935134?origin=scopusAI

51. Liability Aspects of Active Debris Removal: Perspectives from the Law of the Sea Eagleson, D. Proceedings of the International Astronautical Congress, IAC, 2024 https://www.scopus.com/pages/publications/85219176707?origin=scopusAI

52. Cost and benefit analysis of space debris mitigation measures Wiedemann, C., Oswald, M., Bendisch, J., (...), Vörsmann, P. Acta Astronautica, 2004 https://www.scopus.com/pages/publications/3843076277?origin=scopusAI

53. Financial Incentives for Debris Removal Services Lecas, M., Riesbeck, L., Weeden, C., (...), Gopal, N. Proceedings of the International Astronautical Congress, IAC, 2022 https://www.scopus.com/pages/publications/85167621460?origin=scopusAI

54. I AC-15, A6,4,7x30344 End-of-life disposal from highly eccentric orbits Funke, Q., Merz, K., Lemmens, S., (...), Volpp, H.-J. Proceedings of the International Astronautical Congress, IAC, 2015 https://www.scopus.com/pages/publications/84992176688?origin=scopusAI

55. Space debris mitigation in geosynchronous orbit Anselmo, L., Pardini, C. Advances in Space Research, 2008 https://www.scopus.com/pages/publications/39649088023?origin=scopusAI

56. Debris mitigation: Technical challenges of the Ariane 5 passivation Bonnal, Ch., Naumann, W. Advances in Space Research, 1999 https://www.scopus.com/pages/publications/0040315003?origin=scopusAI

57. Collision risk in low earth orbit Oltrogge, D.L., Alfano, S. Proceedings of the International Astronautical Congress, IAC, 2016 https://www.scopus.com/pages/publications/85016485246?origin=scopusAI

58. Evaluation of low earth orbit post-mission disposal measures Lewis, H.G., Yazadzhiyan, V. Journal of Space Safety Engineering, 2024 https://www.scopus.com/pages/publications/85189668224?origin=scopusAI

59. Small Satellite Collision Risk Mitigation Using Differential Drag Griffith, N., Bhatia, R., Nallapu, R.T., (...), Rosner, C. Proceedings of the International Astronautical Congress, IAC, 2021 https://www.scopus.com/pages/publications/85127562254?origin=scopusAI

60. Final payload test results for the RemoveDebris active debris removal mission Forshaw, J.L., Aglietti, G.S., Salmon, T., (...), Steyn, W.H. Acta Astronautica, 2017 https://www.scopus.com/pages/publications/85020864727?origin=scopusAI

61. Increasing ADR effectiveness via an altitude-shell-dependent removal approach Somma, G.L., Lewis, H.G., Colombo, C. Proceedings of the International Astronautical Congress, IAC, 2017 https://www.scopus.com/pages/publications/85051371556?origin=scopusAI

62. Artificial Intelligence for Trusted Autonomous Satellite Operations Thangavel, K., Sabatini, R., Gardi, A., (...), Spiller, D. Progress in Aerospace Sciences, 2024 https://www.scopus.com/pages/publications/85181679531?origin=scopusAI

63. Curriculum-driven reinforcement learning for autonomous pre-capture of dynamic space debris Beigomi, B., Makhdoomi, M.R., Olivares-Mendez, M., (...), Zhu, Z.H. Robotics and Autonomous Systems, 2027 https://www.scopus.com/pages/publications/105051038742?origin=scopusAI

64. Developing Adaptive Space Governance Based on Terrestrial Examples Harris, M., Linares, R. Proceedings of the International Astronautical Congress, IAC, 2024 https://www.scopus.com/pages/publications/105021842557?origin=scopusAI

65. Legal and regulatory challenges of to the conduct of active debris removal and on-orbit satellite servicing activities Nyampong, Y.O.M. Proceedings of the International Astronautical Congress, IAC, 2013 https://www.scopus.com/pages/publications/84904704496?origin=scopusAI