PAGE NO.:

★ What is cursor?

Ans→ A Cursor is a pointer to the result set of a query.

It allows PL/SQL to process query results one row at a time.

Types of Cursors:-

①. Implicit Cursor :- Created automatically by Oracle.

Ex:- UPDATE employee
SET salary = salary + 1000
WHERE dept_id = 10;

Oracle automatically creates a cursor.
No need to write Cursor code.

②. Explicit Cursor:- Created by the programmer.

Used when a query returns multiple rows.

Syntax:- DECLARE
CURSOR c_emp IS
SELECT emp_id, name
from employee;

BEGIN

END;
/

"श्री"

PAGE NO.:

* Steps of an Explicit Cursor:-

①. Declare Cursor:

Capital letter me

```
Cursor c_emp as
SELECT emp_id, name
FROM employees;
```

②. Open Cursor:

Capital letter

```
Open c_emp;
```

③. Fetch ~~Cursor~~ Cursor:-

```
FETCH c_emp INTO v_id, v_name;
```

④. Close Cursor:-

```
CLOSE c_emp;
```

* Cursor Attributes:-

①. %FOUND -> Return true if a row was fetched.
C_emp%FOUND

②. % NOTFOUND:-> Return True when no more rows exist.
C_emp%NOTFOUND

③. %ROWCOUNT:-> Numbers of rows Processed.
C_emp%ROWCOUNT

"श्री"

PAGE NO.:

4. %ISOPEN:- Checks whether cursor is open.
C_emp %ISOPEN

★ Why Do We Use a Cursor?
Ans A cursor is used when a query returns multiple rows and we need to process them one row at a time in PL/SQL.

★ Why we Create a Cursor?
Ans-> ~~Because~~ We create a cursor when a query returns multiple rows and we need to process each row indivivually in PL/SQL.
A cursor allows us to fetch rows one by one and perform operations on each row.

★ Implicit Cursor vs Explicit Cursor:-

Implicit Cursor	Explicit Cursor
1. Created automatically by Oracle.	Created by Programme
2. Used for single-row Queries and DML Statements	Used for multi-row queries.
3. No need to declare/ open/ fetch/ close.	Must declare/ open/ fetch/ close.
4. Simpler	More Control.