

Off-Grid Agent: Official Command Manual


1. Weather & Environmental Data

Static Radar Map

Syntax: `!radar <location> <miles>`

Example: `!radar Seattle 30`

Details: Generates a high-quality NEXRAD composite with 60% transparency and smoothing.



Output: *Weather Radar: Seattle (30 mi) | Now: 45F, Light Rain | HQ Link: tmpfiles.org/dl/12345/radar.png | (Full image attached as MMS)*


Off-Grid Agent: Official Command Manual

Animated Radar (30-Minute Loop)

Syntax: `!radar <location> <miles> gif 30`

Example: `!radar Seattle 30 gif 30`

Details: Generates an animated sequence of the last 30 minutes of weather data at 5-minute intervals.



Output: `Radar Loop: Seattle (30 mi) | Time: Past 30m (-5m intervals) | HQ Animation: tmpfiles.org/dl/67890/radar.gif | (GIF attached as MMS)`


Off-Grid Agent: Official Command Manual

Animated Radar (60-Minute Loop)

Syntax: `!radar <location> <miles> gif 60`

Example: `!radar Seattle 30 gif 60`

Details: Generates an extended 60-minute sequence to track large fronts or long-term trends.



Output: `Radar Loop: Seattle (30 mi) | Time: Past 60m (-5m intervals) | HQ Animation: tmpfiles.org/dl/11223/radar\_60.gif | (GIF attached as MMS)`

Off-Grid Agent: Official Command Manual

General Forecast

Syntax: !forecast <location>

Example: !forecast Seattle

Details: Fetches a standard 12-hour hourly breakdown (temperature and general conditions).

Output: Forecast for Seattle (12h): Now: 42F (Cloudy) | 8am: 42F (Cloudy) | 9am: 43F (Rain) | 10am: 41F (Storms) | 11am: 40F (Storms) | 12pm: 39F (Rain) | 1pm: 38F (Cloudy) | 2pm: 38F (Cloudy) | 3pm: 39F (Cloudy) | 4pm: 39F (Cloudy) | 5pm: 38F (Cloudy) | 6pm: 37F (Cloudy) | 7pm: 36F (Cloudy)

Targeted Forecast: Temperature

Syntax: !forecast(temp)(<hrs>) <location>

Example: !forecast(temp)(24) Seattle

Details: Filters the forecast to show only temperature trends for the requested duration.

Output: Temp Trend: Seattle | 8am: 42F | 9am: 41F | 10am: 40F | 11am: 39F | 12pm: 40F | 1pm: 42F | 2pm: 43F | 3pm: 44F | 4pm: 44F | 5pm: 43F | 6pm: 41F | 7pm: 39F | 8pm: 37F | 9pm: 36F | 10pm: 35F | 11pm: 34F | 12am: 33F | 1am: 32F | 2am: 32F | 3am: 31F | 4am: 31F | 5am: 32F | 6am: 33F | 7am: 35F

Targeted Forecast: Wind

Syntax: !forecast(wind)(<hrs>) <location>

Example: !forecast(wind)(12) Seattle

Details: Filters the forecast to show wind speed and direction trends.

Output: Wind Forecast: Seattle | 8am: 10mph SW | 9am: 12mph W | 10am: 15mph NW | 11am: 14mph NW | 12pm: 12mph N | 1pm: 10mph N | 2pm: 8mph NE | 3pm: 5mph E | 4pm: 5mph SE | 5pm: 8mph S | 6pm: 10mph SW | 7pm: 12mph SW

Targeted Forecast: Conditions

Syntax: !forecast(cond)(<hrs>) <location>

Example: !forecast(cond)(48) Seattle

Details: Filters the forecast to show only weather states (Sunny, Rain, Snow, etc).

Output: Conditions: Seattle | 8am: Clear | 12pm: P.Cloudy | 4pm: Rain | 8pm: Storms | 12am: Rain | 4am: Cloudy | 8am: Clear | 12pm: Clear | 4pm: P.Cloudy | 8pm: Clear | 12am: Fog | 4am: Fog

Off-Grid Agent: Official Command Manual

Targeted Forecast: Precipitation

Syntax: `!forecast(precip)(<hrs>) <location>`

Example: `!forecast(precip)(12) Seattle`

Details: Filters the forecast to show specific rain/snow probability and accumulation.

Output: *Precipitation: Seattle | 8am: 10% (0in) | 9am: 80% (0.2in) | 10am: 100% (0.5in) | 11am: 100% (0.4in) | 12pm: 90% (0.2in) | 1pm: 60% (0.1in) | 2pm: 40% (0.05in) | 3pm: 20% (0in) | 4pm: 10% (0in) | 5pm: 0% (0in) | 6pm: 0% (0in) | 7pm: 0% (0in)*

Temperature History

Syntax: `!temp-history <location>`

Example: `!temp-history Seattle`

Details: Provides the actual observed temperatures from the past 24 hours.

Output: *Observation Trend (Past 24h): 4am: 37F | 5am: 37F | 6am: 39F | 7am: 40F | 8am: 42F | 9am: 43F | 10am: 45F | 11am: 46F | 12pm: 47F | 1pm: 48F | 2pm: 49F | 3pm: 50F | 4pm: 50F | 5pm: 49F | 6pm: 47F | 7pm: 45F | 8pm: 43F | 9pm: 42F | 10pm: 41F | 11pm: 40F | 12am: 39F | 1am: 38F | 2am: 38F | 3am: 38F*

2. Research & Knowledge

Wikipedia Search

Syntax: `!wiki <query>`

Example: `!wiki Nikola Tesla`

Details: Direct lookup in the offline Wikipedia (ZIM) archive. Fast and works without internet.

Output: *Nikola Tesla (1856-1943) was a Serbian-American inventor, electrical engineer, and mechanical engineer best known for his contributions to the design of the modern alternating current (AC) electricity supply system...*

Off-Grid Agent: Official Command Manual

Deep Research

Syntax: !research <topic>

Example: !research How to build a solar kiln

Details: Autonomous multi-step investigation using Web, Maps, and Wikipedia. Generates a full PDF report.

Output: Starting Deep Research on "How to build a solar kiln"... (Agent will text you a link to the PDF report when complete)

Identify (Plant/Object)

Syntax: !identify

Example: !identify (sent with image)

Details: Specialized identification for plants, leaves, and objects. Triggered automatically by image attachments.

Output: Identified: American White Oak (*Quercus alba*) (98.2% confidence). Found in the center of image.

3. Specialized Utilities

System Health

Syntax: !check

Example: !check

Details: Diagnostic report for connectivity and hardware status.

Output: SYSTEM STATUS: [OK] Gmail Connection | [OK] AI Backend (LM Studio) | [OK] Disk (42% free) | [OK] Database Online | Load Average: 0.15, 0.22, 0.28

4. Agent Management

Clear History

Syntax: !clear

Example: !clear

Details: Wipes your personal thread history from the agent database.

Output: [OK] History cleared. Removed 42 conversations from database for your number.

Off-Grid Agent: Official Command Manual

Command List

Syntax: *!info*

Example: *!info*

Details: Displays the internal help reference list.

Output: *OFF-GRID AGENT - COMMAND LIST | --- WEATHER --- | !weather <loc> | !radar <loc> <miles> gif 30 |
!radar <loc> <miles> (static) | !forecast <loc> | --- UTILITIES --- | !check | !clear | !test | !info | [FULL
MANUAL PDF] tmpfiles.org/dl/manual.pdf*