



Aeria Solutions Health, Safety & Environment Policy

Aeria Solutions Ltd

2024/25

Prepared by:

Dustin Wales

Chief Executive Officer

Document Code: HSE_Policy

Contact HSE Rep Dustin Wales - 604 849 2345 - for HSE related matters

X

Dustin Wales

Chief Operations Officer



Contents

1. Aeria Solutions	6
1.1. Introduction.....	6
1.2. Amendments	7
2. Management Commitment.....	9
2.1. Health & Safety Pledge	9
2.2. Organizational Structure.....	11
2.3. Responsibilities	11
2.4. Commitment Statement.....	15
2.5. Workers Rights.....	17
2.6. Safety Management System.....	18
2.7. Certifications and Qualifications.....	22
3. Health & Safety Policies.....	22
3.1. Health & Safety Policy	22
3.2. Personal Protective Equipment Policy	25
3.3. Vehicle Safety Policy	28
3.4. Distracted Driving Policy.....	30
3.5. COVID-19 Policy	32
3.6. Pandemic Disease Policy.....	34
3.7. Open Communication Policy	36
3.8. Drug & Alcohol Policy	38
3.9. Refuse Unsafe Work Policy	42
3.10. Harassment & Violence Policy.....	44
3.11. Environmental Policy	49
3.12. Security Policy.....	53
3.13. Waste Disposal Policy.....	57

3.14.	Fatigue Management Policy.....	59
3.15.	Company Rules	61
3.16.	General Safety Rules.....	64
3.17.	Grounds for Dismissal	68
4.	Public Visitors & Contractors	71
4.1.	Public & Visitors Policy	71
4.2.	Contractors Policy	72
4.3.	Contractor Selection Process	74
4.4.	Contractor Prequalification Process.....	75
4.5.	Contractor Management Process.....	77
4.6.	Contractor Requirements	81
4.7.	Contractor Agreement.....	82
4.8.	Site-Specific Orientation Process.....	84
5.	Health & Safety Committees & Representatives	85
5.1.	Establishing Committees & Representatives	85
5.2.	Selecting Worker Members	87
5.3.	Health & Safety Designation & Duties	88
5.4.	Employer Duties	89
5.5.	HSR Reporting Procedure	91
5.6.	Terms of Reference	92
5.7.	Part 13 Code Requirements	93
5.8.	Member Duties & Unfulfilled Response.....	95
5.9.	Meeting Frequency & Requirements	96
5.10.	Meeting Process	97
5.11.	Meeting Reports & Records	99
5.12.	Committee Composition.....	100

5.13.	Co-Chairs	101
5.14.	Role of Members	102
5.15.	Guests	103
5.16.	Administrative	103
5.17.	Terms of Office	105
5.18.	Replacing Members	105
5.19.	Participation in investigations	106
5.20.	Dispute Resolution	107
6.	Hazard Assessment	108
6.1.	Hazard Assessment Policy.....	108
6.2.	Hazard Assessment Types	109
6.3.	Hazard Assessment Responsibilities.....	110
6.4.	Hazard Definition	112
6.5.	Hazard Identification	113
6.6.	Hazard Assessment & Matrix.....	116
7.	Hazard Control	120
7.1.	Hazard Control Policy.....	120
7.2.	Control Definition.....	120
7.3.	Hierarchy of Control.....	120
7.4.	Application of Hierarchy	122
7.5.	Emergency Controls of Hazards	123
7.6.	Site Survey.....	124
7.7.	Formal Hazard Assessment	126
7.8.	Field Level Hazard Assessment.....	127
7.9.	Near Miss Reporting	128
8.	Inspection	130

8.1.	Inspection Policy.....	130
8.2.	Roles & Responsibilities	131
8.3.	Inspection Program	134
8.4.	Informal Site Inspection.....	135
8.5.	Formal Site Inspection.....	135
8.6.	Site Inspection Procedure.....	136
8.7.	Key Things to Look For	138
8.8.	Reporting.....	141
9.	Maintenance	142
9.1.	Preventative Maintenance Policy.....	142
9.2.	Preventative Maintenance Program	143
9.3.	Responsibilities	144
9.4.	Defective Equipment.....	145
9.5.	Records.....	145
10.	Emergency Response Plan	145
10.1.	Emergency Response Policy.....	145
10.2.	Preparedness & Response	147
10.3.	How to Conduct a Drill	148
10.4.	Procedures	150
11.	Investigations.....	151
11.1.	Investigations Policy	151
11.2.	Roles & Responsibilities.....	153
11.3.	Investigation Types	154
11.4.	Investigation Process.....	158
11.5.	Incident & Accident Response	160
11.6.	Investigation Team.....	162

11.7.	Conduct of Investigation Team	163
11.8.	Determination of immediate Cause	164
11.9.	Determination of Root Cause	165
11.10.	Corrective Action Plan	166
11.11.	Communication	168
11.12.	Incident & Accident Reporting Matrix.....	169
11.13.	Incident & Accident Reporting Form	170
11.14.	Incident Classification	171
11.15.	Injury Classification	171
12.	Program Administration	172
12.1.	Safety Statistics & Records Keeping	172
12.2.	System Overview & Audit Policy	173
12.3.	Audit Procedure.....	174
12.4.	Management Meetings	175
12.5.	Proactive Safety Management	176
12.6.	Key Performance Indicators	180
12.7.	Records Filling & Accessibility	183
13.	Appendix A: List of Forms	187
14.	Appendix B: List of Workflows.....	190
14.1.	Annual Review Workflow	190
14.2.	On-Demand Amendment Workflow	192
14.3.	Amendment Procedure Workflow	193
14.4.	Refuse Unsafe Work Workflow.....	194
14.5.	Hazard Identification & Risk Assessment Workflow.....	195
14.6.	Formal Hazard Assessment Workflow.....	196
14.7.	Field-Level Hazard Assessment (FLHA) Workflow	197

14.8.	Incident Reporting & Investigation Workflow	198
14.9.	Emergency Preparedness & Response Workflow	199
14.10.	Performance Monitoring & Audits Workflow	200
14.11.	PPE Selection & Usage Workflow	201
14.12.	Vehicle Inspection & Safe Driving Workflow	202
14.13.	Distracted Driving Enforcement Workflow	203
14.14.	COVID-19 Safety Measures Implementation Workflow	204
14.15.	Pandemic Response Implementation Workflow	205
14.16.	Drug & Alcohol Testing & Fit for Duty Workflow	206
14.17.	Harassment & Violence Reporting & Investigation Workflow	208
14.18.	Waste Disposal & Management Workflow	209
14.19.	Fatigue Reporting & Mitigation Workflow	210
14.20.	Contractor Selection & Prequalification Workflow	211
14.21.	Contractor Management & Performance Review Workflow	212
14.22.	Site-Specific Orientation Workflow	213
14.23.	Health & Safety Committee (HSC) Establishment Workflow	214
14.24.	HSC Meeting & Reporting Workflow	215
14.25.	Preventative Maintenance Workflow	216
14.26.	Emergency Drill Workflow	217
14.27.	Open Communication & Hazard Reporting Workflow	218
14.28.	Disciplinary Action Workflow (Non-Compliance or Grounds for Dismissal) ..	219
14.29.	Records Keeping & Accessibility Workflow	220
14.30.	KPI Tracking & Action Plan Workflow	221
15.	Appendix C: HSE Key Performance Indicators	222
16.	Appendix D: Emergency Response Plans	226
16.1.	Emergency Response Procedure (ERP) – Evacuation	226



16.2.	Emergency Response Procedure (ERP) – Workplace Violence.....	228
16.1.	Emergency Response Procedure (ERP) – Hazardous Spill Response.....	230
16.2.	Emergency Response Procedure (ERP) – Cold Exposure and Frostbite Prevention	232
16.3.	Emergency Response Procedure (ERP) – Fire Safety and Response	234
16.4.	Emergency Response Procedure (ERP) – Medical Emergency Response	236
16.5.	Emergency Response Procedure (ERP) – Transportation Incidents and Mechanical Failures	238
16.6.	Emergency Response Procedure (ERP) – Serious Workplace Incidents	240

1. Aeria Solutions

1.1. Introduction

At Aeria Solutions, maintaining a safe, compliant, and efficient work environment is paramount. Our Health, Safety, and Environmental (HSE) workflows are designed to proactively manage risks, streamline operations, and ensure regulatory compliance across all levels of the organization. These structured workflows establish clear, repeatable processes that promote consistency, accountability, and continuous improvement in workplace safety.

Each workflow serves a specific function, whether it's planning operations, assessing hazards, conducting inspections, responding to incidents, or managing emergency situations. By standardizing these procedures, Aeria Solutions ensures that employees, contractors, and stakeholders are well-prepared to handle safety-related tasks efficiently and effectively.

This document outlines core HSE workflows, detailing the step-by-step process for each, ensuring that every team member understands their role and responsibilities. These workflows help mitigate risks, improve operational safety, and reinforce Aeria Solutions' commitment to achieving the highest industry standards in workplace health and safety.

1.2. Amendments

Amendment Procedure



The Amendments section is designed to document any changes or updates to this document. This section ensures that all personnel are informed about the latest procedures and policies, maintaining clarity and consistency. It serves as a historical record of updates, providing accountability for changes made to the operations.

Amendment Process

Amendments to Aeria Health, Safety, and Environment policies can be made through two main pathways: Annual Review and On-Demand Amendments. Both methods are encouraged and welcomed, as they promote a safer, more effective program where all operators can contribute to improvements. Once approved and finalized into the master HSE document, they will be revised across reference materials in the various resource folders (i.e., SiteDocs)

Annual Review Process

An annual review is conducted with key team members and staff during the AGM.

The purpose of this review is to assess the status of all Policies and procedures and identify areas for improvement.

Necessary changes are proposed and follow the established amendment procedure to implement modifications.

On-Demand Amendments

If a field operator or group of operators identifies an issue or shortcoming in existing procedures, they can propose a solution to an Accountable Executive or Manager.

The Accountable Executive or Manager reviews the proposal and organizes a protocol meeting to discuss any relevant details and nuances.

With team input and approval, the proposed amendment is implemented.

Suggestions and proposed improvements are always welcomed to enhance safety and effectiveness for everyone involved.

Amendment Procedure



Table 1 is used to record the basic details of each amendment made to the Operations Manual.

Steps

1. Amendment Number: Assign a unique number to each amendment for easy identification and reference.
2. Date: Record the date on which the amendment was proposed or made.
3. Date Entered: Indicate the date when the amendment details were officially entered into the document.
4. Responsible Person: Identify the individual responsible for making the amendment. This person ensures the accuracy and relevance of the changes.

Table 1: Identification of Change

Identification of Change		Date Entered	Person Responsible
Amend. No.	Date		
Amendment 1			
Amendment 2			
Amendment 3			
Amendment 4			
Amendment 5			
Amendment 6			
Amendment 7			

Table 2 provides detailed information about each amendment, allowing for a comprehensive understanding of the changes.

Steps

1. Amendment Reference: Use the unique amendment number from Table 1 as a reference.
2. Amendment Description: Provide a clear and concise description of the amendment. Include the specific section or procedure that was changed, added, or removed.



Table 2: Amendment Reference and Description

Amendment Reference	Amendment Description
Amendment 1	
Amendment 2	
Amendment 3	
Amendment 4	
Amendment 5	
Amendment 6	
Amendment 7	

2. Management Commitment

All employees of Aeria will be required to go through orientation. This document is covered in the orientation program. It must:

- *Be completed prior to starting duties*
- *Cover health and safety policies and responsibilities*
- *Cover right to know, participate and refuse dangerous work*
- *Cover high risk hazards*
- *Cover hazard reporting procedures*
- *Cover emergency procedures, and alarm systems*
- *Cover incident, injury, occupational illness, and near miss reporting*
- *Include sign off of new hire*



2.1. Health & Safety Pledge


At Aeria Solutions, health and safety are fundamental values that drive every aspect of our operations. We firmly believe that all workplace incidents, injuries, and occupational illnesses are preventable, and we are committed to fostering a proactive safety culture that protects our employees, contractors, clients, and stakeholders.

Our pledge to health and safety includes:

- **Zero Harm Commitment:** Striving for an incident-free workplace by prioritizing risk prevention, continuous improvement, and proactive safety measures.
- **Empowerment and Training:** Providing employees with the necessary tools, training, and resources to effectively identify, assess, and manage risks in all work environments.
- **Open Communication and Engagement:** Cultivating an environment where employees feel empowered to report safety concerns, participate in safety initiatives, and take responsibility for their own safety and that of their colleagues.
- **Regulatory Compliance and Beyond:** Ensuring full compliance with all applicable Occupational Health and Safety (OHS) laws, including the Canada Labour Code Part II and relevant provincial regulations, while striving to exceed industry safety standards whenever possible.
- **Collaborative Safety Approach:** Actively working with clients, contractors, and other stakeholders to implement a unified and consistent approach to safety across all operations.
- **Continuous Improvement:** Conducting regular audits, inspections, and performance reviews to assess safety effectiveness, identify areas for enhancement, and implement meaningful changes.

Every member of the Aeria Solutions team shares the responsibility for upholding these safety standards. By working together, fostering accountability, and making safety a cornerstone of our daily operations, we can achieve our goal of Zero Harm—ensuring a safe, compliant, and thriving work environment for all.

2.2. Organizational Structure



2.3. Responsibilities

Chief Executive Officer / Accountable Executive

The CEO of Aeria Solutions holds ultimate accountability for the health and safety of all employees, contractors, and stakeholders involved in the company's operations. Key responsibilities include:

- Demonstrating visible commitment to HSE initiatives across all levels of the organization.



- Integrating health and safety into the company's strategic goals and business plan.
- Allocating resources to implement and maintain the Health and Safety Management System (HSMS).
- Appointing qualified personnel to oversee health and safety programs.
- Ensuring compliance with WCA s.115 (Duties of Employers) and applicable OHS regulations.
- Reviewing HSE performance regularly, including audit results, incident reports, and corrective actions.
- Setting clear safety objectives and communicating expectations across the organization.
- Engaging with industry associations, regulators, and stakeholders to promote continuous improvement.
- Leading by example and holding managers accountable for fostering a safe work environment.
- Approving funding for safety equipment, training programs, and emergency preparedness.
- Supporting effective incident investigation and reporting procedures.
- Encouraging cross-department collaboration to identify and mitigate risks.
- Driving initiatives to achieve a Zero Harm workplace by prioritizing preventive measures.
- Acting as the final decision-maker on significant health and safety matters and policy changes.
- Recognizing and rewarding exceptional contributions to health and safety.
- Ensuring company-wide emergency readiness.

Project Manager



The Project Manager plays a critical role in implementing and maintaining Aeria Solutions' health and safety programs. Responsibilities include:

- Leading by example to foster a strong safety culture.
- Overseeing the implementation of the HSMS across all operational areas.
- Ensuring employees and contractors comply with health and safety policies, procedures, and legal requirements.
- Developing and maintaining processes to identify, assess, and control workplace hazards.
- Allocating resources to support health and safety initiatives and ensure compliance.
- Conducting regular safety inspections and audits to monitor compliance and identify areas for improvement.
- Investigating incidents, near-misses, and safety concerns, implementing corrective actions.
- Ensuring employees receive adequate training, including safety protocols and equipment use.
- Monitoring the effectiveness of safety measures and recommending improvements.
- Supporting field supervisors in enforcing safety protocols and providing guidance.
- Reviewing and approving site-specific safety plans and hazard assessments.
- Ensuring emergency response plans are in place, tested, and communicated.
- Promoting open communication, encouraging employees to report safety concerns.
- Liaising with regulatory bodies and industry organizations to ensure compliance.
- Maintaining accurate safety records, including training, inspections, and incidents.
- Monitoring driving safety and ensuring compliance with vehicle policies.
- Providing senior management with HSE performance updates.



- Taking immediate action to stop unsafe work practices when hazards are identified.

Field Supervisor and Team Leads

Field Supervisors are responsible for enforcing safety protocols and ensuring daily operations are conducted safely and efficiently. Responsibilities include:

- Supervising field activities to ensure compliance with HSE regulations and company policies.
- Conducting pre-job safety meetings and ensuring workers are aware of site-specific hazards.
- Monitoring worksite conditions and addressing hazards immediately.
- Verifying that PPE is available, used properly, and maintained.
- Conducting and documenting safety inspections and equipment audits.
- Investigating and reporting incidents, near-misses, and potential hazards promptly.
- Acting as the primary contact between field staff and management for safety-related concerns.
- Reinforcing the "right to refuse unsafe work" policy and addressing concerns promptly.
- Reviewing and approving hazard assessments, ensuring worker participation.
- Coordinating with the HSE Representative to resolve safety issues and implement corrective actions.
- Responding promptly to emergencies and coordinating response measures.
- Keeping accurate records of safety meetings, inspections, and incidents.
- Addressing and resolving worksite safety disputes.
- Ensuring compliance with all company policies, client requirements, and applicable legislation.

HSE Management and Representatives



The HSE Representative ensures that safety standards are maintained and continuously improved. Responsibilities include:

- Developing, implementing, and monitoring HSE policies and procedures.
- Conducting regular inspections and audits to ensure compliance.
- Investigating incidents, near-misses, and unsafe conditions, implementing corrective actions.
- Training employees and contractors on safety best practices, PPE usage, and emergency response.
- Acting as the primary liaison with regulatory bodies, industry organizations, and auditors.
- Managing hazard assessments and ensuring proper implementation.
- Leading safety meetings, tailgate talks, and emergency drills.
- Monitoring and improving the HSMS to enhance safety performance.
- Ensuring contractors and subcontractors comply with Aeria Solutions' safety requirements.
- Supporting employees in exercising their "right to refuse unsafe work".
- Promoting environmental sustainability as part of safety initiatives.

Employees (All Staff)

- Adhering to safe work practices, policies, and procedures.
- Using and maintaining PPE correctly.
- Reporting hazards, incidents, and near-miss events promptly.
- Participating in mandatory safety training.
- Contributing ideas for safety improvements.
- Completing hazard assessments (FLRA/FLHA) as needed.

Contractors and Contracting Employers



- Adhere to Aeria Solutions' HSE requirements.
- Ensure employees and subcontractors are properly trained and certified.
- Submit hazard assessments and safety plans before commencing work.
- Report incidents, near-misses, and unsafe conditions.
- Implement and enforce PPE use and emergency response plans.
- Take immediate corrective actions when safety violations or hazards are identified.

Visitors and Third Parties

- Comply with site-specific safety briefings and instructions.
- Wear required PPE at all times.
- Report hazards or unsafe conditions immediately.
- Follow all emergency procedures and restricted area protocols.

2.4. Commitment Statement

At Aeria Solutions, our commitment to health and safety serves as the foundation of our operations. We believe that fostering a safe and healthy work environment is not just a legal obligation but a moral and ethical responsibility to our employees, contractors, clients, and the community.

Leadership at Aeria Solutions demonstrates unwavering dedication to health and safety through clear policies, consistent actions, and ongoing support. Our management team is committed to ensuring that all employees, at every level, understand their role in maintaining a safe workplace and are provided with the necessary tools, training, and support to meet this expectation.

Key Principles of Our Management Commitment:

- Setting the tone for safety by integrating it into every aspect of our organizational culture.
- Ensuring compliance with all relevant health, safety, and environmental regulations.



- Providing leadership and resources to develop, implement, and sustain a proactive Health and Safety Management System.
- Conducting regular reviews and audits to assess and improve safety performance.
- Engaging in open communication with employees and stakeholders to promote transparency and collective problem-solving.
- Encouraging a culture where safety concerns can be raised without fear of reprisal and where every team member feels empowered to contribute to our Zero Harm goal.

At Aeria Solutions, safety is more than a policy—it is a value that guides our decisions, strengthens our operations, and ensures the well-being of all who work with and rely on us. By prioritizing safety in every action we take, we aim to lead by example, fostering trust and demonstrating our unwavering commitment to excellence in all that we do.

Our Commitment to a Safe Workplace

Aeria Solutions is unwavering in our commitment to fostering a safe, healthy, and productive work environment for all employees, contractors, clients, and visitors. This commitment is deeply ingrained in our culture and reflects our belief that health and safety are integral to operational excellence and long-term success.

Key Tenets of Our Commitment

- **Zero Harm Philosophy:** Striving to achieve a workplace where incidents, injuries, and occupational illnesses are entirely preventable.
- **Proactive Risk Management:** Identifying, assessing, and mitigating risks before they result in harm.
- **Continuous Improvement:** Regularly reviewing and enhancing our safety policies, procedures, and practices to exceed industry standards.
- **Leadership Accountability:** Ensuring all levels of management lead by example, prioritize safety, and allocate resources to support health and safety initiatives.



- **Employee Empowerment:** Encouraging all employees to take ownership of their safety and the safety of their colleagues by reporting hazards, participating in training, and adhering to best practices.
- **Collaboration:** Working closely with clients, contractors, and industry partners to foster a unified approach to health and safety.
- **Regulatory Compliance:** Adhering to all relevant health, safety, and environmental regulations, and striving to exceed compliance wherever possible.
- **Emergency Preparedness:** Ensuring that comprehensive response plans are in place, regularly tested, and well-communicated to all personnel.
- **Transparency:** Promoting open communication and trust by sharing safety objectives, performance metrics, and lessons learned.
- **Recognition:** Acknowledging and rewarding contributions to health and safety improvements across the organization.

Every member of the Aeria Solutions team has a role to play in upholding these commitments. Together, we can create an environment where safety is not just a priority but a core value that guides everything we do.

2.5. Workers Rights

Right to Refuse Unsafe Work

In compliance with BC OHS Regulation, s.3.12 (Refusal of Unsafe Work), which states, “A person must not carry out or cause to be carried out any work process or operate or cause to be operated any tool, appliance or equipment if that person has reasonable cause to believe that to do so would create an undue hazard to the health and safety of any person,” workers have the right to refuse work they believe poses an imminent or serious threat to their health and safety.

Right to Know

Rooted in the Workers Compensation Act, s.115(2)(e), which requires employers to provide workers with the necessary information, instruction, and supervision for their health and safety, as well as BC OHS Regulation, Part 3, s.3.3, which mandates that a formal Safety



Program must include provisions for instruction and supervision, this right ensures that workers are informed of the hazards associated with their work and are provided with clear instructions on how to mitigate them.

Right to Participate

This right is reflected in requirements such as Workers Compensation Act s.130, which calls for a joint health and safety committee in workplaces, and WCA s.116(1)(c), under which workers must “...carry out their work in accordance with established safe work procedures...”. Accordingly, workers at Aeria Solutions can actively engage in health and safety committees or other feedback mechanisms to address safety concerns and improvements.

Right to Training

Anchored by BC OHS Regulation s.3.23–3.25, which outlines orientation and training for new or returning workers, and WCA s.115(2)(e), requiring the employer to ensure the health and safety of workers through adequate instruction, this right guarantees that workers will receive appropriate training for their tasks. Workers may also request further training at any time to enhance their skills and understanding of safe work practices.

2.6. Safety Management System

At Aeria Solutions, safety is fundamental to our operations. Ensuring compliance with federal, provincial, and industry-specific health, safety, and environmental (HSE) regulations is not just a requirement, it is a core commitment to the well-being of our employees, contractors, and stakeholders.

To achieve this, Aeria Solutions has established a structured Safety Management System (SMS), a comprehensive framework designed to identify hazards, mitigate risks, enforce compliance, and promote a proactive safety culture. The SMS integrates all aspects of workplace safety, from hazard assessments and risk controls to incident reporting, training, and continuous performance monitoring.

This HSE document serves as the foundation of our SMS, outlining the roles, responsibilities, and expectations for all personnel to maintain a safe working environment. It provides clear guidelines on risk management, emergency preparedness,



regulatory compliance, and employee participation, ensuring that safety is embedded in every level of our organization.

Through the implementation of the SMS, Aeria Solutions:

- Proactively identifies and mitigates workplace hazards to prevent injuries and incidents.
- Empowers employees with the knowledge, tools, and resources to work safely.
- Maintains strict regulatory compliance with applicable laws, including the Canada Labour Code, OHS regulations, and WorkSafeBC requirements.
- Monitors and continuously improves safety performance through audits, assessments, and active employee participation.

The following sections detail the key components of our SMS, providing a structured approach to workplace safety, operational accountability, and continuous improvement. By adhering to these standards, Aeria Solutions reinforces its commitment to safety excellence and regulatory integrity, ensuring a workplace that prioritizes proactive risk management, open communication, and operational efficiency.

This commitment is aligned with Canada Labour Code, Part II, Section 124, which states: *“Every employer shall ensure that the health and safety at work of every person employed by the employer is protected.”*

Safety Management System (SMS)

Hazard Identification and Risk Assessment

- Conduct ongoing risk assessments for all worksites, including RPAS (drone) operations, remote work locations, and hazardous material handling.
- Maintain updated hazard assessments per OHS Regulation, Part 3, Section 3.5: *“Every employer must ensure that regular inspections are made of all workplaces... at intervals that will prevent the development of unsafe working conditions.”*

Control Measures

- Implement engineering and administrative controls to mitigate risks.



- Ensure all employees use appropriate PPE, in compliance with OHS Regulation, Part 8.
- Provide adequate ventilation, emergency shut-off systems, and fall protection where required.

Training and Competency

- Deliver mandatory safety training covering:
 - Workplace hazard awareness
 - Emergency response procedures
 - First aid certification
 - Drone operations safety
 - Environmental protection compliance
- Comply with Canada Labour Code, Part II, Section 125(1)(z.17), which states:
“Employers must ensure that employees have the information, instruction, training, and supervision necessary to perform their work safely.”

Incident Reporting and Investigation

- Require all workplace incidents, near-misses, and hazards to be reported.
- Investigate incidents per Canada Labour Code, Part II, Section 125(1)(c):
“Investigate all accidents, incidents and occupational diseases affecting employees in order to determine their causes and prevent recurrence.”

Emergency Preparedness and Response

- Maintain site-specific emergency response plans.
- Conduct annual emergency drills.
- Comply with OHS Regulation, Part 4, Section 4.13, which requires:
“Employers must conduct a risk assessment in any workplace in which a need to rescue or evacuate workers may arise.”



Performance Monitoring and Audits

- Conduct quarterly safety audits.
- Track safety performance using leading and lagging indicators.
- Ensure compliance with Canada Labour Code, Part II, Section 134.1:
“Employers must establish health and safety committees and conduct regular reviews of safety procedures.” [Ref: Canada Labour Code, Part II, Sec. 134.1]

Employee Participation

- Encourage participation in Joint Health and Safety Committees (JHSCs).
- Conduct monthly safety meetings.
- Comply with Canada Labour Code, Part II, Section 126(1)(g), which mandates:
“Employees must report to the employer or supervisor anything or circumstance that is likely to be hazardous

Roles and Responsibilities

Senior Management

- Allocate resources for HSE compliance.
- Enforce accountability for safety performance.
- Demonstrate visible leadership in safety initiatives.

Supervisors and Managers

- Conduct workplace inspections and ensure adherence to safety standards.
- Ensure employees receive job-specific safety training.
- Investigate hazards and incidents promptly.

Employees and Contractors

- Follow all safety protocols and use PPE appropriately.
- Immediately report hazards or unsafe conditions.



- Participate in mandatory training and emergency drills.

Implementation and Review

- This policy is reviewed annually and updated based on operational and regulatory changes.
- Compliance is enforced through internal audits and corrective actions.
- Violations of safety policies may result in disciplinary action, in line with Canada Labour Code, Part II, Section 147, which states:
“No employer shall dismiss, suspend, lay off or demote an employee because the employee has acted in compliance with this Part.”

By upholding this HSE Policy, Aeria Solutions reinforces its commitment to workplace safety, regulatory compliance, and operational excellence.

2.7. Certifications and Qualifications

All employees and operators working under the responsibility of Aeria Solutions must meet the following qualifications. Additional qualifications specific to RPAS operators are detailed in the RPAS Operations Manual. While Aeria Solutions provides internal policies and training for many of these qualifications, employees are also required to complete third-party online training courses to obtain certifications, which are provided by Aeria Solutions.

Mandatory Qualifications

- WHMIS (Workplace Hazardous Materials Information System)
- Health & Safety Awareness
- Wildlife and Bear Awareness
- Workplace Violence and Harassment Prevention
- Fire Extinguisher Safety
- Personal Protective Equipment (PPE) Training



- Heat & Cold Stress Prevention
- Level 1 First Aid Certification
- Field Medical Clearance

These qualifications ensure that all personnel comply with Aeria Solutions' safety policies and regulatory requirements, contributing to a safe and effective work environment.

3. Health & Safety Policies

3.1. Health & Safety Policy

Aeria Solutions is committed to safeguarding the health and safety of our employees, contractors, clients, and the communities in which we operate. This policy establishes a framework for compliance with applicable legislation, proactive risk management, and continuous improvement in workplace safety.

This policy aligns with:

- Canada Labour Code, Part II, Section 124 – Employer Duty to Protect Employee Health and Safety
- Canada Labour Code, Part II, Section 125(1)(z.03) – Workplace Hazard Prevention Program
- Canada Labour Code, Part II, Section 126(1)(g) – Employee Duty to Report Hazards
- Canada Labour Code, Part II, Section 134.1 – Health and Safety Committees
- BC Occupational Health and Safety (OHS) Regulation, Part 3, Section 3.5 – Workplace Inspections and Hazard Prevention
- BC OHS Regulation, Part 3, Section 3.23 – Worker Health and Safety Orientation and Training
- BC OHS Regulation, Part 4, Section 4.13 – Emergency Preparedness and Risk Assessment



By promoting a strong safety culture, ensuring compliance, and empowering employees, Aeria Solutions maintains a workplace that prioritizes safety, accountability, and continuous improvement.

Policy Commitment

Aeria Solutions is dedicated to:

- Ensuring compliance with Canada Labour Code, Part II, Section 124, which states: *"Every employer shall ensure that the health and safety at work of every person employed by the employer is protected."*
- Promoting a workplace culture where safety is a shared responsibility at all levels of the organization.
- Providing training, resources, and guidance to all employees to maintain a safe working environment.
- Establishing measurable safety performance goals and continually monitoring and improving our safety management system.

Core Safety Principles

Prevention and Risk Management

- Identifying, assessing, and eliminating workplace hazards to prevent injuries, illnesses, and environmental incidents.
- Compliance with Canada Labour Code, Part II, Section 125(1)(z.03), which mandates that Aeria will *"Develop, implement and monitor, in consultation with the policy committee and workplace committees, a prescribed program for the prevention of hazards in the workplace that also provides for the education of employees in health and safety matters."*

Regulatory Compliance

- Adhering to all applicable occupational health, safety, and environmental regulations.



- Compliance with BC OHS Regulation, Part 3, Section 3.5, which states:
"Every employer must ensure that regular inspections are made of all workplaces, including buildings, structures, grounds, excavations, tools, equipment, machinery, and work methods and practices, at intervals that will prevent the development of unsafe working conditions."

Employee Engagement

- Encouraging active participation in safety programs, hazard reporting, and continuous improvement initiatives.
- Compliance with Canada Labour Code, Part II, Section 126(1)(g), which requires:
"Report to the employer or supervisor any thing or circumstance that is likely to be hazardous to the employee or any other person in the workplace."

Training and Competency

- Providing ongoing health and safety education and third-party certification for all employees.
- Compliance with BC OHS Regulation, Part 3, Section 3.23, which mandates:
"An employer must ensure that before a young or new worker begins work in a workplace, the young or new worker is given health and safety orientation and training specific to that young or new worker's workplace."

Emergency Preparedness

- Developing and maintaining emergency response plans to ensure employees are trained to respond effectively to workplace incidents.
- Compliance with BC OHS Regulation, Part 4, Section 4.13, which states:
"Employers must conduct a risk assessment in any workplace in which a need to rescue or evacuate workers may arise."

Accountability and Leadership Commitment

- Management will lead by example, integrating safety into decision-making processes.
- Fostering a culture of continuous improvement in workplace safety.



Implementation and Continuous Improvement

- Conduct regular audits, evaluations, and safety performance reviews.
- Maintain compliance with Canada Labour Code, Part II, Section 134.1, which mandates:
"Employers must establish health and safety committees and conduct regular reviews of safety procedures."
- Utilize lessons learned from incidents, near-misses, and employee feedback to enhance policies and procedures.

3.2. Personal Protective Equipment Policy

Aeria Solutions is committed to ensuring the safety and well-being of all employees by providing appropriate personal protective equipment (PPE) and fostering a culture of compliance with its proper use. PPE is a critical component of workplace safety, reducing exposure to hazards that cannot be eliminated or controlled through engineering or administrative measures.

This policy aligns with:

- BC Occupational Health and Safety (OHS) Regulation, Part 8 – Personal Protective Equipment Standards
- Canadian Standards Association (CSA) and American National Standards Institute (ANSI) – PPE Certification and Safety Compliance
- WorkSafeBC Guidelines – PPE Selection, Training, and Enforcement

Through proper PPE selection, training, maintenance, and compliance monitoring, Aeria Solutions ensures that all employees are protected from workplace hazards in accordance with regulatory requirements.

Policy Guidelines

Provision of PPE

- Aeria Solutions will supply PPE that meets or exceeds industry standards and regulatory requirements, including CSA and ANSI standards where applicable.



- Specialized PPE will be provided for specific tasks, such as fall protection, welding, and chemical handling.

PPE Requirements

- Employees must wear PPE appropriate to their tasks, such as hard hats, safety glasses, steel-toed boots, high-visibility clothing, and hearing protection.
- Supervisors are responsible for ensuring PPE requirements are communicated, enforced, and followed at all worksites.

Training

- All employees will receive mandatory PPE training, covering selection, proper use, maintenance, and limitations of their assigned PPE.
- Refresher training will be conducted regularly to ensure compliance and effectiveness, per BC OHS Regulation, Part 8, Section 8.3:
“Employers must ensure that personal protective equipment is suitable, properly maintained, and used in accordance with its intended purpose.” [Ref: BC OHS Reg, Part 8, Sec. 8.3]

Maintenance and Inspection

- Employees must inspect their PPE before each use to ensure it is in good condition.
- Any defective or damaged PPE must be reported and replaced immediately to maintain safety standards.
- Aeria Solutions will maintain logs of specialized PPE inspections and replacements.

Responsibilities

- Employees: Must use PPE as required, report damaged equipment, and follow training guidelines.
- Supervisors: Must ensure adequate PPE is available, conduct spot checks, and address non-compliance promptly.
- Management: Must allocate resources to provide high-quality PPE and support ongoing training initiatives.



PPE Selection Process

- Hazard assessments will be conducted to determine necessary PPE for specific tasks or worksites, per BC OHS Regulation, Part 8, Section 8.2(1):
“If it is not practicable to eliminate or control a hazard by engineering or administrative means, a worker who is or may be exposed to the hazard must use personal protective equipment.” [Ref: BC OHS Reg, Part 8, Sec. 8.2(1)]
- Input from employees and safety personnel will be considered to ensure comfort and usability.

Enforcement

- Non-compliance with PPE requirements will result in corrective action, including retraining or disciplinary measures, depending on the severity of the infraction.

Distribution & Maintenance

Distribution

- PPE will be provided to employees upon request or during routine inspections.
- Aeria Solutions will supply PPE consistent with BC OHS Regulation, Part 8 requirements.

Maintenance

- Aeria Solutions will conduct regular PPE inspections to ensure compliance with BC OHS Regulation, Part 8, Section 8.3.
- Operators must maintain their PPE and perform regular checks according to manufacturer guidelines.
- Equipment such as fire extinguishers must be checked to ensure they are not expired.

Jewelry Policy

- Jewelry is not permitted during field operations, except for wedding bands and stud earrings.



- This policy reduces the risk of entanglement or contact with equipment, in alignment with BC OHS Regulation, Part 8.

By adhering to this Personal Protective Equipment Policy, Aeria Solutions ensures the safety of all workers, meeting legal obligations under BC OHS Regulation, Part 8 (s.8.2 and s.8.3) and fostering a secure working environment.

3.3. Vehicle Safety Policy

Aeria Solutions is committed to ensuring the safe operation of company vehicles to protect employees, the public, and company assets. Safe driving practices are essential to reducing risks, preventing accidents, and ensuring compliance with traffic laws and workplace safety regulations.

This policy aligns with:

- BC Motor Vehicle Act, Section 25 – Driver Licensing Requirements
- Canada Labour Code, Part II, Section 125(1)(z.17) – Employer Responsibility for Safe Vehicle Operation Training
- BC Occupational Health and Safety Regulation, Part 17 – Motor Vehicle Safety and Maintenance Standards

Through driver training, regular inspections, compliance monitoring, and enforcement, Aeria Solutions ensures that all employees authorized to operate company vehicles adhere to legal and safety standards.

Key Requirements

Driver Eligibility

- Drivers must hold a valid driver's license appropriate for the class of vehicle they are operating.
- Drivers are required to maintain a clean driving record and report any changes to their license status immediately.



- Compliance with BC Motor Vehicle Act, Section 25, which states: *"A person must not drive a motor vehicle on a highway unless that person holds a valid and subsisting driver's license."* [Ref: BC MVA, Sec. 25]

Pre-Operation Inspections

- Drivers must conduct daily pre- and post-operation inspections of vehicles, reporting any maintenance or safety issues promptly.
- Vehicles must not be operated if they are deemed unsafe, in accordance with BC OHS Regulation, Part 17, Section 17.6, which states: *"A vehicle must not be operated if it is in an unsafe condition that could endanger a worker or any other person."* [Ref: BC OHS Reg, Part 17, Sec. 17.6]

Compliance with Traffic Laws

- Drivers must obey all applicable traffic laws, including speed limits, seatbelt use, and the prohibition of impaired or distracted driving.
- Drivers are responsible for any fines or penalties resulting from traffic violations.
- Compliance with Canada Labour Code, Part II, Section 125(1)(z.17): *"Ensure that employees who operate motor vehicles in the course of their employment are trained in safe vehicle operation."* [Ref: Canada Labour Code, Part II, Sec. 125(1)(z.17)]

Safe Driving Practices

- Headlights must be used during all trips, including daytime driving.
- Drivers must maintain a safe following distance and adjust driving based on weather and road conditions.
- The use of handheld devices is strictly prohibited while driving. Hands-free devices may only be used where permitted by law and company policy.

Vehicle Security and Maintenance

- Vehicles must be parked securely when not in use, and all cargo must be properly secured to prevent shifting during transport.



- Smoking and carrying prohibited items, such as alcohol or drugs, are not allowed in company vehicles.
- Compliance with BC OHS Regulation, Part 17, Section 17.8, which states: *"Employers must ensure that vehicles are maintained in accordance with manufacturer specifications and legal requirements."* [Ref: BC OHS Reg, Part 17, Sec. 17.8]

Incident Reporting

- All vehicle incidents, including minor accidents, must be reported to a supervisor immediately.
- Drivers must complete and submit incident reports as required.
- Compliance with Canada Labour Code, Part II, Section 125(1)(c): *"Investigate all accidents, incidents, and occupational diseases affecting employees in order to determine their causes and prevent recurrence."* [Ref: Canada Labour Code, Part II, Sec. 125(1)(c)]

Fatigue Management

- Drivers must ensure they are well-rested before operating vehicles and take breaks during long trips to prevent fatigue.
- Adherence to BC Motor Vehicle Act, Section 37.13, which states: *"A driver must not operate a vehicle while impaired by fatigue to the extent that it is unsafe to do so."* [Ref: BC MVA, Sec. 37.13]

Training and Awareness

- Employees authorized to operate vehicles must complete company-provided vehicle safety training.
- Refresher training will be conducted periodically to reinforce safe driving practices.
- Compliance with BC OHS Regulation, Part 17, Section 17.7, which states: *"Workers required to operate vehicles must be adequately trained in safe driving practices."* [Ref: BC OHS Reg, Part 17, Sec. 17.7]



Monitoring and Enforcement

- Compliance with this policy will be monitored through regular vehicle audits and driving performance reviews.
- Violations of this policy may result in corrective action, including loss of driving privileges or termination of employment, in accordance with company disciplinary procedures.

3.4. Distracted Driving Policy

Aeria Solutions is committed to ensuring the safety of its employees, clients, and the public by enforcing responsible driving behaviour and implementing clear distracted driving policies. Safe vehicle operation is essential to preventing accidents, protecting lives, and maintaining regulatory compliance.

This policy aligns with:

- BC Motor Vehicle Act, Section 214.2 – Prohibition of Electronic Device Use While Driving
- Canada Labour Code, Part II, Section 125(1)(z.17) – Employer Responsibility for Safe Vehicle Operation Training
- BC Occupational Health and Safety Regulation, Part 17, Section 17.6 – Safe Use of Vehicles in the Workplace

Through strict enforcement, driver awareness, and compliance monitoring, Aeria Solutions ensures that employees operate vehicles responsibly and free from distractions.

Prohibition of Device Use

- The use of handheld electronic devices while driving is strictly prohibited.
- Hands-free devices may only be used where permitted by law and company policy, but drivers are encouraged to limit their use to avoid cognitive distractions.
- Compliance with BC Motor Vehicle Act, Section 214.2, which states: "*A person must not use an electronic device while driving unless permitted under the Act.*" [Ref: BC MVA, Sec. 214.2]



Focus on Driving

- Drivers must remain focused on the road and avoid engaging in activities that divert their attention, such as eating, drinking, or adjusting vehicle controls while in motion.
- Adherence to Canada Labour Code, Part II, Section 125(1)(z.17), which requires employers to ensure employees receive training on safe vehicle operation. [Ref: Canada Labour Code, Part II, Sec. 125(1)(z.17)]

Safe Stopping Practices

- Employees must pull over to a safe location and park the vehicle before making or answering calls, texting, or using electronic devices.
- Compliance with BC OHS Regulation, Part 17, Section 17.6, which mandates that vehicles must not be operated in an unsafe manner that endangers any person. [Ref: BC OHS Reg, Part 17, Sec. 17.6]

Client and Stakeholder Communication

- Employees should inform clients and stakeholders of this policy to explain why calls, texts, or emails may not be returned immediately while driving.

Vehicle Preparation

- GPS, music, and other vehicle controls must be set up before starting a trip.
- Any adjustments during the journey must be made while the vehicle is safely parked.

Accountability and Monitoring

- Compliance with this policy will be monitored as part of routine safety checks and incident investigations.
- Violations of this policy may result in disciplinary action, including retraining, loss of driving privileges, or termination, depending on the severity of the infraction.

Training and Awareness



- All employees authorized to operate vehicles will receive training on the dangers of distracted driving and the importance of maintaining focus behind the wheel.

3.5. COVID-19 Policy

Aeria Solutions is committed to safeguarding the health and safety of its employees, contractors, clients, and communities. In alignment with client requirements, regulatory obligations, and evolving public health directives, Aeria Solutions will implement COVID-19 safety measures as necessary to maintain safe operations while ensuring business continuity.

This policy aligns with:

- Canada Labour Code, Part II – Occupational Health and Safety in Public Health Emergencies
- Public Health Agency of Canada (PHAC) COVID-19 Guidelines – Workplace Safety and Preventative Measures
- BC Occupational Health and Safety Regulation, Part 4 – General Workplace Safety
- Provincial and Federal Public Health Orders – COVID-19 Compliance and Response Measures
- Client-Specific COVID-19 Safety Protocols – Worksite Safety Requirements

Through proactive health measures, clear communication, and regulatory compliance, Aeria Solutions ensures a safe and adaptable work environment during the COVID-19 pandemic or similar health crises.

Applicability of Safety Measures

- Aeria Solutions will follow client-specific COVID-19 protocols when working on client sites.
- Compliance with local, provincial, and federal public health mandates will be observed as applicable.
- COVID-19 safety measures such as mask-wearing, physical distancing, and hygiene protocols will be implemented when required by regulatory authorities or clients.



Employee Health and Workplace Attendance

- Employees who display COVID-19 symptoms or have been in close contact with a confirmed case must follow applicable public health guidance and inform their supervisor.
- Remote work arrangements may be provided where feasible and necessary.
- Business travel will align with public health advisories and client-specific restrictions.

Hygiene and Workplace Adjustments

- Employees should practice good hygiene, including regular handwashing and sanitization.
- Workspaces will be modified to support distancing where necessary, and shared tools or equipment must be sanitized when applicable.
- Masks and PPE will be required only where mandated by public health authorities or clients.

Training and Communication

- Employees will be informed of any changes to COVID-19 safety measures through company communications.
- Training on proper hygiene, PPE use, and client-specific protocols will be provided when required.

Monitoring and Response

- Aeria Solutions will monitor public health guidance and client policies to ensure compliance.
- A COVID-19 response team will oversee the implementation of applicable safety measures.
- Employees must report COVID-19 exposure as per public health and client protocols.



Compliance

All employees, contractors, and visitors must adhere to applicable COVID-19 safety measures when required. Non-compliance with regulatory or client-mandated requirements may result in disciplinary action to ensure workplace and community safety.

Aeria Solutions remains committed to adjusting its COVID-19 approach based on client policies, legal requirements, and best practices to maintain a safe and effective work environment

3.6. Pandemic Disease Policy

Aeria Solutions is committed to safeguarding the health and safety of our employees, contractors, clients, and communities. In the event of a pandemic or similar public health emergency, Aeria Solutions will implement protocols that align with client requirements, regulatory mandates, and public health directives to minimize exposure risks while maintaining business continuity.

This policy aligns with:

- Canada Labour Code, Part II – Occupational Health and Safety in Emergencies
- Public Health Agency of Canada (PHAC) Guidelines – Pandemic Preparedness and Response
- BC Occupational Health and Safety Regulation, Part 4 – General Workplace Safety Requirements
- Provincial and Local Public Health Directives – Disease Control Measures and Compliance
- World Health Organization (WHO) and Centers for Disease Control and Prevention (CDC) Guidelines – Global Best Practices for Infection Control

Through proactive health measures, exposure control strategies, and emergency response planning, Aeria Solutions ensures a safe and resilient workplace during public health emergencies.

Roles and Responsibilities



- The HSE Manager is responsible for overseeing pandemic response measures, coordinating with public health authorities, and ensuring compliance with client and regulatory requirements.
- Aeria Solutions will maintain contact with local health departments and relevant healthcare providers to develop and implement response protocols for potential outbreaks.

Exposure Control Measures

- **Workplace Modifications:** Social distancing and hygiene practices will be implemented as required by public health guidelines or client-specific mandates.
- **Remote Work and Travel Restrictions:** Where feasible, remote work will be encouraged, and non-essential business travel may be suspended based on risk assessments.
- **Hand Hygiene and Sanitization:** Handwashing facilities, sanitizers, and disinfecting supplies will be made available at worksites as needed.
- **Self-Isolation Requirements:** Employees experiencing symptoms or who have been in close contact with a confirmed case must follow self-isolation and reporting protocols in accordance with public health and client directives.

Training and Prevention

- Employees will receive training on disease prevention, hygiene practices, and emergency response protocols.
- Workers are encouraged to obtain appropriate immunizations, and time off will be granted as needed to receive vaccinations when available.
- Pandemic-related business adjustments will be communicated promptly to employees, clients, vendors, and contracting partners.

Cleaning and Disinfection

- Frequent cleaning of high-contact areas, including:
 - Hand tools



- Door handles and vehicle latches
 - Steering wheels
 - Workbenches and shared surfaces
- Cleaning protocols will be adjusted as necessary based on public health advisories and client requirements.

Social Distancing and Workplace Capacity Limits

- Adjustments such as increasing workspace distances, minimizing close-contact interactions, and limiting the number of workers onsite may be enforced as necessary.
- Virtual communication methods will be prioritized where possible, including online meetings, email correspondence, and phone conferences.

Emergency Communication and Business Continuity

- The HSE Department will notify clients, vendors, and employees in the event of an outbreak impacting operations.
- A response plan will be maintained to facilitate safe resumption of operations following a disruption.
- Employees will have access to emergency contact lists for timely communication.

Compliance and Enforcement

- Employees, contractors, and visitors must adhere to Aeria Solutions' pandemic safety measures when applicable.
- Non-compliance with public health mandates, client policies, or internal guidelines may result in disciplinary action to ensure workplace and community safety.

Aeria Solutions remains committed to adapting its pandemic response based on evolving health directives, legal obligations, and operational needs, ensuring a safe and resilient work environment for all stakeholders.



3.7. Open Communication Policy

Aeria Solutions is committed to fostering a culture of transparency, collaboration, and continuous improvement. Open communication is essential to maintaining a safe, productive, and inclusive work environment where employees feel empowered to voice concerns, report hazards, and share ideas without fear of reprisal.

This policy aligns with:

- Canada Labour Code, Part II, Section 126.1 – Employee Right to Report Safety Concerns
- BC Occupational Health and Safety Regulation, Part 3 – Worker Participation in Health and Safety
- WorkSafeBC Guidelines – Promoting a Culture of Safety and Open Communication
- Personal Information Protection and Electronic Documents Act (PIPEDA) – Confidentiality and Privacy Protections

Through open dialogue, proactive reporting, and employee engagement, Aeria Solutions ensures that every voice is heard and every concern is addressed.

Employee Rights and Encouragement

- Employees are encouraged to report hazards, near-misses, and safety concerns through established reporting channels.
- Feedback on workplace safety, operational improvements, and overall employee well-being is welcomed.
- Employees may report concerns anonymously if preferred, ensuring confidentiality and protection against retaliation.

Communication Channels

- Direct Supervisor Reporting: Employees are encouraged to discuss concerns directly with their supervisor.
- Anonymous Reporting System: Aeria Solutions maintains an anonymous reporting mechanism for sensitive issues.



- Joint Health and Safety Committee (JHSC): Employees can bring concerns to their committee representatives for further discussion.
- Regular Safety Meetings: Open forums are held to encourage employee participation in health and safety discussions.
- Open-Door Policy: Management and leadership maintain an open-door policy to facilitate transparent conversations.

Non-Retaliation Commitment

- Employees will not face retaliation or discrimination for reporting concerns in good faith.
- Complaints and reports will be addressed promptly, ensuring accountability and resolution.
- Retaliatory actions against employees who report concerns will result in disciplinary measures, up to and including termination.

Encouraging Two-Way Feedback

- Employees are encouraged to proactively suggest improvements in work processes, health and safety measures, and company policies.
- Aeria Solutions values a feedback-driven culture, where employee input is reviewed and incorporated into decision-making where feasible.
- Leaders and supervisors will provide timely responses to concerns raised and ensure that actions taken are communicated effectively.

Continuous Improvement

- Feedback received will be analyzed to identify trends and areas for improvement.
- Regular employee surveys will be conducted to assess communication effectiveness and engagement levels.
- The effectiveness of this policy will be reviewed annually to ensure alignment with company objectives and regulatory requirements.



By adhering to this Open Communication Policy, Aeria Solutions strengthens its commitment to a collaborative, transparent, and safety-focused workplace. Employees play a vital role in shaping a proactive and positive work environment, ensuring that concerns and suggestions lead to meaningful improvements.

3.8. Drug & Alcohol Policy

Aeria Solutions is committed to maintaining a safe, healthy, and productive work environment by ensuring that employees and contractors are fit for duty at all times. The use of drugs and alcohol can impair judgment, reduce performance, and compromise workplace safety, affecting individuals, teams, and overall operations. This policy establishes clear expectations, procedures, and enforcement measures to prevent substance-related risks.

This policy aligns with:

- Canada's Cannabis Act – Legal framework governing cannabis use and restrictions.
- Criminal Code of Canada – Prohibitions on impaired operation of equipment and illegal substance use.
- Canada Labour Code, Part II – Workplace Safety and Fitness for Duty Regulations.
- WorkSafeBC Regulation, Part 4 – Impairment in the Workplace.
- Applicable Provincial Laws – Occupational safety and employment standards.

Aeria Solutions strictly prohibits substance-related impairment and ensures compliance with federal, provincial, and industry standards for workplace safety.

Key Definitions

- Fitness for Duty: Being in a physical, mental, and emotional state that allows employees to perform their duties safely and effectively without impairment from drugs, alcohol, or other substances.
- Prohibited Substances: Illegal drugs, unauthorized controlled substances, alcohol, or any substance that causes impairment. This includes prescription or over-the-counter medications that impair the ability to work safely if not disclosed.



- **Safety-Sensitive Positions:** Roles where impaired performance could result in significant harm to individuals, coworkers, or the public. This includes Remote Piloted Aircraft System (RPAS) operators, with specific provisions outlined in the RPAS Operations Manual.
- **Reasonable Suspicion:** A decision to require testing based on specific physical, behavioral, or performance indicators, documented by a trained supervisor.
- **Under the Influence:** A state in which an employee's performance is detectably impaired due to the consumption of alcohol, drugs, or medication, determined through testing or observation.

Policy Guidelines

Prohibited Substances

- The use, possession, distribution, or sale of illegal drugs, unauthorized controlled substances, or alcohol on company property or worksites is strictly prohibited.
- Employees must not report to work under the influence of drugs or alcohol, including prescription or over-the-counter medications that impair their ability to work safely.
- Compliance with Canada Labour Code, Part II, Section 125(1)(z.16), which mandates that employers "*ensure that employees are not impaired while performing their duties in the workplace.*" [Ref: Canada Labour Code, Part II, Sec. 125(1)(z.16)]

Fitness for Duty

- Employees are expected to arrive at work fit for duty and remain so throughout their shift.
- Employees who feel their ability to perform work safely is compromised due to substance use must notify their supervisor immediately.
- **Prescription and Over-the-Counter Medications**
- Employees must disclose the use of any medication that may impair their ability to work safely.



- Supervisors will assess whether temporary modifications to duties are necessary to maintain workplace safety.
- Compliance with WorkSafeBC Regulation, Part 4, Section 4.20, which states that “*a worker must not be impaired by alcohol, drugs, or other causes while at the workplace.*” [Ref: WorkSafeBC Reg, Part 4, Sec. 4.20]

Testing Procedures

Aeria Solutions follows WorkSafeBC, COAA Canadian Model, and Canada Labour Code guidelines for workplace drug and alcohol testing.

- Pre-Employment Testing: Aeria maintains the right to require testing for safety-sensitive positions before hiring.
- Post-Incident Testing: Conducted after a significant workplace incident or near-miss where impairment is suspected.
- Reasonable Suspicion Testing: Triggered by documented observations of specific impairment indicators.
- Random Testing: Implemented for employees in safety-sensitive positions, administered by approved third-party providers.

Testing will be conducted by accredited laboratories or clinics, ensuring timely and accurate results while maintaining confidentiality.

Reasonable Suspicion Testing Criteria

- Observed use or possession of a prohibited substance.
- Erratic, disruptive, or atypical behavior.
- Physical signs such as slurred speech, impaired coordination, or red eyes.
- Presence of alcohol, drugs, or paraphernalia in the workplace.
- Compliance with Canada Labour Code, Part II, Section 125(1)(c), which mandates that employers “*investigate all incidents affecting employees in order to determine their causes and prevent recurrence.*” [Ref: Canada Labour Code, Part II, Sec. 125(1)(c)]



Incident and Post-Incident Testing

- Testing will be conducted after any significant incident where substance use is suspected.
- Supervisors will document incidents and arrange for testing through approved channels.
- Testing results will determine corrective actions and preventive measures.

Support and Rehabilitation

- Employees seeking assistance for substance dependency are encouraged to use the Employee Assistance Program (EAP) or other available resources.
- Treatment will be provided confidentially, and reasonable accommodations will be made for recovery.
- Compliance with Canada Labour Code, Part II, Section 125(1)(z.18), which states that *“employers must ensure support programs are in place for employees dealing with substance dependencies.”* [Ref: Canada Labour Code, Part II, Sec. 125(1)(z.18)]

Prohibited Behavior and Consequences

- Possession of drug paraphernalia or tampering with test samples is strictly prohibited.
- Non-compliance with this policy may result in disciplinary action, up to and including termination.
- The use, possession, or sale of drugs or alcohol during work hours will not be tolerated and may result in criminal liability under the Criminal Code of Canada.

Supervisor Training and Responsibilities

- Supervisors must receive training on recognizing impairment, handling incidents, and documenting reasonable suspicion.
- Training will follow guidelines from WorkSafeBC, Transport Canada, and federal and provincial regulations.



Alcohol at Company Events

- Alcohol consumption is only permitted at company events where explicitly authorized.
- Safety measures, such as designated drivers or company-provided transportation, will be implemented.

Progressive Discipline

- First Offense: Verbal or written warning.
- Repeated Violations: Suspension or reassignment.
- Severe or Continued Non-Compliance: Termination.

Disciplinary measures will align with Canadian law, WorkSafeBC, and company policies.

- Confidentiality and Records Management
- All testing, reporting, and rehabilitation efforts will be strictly confidential.
- Medical information will be handled in compliance with Canada's Personal Information Protection and Electronic Documents Act (PIPEDA).

3.9. Refuse Unsafe Work Policy

Aeria Solutions recognizes and upholds the right of employees to refuse work that they believe poses an imminent or serious threat to their health and safety. This policy ensures compliance with BC Occupational Health and Safety (OHS) Regulation and the Canada Labour Code, Part II, which protect workers from unsafe conditions and guarantee their right to refuse hazardous work without fear of reprisal.

This policy aligns with:

- BC OHS Regulation, Section 3.12 – Right to Refuse Unsafe Work
- Canada Labour Code, Part II, Section 128(1) – Employee Right to Refuse Dangerous Work
- Canada Labour Code, Part II, Section 147 – Protection Against Employer Retaliation



- WorkSafeBC Regulations – Workplace Safety Compliance

Aeria Solutions is committed to promptly addressing safety concerns through thorough investigations, risk assessments, and corrective actions, ensuring that all employees work in a safe environment.

Work Refusal Procedure

Immediate Notification

- The worker must immediately notify their supervisor or HSE Management of the refusal and provide reasons for their concern.
- Compliance with Canada Labour Code, Part II, Section 128(1), which mandates: *"An employee may refuse to use or operate a machine or thing, to work in a place, or to perform an activity, if they have reasonable cause to believe that it presents a danger to themselves or others."* [Ref: Canada Labour Code, Part II, Sec. 128(1)]

Assessment of Risk

- The supervisor or HSE representative must assess the situation to determine if the risk is legitimate and if immediate corrective actions are necessary.
- If necessary, temporary safety measures must be implemented while the investigation is conducted.

Temporary Work Reassignment

- The worker may be reassigned to a different task that does not pose the same risk while the investigation is ongoing.
- The employer cannot force the worker to resume the refused work until it has been deemed safe, per BC OHS Regulation, Section 3.13, which states: *"A worker who refuses to perform unsafe work must not be subject to disciplinary action and must be assigned to alternate duties while the matter is under investigation."* [Ref: BC OHS Regulation, Sec. 3.13]

Investigation



- A preliminary investigation must be conducted to identify any unsafe conditions, acts, or procedures that contributed to the refusal.
- If the worker continues to believe the work is unsafe following the initial assessment, an independent investigation with the involvement of a Joint Health and Safety Committee (JHSC) representative or a worker representative will be conducted.
- Compliance with Canada Labour Code, Part II, Section 128(7): *"If the matter is not resolved, a health and safety officer must be notified and conduct an investigation."* [Ref: Canada Labour Code, Part II, Sec. 128(7)]

Resolution

- If the investigation confirms the presence of an unsafe condition, corrective measures must be implemented immediately.
- If no hazard is found, the worker may be required to return to work following documented findings.

Follow-Up

- A full investigation must be conducted if necessary, and a report must be prepared and shared with the affected worker(s) and safety representatives.
- Employers must document findings and track recurrence to ensure continuous improvement in safety practices.

Worker Protection Against Reprisal

- Workers will not face retaliation for exercising their right to refuse unsafe work, as protected under Canada Labour Code, Part II, Section 147, which states: *"No employer shall dismiss, suspend, lay off or demote an employee because the employee has acted in compliance with this Part."* [Ref: Canada Labour Code, Part II, Sec. 147]
- Violations of this protection may result in legal penalties and employer liability.

Corrective Actions



- All corrective actions identified during the investigation must be implemented without undue delay to address any unsafe conditions, acts, or procedures.
- Follow-up reports must be prepared to document the completion of corrective actions.

Compliance and Review

- This policy will be reviewed annually to ensure ongoing compliance with WorkSafeBC regulations, the Canada Labour Code, and other applicable safety standards.
- Aeria Solutions will continuously improve its safety practices based on worker feedback and regulatory updates.

By adhering to this Refusal of Unsafe Work Policy, Aeria Solutions ensures that all employees have the right to a safe workplace and that all concerns regarding workplace safety are addressed promptly and effectively.

3.10. Harassment & Violence Policy

Aeria Solutions is committed to fostering a workplace culture built on dignity, respect, and safety for all employees, contractors, and visitors. Harassment, bullying, and workplace violence will not be tolerated under any circumstances. We uphold a zero-tolerance approach to these behaviors and are dedicated to proactive prevention, clear reporting mechanisms, and strict enforcement to maintain a professional and inclusive work environment.

Regulatory Compliance

This policy aligns with the following legal and regulatory frameworks to ensure compliance and workplace safety:

- Canada Labour Code, Part II (Occupational Health and Safety) (CLC, R.S.C., 1985, c. L-2)
- British Columbia Occupational Health and Safety Regulation (BC OHS, B.C. Reg. 296/97)
- WorkSafeBC Guidelines on Workplace Harassment and Bullying



- Criminal Code of Canada – Workplace Violence and Threats

Through comprehensive risk management, robust reporting procedures, and strict enforcement, Aeria Solutions ensures compliance with all workplace safety and anti-harassment regulations.

Policy Statement

Aeria Solutions strictly prohibits all forms of harassment, bullying, and workplace violence. This policy applies to all individuals at Aeria Solutions worksites and operations, including employees, contractors, and visitors.

As an organization, we recognize both our legal and ethical obligations to:

- Prevent workplace harassment and violence through training, awareness, and proactive risk management.
- Provide clear reporting and resolution procedures to address any complaints confidentially and effectively.
- Hold all personnel accountable for fostering a respectful and professional work environment.

By enforcing this policy, Aeria Solutions reaffirms its commitment to a workplace free from harassment, bullying, and violence, ensuring the well-being, safety, and respect of all individuals.

Our legal and ethical obligations include

- Employer Responsibilities (Canada Labour Code, Section 124 & 125)
 - Ensure a safe and healthy workplace.
 - Implement preventive measures against workplace violence and harassment.
 - Establish procedures for reporting and investigating incidents.
- Employee Responsibilities (Canada Labour Code, Section 126)



- Take reasonable care to protect their own health and safety.
 - Report any incident of harassment, bullying, or violence.
- Supervisor Responsibilities (BC OHS Regulation, Part 4, Sections 4.24–4.31)
 - Maintain a safe and respectful work environment.
 - Address complaints promptly, fairly, and confidentially.

Definitions

Aeria Solutions follows the definitions set out in federal and provincial workplace safety regulations to ensure clarity and consistency.

Harassment

Any conduct, comment, display, action, or gesture that:

- Adversely affects an employee's psychological or physical well-being.
- A reasonable person ought to have known would cause humiliation or intimidation.
- Can be verbal, physical, psychological, or cyber-based.

Sexual Harassment

- Unwelcome conduct of a sexual nature that negatively affects the work environment.
- Includes unwanted advances, requests for sexual favors, inappropriate jokes, or offensive materials.

Bullying

- Repeated, unjustified, harmful, and humiliating actions that create a toxic work environment.
- Can include verbal aggression, coercion, intimidation, or exclusion.

Workplace Violence

- Any act where a person is threatened, abused, or assaulted in circumstances related to their work.



- Includes verbal threats, stalking, intimidation, or physical aggression.

Zero-Tolerance Policy

Aeria Solutions has a zero-tolerance approach to harassment, bullying, or violence. Any reported complaint will be investigated immediately, and appropriate corrective action will be taken, which may include:

- Verbal or written warnings.
- Mandatory training or counseling.
- Suspension, reassignment, or termination.
- Reporting to law enforcement in cases of criminal threats, sexual assault, or physical violence, in accordance with the Criminal Code of Canada.

Prohibited Conduct

Aeria Solutions strictly prohibits any behavior that compromises workplace respect, safety, or inclusivity, including but not limited to:

- Verbal Aggression: Insults, threats, or yelling.
- Discriminatory Harassment: Targeting individuals based on gender, race, disability, or other protected grounds.
- Sexual Harassment: Unwanted sexual advances, inappropriate comments, or coercion.
- Cyberbullying: Sending threatening or offensive messages via email or social media.
- Workplace Violence: Any form of physical aggression, intimidation, or threats.
- Retaliation: Punishing or mistreating employees who report harassment or refuse unwelcome advances.

Responsibilities

Employees

- Adhere to this policy.



- Report any incidents of harassment, bullying, or violence.
- Cooperate fully in investigations.

Supervisors & Managers

- Take immediate action upon receiving a complaint.
- Ensure a harassment-free and violence-free work environment.
- Conduct thorough, fair, and confidential investigations.

Aeria Solutions (Employer)

- Provide training on harassment and violence prevention.
- Maintain an accessible and effective complaint process.
- Comply with all regulatory requirements under the Canada Labour Code and BC OHS Regulations.
- Complaint & Investigation Procedures

Reporting Process

Employees who experience or witness harassment, bullying, or workplace violence must report incidents through one of the following channels:

- Direct Supervisor or Manager
- Health and Safety Representative
- Human Resources Department

Investigation Process

- Step 1: Intake – The complaint is received and documented.
- Step 2: Investigation – A neutral investigator interviews the complainant, alleged perpetrator, and witnesses.
- Step 3: Findings – A formal report summarizes the evidence and conclusions.
- Step 4: Corrective Actions – Disciplinary measures are taken where necessary.



Confidentiality

- All complaints and investigations will remain confidential, except as required by law.
- Retaliation against complainants or witnesses is strictly prohibited.

Corrective Actions

If harassment, bullying, or workplace violence is confirmed, corrective actions may include:

- Mandatory training, verbal/written warnings, suspension, or termination.
- Referral to law enforcement in cases of criminal behavior.
- Policy Review & Compliance

This policy will be:

- Reviewed annually in consultation with the Joint Occupational Health and Safety Committee (JOHSC).
- Updated as needed to align with federal and provincial workplace safety laws, including:
 - Canada Labour Code, Part II
 - BC Occupational Health and Safety Regulation, Part 4
 - WorkSafeBC Harassment and Bullying Prevention Guidelines

3.11. Environmental Policy

Aeria Solutions is committed to environmental stewardship, sustainability, and regulatory compliance. As a provider of remote sensing and data solutions, we recognize our responsibility to minimize environmental impact and integrate sustainable practices across all areas of our business.

This policy aligns with federal and provincial environmental legislation, including:

- Canadian Environmental Protection Act (CEPA), 1999



- Fisheries Act (Pollution Prevention Provisions, Section 36)
- BC Environmental Management Act
- Other applicable industry and environmental regulations

Through responsible resource management, pollution prevention, and continuous improvement, we aim to protect the environment while maintaining high-quality service delivery for our clients.

Aeria Solutions is committed to:

- Complying with all applicable environmental laws, regulations, and standards, and striving to exceed these requirements where feasible.
- Reducing our environmental footprint through sustainable resource use, pollution prevention, and energy efficiency.
- Engaging employees, clients, and stakeholders in environmental best practices to promote shared sustainability goals.

Regulatory Compliance

Aeria Solutions ensures compliance with all federal, provincial, and municipal environmental laws and regulations applicable to our operations. We actively monitor legislative developments to adapt to new environmental requirements and conduct internal environmental audits to assess compliance and identify areas for improvement.

Sustainable Resource Use

Aeria Solutions prioritizes the efficient use of energy, materials, and resources to reduce environmental impact. We implement strategies to:

- Reduce energy consumption through efficiency measures in equipment operation, transportation, and facilities.
- Optimize material usage by prioritizing renewable, recyclable, or biodegradable resources where feasible.
- Minimize waste through reuse, recycling, and responsible disposal practices in our operations and fieldwork.



- **Pollution Prevention**

Aeria Solutions takes proactive measures to prevent environmental pollution by:

- Implementing best management practices to protect air, water, and soil from contamination.
- Ensuring the safe handling, storage, and disposal of hazardous materials, including fuels, chemicals, and electronic waste.
- Adopting low-impact technologies to reduce emissions from equipment, transportation, and field operations.

Environmental Stewardship

Aeria Solutions integrates environmental considerations into project planning and operational decision-making. Our approach includes:

- Conducting environmental risk assessments for all projects.
- Promoting low-impact fieldwork methodologies, such as UAV-based remote sensing, to reduce land disturbance.
- Applying erosion control and habitat protection measures in environmentally sensitive areas.

Employee Engagement

Aeria Solutions fosters a culture of environmental responsibility by:

- Providing environmental training to enhance awareness and encourage sustainability practices.
- Encouraging employees to identify and report sustainability opportunities within their work.
- Recognizing and rewarding employees who actively contribute to environmental initiatives.

Continuous Improvement



Aeria Solutions is dedicated to continual enhancement of its environmental performance by:

- Establishing environmental performance metrics to monitor and measure progress.
- Regularly reviewing and updating environmental policies and procedures to align with evolving best practices and technology.
- Encouraging innovation in sustainable solutions, including the adoption of advanced sensing technologies to minimize environmental impact.

Collaboration & Stakeholder Engagement

Aeria Solutions works in partnership with clients, contractors, and suppliers to promote environmental responsibility. We:

- Align business operations with industry-wide sustainability initiatives.
- Engage with Indigenous and local communities to ensure responsible land use and environmental protection.
- Support collaborative projects that enhance environmental sustainability in remote sensing and drone-based data collection.

Monitoring & Reporting

Aeria Solutions ensures transparency and accountability by:

- Tracking key environmental performance indicators (KPIs) such as carbon footprint, waste reduction, and energy efficiency.
- Conducting annual environmental performance reviews to assess progress and identify areas for improvement.
- Providing stakeholders with transparent reporting on environmental initiatives and sustainability efforts.

Emergency Preparedness & Response

Aeria Solutions implements comprehensive environmental emergency response plans to mitigate risks associated with spills, emissions, and other environmental incidents. We:



- Ensure employees are trained in environmental response protocols, including containment and remediation procedures.
- Conduct regular drills and assessments to improve emergency response effectiveness.
- Maintain readily available emergency resources to contain and address environmental incidents efficiently.

Community Responsibility

Aeria Solutions actively participates in community-driven environmental initiatives to foster sustainability beyond our operations. We:

- Engage in conservation programs and educational outreach.
- Support local sustainability projects that align with our environmental commitments.
- Collaborate with Indigenous and local communities to promote shared environmental stewardship.

Policy Review and Communication

This policy will be posted at all worksites, distributed to employees, and integrated into training programs. Employees and contractors are required to adhere to these environmental commitments and report any concerns regarding environmental risks or sustainability practices.

Aeria Solutions will periodically review and update this policy to reflect advancements in technology, evolving regulatory requirements, and best industry practices.

3.12. Security Policy

Aeria Solutions is committed to maintaining a secure working environment for all employees, contractors, and stakeholders. This policy establishes personal security, information security, and information technology (IT) security measures to mitigate risks, protect personnel, and safeguard confidential data and technological infrastructure.

This policy aligns with:



- Canada Labour Code, Part II – Occupational Health and Safety (Workplace Violence Prevention, Section 125(1)(z.16))
- Personal Information Protection and Electronic Documents Act (PIPEDA) – Data Privacy & Confidentiality
- BC Occupational Health and Safety Regulation, Part 4 – Workplace Violence Prevention
- Canadian Centre for Cyber Security – Cybersecurity Best Practices

Personal Security

Aeria Solutions recognizes that workplace violence can originate from various sources, including coworkers, supervisors, clients, landowners, and the public. To minimize these risks, we implement comprehensive workplace violence prevention and emergency response measures.

Workplace Violence Prevention

Aeria Solutions will assess and mitigate workplace violence risks through:

- Risk Assessment:
 - Identifying and evaluating potential security threats in work locations, client sites, and public areas.
- Communication:
 - Informing employees if they are working in an area with elevated risk.
 - Providing details about known individuals with violent histories whom employees may encounter.
- Preventive Measures:
 - Conducting pre-site risk assessments for high-risk locations.
 - Providing de-escalation training for employees working in sensitive environments.
 - Ensuring access to emergency contacts and response procedures.



- Incident Reporting:
 - Employees must immediately report threats, harassment, or violent incidents to their supervisor or designated security officer.

Emergency Response

If an incident of violence or a credible threat occurs, Aeria Solutions will take immediate action, which may include:

- Notifying law enforcement and emergency responders.
- Removing employees from danger to ensure their safety.
- Implementing additional security measures for high-risk locations.
- Information Security

Aeria Solutions is committed to protecting confidential business, client, and employee information from unauthorized access, disclosure, or loss.

Confidentiality Standards

- All information obtained during work must remain confidential.
- Access to sensitive data is restricted to authorized personnel only.
- Employees must not disclose confidential information unless required for work-related purposes.

Secure Handling of Information

- Physical Documents:
 - Store confidential documents in locked cabinets.
 - Shred sensitive documents when no longer needed.
- Electronic Data:
 - Limit access to confidential files based on job roles.
 - Never share sensitive information via unsecured email or messaging platforms.



- Third-Party Access:
 - Contractors or external partners must sign confidentiality agreements before accessing company information.

Breach Response

- Any suspected data breach, unauthorized access, or loss of confidential information must be reported immediately to [Designated Security Officer].
- Investigations will be conducted in accordance with PIPEDA, and affected parties will be notified as required by law.
- Information Technology (IT) Security

Aeria Solutions recognizes the importance of securing digital communications, IT infrastructure, and cyber assets to prevent data breaches and cyber threats.

IT Security Measures

- Password Protection:
 - Use complex passwords with a mix of letters, numbers, and special characters.
 - Change passwords regularly and never share credentials.
 - Enable multi-factor authentication (MFA) where available.
- Email & Internet Security:
 - Verify recipients before sending confidential information.
 - Review emails carefully to ensure they are sent to the correct recipient.
 - Avoid clicking unknown links or downloading attachments from unverified sources to prevent phishing attacks.
- Workstation Security:
 - Log off computers and lock workstations when leaving.
 - Ensure password-protected files are closed when not in use.



- Virus & Malware Protection:
 - Ensure updated antivirus software is installed on all company devices.
 - Do not download or install unauthorized software or applications.
 - Conduct regular malware scans and security assessments.

Monitoring and Compliance

Aeria Solutions enforces strict monitoring, enforcement, and compliance measures to maintain workplace security.

Policy Enforcement

- Violations of this policy may result in disciplinary action, including suspension, termination, and legal consequences.
- Regular security audits will be conducted to assess compliance and detect vulnerabilities.

Employee Training

- Employees must complete mandatory security awareness training, including workplace security, confidentiality, and cybersecurity best practices.

Policy Review

- This policy will be reviewed annually and updated as needed to reflect emerging security threats and regulatory changes.
- Reporting Security Incidents

Employees must report any security concerns, threats, or breaches to:

- Immediate Supervisor
- HR or Security Officer
- IT Department (for cybersecurity incidents)

All reports will be treated confidentially and investigated promptly



3.13. Waste Disposal Policy

Aeria Solutions is committed to responsible waste management to minimize environmental impact, reduce health and safety risks, and comply with all applicable federal and provincial environmental and safety regulations.

This policy aligns with the Canadian Environmental Protection Act (CEPA), 1999, the Environmental Protection and Enhancement Act (Alberta), the BC Environmental Management Act, and the Alberta Occupational Health & Safety Act to ensure compliance with proper waste handling, disposal, and tracking procedures.

Through waste reduction, reuse, recycling, and recovery, Aeria Solutions aims to promote sustainability while ensuring compliance with all regulatory requirements.

Waste Management Policy

Waste is defined as any material no longer suited for its initial purpose, including materials to be reused, recycled, recovered, or disposed of. Proper waste management is critical to reducing disposal costs, minimizing environmental harm, and ensuring workplace safety.

Aeria Solutions and its contractors are responsible for ensuring that all waste generated is handled, stored, transported, and disposed of properly.

Waste Management Approach

Aeria Solutions follows the 4R approach: reduce, reuse, recycle, and recover.

Reduce

Minimizing waste at the source is the most effective way to protect the environment. This includes choosing products with minimal packaging, purchasing in bulk to minimize waste generation, and opting for durable, long-lasting equipment and materials.

Reuse

Materials that can be repurposed should be utilized whenever possible. Items that are no longer useful for Aeria Solutions' operations may be donated or sold for reuse. Purchasing refurbished or second-hand equipment is encouraged where applicable.

Recycle

Some materials cannot be reused but can be recycled, including plastics, drinking



containers, tires, automotive filters, used motor oil, printer cartridges, and electronic waste. Proper recycling channels will be used to divert these materials from landfills.

Recover

Certain materials can be recovered for further use. Industrial solvents and oils can be refined and reused, chemical waste from printing processes can be recovered for reprocessing, and energy recovery from non-recyclable materials may be implemented where feasible.

Hazardous Waste Management

Hazardous waste includes any material that is ignitable, flammable, corrosive, reactive, toxic, or infectious. These materials must be stored, transported, and disposed of in compliance with all legislative requirements.

All hazardous waste must be properly labeled and stored in designated containers that comply with WHMIS and environmental regulations. Incompatible hazardous wastes must not be stored together to prevent reactions or spills. Storage areas must be secure, ventilated, and regularly inspected.

Hazardous waste must be transported by licensed carriers and disposed of at certified hazardous waste facilities. Proper tracking and documentation must be maintained to ensure regulatory compliance. Mixing hazardous and non-hazardous waste is strictly prohibited.

Waste Spill Prevention and Emergency Response

To prevent environmental contamination and health risks, Aeria Solutions has implemented waste identification procedures, spill containment systems, employee training programs on safe waste handling, and incident reporting protocols to ensure a rapid response to waste-related accidents.

Disciplinary Policy for Non-Compliance

Aeria Solutions enforces this disciplinary policy to ensure compliance with waste management and safety protocols. Any failure to comply with these policies poses risks to employee health and safety, environmental integrity, and regulatory compliance.



Employees and contractors who violate waste handling or safety protocols may face progressive disciplinary action, up to and including termination.

All employees and contractors are expected to follow the waste management procedures outlined in this policy, report any waste-related incidents or safety concerns, and participate in mandatory training on hazardous waste handling.

Failure to comply may result in disciplinary actions based on risk severity, including verbal warnings for minor first-time offenses, written warnings for repeat offenses or moderate risks, suspension for serious or repeated violations, and termination for severe negligence or deliberate violations.

Violations of waste management regulations may result in legal consequences under environmental protection laws, and any contractor or employee found violating environmental laws may be held personally liable.

Policy Review and Communication

This policy will be posted at all worksites, distributed to employees, and integrated into training programs. Contractors working with Aeria Solutions must agree to comply with this policy as part of their contract.

Regular audits will be conducted to ensure compliance with waste management regulations, and employees and contractors are encouraged to report any concerns related to waste handling.

This policy will be reviewed annually, or sooner if required due to regulatory changes or operational updates.

3.14. Fatigue Management Policy

Aeria Solutions is committed to managing workplace fatigue to ensure the safety, health, and well-being of all employees and contractors. Fatigue can significantly impact performance, decision-making, and workplace safety. It is essential that all personnel recognize the signs of fatigue and take necessary steps to mitigate its risks.

This policy aligns with:

- Canada Labour Code, Part II – Occupational Health and Safety



- Alberta Occupational Health & Safety Act – Fatigue Management and Workplace Safety
- BC Occupational Health and Safety Regulation – Ergonomic and Workplace Fatigue Standards
- National Safety Code (NSC) – Hours of Service Regulations for Commercial Drivers

Through responsible scheduling, rest periods, and workplace accommodations, Aeria Solutions aims to minimize the risks associated with fatigue while supporting operational efficiency.

Fatigue Awareness and Responsibility

All employees and contractors are responsible for recognizing signs of fatigue in themselves and others and reporting immediately to their supervisor or manager when fatigue affects their ability to work safely.

Managers and supervisors are responsible for ensuring that employees and contractors are not adversely affected by fatigue due to workload, extended hours, or repetitive tasks. Work scheduling must allow for proper rest periods while also recognizing the need for employees to balance work with personal commitments.

Employees and contractors must utilize designated breaks within and between shifts to recover and ensure they are fit for duty. Any worker reporting fatigue or taking sick leave due to fatigue will not be permitted to work until they are adequately rested.

If fatigue-related absences become frequent, managers will assess whether the issue arises from work scheduling, personal factors, or both, and work collaboratively with the employee to find a solution.

Fatigue-Related Absences and Compliance

Absences due to fatigue will be addressed in consultation with the employee, their manager, and, if applicable, the client. Managers will discuss concerns related to fatigue, attendance, and potential adjustments to ensure long-term employee well-being.



All employees and contractors must comply with Aeria Solutions' Health and Safety Policies and Procedures, including fatigue management. Refer to the Aeria Solutions Fatigue Management Procedure for further guidance.

Guiding Principles of Fatigue Management

Employees must arrive at work in a fit state to perform their duties safely. Proper rest and recovery must be taken to prevent excessive fatigue.

Work schedules must incorporate necessary rest breaks to ensure employees remain alert and capable of performing their tasks safely. The following minimum break periods must be observed (or as per local legislation):

- 15 minutes every 2.5 hours
- 30 minutes after 5 hours
- 30 minutes after 10 hours

No worker shall work more than:

- 12 hours per day
- 24 consecutive workdays without a break

RPAS Operators refer to the RPAS Operations Manual for Pilot in Command workload allowances.

Unfamiliar or irregular work that increases fatigue should be avoided wherever possible.

Fatigue Prevention and Workplace Adjustments

Aeria Solutions will provide fatigue management tools and ergonomic solutions to support employee well-being, including:

- Anti-fatigue mats for standing tasks
- Lift-assist devices for repetitive lifting
- Ergonomic chairs and seating areas for rest periods
- Regular task evaluation to identify and reduce fatigue-related risks



Breaks and fatigue control measures will be enforced for all personnel, including those engaged in driving and on-site operations.

Policy Review and Communication

This policy will be posted at all worksites, distributed to employees, and integrated into training programs. Supervisors and employees are encouraged to report concerns regarding fatigue and workload management.

Aeria Solutions will periodically review and improve work schedules, break structures, and operational demands to mitigate fatigue-related risks. This policy will be updated as required based on industry best practices and regulatory requirements.

3.15. Company Rules

At Aeria Solutions, maintaining a safe, professional, and compliant workplace is essential to our success. These Company Rules serve as a foundation for operational integrity, safety, and workplace conduct, ensuring that all employees, contractors, and visitors understand their responsibilities while working under Aeria Solutions' policies and procedures.

These rules apply to all personnel, including employees, contractors, and third-party visitors at any Aeria Solutions worksite, facility, or remote operation. Failure to comply may result in corrective action, disciplinary measures, or termination, depending on the severity of the infraction.

General Conduct and Professionalism

- Treat all colleagues, contractors, clients, and visitors with respect and professionalism.
- Harassment, bullying, and workplace violence will not be tolerated under any circumstances.
- Maintain confidentiality regarding company operations, client information, and proprietary data.
- Theft, fraud, or misuse of company property is strictly prohibited.

Health, Safety, and Environment (HSE) Compliance



- Adhere to all safety protocols, regulations, and hazard control measures at all times.
- Personal Protective Equipment (PPE) is mandatory in designated work areas and must be used as required.
- Report hazards, unsafe conditions, near-misses, or incidents immediately to your supervisor or HSE Representative.
- Employees and contractors must participate in all required safety training, drills, and safety meetings.
- The "Right to Refuse Unsafe Work" is protected—no one is expected to perform work that poses an undue risk to their safety.

Workplace Substance Use and Fitness for Duty

- Employees and contractors must be fit for duty before starting work.
- The use, possession, or distribution of alcohol, cannabis, or illegal drugs on company property or worksites is strictly prohibited.
- Prescription medications that may cause impairment must be reported to a supervisor or HSE Representative before performing safety-sensitive duties.
- Employees suspected of impairment may be subject to testing under the company's Drug & Alcohol Policy.

Equipment and Property Use

- Only trained and authorized personnel may operate company equipment, machinery, or vehicles.
- Conduct pre-use equipment inspections and report defects, malfunctions, or damage immediately.
- Company tools, vehicles, and equipment must be used solely for work purposes unless otherwise approved.
- Tampering with or disabling safety features on any equipment is strictly prohibited.



Information Security and Technology Use

- Protect company and client information by following confidentiality agreements and cybersecurity best practices.
- Personal use of company-provided devices (phones, laptops, tablets) should be limited and professional.
- Unauthorized access to company systems, sharing of passwords, or downloading unapproved software is prohibited.
- Any suspected data breaches or security incidents must be reported immediately to IT or management.

Environmental Protection and Waste Management

- Comply with all environmental regulations, permits, and company sustainability policies.
- Waste disposal must follow designated procedures, with hazardous materials handled and labeled appropriately.
- Report any environmental spills, contamination, or wildlife disturbances to your supervisor immediately.
- Efforts should be made to reduce waste, recycle materials, and minimize environmental impact wherever possible.

Attendance, Punctuality, and Work Hours

- Employees must report to work on time and be ready to perform duties at the scheduled start time.
- Absences or late arrivals must be reported to a supervisor as soon as possible.
- Breaks and rest periods must be taken as scheduled to maintain compliance with fatigue management protocols.
- Unauthorized leaving of a worksite or failure to complete assigned duties may result in disciplinary action.



Visitors and Third-Party Access

- All visitors and contractors must sign in upon arrival and receive a safety briefing before accessing work areas.
- Unauthorized individuals are not permitted in restricted areas without approval.
- Visitors must be accompanied by an authorized employee at all times while on-site.

Compliance and Disciplinary Actions

Non-compliance with company rules may result in corrective actions such as:

- Verbal or written warnings
- Suspension or reassignment
- Termination of employment or contract
- Legal action in cases of fraud, theft, or serious policy violations

Aeria Solutions reserves the right to enforce disciplinary action based on the severity of violations, in alignment with company policies and regulatory requirements.

By adhering to these Company Rules, Aeria Solutions ensures a safe, productive, and professional work environment for all personnel. It is the responsibility of every employee and contractor to uphold these standards and contribute to a culture of safety and respect.

3.16. General Safety Rules

At Aeria Solutions, safety is a core value and an integral part of every task. All employees, contractors, and visitors must follow these General Safety Rules to ensure a safe, compliant, and incident-free work environment.

Failure to adhere to these rules may result in corrective actions, disciplinary measures, or removal from the worksite.

General Workplace Safety

- Always prioritize safety—if a task seems unsafe, stop and report it immediately.



- Follow all posted safety signs, warnings, and site-specific instructions.
- Use proper lifting techniques and request assistance for heavy loads.
- Maintain situational awareness—be alert to surroundings, hazards, and moving equipment.
- Horseplay, running, or reckless behavior is prohibited in all work areas.

Personal Protective Equipment (PPE)

- PPE is mandatory in designated areas—this includes hard hats, safety glasses, gloves, hearing protection, steel-toed boots, and high-visibility vests, as required.
- PPE must be properly fitted, worn correctly, and in good condition.
- Defective, damaged, or missing PPE must be reported and replaced immediately.
- Respiratory protection must be worn when handling hazardous substances or working in confined spaces.

Hazard Recognition & Reporting

- Conduct Field-Level Hazard Assessments (FLHAs) before starting work and update as conditions change.
- Immediately report any unsafe conditions, hazards, near-misses, or equipment malfunctions to a supervisor.
- Follow the Hierarchy of Controls—eliminate hazards where possible, use engineering and administrative controls, and rely on PPE as a last resort.

Right to Refuse Unsafe Work

- No one is expected to perform unsafe work—if a task poses a risk to health or safety, stop work immediately and report to a supervisor.
- Work must not resume until the hazard has been assessed and controlled.
- Employees cannot be disciplined for refusing unsafe work in accordance with OHS regulations.



Equipment and Machinery Safety

- Only trained and authorized personnel may operate equipment, tools, or vehicles.
- Perform pre-use inspections on all machinery, vehicles, and tools—tag out defective equipment immediately.
- Keep guards, interlocks, and safety devices in place—do not bypass or disable them.
- Follow lockout/tagout (LOTO) procedures before servicing, repairing, or cleaning equipment.
- Maintain a safe distance from operating machinery, suspended loads, and pinch points.

Electrical Safety

- Inspect power tools, extension cords, and electrical equipment before use.
- Do not use damaged cords or frayed wiring—report electrical hazards immediately.
- Keep water and liquids away from electrical panels and power sources.
- Only qualified personnel are permitted to work on electrical systems.

Fire Safety and Emergency Preparedness

- Know the location of fire extinguishers, emergency exits, and muster points.
- Report any fire hazards such as exposed wiring, combustible materials, or improper storage of flammable substances.
- Never block emergency exits, fire extinguishers, or first aid stations.
- Follow the Emergency Response Plan (ERP) and participate in drills as required.

Housekeeping and Worksite Organization

- Keep work areas clean, organized, and free from slip, trip, and fall hazards.
- Store tools and materials in designated areas—do not leave them in walkways.



- Properly dispose of waste, recyclables, and hazardous materials in designated bins.
- Cords, hoses, and cables must be secured to prevent tripping hazards.

Driving and Vehicle Safety

- Follow all traffic and speed limits at worksites, on roads, and in parking areas.
- Seat belts must be worn at all times in company vehicles and equipment.
- Conduct pre-trip vehicle inspections and report mechanical issues immediately.
- Distracted driving (phone use, texting) is strictly prohibited.
- Do not operate a vehicle or heavy equipment while fatigued, impaired, or under the influence of substances.

Working at Heights

- Fall protection (harnesses, guardrails, lifelines) must be used when working at heights above 3 meters (10 feet).
- Ladders and scaffolds must be inspected before each use.
- Never exceed load limits on platforms, lifts, or scaffolding.

Confined Space Entry

- Confined spaces must be tested for hazards (oxygen levels, toxic gases, etc.) before entry.
- Only trained personnel with an approved entry permit may enter confined spaces.
- A standby attendant must be present for all confined space work.

Fatigue and Wellness

- Employees must arrive at work well-rested and alert.
- Follow scheduled breaks and rest periods to prevent fatigue.
- Report any illness, injury, or impairment that may affect your ability to work safely.



Workplace Conduct and Substance Use

- Aeria Solutions has zero tolerance for workplace violence, harassment, bullying, or discrimination.
- Alcohol, illegal drugs, and cannabis are strictly prohibited at worksites.
- Employees must be fit for duty and report any prescription medication use that may impair performance.

Environmental Protection

- Minimize waste, prevent spills, and protect natural habitats during field operations.
- Hazardous materials must be labeled and stored properly.
- Report any environmental spills, contamination, or wildlife disturbances immediately.

Compliance and Accountability

- All employees, contractors, and visitors must follow these General Safety Rules at all times.
- Failure to comply may result in corrective action, suspension, or removal from the worksite.
- Supervisors are responsible for enforcing safety rules and addressing violations.
- Every worker has a role in maintaining a safe and compliant workplace.

By following these General Safety Rules, we ensure that Aeria Solutions remains a leader in workplace safety, compliance, and operational excellence. Safety is everyone's responsibility—work smart, stay alert, and prioritize safety in everything you do.

3.17. Grounds for Dismissal

Aeria Solutions is committed to maintaining a safe, professional, and compliant workplace. Employees, contractors, and personnel are expected to adhere to all company policies, safety regulations, and legal requirements while conducting work on behalf of the organization.



Dismissal may occur when an individual engages in serious misconduct, breaches workplace policies, or demonstrates repeated non-compliance that endangers safety, integrity, or operational effectiveness. Grounds for dismissal are aligned with applicable legal frameworks, including:

- Canada Labour Code, Part III – Employment Standards (R.S.C., 1985, c. L-2)
- Occupational Health and Safety (OHS) Regulations – Provincial and Federal
- WorkSafeBC Guidelines – Employer & Worker Responsibilities
- Criminal Code of Canada – Workplace Violence, Theft, and Fraud
- Best Practices in Health & Safety, Ethics, and Professional Conduct

Dismissal decisions are based on a fair and objective review, ensuring compliance with labour laws and industry best practices.

Gross Misconduct

Gross misconduct refers to serious violations that warrant immediate termination without prior warning. These include:

- Workplace Violence & Threats – Physical assault, intimidation, or threats against colleagues, supervisors, contractors, or visitors (Canada Labour Code, Part II, Section 125(1)(z.16)).
- Harassment & Discrimination – Engaging in harassment, bullying, sexual harassment, or discrimination based on race, gender, age, disability, religion, or other protected grounds (Canadian Human Rights Act, Section 3)
- Theft, Fraud, or Misuse of Company Property – Unauthorized possession, theft, or misappropriation of company assets, including tools, equipment, proprietary information, and financial fraud (Criminal Code of Canada, Section 334)
- Falsification of Documents – Altering, misrepresenting, or fabricating company records, reports, safety logs, timesheets, or certifications.



- Substance Abuse & Impairment – Possession, use, or being under the influence of alcohol, cannabis, or illegal drugs at work, including refusal to comply with workplace drug and alcohol testing policies (OHS Regulations & WorkSafeBC)

Health & Safety Violations

- Willful Violation of Safety Policies – Repeated or intentional disregard of workplace safety protocols, putting oneself or others at risk (Canada Labour Code, Part II, Section 126(1)(a)).
- Failure to Use Required PPE – Refusal to wear mandatory Personal Protective Equipment (PPE) or tampering with safety gear (OHS Regulation, Part 8 – Personal Protective Equipment)
- Unsafe Work Practices – Engaging in reckless behavior, unauthorized equipment use, or unsafe operations leading to near-misses, injuries, or property damage.
- Refusal to Follow Lockout/Tagout (LOTO) or Confined Space Procedures – Ignoring hazardous energy control procedures or failing to follow confined space entry protocols (OHS Regulation, Part 10 & 9).
- Tampering with Safety Equipment – Disabling fire alarms, first aid stations, safety interlocks, or emergency stop mechanisms on machinery or vehicles.
- Failure to Report Incidents or Hazards – Deliberate concealment of workplace injuries, near-misses, equipment malfunctions, or environmental spills (Canada Labour Code, Part II, Section 125(1)(c)).

Criminal or Ethical Violations

- Violating Confidentiality & Data Protection – Unauthorized sharing of company-sensitive information, including trade secrets, client data, and intellectual property (Personal Information Protection and Electronic Documents Act (PIPEDA) – Canada)
- Conflict of Interest & Corruption – Accepting bribes, kickbacks, or engaging in fraudulent business dealings that compromise the integrity of Aeria Solutions.



- Workplace Sabotage & Willful Damage – Intentional destruction of company equipment, tools, or data leading to operational disruptions or financial losses.
- Failure to Pass Background Checks or Credential Verification – Falsifying qualifications, licenses, or failing mandatory criminal background or security screenings.

Operational Non-Compliance & Performance Issues

- Chronic Absenteeism & Job Abandonment – Repeated unexcused absences, lateness, or failure to report for scheduled shifts despite warnings.
- Insubordination & Refusal to Follow Instructions – Repeated defiance of management directives, workplace orders, or refusal to perform assigned tasks.
- Failure to Meet Job Responsibilities – Ongoing performance deficiencies, failure to complete assignments, or unwillingness to fulfill job duties after training and corrective coaching.
- Unauthorized Use of Company Vehicles or Equipment – Using company assets for personal use, reckless driving, or failure to follow vehicle safety policies.

Progressive Discipline & Fair Process

Aeria Solutions follows a progressive disciplinary process, except in cases of gross misconduct, criminal violations, or extreme safety breaches, which may result in immediate termination. The disciplinary process may include:

1. Verbal Warning – Initial discussion with the employee regarding the issue.
2. Written Warning – Formal documentation of non-compliance and corrective expectations.
3. Suspension or Final Warning – Temporary removal from duties with written notice of potential dismissal.
4. Termination – Employment is permanently ended due to repeated violations or serious infractions.



All disciplinary actions are documented, and employees are given an opportunity to respond before final decisions are made, ensuring fairness, transparency, and compliance with labour laws.

4. Public Visitors & Contractors

4.1. Public & Visitors Policy

Aeria Solutions is committed to maintaining a safe and respectful environment for all individuals interacting with our worksites, including members of the public, visitors, and contracting employers. This policy establishes clear responsibilities and expectations to ensure health, safety, and compliance for all parties.

This policy aligns with:

- Canada Labour Code, Part II, Section 124 – Employer Duty to Ensure Workplace Safety
- BC Occupational Health and Safety (OHS) Regulation, Part 4 – General Workplace Safety Requirements
- WorkSafeBC Guidelines – Visitor and Public Safety on Worksites
- Client-Specific Site Safety Requirements – Compliance with Project-Specific Regulations

Through strict access controls, visitor protocols, and public safety measures, Aeria Solutions ensures that all interactions with worksites prioritize safety and regulatory adherence.

Responsibilities

Members of the public are expected to:

- Adhere to all posted signage and warnings near Aeria Solutions worksites.
- Avoid unauthorized access to active work zones to prevent safety risks.
- Direct safety concerns or inquiries to the designated Aeria Solutions representative.



All visitors to Aeria Solutions worksites must:

- Attend a safety briefing upon arrival to understand site-specific hazards and protocols.
- Follow all safety protocols and wear required personal protective equipment (PPE) as directed.
- Be accompanied by an authorized Aeria Solutions representative at all times.

Additional Visitor Guidelines:

- Visitors must report any unsafe conditions or hazards observed to their host or site supervisor.
- Visitors are prohibited from operating tools, machinery, or equipment unless expressly authorized and trained by Aeria Solutions personnel.
- Visitors must respect designated restricted areas and hazard zones to prevent accidents and ensure compliance with site safety regulations.

Compliance and Enforcement

- Non-compliance with public and visitor safety requirements may result in removal from the site and further restrictions on future access.
- Aeria Solutions personnel will enforce site access rules and report unauthorized entry or unsafe behavior to site management.
- Contractors and third-party employers must ensure that their representatives adhere to this policy and related worksite safety requirements.

4.2. Contractors Policy

Aeria Solutions is committed to ensuring the safety of all personnel on our worksites, including employees of contracting employers. All contracting employers must adhere to Aeria Solutions' health and safety policies, procedures, and site-specific requirements to maintain a safe, compliant, and efficient work environment.

This policy aligns with:



- Canada Labour Code, Part II, Section 124 – Employer Duty to Ensure Workplace Safety
- BC Occupational Health and Safety (OHS) Regulation, Part 3 – Responsibilities of Employers and Contractors
- Workers’ Compensation Board (WCB) Requirements – Contractor Insurance and Injury Prevention Standards
- WorkSafeBC Guidelines – Contractor Safety Compliance and Reporting

Through rigorous compliance, training, and accountability measures, Aeria Solutions ensures that all contracting employers contribute to a safe and hazard-free workplace.

Contracting Employer Responsibilities

- Contracting employers must comply with Aeria Solutions’ health and safety policies, including site-specific safety requirements.
- Contracting employers must ensure that all employees are adequately trained and competent for their roles.
- All contractor personnel must attend site-specific safety orientations and adhere to all worksite safety protocols.

Workplace Compliance Requirements

All contracting employers must:

- Provide proof of Workers’ Compensation Board (WCB) coverage and ensure it remains in good standing for the duration of the contract.
- Maintain and submit safety records, including:
 - Hazard assessments.
 - Incident and near-miss reports.
 - Injury and exposure records, as required.
- Supply and enforce the proper use of personal protective equipment (PPE) for their employees.



Equipment and Machinery Safety

- Contracting employers are responsible for ensuring that all tools, machinery, and equipment brought onto Aeria Solutions worksites are:
 - Properly maintained.
 - Meet all applicable regulatory safety standards.
 - Inspected regularly to prevent equipment-related hazards.

Incident Reporting and Participation in Safety Procedures

- All incidents, near-misses, and unsafe conditions must be reported immediately to the Aeria Solutions site supervisor or designated representative.
- Contracting employers are expected to participate in:
 - Safety audits.
 - Worksite inspections.
 - Incident investigations as required by Aeria Solutions and regulatory authorities.

4.3. Contractor Selection Process

Selecting a qualified contractor is a critical step in ensuring safe contractor performance at Aeria Solutions worksites. To assess a Contracting Employer's commitment to safety, Aeria Solutions will evaluate their safety program, past performance, and compliance with regulatory and company-specific requirements. This evaluation will be based on the safety information provided by the Contracting Employer in response to a pre-qualification questionnaire.

Evaluation Criteria for Contractor Safety Performance

The following factors will be considered when assessing a Contracting Employer's safety qualifications:

- Demonstrated commitment to workplace safety through an ongoing and well-supported safety program.



- Visible top management involvement in safety initiatives.
- A safety program that aligns with Aeria Solutions' standards and regulatory requirements.

Safety Program Completeness

- The completeness and relevance of the Contracting Employer's safety policies and procedures in relation to the scope of work.
- Contracting Employers must have their own safety program or formally adopt Aeria Solutions' safety policies and procedures as a minimum standard.

Pre-Qualification Questionnaire and Safety Documentation

The Contracting Employer must provide detailed responses to the pre-qualification questionnaire, which may include:

- Workplace safety statistics, including incident frequency and severity rates from Workers' Compensation Board (WCB) Rate Statements.
- Safety staffing plan, outlining the designated on-site safety representative(s), their qualifications, and their authority to enforce safety compliance.
- Safety orientation program details, including the training process for both Summit Geo Inc. and Contracting Employer employees on-site.
- Enforcement and disciplinary policies for safety violations, including corrective actions and consequences for non-compliance.
- Policies and procedures regarding the handling of hazardous products, alcohol, firearms, and other controlled substances.
- List of safety equipment to be provided by the Contracting Employer for its personnel.
- Hazard identification and control plan, including:
 - A detailed assessment of significant job-specific hazards.
 - Mitigation strategies to minimize or eliminate safety risks.



- Regulatory compliance programs, ensuring adherence to local, provincial, and federal safety laws.
- Employee safety training programs, including records of completed training and competency verification.
- Worker rights and responsibilities, including:
 - The right to refuse unsafe work that endangers themselves or others.
 - Site-specific emergency and evacuation procedures.

Contractor Compliance with Drug and Alcohol Policies

- All Contracting Employers will be required to acknowledge and adhere to the Owner Client's Drug and Alcohol Policy.
- Contracting Employers must ensure that their employees comply with the substance use regulations established by Aeria Solutions and its clients.

This structured evaluation process ensures that only qualified and safety-conscious contractors are selected to work on Aeria Solutions projects. By setting clear expectations and stringent safety requirements, Aeria Solutions maintains a safe and compliant work environment for all personnel.

4.4. Contractor Prequalification Process

To ensure safe and compliant contractor performance, Aeria Solutions requires all contracting employers to complete a prequalification process before being approved to work on company projects. Contractors will be evaluated on their certifications, safety records, training programs, and past performance to confirm their adherence to health, safety, and environmental (HSE) standards.

Prequalification Requirements

Contracting employers must provide:

- Proof of certifications, including industry-recognized safety training.
- Workers' Compensation Board (WCB) coverage, ensuring compliance with regulatory obligations.



- A detailed safety record, including incident history and corrective actions.
- Verification of an established safety program, including hazard identification and risk mitigation strategies.

Contracting Employer Health, Safety, and Environment Questionnaire

As part of the prequalification process, contracting employers must complete the following questionnaire to assess their safety culture, operational standards, and risk management practices:

General Safety Program

- Does your company have a written safety program?
- Do you currently hold a Certificate of Recognition (COR)?

Management and Accountability

- Are all levels of management within your company aware of the contents of the safety program?
- Does your company develop safe work procedures, standards, and practices for the work being performed?
- Does your company have written roles and responsibilities for all levels of staff, and do all employees understand these responsibilities?

Worksite Safety and Inspections

- Does your company conduct routine site inspections to identify and mitigate potential hazards?
- Does your company have a preventative maintenance program for all equipment to ensure reliability and safety?
- Does your company use a hazard identification program, and is it outlined in your Health and Safety Manual?

Incident Reporting and Response



- Is there a reporting system in place for employees to promptly submit hazard reports, incidents, and near misses at the worksite?
- Is every incident reviewed, and are corrective actions documented to effectively identify trends and prevent recurrence?

Safety Meetings and Communication

- Does your company conduct routine safety meetings to reinforce best practices and compliance?
- Does your company have an effective communications program in place, and is there a practiced Emergency Response Plan (ERP) for handling workplace emergencies?

Injury Management and Workplace Support

- Does your company have a modified work program should a worker become injured, allowing them to return to work safely?

Evaluation and Approval

All submitted prequalification materials will be reviewed and assessed by Aeria Solutions' Health and Safety Department. Contractors who meet or exceed safety expectations will be approved to perform work on Aeria Solutions projects. Contractors who fail to meet prequalification requirements may be required to implement corrective measures before being reconsidered.

This prequalification process ensures that only contractors who prioritize safety, regulatory compliance, and continuous improvement are approved to operate at Aeria Solutions worksites.

4.5. Contractor Management Process

Aeria Solutions is committed to ensuring the safety and efficiency of all contracting employers by establishing clear expectations, monitoring compliance, and maintaining accountability throughout the duration of their work. This structured process ensures that all contractors meet Aeria Solutions' health, safety, and performance standards while contributing to a safe and productive work environment.



Orientation and Training

- All contracting employers and their employees must attend site-specific orientations before commencing work.
- Training will cover Aeria Solutions' health and safety policies, emergency procedures, and incident reporting protocols.

Safety Plans and Hazard Assessments

- Contracting employers must submit detailed safety plans and hazard assessments for approval prior to starting work.
- These documents will be reviewed and monitored to ensure alignment with Aeria Solutions' safety and regulatory standards.

Monitoring and Auditing

- Regular site inspections and audits will be conducted by Aeria Solutions to verify compliance with safety policies and procedures.
- Contracting employers are expected to participate fully in audits and address any deficiencies identified in a timely manner.

Incident Management

- Contracting employers must immediately report all incidents, near-misses, and unsafe conditions to Aeria Solutions.
- Aeria Solutions will investigate all reported incidents collaboratively with the contracting employer to identify root causes and implement corrective actions.

Performance Evaluation

- Contracting employers will be periodically evaluated on their safety performance, compliance, and responsiveness to safety concerns.
- Contractors with repeated violations or inadequate safety practices may be removed from the approved contractor list.

Communication



- A designated point of contact will be assigned to facilitate communication between Aeria Solutions and contracting employers.
- Regular meetings will be held to discuss:
 - Project progress
 - Safety concerns
 - Performance reviews

Contractor Performance Management Guidelines

Initial Performance Review

- Upon commencement of work, contracting employers will undergo an initial performance review to ensure alignment with Aeria Solutions' safety standards and expectations.
- This includes reviewing submitted safety plans, hazard assessments, and employee training records.

Ongoing Monitoring

- Regular site inspections and audits will be conducted to:
 - Monitor adherence to safety protocols.
 - Assess work quality and compliance with project timelines.
- Performance will be evaluated based on:
 - Compliance with health and safety policies.
 - Responsiveness to identified deficiencies.
 - Overall conduct on the worksite.

Key Performance Indicators (KPIs)

Contracting employers will be evaluated against predefined KPIs, including:

1. Incident rates and accuracy of incident reporting.



2. Adherence to project timelines and milestones.
3. Quality of work performed.
4. Cooperation during audits, investigations, and meetings.
5. Responsiveness to corrective actions and safety recommendations.

Feedback and Communication

- Aeria Solutions will provide regular feedback to contracting employers to:
 - Highlight strengths.
 - Address areas for improvement.
- Contracting employers are encouraged to communicate openly regarding:
 - Challenges affecting their performance.
 - Support needed to meet project expectations.

Corrective Actions

- If non-compliance is identified, contracting employers must:
 - Implement corrective actions within an agreed-upon timeframe.
 - Address and resolve all deficiencies to prevent future occurrences.
- Failure to address deficiencies promptly may result in:
 - Suspension of work.
 - Contract termination for continued non-compliance.

Periodic Performance Reviews

- Contracting employers will participate in scheduled performance reviews to:
 - Assess contributions to project success.
 - Measure compliance with safety and quality standards.



- Reviews will include a summary of audits, incident reports, and overall performance metrics.

Recognition of Excellence

- Contractors who consistently demonstrate outstanding performance and commitment to safety will be recognized through:
 - Formal acknowledgments.
 - Opportunities for future collaboration and priority consideration for new projects.

Non-Compliance and Termination

- Contracting employers with repeated violations or consistent underperformance may face:
 - Contract termination.
 - Immediate suspension from the worksite for serious safety breaches.
- Contractors who fail to implement corrective actions or comply with Aeria Solutions' safety standards will be removed from the approved contractor list.

Accountability and Continuous Improvement

Aeria Solutions is committed to maintaining a safe and productive work environment through effective contractor performance management. By upholding these guidelines, all parties contribute to:

- The successful completion of projects.
- The continuous improvement of workplace safety.
- The enforcement of industry-leading safety and compliance standards.

This structured approach ensures that all contractors maintain high safety performance while meeting operational goals.



4.6. Contractor Requirements

To ensure safe and compliant operations, all contracting employers must follow Aeria Solutions' health and safety standards before and during work on any project.

Safety Orientation & Compliance

- All contractors must complete a site-specific safety briefing and orientation before starting work.
- If a contractor does not have their own Health and Safety Program, they must fully comply with Aeria Solutions' policies, procedures, and regulations.
- At a minimum, contractors must:
 - Complete Aeria Solutions' safety orientation.
 - Participate in required training relevant to their scope of work.
 - Meet all formal safety requirements set by Aeria Solutions.
- Failure to meet these standards will result in removal from the project.

Drug & Alcohol Policy

- Contractors must be fit for duty at all times.
- Compliance with Aeria Solutions' Drug & Alcohol Policy is mandatory at all worksites.
- Pre-entry drug and alcohol testing and post-incident testing may be required based on company policy and client requirements.

Participation in Safety Meetings & Hazard Assessments

- Contractors must attend all pre-job meetings, safety meetings, and tailgate talks.
- Active participation in hazard assessments is required to help identify and control risks before starting work.

Incident & Hazard Reporting



- All work-related illnesses, near misses, and incidents must be reported immediately.
- Contractors must actively participate in incident investigations and support corrective action efforts.
- Aeria Solutions will report all contractor-related incidents to the hiring client to ensure transparency and compliance with project safety standards.

By following these requirements, contracting employers contribute to a safe and effective work environment, ensuring compliance with Aeria Solutions' high safety standards.

4.7. Contractor Agreement

Contracting employers who fail to meet Aeria Solutions' safety standards or repeatedly violate policies may have their contracts terminated. Serious safety breaches will result in immediate suspension of work and removal from the worksite. By following this Contracting Employer Management Process, Aeria Solutions ensures that all contractors operate in a safe, compliant, and efficient manner, contributing to the overall success of our projects.

Compliance and Accountability

- Aeria Solutions reserves the right to remove any individual, including visitors and contracting employer personnel, from the worksite for non-compliance with safety policies or procedures.
- Repeated violations by contracting employers may result in termination of their work agreement and exclusion from future projects.
- By adhering to this Public, Visitors, and Contracting Employers Policy, Aeria Solutions ensures the safety and well-being of all individuals while maintaining a secure and efficient work environment.

Financial and Administrative Responsibilities

- The contracting employer is responsible for all expenses unless Aeria Solutions agrees in writing to reimburse the contracting employer. Any personal charges to Aeria Solutions' trade accounts will be subject to a 20% surcharge.



- Aeria Solutions does not guarantee hours of work for contracting employers.
- Contracting employers must provide itemized invoices daily and submit a final invoice the day following the cut-off period for services rendered.
- When applicable, company invoices (field tickets) must be submitted daily or upon job completion.
- If permitted to use an Aeria Solutions fuel card, the contracting employer agrees to use it strictly for company purposes, providing receipts and unit numbers accordingly.

Legal and Safety Compliance

- Contracting employers must comply with all applicable laws, regulations, and standards imposed by any governing board or agency.
- Confidential information obtained during work with Aeria Solutions must not be disclosed, copied, or used for any purpose outside of the contractual agreement.
- Contracting employers must have an active account in good standing with the workers' safety organization of their province and comply with all provincial workplace safety requirements.
- The contracting employer is not an employee of Aeria Solutions and remains self-employed. Aeria Solutions is not responsible for any statutory remittances or withholdings on behalf of the contracting employer.

Liability and Insurance Requirements

- Aeria Solutions will not be liable for any damages or compensation related to injury or loss sustained by the contracting employer.
- Contracting employers must obtain and maintain at their own cost:
 - Third-party public liability commercial insurance with coverage of \$2,000,000 per occurrence or any amount required by Aeria Solutions.
 - Proof of current insurance must be submitted before work begins.

Termination and Return of Company Property



- Aeria Solutions reserves the right to terminate any contracting employer at any time and for any reason, with immediate effect upon notice.
- Upon termination, the contracting employer must return all documents, confidential materials, and company property (e.g., phones, radios, GPS devices, safety equipment) immediately.

Payment and Direct Deposit Requirements

- Contracting employers requesting direct deposit payments must submit banking details, a void cheque, or a completed direct deposit form.

This policy ensures that contracting employers operate within Aeria Solutions' compliance framework, maintain financial accountability, and uphold the highest standards of safety and professionalism.

4.8. Site-Specific Orientation Process

All individuals visiting an active Aeria Solutions worksite, including workers, contracting employers, clients, inspectors, landowners, regulators, and visitors, must complete a mandatory orientation before being granted access.

Worksite Orientation Requirements

All visitors and contractors must receive:

- A briefing on the work being performed at the site.
- An overview of the hazard assessment to ensure awareness of potential risks.
- A review of personal protective equipment (PPE) requirements. Any individual without the proper PPE will not be permitted on-site for any reason.
- Required safety training if they are carrying out any form of work.
- Restricted access to worksites during high-risk activities. Visitors will be asked to return at a later time if hazardous work is in progress.

Site Access and Sign-In Requirements



- All visitors and contractors must "Sign In" upon arrival and notify the on-duty supervisor of their entry and departure.
- It is the responsibility of the employee meeting the visitor or contractor to:
 - Escort them to the Sign-In Register, located at the main site entrance of active worksites.
 - Provide a site briefing, ensuring they understand all safety expectations.
 - Ensure the visitor or contractor signs off on Aeria Solutions' safety policies and expectations before entering the worksite.

Personal Protective Equipment (PPE) Compliance

- All visitors and contractors must wear proper PPE as required under:
 - The Occupational Health and Safety Act and Code.
 - Any applicable provincial and municipal legislation.
- Failure to comply with PPE requirements will result in denied entry to buildings, company-owned property, or active worksites.

Conduct and Compliance Expectations

- Visitors and contractors must act in a respectful, non-threatening manner at all times.
- Compliance with all Aeria Solutions policies, as well as relevant legislation and regulations, is mandatory.
- Failure to adhere to these requirements may result in removal from the site and restricted future access.

5. Health & Safety Committees & Representatives

5.1. Establishing Committees & Representatives

Under Sections 13 and 14 of the Occupational Health and Safety (OHS) Act, an employer must establish a Health and Safety Committee (HSC) or designate a Health and Safety (HS) Representative based on the number of workers regularly employed at a worksite:

- An HSC must be established if the employer regularly employs 20 or more workers.
- An HS representative must be designated if the employer regularly employs 5 to 19 workers.
- OHS statutory directors may also require an HSC or an HS representative at a worksite, regardless of the number of workers.

Benefits of Having an HSC

An HSC fosters two-way communication between management and workers, improving workplace safety and compliance. The committee becomes an integral part of a company's Health and Safety Management System (HSMS) by:

- Providing a structured platform for discussing and addressing health and safety concerns.
- Supporting the three basic rights of workers:
 - The Right to Know – Workers have the right to be informed of workplace hazards.
 - The Right to Participate – Workers can actively engage in health and safety decision-making.
 - The Right to Refuse Dangerous Work – Workers have the right to refuse work that poses an immediate danger to health and safety.

Multi-Employer Worksites and HSC/HS Representative Requirements

If there are multiple employers at a worksite, they may be required to collaborate to establish an HSC or designate an HS representative:



- If 20 or more workers are regularly employed at the site, the employers must establish a worksite HSC.
- If 5 to 19 workers are regularly employed at the site, the employers must designate a worksite HS representative.
- When a prime contractor is present at the worksite, they must:
 - Establish a system to ensure compliance with OHS laws.
 - Facilitate cooperation between employers and workers on health and safety.
 - Designate a responsible person to oversee cooperation and system implementation. *(In this case, an HSC or HS representative is not required.)*

By implementing these OHS Act requirements, Aeria Solutions ensures that workplace safety responsibilities are clearly defined, allowing for effective collaboration between workers, supervisors, and management. This approach enhances compliance, hazard awareness, and worker engagement, contributing to a safer work environment for all personnel.

5.2. Selecting Worker Members

The Occupational Health and Safety (OHS) Act outlines the fundamental rules for Health and Safety Committee (HSC) structure, ensuring balanced representation between workers and employers.

HSC Structure Requirements

- HSCs must include both worker and employer representatives.
- Worker members represent the workers, while employer members represent the employer.
- Worker members must be employees of the company but cannot be managers or supervisors.
- If a workplace is unionized, unionized workers must have representation on the committee.



- There must always be an equal or greater number of worker members than employer members on the HSC.

Determining the Number of Worker Members

Under Part 13 of the OHS Code, employers are responsible for:

- Determining the number of worker members required on the HSC.
- Setting a reasonable timeframe for the selection of worker members.
- Ensuring worker representation is fair and includes both unionized and non-unionized employees.
- Selecting the right number and type of worker members to address workplace health and safety concerns effectively.

Worker Member Selection Process

- Unionized workers: The applicable union selects HSC members to represent unionized employees.
- Non-unionized workers: Workers must select their own representatives for the committee.
- If worker members are not selected by the union or non-unionized workers within the employer's set timeframe, the employer must appoint worker representatives.

Ensuring Fair and Effective Representation

A well-structured HSC ensures that all workers have a voice in workplace health and safety discussions. By following these selection guidelines, Aeria Solutions ensures that the committee effectively represents the workforce, maintains regulatory compliance, and fosters a culture of safety and collaboration.

5.3. Health & Safety Designation & Duties

Under the Occupational Health and Safety (OHS) Act, an HS representative must be designated by the employer if required. HS representatives must be employees of the company and cannot be managers, supervisors, or contracted service providers.



Core Duties of an HS Representative

As outlined in Section 13(6) of the OHS Act, the HS representative is responsible for:

- Receiving, considering, and addressing worker health and safety concerns.
- Participating in the employer's hazard assessment process to identify and mitigate risks.
- Making recommendations to the employer regarding worker health and safety improvements.
- Reviewing and maintaining employer worksite inspection records to ensure compliance.

Additional Responsibilities

In addition to the core duties, the HS representative must also:

- Receive and address worker concerns and complaints related to health and safety.
- Conduct monthly inspections to identify hazards affecting workers or other individuals at the worksite.
- Keep records of monthly safety meetings and ensure action items are followed up.
- Develop and promote safety measures to protect workers and assess their effectiveness.
- Cooperate with OHS officers during worksite inspections and compliance audits.
- Facilitate health and safety education programs by promoting awareness and distributing information.
- Make recommendations to the employer, prime contractor, or owner on improving workplace safety.
- Participate in investigations of serious injuries and workplace incidents.
- Maintain records related to health and safety complaints, hazards, and inspections.



- Communicate with employees through quarterly safety meetings and provide updates on workplace safety initiatives.
- Keep minutes of all safety meetings to ensure transparency and accountability.
- Carry out any additional health and safety duties as required under the OHS Act, regulations, and codes.

HS Representative vs. Health and Safety Committee (HSC)

HS representatives perform the same duties as a Health and Safety Committee (HSC) but can modify their approach as needed since they operate as an individual rather than a group.

During inspections conducted by Alberta OHS officers, an HS representative, HSC member, or their designated alternate may be required to accompany the officer and provide relevant safety documentation.

By fulfilling these duties, an HS representative plays a crucial role in workplace safety, ensuring continuous improvement, compliance, and proactive risk management

5.4. Employer Duties

At Aeria Solutions, we recognize our responsibility as an employer to prioritize workplace health and safety by supporting the effective functioning of Health and Safety Committees (HSCs) and Health and Safety (HS) Representatives. In compliance with Part 1 of the Occupational Health and Safety (OHS) Act, we are committed to ensuring that all safety concerns are addressed, and workers are equipped with the information and resources they need to maintain a safe work environment.

Resolution of Health and Safety Concerns

Aeria Solutions will ensure that any health and safety concerns raised by workers, supervisors, HSC members, or HS representatives are resolved in a timely manner. We are committed to fostering open communication where all safety concerns are taken seriously, investigated promptly, and corrective actions are implemented as soon as possible.

Ensuring Compliance with HSC and HS Representative Requirements



We will provide our HSC members and HS representatives with the necessary support, training, and resources to fulfill their responsibilities effectively. This includes ensuring that they:

- Conduct regular safety meetings to review workplace hazards and safety initiatives.
- Participate in workplace inspections to identify and mitigate risks.
- Address worker concerns and make recommendations to improve workplace safety.

Access to Health and Safety Information

Aeria Solutions will ensure that all workers, HSC members, and HS representatives have access to critical safety information, including:

- Worksite hazard assessments and control measures.
- Safe work practices and procedures that minimize risk.
- Safety data sheets (SDS) for hazardous materials and handling procedures.

This information will be readily available at worksites, through training sessions, and in digital formats for easy access.

Providing Access to OHS Legislation

We will ensure that all workers, HSC members, and HS representatives have ready access to relevant OHS legislation, regulations, and employer policies. This will empower employees to understand their rights and responsibilities and support a culture of proactive safety engagement.

Our Commitment to a Safe and Compliant Workplace

At Aeria Solutions, we are dedicated to maintaining a workplace where safety is a shared responsibility. By supporting our HSCs and HS representatives, providing access to critical safety information, and ensuring compliance with OHS legislation, we create an environment where all workers can actively participate in workplace safety and hazard prevention.



5.5. HSR Reporting Procedure

At Aeria Solutions, effective communication between employees and management is essential to maintaining a successful health and safety program. We recognize the vital role of the Health and Safety Representative (HSR) in keeping communication open between workers and leadership. To ensure clarity in reporting and avoid confusion, the following structured reporting procedure outlines how health and safety concerns, corrective actions, and incident investigations will be documented and communicated.

Required Documentation and Responsibilities

The HSR is responsible for documenting and reporting the following:

- Monthly Inspections – Conducted by both workers and management.
- Completed Corrective Actions – Documented actions taken to resolve safety issues.
- Employee Health & Safety Concerns – Reported to management for review and resolution.
- Safety Meeting Minutes – Recorded outcomes of health and safety meetings.
- Management Feedback on Health & Safety Issues – Communicated to workers as part of continuous improvement.
- Incident Investigations – Documented findings and corrective actions from workplace incidents.

Timeframe for Recording and Reporting

To ensure timely and transparent communication, all safety documentation must follow the reporting schedule below:

- Monthly inspections will be posted in common areas at the worksite and copies sent to the Aeria Solutions HSE Representative within five business days of completion.
- Completed Corrective Action Statements will be posted in common areas and sent to the HSE Representative within five business days.



- Employee safety concerns or complaints must be documented, dated, and emailed to the HSE Representative within five business days.
- Quarterly safety meetings will be held by the HSR, and meeting minutes must be sent to the HSE Representative within five business days. These minutes will then be distributed to site supervision for discussion with crews via email or hard copy.
- Management feedback on health and safety issues will be reviewed at quarterly meetings and recorded in meeting minutes for distribution to all Aeria Solutions employees.
- Incident investigations will be posted in common areas, discussed at quarterly meetings, and recorded in safety meeting minutes to ensure that findings and corrective actions are communicated effectively.

Commitment to Safety and Transparency

Aeria Solutions is dedicated to maintaining clear and structured safety communication through the HSR reporting process. By ensuring that all safety concerns, inspections, and corrective actions are properly documented and shared, we strengthen our commitment to workplace safety and continuous improvement.

5.6. Terms of Reference

Aeria Solutions is committed to ensuring that its Health and Safety Committee (HSC) operates effectively in accordance with Section 197 of the OHS Code. The HSC's terms of reference define its structure, responsibilities, and procedures to support a safe and compliant workplace.

HSC Structure and Governance

The HSC's terms of office, meeting frequency, and record-keeping procedures must be clearly established to ensure consistent operation and accountability.

- Term of Office – The duration for which HSC members serve will be determined by Aeria Solutions and outlined in committee guidelines.



- Meeting Frequency and Records – The HSC must meet regularly, at least once per quarter, or more frequently as required. Meeting minutes and records will be documented, maintained, and made available as per OHS requirements.

HSC Selection and Functioning

To ensure fair representation and effective decision-making, the HSC will follow these structured processes:

- Selecting Co-Chairs – The committee will select one worker co-chair and one employer co-chair to lead meetings and oversee committee operations.
- Selecting Worker Members – Worker representatives will be elected by their peers or appointed as per union and workplace agreements.
- Conducting Meetings – Meetings will follow an agenda-based format, including discussions on workplace hazards, incident reports, safety inspections, and corrective actions.
- Forwarding Health and Safety Concerns to the Employer – The HSC will establish a formal reporting process to submit recommendations and unresolved safety concerns to Aeria Solutions management.
- Replacing a Member During Their Term – If an HSC member steps down or is unable to fulfill their role, a replacement will be appointed through the same selection process.
- Resolving Disputes – If committee members cannot agree on a recommendation, a structured resolution process will be followed, involving mediation and escalation to management as needed.
- Addressing Non-Compliance – If an HSC member is not fulfilling their duties, the committee will implement corrective actions, which may include retraining, reassignment, or replacement.

Record-Keeping Requirements

The HSC will maintain accurate records of all activities and safety-related matters, including:



- Meeting agendas and minutes.
- Safety recommendations and employer responses.
- Worksite inspections, hazard reports, and corrective actions.
- Incident reports, investigations, and action plans.
- Orders, compliance audits, and interactions with OHS officers.

Employers must retain meeting minutes and other relevant health and safety documents for a minimum of two years to comply with OHS record-keeping requirements.

5.7. Part 13 Code Requirements

Aeria Solutions is committed to ensuring compliance with Part 13 of the Occupational Health and Safety (OHS) Code, which outlines employer responsibilities regarding Health and Safety Committees (HSCs) and Health and Safety (HS) Representatives. These responsibilities support effective workplace safety management, regulatory compliance, and continuous hazard prevention efforts.

Employer Responsibilities

Aeria Solutions will:

- Ensure the HSC develops a written terms of reference that includes all elements specified in the OHS Code.
- Maintain a record of all HSC members or HS representatives, including names and contact information.
- Clearly post HSC or HS representative contact information at all applicable worksites or distribute the information through another agreed-upon method.
- Keep HSC special meeting minutes readily available for two years in case an HSC member or Alberta OHS officer requests them.
- Ensure HSC members and HS representatives receive mandatory training per OHS Code requirements.



- Provide required safety reports, such as work refusal reports and incident investigation reports, to the HSC or HS representative.

Reporting and Documentation Requirements

- Worker Overexposure Reports (Section 22(3))
 - Aeria Solutions will inform the HSC or HS representative in writing of any worker overexposure to hazardous substances.
- Violence and Harassment Prevention Plans (Sections 390(2), 390.4(2), 390.7)
 - The HSC or HS representative will be involved in the development, implementation, and review of workplace violence and harassment prevention programs.
- Hazardous Products Procedures (Section 397(2))
 - The HSC or HS representative will be engaged in developing and implementing procedures related to the safe handling, storage, and use of hazardous products.
- Access to Safety Data Sheets (SDS) and Toxicological Data (Sections 407 and 411(1))
 - The HSC or HS representative must have access to SDSs to ensure workers are informed about hazardous materials.
 - If Aeria Solutions manufactures a hazardous product, the HSC or HS representative must also have access to toxicological data regarding those materials.

5.8. Member Duties & Unfulfilled Response

As required by Section 130 of the Workers Compensation Act, Aeria Solutions' Health and Safety Committee (HSC) is responsible for ensuring that workplace safety measures are actively maintained and continuously improved. The committee serves as a key communication link between workers and management, fostering a proactive safety culture and ensuring regulatory compliance.



Duties and Functions of the HSC

- Conduct regular meetings as required to discuss workplace health and safety concerns.
- Identify hazardous or unsafe conditions and recommend effective control measures to address them.
- Address and resolve worker complaints and concerns related to occupational health and safety in a timely manner.
- Consult with workers and management on issues related to workplace safety, environmental conditions, and health regulations.
- Make safety recommendations to both workers and the employer and monitor their effectiveness.
- Collaborate with OHS officers during inspections and audits.
- Recommend educational programs that promote worker health and safety and ensure compliance with regulations.
- Advise management on policies and programs required under the OHS Regulation and monitor their effectiveness.
- Evaluate workplace changes, including modifications to equipment, machinery, or processes, to assess potential safety impacts.
- Maintain accurate records of all health and safety matters, including meeting minutes, incident reports, and corrective actions.
- Actively participate in hazard assessments and reviews to ensure appropriate safety controls are in place.
- Ensure that incident investigations and regular inspections are conducted as required by regulation.
- Participate in workplace inspections, investigations, and safety inquiries to identify and mitigate hazards.

Requesting Health and Safety Information



When necessary, the HSC may request information from the employer regarding:

- Known or reasonably foreseeable workplace hazards that workers may be exposed to.
- Industry best practices, health and safety experience, and work standards that could improve workplace safety.

Accountability and Membership Requirements

HSC members are expected to fulfill all duties as outlined above. If a member does not meet these expectations, they may be removed and replaced to ensure the committee continues to function effectively.

By adhering to these responsibilities, Aeria Solutions' HSC plays a critical role in maintaining a safe work environment, ensuring that all workers have a voice in workplace safety, and fostering a culture of continuous improvement and compliance.

5.9. Meeting Frequency & Requirements

Aeria Solutions is committed to ensuring structured and effective Health and Safety Committee (HSC) meetings to promote workplace safety, regulatory compliance, and proactive hazard management. Regular meetings provide a forum for reviewing safety concerns, discussing incidents, and implementing improvements to maintain a safe working environment.

This policy aligns with:

- Canada Labour Code, Part II, Section 134.1 – Employer Responsibility to Establish and Maintain Health and Safety Committees
- BC Occupational Health and Safety Regulation, Part 3, Section 3.7 – HSC Meeting Requirements and Compliance
- Workers' Compensation Board (WCB) Guidelines – HSC Operational Best Practices

Meeting Requirements

- Initial Meeting: The HSC must convene within 10 days of being established to ensure a structured and proactive start to committee operations.



- **Employer Support:** Aeria Solutions will provide the necessary resources and administrative support, including a designated note-taker to document meeting minutes, ensuring accurate record-keeping and accountability.
- **Regular Meetings:** The HSC will meet at least once per quarter to:
 - Review workplace safety concerns.
 - Discuss incidents and corrective actions.
 - Assess compliance with safety policies and procedures.
- **Special Meetings:** If necessary, special meetings may be called by the co-chairs to address urgent or emerging safety matters.
- **Quorum Requirement:** A meeting quorum shall consist of a majority of committee members, ensuring that discussions and decisions reflect a fair and representative process.
- **Meeting Procedures:** The committee may develop and adopt additional procedures as needed to enhance the effectiveness and efficiency of meetings.
- **Meetings at the Request of an OHS Officer:** If an OHS Officer requests a meeting, the HSC will convene as required to review compliance matters, workplace safety concerns, or regulatory enforcement actions.

5.10. Meeting Process

Aeria Solutions is committed to structured and effective health and safety meetings to ensure workplace safety concerns are discussed, addressed, and documented in compliance with occupational health and safety legislation. A well-defined agenda ensures organized discussions, accountability, and timely decision-making.

This policy aligns with:

- Canada Labour Code, Part II, Section 134.1 – Employer Responsibility to Establish and Maintain Health and Safety Committees
- BC Occupational Health and Safety Regulation, Part 3, Section 3.7 – Requirements for HSC Meetings and Documentation



- Workers' Compensation Board (WCB) Guidelines – Structured Safety Meeting Requirements

Meeting Agenda Process

- Prior to each HSC meeting, an agenda will be drafted by the Committee Co-Chairs and distributed to all HSC members.
- The agenda will serve as a structured framework for discussions and ensure that key safety topics and compliance matters are addressed effectively.

Meeting Agenda Structure

Each HSC meeting agenda shall include the following components:

- Roll Call – Attendance of committee members will be recorded.
- Introduction of Visitors – Any guests, external safety representatives, or inspectors will be introduced.
- Approval of Minutes – Review and formal approval of minutes from the previous meeting.
- Business Arising from the Minutes – Updates on outstanding action items and progress reports on previously discussed issues.
- Reports – Review and discussion of:
 - Workplace inspections and hazard assessments.
 - Incident reports, investigations, and root cause analysis.
 - Health and safety statistics, including injury trends and corrective actions.
 - Regulatory updates and compliance reviews.
- New Business – Discussion of newly identified safety concerns, recommendations, and policy updates, presented in an itemized format.
- Educational/Training Session – Dedicated time for:
 - Safety training, legislative updates, and industry best practice reviews.



- OHS regulation changes that impact company safety procedures.
- Time, Date, and Place of Next Meeting – Confirmation of scheduling details for the next committee meeting.
- Adjournment – Official closure of the meeting, with final remarks and follow-up actions assigned.

5.11. Meeting Reports & Records

Aeria Solutions is committed to maintaining accurate records of all Health and Safety Committee (HSC) meetings in compliance with applicable occupational health and safety legislation. Proper documentation ensures regulatory compliance, transparency, and continuous improvement in workplace health and safety management.

This policy aligns with:

- Canada Labour Code, Part II, Section 134.1 – Employer Requirement to Establish Health and Safety Committees and Maintain Records
- BC Occupational Health and Safety Regulation, Part 3, Section 3.7 – Record-Keeping for Health and Safety Committees
- Workers' Compensation Board (WCB) Requirements – Documentation and Reporting Standards

Retention of Meeting Records

- The HSC must maintain meeting minutes for a minimum of two years from the date of the meeting to which they relate.
- All records must be readily accessible for review by management, workers, OHS officers, and the Workers' Compensation Board (WCB) upon request.

Meeting Reports and Documentation Process

- Meeting minutes will follow an approved template to ensure consistency and clarity.
- Co-Chairs are responsible for preparing and distributing a meeting agenda prior to each meeting to ensure structured discussions.



- A formal meeting report must be completed as soon as possible after the meeting and made available to:
 - Aeria Solutions' management team.
 - HSC members.
 - Workers through designated communication channels.
 - The Workers' Compensation Board (WCB), as required by law.

Posting and Accessibility of Meeting Minutes

- The HSC Co-Chairs must ensure approved meeting minutes are posted or electronically distributed within seven days of the meeting date.
- Worksite Posting: Physical copies will be posted on the designated health and safety board adjacent to the staff room for easy access by employees.
- Digital Access: An electronic version of meeting minutes will be stored in SiteDocs under the appropriate heading or another company-approved digital storage system.

5.12. Committee Composition

Aeria Solutions is committed to ensuring that its Health and Safety Committee (HSC) is structured in a way that effectively represents both workers and management. A balanced committee ensures that all workplace safety concerns are addressed through collaboration, compliance, and continuous improvement.

This policy aligns with:

- Canada Labour Code, Part II, Section 135.1 – Composition and Duties of Health and Safety Committees
- BC Occupational Health and Safety Regulation, Part 3, Section 3.6 – HSC Membership and Representation Requirements
- Workers' Compensation Board (WCB) Guidelines – Establishing and Maintaining HSCs



Committee Composition

- The Health and Safety Committee (HSC) shall consist of four (4) members to ensure a well-rounded representation of both workers and employer representatives.
- Worker Representatives:
 - One worker representative will be elected from each designated group, area, department, or union to ensure fair representation of all employees.
 - Worker representatives must not be supervisors or managers and must be selected in accordance with OHS regulations and worker participation guidelines.
- Employer Representatives:
 - One employer representative will be appointed or elected from each designated group, area, or department.
 - Employer representatives must be knowledgeable about workplace safety policies and operations to provide input on employer obligations and safety commitments.

Ensuring Balanced Representation

- The number of employer representatives cannot exceed the number of worker representatives, in accordance with legislative requirements.
- The committee must be structured to ensure that worker representatives can voice concerns and actively participate in workplace safety discussions without intimidation or bias.

5.13. Co-Chairs

Aeria Solutions is committed to ensuring effective leadership within the Health and Safety Committee (HSC) through the election of co-chairs who will oversee meetings, facilitate discussions, and uphold the committee's objectives in a fair and unbiased manner.

This policy aligns with:



- Canada Labour Code, Part II, Section 135.1 – Health and Safety Committee Structure and Responsibilities
- BC Occupational Health and Safety Regulation, Part 3, Section 3.6 – HSC Membership and Governance
- WorkSafeBC Guidelines – Best Practices for Health and Safety Committees

Election of Co-Chairs

- The HSC will elect co-chairs from its membership to ensure a balanced leadership structure.
- Worker representatives will select one co-chair to represent the interests of employees.
- Employer representatives will select one co-chair to represent management.

Responsibilities of the Co-Chairs

The co-chairs are responsible for facilitating committee operations and maintaining transparency in health and safety discussions. Their duties include:

- Controlling the meetings to ensure discussions remain productive and structured.
- Maintaining an unbiased viewpoint to foster fair and collaborative decision-making.
- Arranging meeting agendas in coordination with committee members.
- Reviewing previous meeting reports and materials to track progress on outstanding safety issues.
- Securing a meeting location and ensuring appropriate resources are available.
- Notifying members of upcoming meetings and distributing meeting agendas in advance.
- Preparing meeting reports that document discussions, action items, and recommendations.
- Forwarding meeting reports to the employer for official distribution.



- Drafting and submitting recommendations to the employer for a formal response.
- Managing all committee correspondence related to workplace safety matters.
- Determining the process for alternating the co-chair position, ensuring continuity in committee leadership.
- When requested by the employer, identifying employer and worker representatives to participate in incident investigations as required under OHS regulations.

5.14. Role of Members

Aeria Solutions is committed to ensuring that all Health and Safety Committee (HSC) members play an active and effective role in maintaining workplace safety. Committee members are expected to contribute meaningfully to discussions, safety initiatives, and compliance efforts in alignment with Section 128 of the Workers Compensation Act.

Roles and Expectations of HSC Members

- **Selection Process** – Members will be selected in accordance with Section 128 of the Workers Compensation Act, ensuring fair representation of both workers and employer representatives.
- **Active Participation** – Members must engage in discussions, contribute ideas, and participate in safety initiatives that enhance workplace health and safety.
- **Preparedness and Punctuality** – Members are expected to arrive on time and be prepared for meetings, having reviewed agenda items, previous meeting reports, and any relevant safety documentation.

Accountability and Compliance

- Failure to actively participate or fulfill HSC duties may result in replacement or reassignment to ensure committee effectiveness.
- Meeting attendance and participation records will be maintained as part of Aeria Solutions' safety compliance framework.



5.15. Guests

Aeria Solutions recognizes that guest participation in Health and Safety Committee (HSC) meetings can provide valuable insights, training, and expertise to enhance workplace safety. To ensure structured and purposeful guest involvement, the following guidelines apply.

Guest Attendance at HSC Meetings

- Guests may be invited to HSC meetings at the request of the co-chair(s).
- Guest participation must serve a defined purpose, such as:
 - Training – Providing specialized safety training or guidance to committee members.
 - Presentations – Delivering industry updates, safety improvements, or technical expertise relevant to workplace health and safety.
 - Consultation – Assisting with policy reviews, hazard assessments, or regulatory compliance discussions.

Accountability and Compliance

- Guests must adhere to all Aeria Solutions safety policies and confidentiality agreements when attending meetings.
- Meeting minutes will document guest participation and summarize any key takeaways or recommendations.
- Guest attendance will be limited to the scope of their invitation, ensuring discussions remain focused and aligned with HSC objectives.

5.16. Administrative

Aeria Solutions is committed to ensuring that all Health and Safety Committee (HSC) meetings are conducted in a structured, efficient, and compliant manner. Proper administrative procedures facilitate organized discussions, clear decision-making, and accountability in workplace safety management.

Meeting Agenda Preparation



- Prior to each HSC meeting, the Committee Co-Chairs will draft an agenda and distribute it to all HSC members in advance.
- The agenda will serve as a guiding framework for discussions, ensuring all safety concerns, updates, and action items are properly addressed.

Meeting Agenda Structure

Each HSC meeting agenda shall include the following elements:

- Roll Call – Attendance of committee members will be recorded.
- Introduction of Visitors – Any invited guests or external participants will be introduced.
- Approval of Minutes – Review and approval of minutes from the previous meeting.
- Business Arising from the Minutes – Progress updates and reports on outstanding action items.
- Reports – Presentation and discussion of:
 - Workplace inspections and hazard assessments.
 - Incident reports, investigations, and corrective actions.
 - Health and safety statistics, compliance updates, and regulatory reviews.
- New Business – Discussion of newly identified safety concerns, committee recommendations, and policy updates.
- Educational/Training Session – Dedicated time for:
 - Safety training or legislative updates.
 - Industry best practices and lessons learned from incidents.
- Time, Date, and Place of Next Meeting – Confirmation of scheduling details for the next committee meeting.
- Adjournment – Official closure of the meeting, including final remarks and action item assignments.



5.17. Terms of Office

Aeria Solutions is committed to ensuring continuity and stability within its Health and Safety Committee (HSC) by establishing clear terms of office for committee members. These terms help maintain an active and engaged committee while ensuring that safety responsibilities are consistently upheld.

Term Length and Continuity

- The standard term of office for HSC members shall be no less than one year.
- A term may extend beyond one year until a successor is selected or appointed to ensure uninterrupted representation.

Member Replacement Process

- If a worker-elected HSC member is unable to complete their term, workers will select a replacement.
- If an employer-appointed HSC member is unable to complete their term, the employer will appoint a replacement.

Meeting Attendance and Alternates

- All HSC members must arrange for an alternate to attend meetings in their place when they are unavailable to ensure continuous committee function.

Health and Safety Representative (HSR) Term

- The HSR must be officially designated and shall complete a one-year term in alignment with regulatory requirements.

5.18. Replacing Members

Aeria Solutions is committed to ensuring the continuity and effectiveness of its Joint Health and Safety Committee (JHSC) by following a structured process when replacing committee members. This policy ensures that all workplace demographics remain fairly represented and that the HSC continues to fulfill its regulatory and operational responsibilities.

Replacement Procedure



If a JHSC member must be replaced, the following steps will be taken:

- **Announcement of Departure:** The departure of the member will be formally announced to the JHSC.
- **Identify Representation Needs:** The demographic represented by the departing member will be determined to ensure fair and balanced representation.
- **Worksite Announcement:** The departure and replacement process will be communicated to the entire worksite.
- **Election Process:** A replacement election will be held to select a new worker representative. If the worksite is unionized and the union's constitution outlines a replacement process, that procedure will be followed.
- **Announcement of New Member:** The newly elected or appointed member will be introduced to the JHSC and the worksite.
- **Administrative Updates:** All relevant documentation will be updated to reflect the change in committee membership.

Ensuring a Smooth Transition

- Employers must ensure that new JHSC members receive training and orientation to effectively carry out their responsibilities.
- Records of JHSC member changes will be maintained to ensure compliance with occupational health and safety regulations.

5.19. Participation in investigations

Aeria Solutions is committed to ensuring that workplace incident investigations are conducted thoroughly, fairly, and in compliance with occupational health and safety regulations. The Health and Safety Committee (HSC) plays a vital role in supporting investigations, identifying root causes, and ensuring corrective actions are implemented to prevent recurrence.

Worker Representation in Investigations



- When an investigation is required, the committee co-chairs will designate a worker representative from the HSC to participate in the investigation.
- If a suitable HSC member is not available, the co-chairs will appoint another qualified worker to participate in the investigation to ensure worker involvement.

Ensuring Compliance and Accountability

- Worker involvement in investigations aligns with the right to participate in workplace safety matters, as outlined in occupational health and safety legislation.
- All investigation findings will be documented, and recommendations will be reviewed by the HSC to support continuous safety improvements.
- HSC members participating in investigations will receive training to ensure they can effectively contribute to root cause analysis and hazard mitigation.

5.20. Dispute Resolution

Aeria Solutions is committed to ensuring that all health and safety concerns are effectively addressed and resolved through a structured dispute resolution process. When disagreements arise between the Health and Safety Committee (HSC), employer, or prime contractor, this policy provides a clear framework for resolution, ensuring compliance with occupational health and safety legislation.

This policy aligns with:

- Canada Labour Code, Part II, Section 135.1 – Responsibilities of Health and Safety Committees
- BC Occupational Health and Safety Regulation, Part 3, Section 3.7 – Committee Dispute Resolution Requirements
- OHS Code, Part 27 (Violence and Harassment Prevention), Sections 390(2)(a), 390.4(2)(a), 390.7(2)(a) – Consultation Requirements for Violence and Harassment Prevention Plans
- Alberta OHS Bulletin LI045 – Confidentiality Requirements for Harassment and Violence Investigations



Dispute Resolution Process

Disputes with the Employer or Prime Contractor

- If a health and safety issue cannot be resolved after the employer provides a written explanation, the matter may be referred to an OHS Officer by:
 - The employer.
 - The HSC as a committee.
 - Any individual member of the HSC.
- The OHS Officer will review the concern and provide a decision or recommendation based on applicable workplace safety legislation.

Disputes Within the Health and Safety Committee

- If the HSC cannot reach an agreement on a health and safety matter, the committee will:
 - Engage a mutually agreed-upon external third party to review the issue.
 - The third party will provide a written opinion within 14 days to both the HSC and employer/prime contractor.
- If the HSC does not accept the third party's opinion, the dissenting group must submit a written opinion to the employer or prime contractor within 14 days for final resolution.

6. Hazard Assessment

6.1. Hazard Assessment Policy

Aeria Solutions is committed to maintaining a safe and effective work environment through proactive risk management practices. This policy establishes our systematic approach to identifying, assessing, and controlling hazards to protect employees, contractors, and the public.

This policy aligns with:



- Occupational Health & Safety Act, Regulation, and Code – Employer and worker responsibilities for hazard identification and risk control.
- Canada Labour Code, Part II, Section 124 – Employer duty to ensure workplace health and safety.
- BC Occupational Health and Safety Regulation, Part 3, Section 3.5 – Hazard Identification and Risk Assessment Requirements.
- WorkSafeBC Guidelines – Field-Level Hazard Assessment Best Practices.

Hazard Assessment Requirements

Aeria Solutions will conduct site-specific hazard assessments to ensure compliance with occupational health and safety regulations. Hazard assessments must be conducted:

- Before work begins at any temporary or mobile worksite.
- When employees conduct activities at a worksite not owned by Aeria Solutions.
- When a new activity or task is temporarily introduced at a worksite.
- Before any job or task begins, ensuring potential risks are identified.
- Repeated if conditions change, such as:
 - Weather changes affecting worksite safety.
 - New tasks, workers, or equipment being introduced.
 - Changes in worksite layout or operational procedures.

6.2. Hazard Assessment Types

Aeria Solutions recognizes **three primary types of hazard assessment** processes:

Formal Hazard Assessments

A Formal Hazard Assessment is a pre-prepared hazard evaluation based on common tasks and job types to standardize hazard control across Aeria Solutions' operations.

- Conducted for all critical tasks as a minimum requirement.



- Hazards are documented, assessed, and prioritized based on severity and risk level.
- Used for worker training, job planning, and reference in operational hazard control strategies.
- Reviewed annually or more frequently if significant job modifications or regulatory updates occur.

Site Survey Hazard Assessments

A Site Survey Hazard Assessment is an operation-specific assessment conducted prior to arriving on-site to prepare for potential hazards.

- Initiated as soon as a tasking order is received.
- Conducted by the Operations Lead and includes:
 - Air Risk Assessment – Evaluates airspace restrictions, RPAS (drone) operation safety, and weather conditions.
 - Ground Risk Assessment – Identifies terrain challenges, access limitations, and site-specific hazards.
 - Wildlife Risk Assessment – Ensures minimal disturbance to wildlife and compliance with environmental protection laws.
 - First Aid Assessment – Reviews on-site medical support availability, potential injury risks, and emergency response capability.
 - Emergency Response Planning (ERP) – Defines muster points, evacuation routes, and emergency contacts.
- A pre-deployment hazard control meeting is scheduled to review risks with the entire team.
- On-site tailgate meetings are conducted each morning before work begins to confirm hazard controls and adjust for environmental or operational changes.

Field-Level Hazard Assessments (FLHA)



A Field-Level Hazard Assessment (FLHA) is a real-time, on-site hazard review conducted when:

- A new hazard is identified that was not part of the original assessment.
- The scope of work changes, requiring a reassessment of risks.
- Environmental conditions shift, introducing new safety concerns.
- A new worker or contractor joins the job site.
- FLHAs must be reassessed throughout the work shift and documented.
- All crew members participate to ensure hazard awareness and mitigation strategies are implemented.

6.3. Hazard Assessment Responsibilities

Aeria Solutions is committed to ensuring that hazard assessments are conducted effectively, reviewed regularly, and supported at all levels of the organization. By clearly defining the roles and responsibilities of management, supervisors, and employees, Aeria Solutions fosters a proactive safety culture and ensures compliance with occupational health and safety regulations.

This policy aligns with:

- Canada Labour Code, Part II, Section 124 – Employer Duty to Ensure Workplace Safety
- BC Occupational Health and Safety Regulation, Part 3, Section 3.5 – Hazard Identification and Risk Management
- Workers' Compensation Board (WCB) Guidelines – Workplace Hazard Assessment and Reporting Requirements

Responsibilities

Employer

- Aeria Solutions will allocate funds and resources to support the hazard assessment process.



- Management will collaborate with all departments to review and update the critical task list annually to ensure workplace risks are identified and controlled.
- Management must sign off on the approved critical task list to confirm that hazard assessments have been completed and meet regulatory requirements.
- Annual hazard assessment reviews will be conducted to evaluate new or evolving risks and ensure continuous improvement.

Supervisor

- Supervisors must actively participate in the hazard assessment process and provide guidance and support to workers.
- Supervisors will review the critical task list annually, ensuring that tasks and associated hazards are accurately assessed and mitigated.
- Supervisors must assist employees in identifying and addressing workplace hazards where possible, reinforcing the importance of proactive risk management.

Employee

- Employees must immediately report any hazardous work conditions to their supervisor and take corrective action where possible to prevent potential incidents.
- Employees have the legal right and responsibility to refuse unsafe work if it poses an imminent danger to health or safety, in compliance with OHS regulations.
- Ensuring Compliance and Continuous Improvement
- Failure to adhere to hazard assessment responsibilities may result in corrective action, including retraining or disciplinary measures.
- All hazard assessment records will be maintained for a minimum of two years to comply with regulatory standards.
- Annual safety audits will be conducted to evaluate the effectiveness of hazard assessments and identify areas for improvement.



6.4. Hazard Definition

Aeria Solutions is committed to identifying, assessing, and mitigating workplace hazards to ensure the safety and well-being of employees, contractors, and the public. A hazard is defined as anything with the potential to cause harm to life, health, or property. Understanding hazard classifications allows for effective risk management and control measures.

This policy aligns with:

- Canada Labour Code, Part II, Section 125(1)(z.03) – Hazard Prevention and Control Program Requirements
- BC Occupational Health and Safety Regulation, Part 3, Section 3.5 – Workplace Hazard Identification and Control
- WorkSafeBC Guidelines – Hazard Classification and Mitigation
- Classification of Workplace Hazards

Workplace hazards are divided into **five primary categories**, each requiring specific risk management strategies:

- Physical Hazards – Includes noise, electricity, extreme heat and cold, vibrations, and mechanical hazards that can cause injury or damage to equipment.
- Chemical Hazards – Includes toxic gases, noxious fumes, corrosive liquids, flammable substances, and airborne contaminants that pose risks to respiratory health and skin exposure.
- Ergonomic Hazards – Includes improper workstation design, repetitive motion injuries, awkward postures, and poor lifting techniques that contribute to musculoskeletal disorders (MSDs).
- Radiation Hazards – Includes exposure from x-ray machines, high-powered lasers, and radioactive materials that can cause acute and long-term health effects.
- Biological Hazards – Includes exposure to infectious diseases, bloodborne pathogens, mold, and animal waste, which pose health risks through contact or inhalation.



Hazard assessments must consider **specific workplace risks**, including but not limited to:

- Working Alone – Risks associated with employees operating without immediate assistance.
- Thermal Exposure – Dangers related to excessive heat or cold, including heat stress and frostbite.
- Isolation of Energy (Lockout/Tagout) – Controlling hazardous energy sources to prevent accidental activation.
- Hearing Protection – Managing exposure to high-decibel environments that can cause hearing damage.
- Musculoskeletal Disorders (MSDs) – Risks from poor ergonomics, repetitive strain, and lifting hazards.
- Bloodborne Pathogens – Exposure risks from contaminated syringes, bodily fluids, or medical waste.
- Confined Spaces – Hazards associated with oxygen deficiency, toxic gases, and restricted movement.
- Driving – Risks related to fatigue, road conditions, vehicle operation, and distracted driving.
- General Safety Precautions – Covering slips, trips, falls, falling objects, and emergency preparedness.

6.5. Hazard Identification

Aeria Solutions is committed to ensuring that all workplace hazards are systematically identified, assessed, and controlled to protect employees, contractors, and visitors. Hazard identification is a continuous process that supports incident prevention, compliance with occupational health and safety regulations, and risk mitigation in all operations.

This policy aligns with:



- Canada Labour Code, Part II, Section 125(1)(z.03) – Hazard Prevention and Risk Management Program Requirements.
- BC Occupational Health and Safety Regulation, Part 3, Section 3.5 – Hazard Identification and Control.
- WorkSafeBC Guidelines – Best Practices for Worksite Hazard Identification.

Hazard Identification Process

Aeria Solutions requires hazard identification to be proactive and ongoing. Hazards must be assessed:

- Before work begins at any new site or project.
- Before employees engage in tasks involving new or modified work activities.
- Before deploying to a third-party worksite or an unfamiliar environment.
- Immediately following a change in environmental or operational conditions.
- Whenever a new hazard is identified.

The hazard identification process at Aeria Solutions consists of:

Pre-Work Hazard Identification (Formal & Site-Specific Assessments)

- Formal Hazard Assessments are used to identify common risks associated with routine job tasks and pre-established work procedures.
- Site Survey Hazard Assessments are conducted prior to deployment, identifying operation-specific risks such as airspace restrictions, terrain challenges, wildlife exposure, first aid access, and emergency response planning.

On-Site Hazard Identification (FLHA & Dynamic Assessments)

- Field-Level Hazard Assessments (FLHA) are performed before work starts each day and whenever a new hazard is introduced.
- Dynamic Hazard Identification occurs throughout a work shift, requiring workers to be vigilant and update hazard controls as conditions change.



Hazard Confirmation & Control Implementation

- Hazards are documented, classified, and controlled using the Hierarchy of Controls.
- Mitigation strategies are reviewed before work proceeds to confirm control measures are in place.

Continuous Monitoring & Reporting

- Hazards must be reassessed throughout the duration of the job and updated when necessary.
- Any new hazard identified must be immediately reported to a supervisor and addressed before work continues.

Hazard Classification

To ensure effective risk management, workplace hazards are classified into six primary categories:

1. Physical Hazards – Includes slips, trips, falls, extreme temperatures, noise, electricity, high-pressure systems, and moving equipment.
2. Chemical Hazards – Includes exposure to toxic gases, corrosive substances, flammable materials, or airborne contaminants.
3. Ergonomic Hazards – Includes poor workstation design, repetitive strain, awkward postures, and manual lifting risks.
4. Radiation Hazards – Includes exposure from x-ray machines, laser technology, and electromagnetic fields.
5. Biological Hazards – Includes infectious diseases, bloodborne pathogens, mold, and exposure to wildlife.
6. Environmental Hazards – Includes wildlife interactions, extreme weather conditions, remote worksite risks, and emergency response limitations.

Hazards must be assessed based on severity, likelihood, and exposure frequency to determine their risk level and appropriate mitigation measures.



Hazard Identification Methods

Routine Hazard Identification Methods

These methods are conducted regularly as part of Aeria Solutions' safety management system:

- **Formal Hazard Analyses (FHA):** Structured reviews of job tasks to determine inherent risks and control measures.
- **Site Survey Hazard Assessments:** Conducted before arriving on-site to evaluate potential risks specific to the work location.
- **Field-Level Hazard Assessments (FLHA):** Completed at the start of each shift and updated whenever new hazards are introduced.
- **Pre-Operational Equipment Inspections:** Ensuring that tools, machinery, and PPE are in safe working condition before use.
- **Workplace Inspections:** Scheduled evaluations of worksites, vehicles, and facilities to confirm hazard controls are in place.
- **Observation & Worker Feedback:** Employees are encouraged to report unsafe conditions and suggest improvements based on field experience.

Non-Routine Hazard Identification Methods

These methods are used reactively in response to new hazards or changes in operational conditions:

- **Incident & Near-Miss Investigations:** Identifying hazards after an event occurs to determine contributing factors and corrective actions.
- **Emergency Response Reviews:** Conducted after a major safety event (e.g., fire, hazardous spill, medical emergency) to assess risks and improve protocols.
- **Regulatory Audits & Compliance Checks:** Ensuring hazard identification meets legal and industry requirements.

Hazard Reporting & Documentation



To ensure hazards are documented and tracked effectively:

- All identified hazards must be recorded in hazard assessment forms, inspection logs, or incident reports.
- Corrective actions must be assigned, tracked, and verified before work resumes.
- Workers must immediately notify their supervisor when a new hazard is identified.
- Hazard reports must be kept for a minimum of two years to maintain compliance with safety regulations.

6.6. Hazard Assessment & Matrix

Aeria Solutions is committed to systematically identifying, assessing, and mitigating workplace hazards to ensure the safety of employees, contractors, and the public. To achieve this, all identified hazards are evaluated using a structured risk assessment process that considers the severity of potential consequences and the frequency of exposure.

This policy aligns with:

- Canada Labour Code, Part II, Section 125(1)(z.03) – Employer Requirement to Develop Hazard Prevention Programs
- BC Occupational Health and Safety Regulation, Part 3, Section 3.5 – Hazard Identification and Risk Assessment Standards
- WorkSafeBC Guidelines – Risk Matrix and Hazard Classification Methods

Hazard Assessment Process

Aeria Solutions evaluates workplace hazards using a Likelihood × Severity Risk Matrix, the industry standard for quantifying and categorizing risk. Each identified hazard is assessed based on:

- Potential Consequences (Severity) – The level of impact if the hazard occurs.
- Likelihood of Occurrence – The probability of the hazard occurring in the given environment.



Hazards are assigned risk classifications based on these two factors, ensuring that appropriate control measures are applied, documented, and reviewed before work continues.

Risk Classification Criteria

Understanding risk classification is essential to prioritizing workplace safety and ensuring that hazards are effectively managed before work proceeds. Each identified hazard is assigned a risk level based on its Likelihood × Severity, ensuring the appropriate control measures are applied before operations continue.

The four-tier risk classification system defines the necessary actions for each level of risk, ensuring that personnel and management understand their responsibilities in hazard mitigation.

Risk Level	Definition & Required Action
Critical Risk (Immediate Action Required)	Work must not proceed until the risk is reduced to a lower level. Must be approved by an Accountable Executive, HSE Management, or Project Manager before proceeding.
High Risk (Controlled Before Work Starts)	Work cannot proceed until the risk is reduced to Medium or Low. Control measures must be approved by Project Management, HSE Management, or an Accountable Executive, and communicated across the team.
Medium Risk (Additional Controls Required)	Work may proceed if appropriate risk controls are in place. Any changes must be reviewed by a site supervisor or operations management to ensure continued compliance.
Low Risk (Monitor & Maintain)	Risk is minimal. No additional control measures are required beyond standard safety procedures and monitoring. If conditions change, the hazard must be reassessed.



Severity and Likelihood Scale

The severity and likelihood scale helps quantify the impact and probability of a hazard occurring. This structured approach ensures that hazard assessments remain objective, repeatable, and aligned with industry best practices.

Severity Ratings

Severity describes the potential impact of a hazard, ranging from Minor (low impact) to Critical (severe impact). The following scale is used to determine severity:

Severity Level	Definition
Minor	The risk is so rare or low that standard controls are sufficient to manage it. No significant impact on personnel, equipment, or the environment.
Moderate	The risk is possible, but existing controls significantly reduce the likelihood of harm. May result in a minor injury, operational disruption, or slight environmental impact.
Major	The risk has a high potential for significant injury, environmental harm, or equipment damage. Additional controls are required before work continues.
Critical	The risk is not viable for work to proceed. Immediate action is required to control the hazard before any operations can continue. Approval from an HSE Representative, Team Lead, or Accountable Executive is mandatory.

Likelihood Ratings

Likelihood determines how often a hazard is expected to occur under current conditions. This rating is essential for evaluating the probability of a risk event happening.

Likelihood Level	Definition
Rare	Highly unlikely to occur under current conditions.

Unlikely	Possible but would require unusual circumstances.
Likely	The hazard could occur under normal operating conditions.
Almost Certain	The hazard will occur if no controls are in place.

Likelihood x Severity Matrix

This Risk Matrix provides a visual representation of how Likelihood and Severity interact to determine overall risk classification. It ensures that all risk levels are consistently categorized and understood across Aeria Solutions' operations.

Likelihood/Severity	Minor	Moderate	Major	Critical
Rare	Low	Low	Medium	Medium
Unlikely	Low	Medium	High	High
Likely	Medium	High	High	Critical
Almost Certain	Medium	High	Critical	Critical

Interpretation

Once the Likelihood and Severity ratings are determined, they are cross-referenced within the matrix to identify the appropriate risk classification. The following interpretations guide hazard mitigation and control efforts:

- Critical Risks must be eliminated or mitigated before work continues. These risks require immediate intervention, with approval from senior management or HSE personnel.
- High Risks require management approval before operations resume. Risk reduction measures must be reviewed and approved by Project or HSE Management to ensure they are effective.
- Medium Risks can proceed with additional controls and supervision. Work may continue, but additional risk mitigation strategies must be applied, and regular reviews must be conducted to ensure the hazard remains controlled.



- Low Risks require only standard monitoring and compliance checks. These hazards pose minimal risk and do not require further intervention unless conditions change.

7. Hazard Control

7.1. Hazard Control Policy

Aeria Solutions is committed to a systematic approach to preventing workplace injuries, illnesses, and operational disruptions by adhering to the Hierarchy of Controls. We prioritize the highest-level controls, such as Elimination and Substitution, to remove or replace hazards whenever feasible. Where these measures are not practicable, Engineering and Administrative controls are rigorously employed, supplemented by Personal Protective Equipment (PPE) as the final layer of defense. By applying this tiered strategy, Aeria Solutions ensures that workplace risks are reduced through the most effective methods first, in full compliance with the following regulatory mandates:

- Canada Labour Code, Part II, Section 125(1)(z.03) – Employer Duty to Prevent Workplace Hazards
- BC Occupational Health and Safety Regulation, Part 5, Section 5.55 – Hierarchy of Hazard Controls
- WorkSafeBC Guidelines – Risk Control and Mitigation Strategies

Definition

A hazard is any condition, substance, activity, or situation that has the potential to cause harm to personnel, property, the environment, or operational integrity. Hazards may arise from physical elements (e.g., extreme weather, wildlife, unstable terrain), chemical or biological exposures (e.g., toxic fumes, infectious materials), ergonomic factors (e.g., repetitive movements, awkward postures), or systemic issues (e.g., untrained personnel, insufficient procedures). Identifying, assessing, and controlling these hazards is a fundamental responsibility for every member of Aeria Solutions, ensuring a safe and compliant work environment across all operations.



7.2. Hierarchy of Control

Aeria Solutions follows the Hierarchy of Controls as a structured approach to managing workplace risks and enhancing operational safety. This framework guides decision-making in implementing effective control measures, ensuring that hazards are minimized using the most effective solutions first.

This policy aligns with:

- Canada Labour Code, Part II, Section 125(1)(z.03) – Employer Duty to Prevent Workplace Hazards
- BC Occupational Health and Safety Regulation, Part 5, Section 5.55 – Hierarchy of Hazard Controls
- WorkSafeBC Guidelines – Risk Control and Mitigation Strategies

Hierarchy of Controls Overview

The Hierarchy of Controls follows a tiered approach, with the most effective controls at the top and the least effective controls at the bottom. Aeria Solutions applies this framework to reduce workplace hazards through a systematic approach.

Elimination (Most Effective Control)

- Definition: Removing the hazard entirely so that it no longer poses a risk.
- Policy: Aeria Solutions prioritizes elimination whenever feasible to achieve the highest level of safety.
- Example: Avoiding field operations in areas with known wildlife risks, unstable terrain, or extreme weather conditions.

Substitution

- Definition: Replacing a hazardous process, material, or task with a safer alternative.
- Policy: If elimination is not possible, Aeria Solutions will substitute hazardous processes or materials to reduce overall risk exposure.



- Example: Using remote sensing technologies, such as drones, instead of requiring personnel to enter hazardous or inaccessible areas.

Engineering Controls

- Definition: Isolating workers from hazards through physical barriers, automation, or system modifications.
- Policy: Aeria Solutions implements engineering controls to reduce or eliminate exposure to hazards wherever possible.
- Example: Installing geofencing technology to prevent equipment from entering restricted areas or using weather-proof storage units to protect sensitive equipment from environmental hazards.

Administrative Controls

- Definition: Changing work procedures, training programs, or operational policies to reduce exposure to risks.
- Policy: Aeria Solutions enforces administrative controls to establish safe work practices and ensure hazard awareness.
- Examples:
 - Conducting comprehensive site surveys and wildlife risk assessments before field deployment.
 - Requiring Field-Level Risk and Hazard Assessments (FLRA/FLHA) to be completed before starting work.
 - Implementing clear communication protocols to inform workers of identified risks and control measures.

Personal Protective Equipment (PPE) (*Least Effective Control – Last Line of Defense*)

- Definition: Providing workers with protective gear to minimize exposure to hazards that cannot be fully controlled through other methods.
- Policy: Aeria Solutions supplies appropriate PPE to all employees and contractors and ensures its proper use and maintenance.



- Examples:
 - Helmets, gloves, and protective eyewear for field operations.
 - High-visibility vests to improve worker visibility in remote locations.
 - Respiratory protection when working in environments with potential airborne contaminants.

7.3. Application of Hierarchy

Aeria Solutions integrates the Hierarchy of Controls into all field operations to proactively identify, assess, and mitigate hazards while ensuring regulatory compliance and operational safety. This structured approach minimizes risks by applying the most effective controls first.

Pre-Operation Planning

- Conduct comprehensive site surveys and wildlife risk assessments to identify potential hazards before fieldwork begins.
- Implement elimination or substitution measures during the planning phase to address identified risks and reduce worker exposure.

Field Operations

- Apply engineering controls, such as:
 - Geofencing technology to restrict equipment from entering hazardous areas.
 - Secure storage solutions to prevent contamination or environmental exposure to hazardous materials.
- Utilize administrative controls, including:
 - Documented procedures to ensure standardized safe work practices.
 - Clear communication protocols to inform workers of potential risks and control measures.



- Ensure strict compliance with PPE requirements, with personnel wearing task-appropriate protective equipment based on specific environmental and operational hazards.

Continuous Improvement

- Regularly review and update hazard assessments to verify that all control measures remain effective and adjust safety strategies as needed.
- Provide ongoing training for employees on the correct application of the Hierarchy of Controls, reinforcing risk awareness, hazard mitigation techniques, and operational safety best practices.
- It is the responsibility of the Management Team to schedule hazard reviews into regular safety meetings.

7.4. Emergency Controls of Hazards

Aeria Solutions is committed to ensuring the safe and effective management of emergency hazards by allowing only competent and trained personnel to be exposed to hazards during emergency response situations. Emergency hazard control measures are implemented to protect employees, contractors, and the public while mitigating risks associated with critical incidents.

Competency Requirements for Emergency Hazard Control

- Only employees who are trained and competent in emergency hazard control procedures may be exposed to hazards during an emergency.
- The minimum number of required personnel will be involved in hazard response to limit exposure and reduce risk.
- Employees must have specific training related to the hazard they are addressing, including but not limited to:
 - Fire safety and suppression techniques.
 - Hazardous gas leak response and supply shut-off procedures.
 - Electrical hazard control and lockout/tagout procedures.



- Chemical spill containment and decontamination measures.

Emergency Response and Hazard Containment

- If an emergency hazard arises, trained personnel will take appropriate steps to control the hazard safely.
- Where applicable, Aeria Solutions will coordinate with client emergency response teams or external emergency services to contain and resolve the situation.
- Emergency control measures will be implemented in accordance with site-specific Emergency Response Plans (ERPs) to ensure a structured and compliant response.

Ensuring Compliance and Incident Prevention

- Untrained employees will not be permitted to engage in emergency hazard response and must follow established evacuation and reporting procedures.
- Emergency drills and competency training will be conducted to prepare designated employees for potential emergency hazard situations.
- All emergency responses will be documented and reviewed to identify areas for improvement and future risk mitigation.

7.5. Site Survey

Aeria Solutions is committed to ensuring comprehensive hazard identification and risk management before initiating any field operations. Site Surveys serve as a critical component of workplace safety by systematically assessing potential hazards, environmental risks, and operational challenges.

This policy aligns with:

- Canada Labour Code, Part II, Section 125(1)(z.03) – Hazard Prevention and Control Program Requirements
- BC Occupational Health and Safety Regulation, Part 3, Section 3.5 – Workplace Hazard Assessment and Risk Management
- WorkSafeBC Guidelines – Site-Specific Risk Assessment and Hazard Identification Standards



- RPAS Operations Manual – Compliance with Remote Piloted Aircraft System (RPAS) Site Survey Requirements

Site Survey Requirements

- A comprehensive Site Survey must be completed before starting any field operations.
- As part of the Site Survey process, Wildlife, Risk, and Hazard Assessments must also be addressed to ensure complete environmental and operational safety.

Site Survey Procedure

- The Site Survey must be conducted in accordance with the RPAS Operations Manual, ensuring consistent methodology and regulatory compliance.
- All employees involved in field operations must receive training on the Site Survey process to ensure familiarity with procedural requirements and effective hazard identification.

Scope of the Site Survey

- While the primary focus of the Site Survey is RPAS (Remote Piloted Aircraft System) operations, it also includes:
 - Ground risk assessments to identify hazards affecting personnel, equipment, and infrastructure.
 - Air risk assessments to evaluate potential aerial hazards, weather conditions, and restricted airspace.
 - Wildlife risk assessments to mitigate threats posed by animals, nesting sites, or other ecological considerations.
 - Environmental hazard considerations, including unstable terrain, extreme temperatures, or hazardous material exposure.

Documentation and Record-Keeping

- The final Site Survey documentation will be accessible to all personnel to ensure awareness and compliance.



- All findings, hazard mitigation strategies, and risk control measures must be documented for regulatory review and future reference.

Formal Hazard Assessments (FHAs)

- Pre-identified common hazard ratings have been incorporated into Formal Hazard Assessments (FHAs) for various operational types.
- Employees must refer to pre-existing FHAs to ensure that standard risk mitigation procedures are followed based on historical data and operational best practices.

By following this Site Survey and Hazard Assessment Policy, Aeria Solutions ensures that worksite risks are effectively identified, documented, and mitigated, contributing to a safe, compliant, and well-managed operational environment.

7.6. Formal Hazard Assessment

Aeria Solutions is committed to proactively identifying and mitigating workplace hazards through a structured Formal Hazard Assessment (FHA) process. By evaluating commonly performed tasks for associated risks and hazards, we ensure that effective control measures are in place to protect employees, contractors, and the public.

This policy aligns with:

- Canada Labour Code, Part II, Section 125(1)(z.03) – Hazard Prevention and Control Requirements
- BC Occupational Health and Safety Regulation, Part 3, Section 3.5 – Formal Hazard Identification and Risk Management
- WorkSafeBC Guidelines – Best Practices for Formal Hazard Assessments

Purpose of Formal Hazard Assessments (FHA s)

- Aeria Solutions has developed prebuilt FHA s to streamline workplace safety assessments.
- These FHA s are designed to evaluate commonly performed tasks and identify potential hazards and associated risks.



- By using prebuilt FHA s, Aeria ensures that appropriate hazard controls are in place before work begins, reducing the likelihood of incidents.

Usage and Risk Control

- FHA s confirm the level of risk associated with specific tasks and establish necessary control measures to protect personnel.
- They help enforce hazard control strategies in accordance with the Hierarchy of Controls, ensuring that risks are eliminated, reduced, or managed effectively.
- Supervisors and employees must review applicable FHA s before starting any task to ensure they understand identified hazards and required safety procedures.

FHA Storage and Accessibility

- All FHA s are stored in the Resources section of the Site Docs, ensuring easy access for employees and supervisors.
- Blank assessment forms are available in the Forms file for completing new or site-specific FHA s as required.
- To enhance accessibility and compliance, preloaded FHA s and blank forms are available on the Aeria SiteDocs.

Ensuring Compliance and Continuous Improvement

- Supervisors must ensure that employees complete FHA s before starting tasks and review applicable safety measures.
- FHA s will be regularly reviewed and updated to reflect new hazards, regulatory changes, and operational best practices.
- Failure to complete or follow FHA s may result in corrective action, ensuring that all personnel prioritize workplace safety.

List of Formal Hazard Assessments (to be updated whenever new tasks are identified)

- Deploying GCPS



- Driving to and from Site
- Hot and Cold Weather Field Work
- RPAS Operations over 25kg
- RPAS operations above 400'
- RPAS Operations BVLOS
- RPAS Operations within Class G Airspace
- RPAS Operations with Controlled Ground Risk

7.7. Field Level Hazard Assessment

Aeria Solutions is committed to ensuring that worksite hazards are continuously identified, assessed, and controlled through the use of Field-Level Risk and Hazard Assessments (FLRHAs). These assessments allow personnel to identify evolving risks in real time and implement appropriate control measures to maintain a safe and compliant work environment.

This policy aligns with:

- Canada Labour Code, Part II, Section 125(1)(z.03) – Hazard Prevention Program Requirements
- BC Occupational Health and Safety Regulation, Part 3, Section 3.5 – Risk and Hazard Assessment Guidelines
- WorkSafeBC Guidelines – Best Practices for Field-Level Risk Management
- Availability of Field-Level Risk and Hazard Assessments
- A Field-Level Risk and Hazard Assessment Workbook is always available to operators for immediate use.



- Employees must ensure that they have access to the workbook and that it is completed as required before beginning work.

The FLRHA workbook must be completed whenever:

- New or previously unidentified risks are observed during operations.
- There is a change in the scope of work, including:
 - Changes in worksite conditions or environmental factors.
 - The introduction of new tools, equipment, or personnel.
 - Adjustments to work processes or job tasks that may present additional hazards.

Outcome and Risk Control

- Completing an FLRHA ensures that evolving risks are proactively identified, assessed, and controlled.
- The assessment process allows workers to implement appropriate control measures in accordance with the Hierarchy of Controls to mitigate hazards effectively.
- By maintaining real-time awareness of worksite risks, employees and supervisors can ensure that all necessary precautions are in place before tasks proceed.

Ensuring Compliance and Safety

- Supervisors must review and validate completed FLRHAs to confirm that risks have been properly assessed and mitigated.
- Failure to complete an FLRHA in applicable situations may result in corrective action, reinforcing a culture of proactive safety management.
- Completed FLRHAs will be documented and reviewed regularly to improve risk assessment processes and update safety protocols.



7.8. Near Miss Reporting

Aeria Solutions is committed to fostering a proactive safety culture by identifying, reporting, and investigating near-miss incidents to mitigate risks before they escalate into workplace injuries, illnesses, or property damage.

This policy aligns with:

- BC OHS Regulation, Part 3, Division 10 (s.3.4 – s.3.12) – Incident Investigation and Reporting Requirements
- Canada Labour Code, Part II, Section 125(1)(c) – Employer Obligation to Investigate and Address Workplace Hazards
- WorkSafeBC Guidelines – Near-Miss Reporting Best Practices

A near-miss is defined as an unplanned event that did not result in injury, illness, or damage but had the potential to do so. By reporting and analyzing near-misses, Aeria Solutions ensures that hazards are identified, controlled, and prevented from recurring.

Scope and Applicability

This policy applies to all employees, contractors, and visitors at Aeria Solutions' worksites. Near-miss reporting is mandatory and considered an essential component of workplace safety management.

Near-Miss Reporting Responsibilities

Employees

- Must report all near-misses immediately to their supervisor or HSE representative using the designated Near-Miss Report Form.
- Participate in investigations when requested to provide insight into the incident.

Supervisors

- Ensure that all reported near-misses are documented and forwarded to the HSE team for review.



- Implement immediate corrective measures where necessary to prevent potential escalation of hazards.

HSE Team

- Analyze near-misses to determine root causes and identify trends.
- Recommend corrective actions to prevent similar occurrences.
- Ensure that near-miss incidents are included in safety reports, meetings, and training sessions to improve workplace awareness and response strategies.

Near-Miss Reporting Process

Immediate Notification

- Any individual witnessing or involved in a near-miss must notify their supervisor immediately.

Documentation

- The Near-Miss Report Form must be completed, including:
 - A detailed description of the event.
 - Contributing factors leading to the near-miss.
 - Potential consequences had the situation resulted in an actual incident.

Submission and Review

- The completed report must be submitted to the HSE representative within 24 hours of the near-miss.
- The HSE team will review, classify, and investigate the report to determine necessary actions.

Ensuring Compliance and Continuous Improvement

- Supervisors and HSE personnel must ensure all near-misses are properly documented and addressed.



- Failure to report a near-miss may result in corrective action, reinforcing the importance of proactive hazard identification.
- Lessons learned from near-misses will be shared in safety meetings and training sessions to enhance workplace risk awareness.

8. Inspection

8.1. Inspection Policy

Aeria Solutions is committed to preventing worker injuries, equipment damage, and environmental hazards by identifying and correcting unsafe conditions and practices before incidents occur. Through regular worksite inspections, we ensure compliance with health, safety, and environmental (HSE) regulations while maintaining a safe and efficient work environment.

This policy aligns with:

- Canada Labour Code, Part II, Section 125(1)(z.12) – Employer Responsibility to Conduct Workplace Inspections
- BC Occupational Health and Safety Regulation, Part 3, Section 3.5 – Inspection and Hazard Assessment Requirements
- WorkSafeBC Guidelines – Compliance Standards for Field Safety Inspections

Scope of Inspections

Aeria Solutions will conduct scheduled and ongoing safety inspections at all worksites and during field operations, ensuring:

- Compliance with HSE regulations and company safety protocols.
- Identification and mitigation of hazards before they pose a risk.
- Worker participation in the inspection process to enhance workplace safety awareness.
- Full cooperation with external regulatory inspectors and immediate access to inspection reports when required.



Types of Inspections

Aeria Solutions conducts various inspections based on frequency and operational needs:

Inspection Type	Frequency
Field Site Inspections	Based on active sites / Quarterly (minimum)
Tool Inspections	Before every use
Equipment Inspections (e.g., Vehicles, ATVs, UTVs, Snowmobiles, Trailers, Specialized Equipment)	Before every use / Monthly
Personal Protective Equipment (PPE) Inspections	Before every use / Monthly
Weather and Environmental Hazard Assessments	Before field deployment / As conditions change

8.2. Roles & Responsibilities

Aeria Solutions is committed to ensuring that all inspections are conducted systematically, corrective actions are implemented, and compliance with health and safety legislation is maintained. Each level of management, field personnel, and administrative staff plays a crucial role in ensuring inspections contribute to a safe and effective work environment.

This policy aligns with:

- Canada Labour Code, Part II, Section 125(1)(z.12) – Employer Duty to Conduct Workplace Inspections
- BC Occupational Health and Safety Regulation, Part 3, Section 3.5 – Inspection and Hazard Assessment Requirements
- WorkSafeBC Guidelines – Inspection and Compliance Monitoring Standards

Roles & Responsibilities

Chief Executive Officer (CEO)

- Review all site inspections to ensure compliance with organizational safety policies.



- Ensure that all legislative requirements are being met across worksite inspections.
- Review other workplace inspections, including vehicle, equipment, and hazard-specific evaluations.
- Sign off on corrective actions where required to verify completion.

Managers

- Review site inspections and safety reports.
- Ensure compliance with health and safety regulations at all worksites.
- Monitor inspection frequency and effectiveness, ensuring hazards are properly addressed.
- Sign off on corrective actions where required to close out safety concerns.
- Health, Safety, and Environment (HSE) Representative
- Ensure standardized inspection forms are in place for consistent documentation.
- Monitor inspection frequency to ensure compliance with policy requirements.
- Verify that all workplace inspections align with legislative safety requirements.
- Oversee corrective actions to ensure hazards are properly mitigated and resolved.

Field Supervisor

- Conduct and record monthly workplace inspections at mobile sites and field locations.
- Conduct and document pre-project workplace inspections to assess site conditions before work begins.
- Conduct and record vehicle, tool, and equipment inspections as applicable.
- Ensure all legislative requirements are met regarding workplace inspections.
- Review all workplace inspections conducted by workers to confirm compliance.
- Ensure that corrective actions are effectively implemented following hazard identification.



Labourer

- Conduct and participate in monthly workplace inspections at active job sites.
- Complete pre-project workplace instructions to confirm site readiness.
- Inspect vehicles, tools, and equipment before use to identify safety risks.
- Follow all legislative requirements related to inspections and hazard reporting.
- Support the implementation of corrective actions as assigned by supervisors.

Operator

- Perform and document monthly workplace inspections at assigned work areas.
- Conduct vehicle, tool, and equipment inspections before use to verify operational safety.
- Ensure all inspections are completed in compliance with legislative requirements.
- Review workplace inspection results and participate in hazard mitigation efforts.
- Implement corrective actions as directed by field supervisors.

Administration

- Participate in all office-based inspections to maintain compliance with ergonomic and general safety standards.
- Forward completed inspection reports to the appropriate supervisor for review and corrective action tracking.

Accountability and Compliance

- Failure to conduct, review, or act upon inspections may result in corrective action to maintain workplace safety.
- All inspections and corrective action reports will be maintained for a minimum of two years for compliance verification.
- Supervisors and managers are responsible for ensuring inspection results are reviewed and acted upon in a timely manner.



By implementing this Inspection Roles & Responsibilities Policy, Aeria Solutions ensures that worksite hazards are systematically identified, addressed, and mitigated, fostering a proactive safety culture and continuous improvement in workplace operations.

8.3. Inspection Program

Aeria Solutions is committed to identifying and addressing unsafe worksite conditions through a structured inspection program. Regular inspections ensure compliance with workplace safety standards and regulatory requirements, allowing hazards to be identified and corrected before they lead to incidents.

Inspection Frequency and Documentation

- Formal inspections will be conducted and documented on a daily, weekly, and monthly basis across all active worksites.
- All unsafe conditions identified must be documented, and corrective actions must be implemented as soon as reasonably practicable.
- Monthly inspection reports will be shared with employees via:
 - Tailgate meetings
 - Monthly safety meetings
 - Bulletins or digital safety platforms

Employee Participation

- All employees are responsible for participating in the Site Inspection Program by identifying hazards and ensuring workplace safety.
- Field-Level Hazard Assessments (FLHAs) must be conducted before work begins and whenever new risks arise.

Workplace Inspection Criteria

Regular inspections will assess the following key areas:

1. Physical layout and conditions of the worksite, including terrain, location, season, and weather.



2. Materials being handled that may pose safety risks.
3. Condition of equipment and tools to prevent malfunction-related incidents.
4. Work practices and behaviors of employees, contractors, and visitors.
5. Level and quality of supervision provided to workers.
6. Housekeeping and slipping/tripping hazards.
7. Compliance with Personal Protective Equipment (PPE) requirements.
8. Overhead hazards, such as falling objects or unsecured materials.
9. Electrical hazards, including exposed wiring or improper grounding.
10. Storage and handling of flammable, corrosive, or explosive materials.
11. Availability of Material Safety Data Sheets (MSDS) for hazardous substances.
12. Proper use of tools and equipment, ensuring adherence to safety protocols.

8.4. Informal Site Inspection

Aeria Solutions expects all employees to maintain continual awareness of workplace hazards by conducting informal site inspections as part of their daily responsibilities.

- Supervisors must regularly walk through their areas of responsibility to identify and mitigate risks before work begins.
- Workers must inspect their work areas prior to starting tasks to confirm safe working conditions.
- Formal reports are not required for informal inspections; however, if a hazard is identified:
 - If the issue can be corrected immediately, workers should take appropriate action.
 - If the hazard requires further attention, it must be reported to a supervisor or management for resolution.



8.5. Formal Site Inspection

Formal workplace inspections are conducted to ensure worksite safety compliance and hazard identification.

- A site-specific inspection report will be generated and reviewed by management and the Health and Safety Representative (HSR).
- All corrective actions must be documented and implemented to eliminate or mitigate risks effectively.
- Quarterly safety reports will be compiled based on completed inspections and forwarded to management for review.

Audit and Compliance Requirements

- Aeria Solutions is working toward obtaining Small Employer Certificate of Recognition (SECOR).
- Annual internal audits will be conducted, and external audits will occur every three years to maintain SECOR status.
- Additional workplace inspections will be conducted immediately following malfunctions, accidents, or the introduction of new procedures or equipment.

Formal Inspection Process

1. Schedule Inspections – Define inspection frequency based on worksite risks and operational needs.
2. Prepare for Inspections – Review past inspection records and ensure compliance checklists are up to date.
3. Conduct Inspections – Identify hazards, observe work conditions, and ensure compliance with safety protocols.
4. Record Inspection Observations – Document findings, categorize risks, and assign corrective actions.
5. Implement Corrective Actions & Follow-Up – Ensure hazards are controlled, corrective actions are taken, and effectiveness is monitored.



8.6. Site Inspection Procedure

Aeria Solutions follows a structured site inspection process to ensure all inspections are conducted efficiently and consistently.

Step 1: Schedule Site Inspections

- Inspections will be conducted bi-annually at a minimum, with increased frequency depending on job activities.
- The Inspection Schedule will consider:
 - The number of processes or operations being conducted.
 - Hazardous equipment that requires set inspection intervals, as mandated by OHS regulations.
 - Processes with high hazard potential that require more frequent inspections.

Step 2: Preparing for a Site Inspection

To effectively identify hazards, inspectors should gather relevant information beforehand, including:

- Site layout and worksite diagrams to ensure all areas are covered.
- Potential hazards related to machinery, equipment, and materials.
- Applicable safety regulations, standards, and existing hazard controls.
- Previous inspection reports, incident data, and maintenance records.

Step 3: Conducting the Site Inspection

- A standardized inspection checklist must be used to ensure all potential hazards are assessed.
- The inspection checklist will be reviewed and revised periodically to ensure it remains relevant to current work conditions.

Step 4: Recording Site Inspection Findings



- The results of each workplace inspection will be documented using an Inspection Report Form.
- All identified hazards will be categorized based on risk level:
 - Critical – Immediate action required to prevent injury or significant operational impact.
 - Urgent – Requires prompt attention but does not pose an immediate danger.
 - Important – Needs corrective action but presents a lower level of risk.
 - No Action Required – Condition is safe and compliant.

Step 5: Identifying and Implementing Corrective Actions

- Root causes of identified hazards must be investigated, and workers should be involved in determining solutions where possible.
- Corrective actions must align with the severity of the identified hazard and be implemented within a reasonable timeframe.
- Follow-up inspections must be conducted to verify that corrective actions were effective.

Ensuring Compliance and Continuous Improvement

- All formal site inspection records will be maintained for a minimum of two years for compliance and auditing purposes.
- Failure to complete required inspections or implement corrective actions may result in enforcement measures to uphold workplace safety standards.
- Regular safety audits will be conducted to assess the effectiveness of the site inspection program and drive continuous improvements.

By implementing this Site Inspection Program, Aeria Solutions ensures that worksite hazards are proactively identified, documented, and mitigated, creating a safer, more compliant, and operationally efficient work environment.



8.7. Key Things to Look For

Aeria Solutions is committed to ensuring thorough and effective inspections to identify, assess, and correct workplace hazards before they result in injuries, equipment damage, or operational inefficiencies. The following key inspection areas must be evaluated during all site inspections, hazard assessments, and workplace safety reviews.

This policy aligns with:

- Canada Labour Code, Part II, Section 125(1)(z.12) – Employer Duty to Conduct Workplace Inspections
- BC Occupational Health and Safety Regulation, Part 3, Section 3.5 – Hazard Identification and Control
- WorkSafeBC Guidelines – Safety Inspection Best Practices

Critical Equipment and Tool Condition

- Inspect all equipment and tools for stress, wear, impact damage, vibration, heat exposure, corrosion, chemical reactions, and misuse.
- Ensure only approved explosion-proof tools and certified electrical cords are used.
- Check that equipment is functioning properly and that all preventative maintenance requirements are met.

Structural, Functional, and Ventilation Issues

- Look for jagged edges, worn areas, leaks, improper pressure readings, and signs of noxious fumes.
- Identify ventilation deficiencies, including inadequate airflow or malfunctioning exhaust systems in enclosed spaces.
- Assess whether abnormal noises, vibrations, or structural shifts indicate potential failures or maintenance needs.

Personal Protective Equipment (PPE) Compliance



- Ensure that all required PPE is available, properly maintained, and in good condition.
- Verify that employees are wearing the correct PPE (eye, ear, foot, head, hand, respiratory, and body protection) as mandated by the Occupational Health and Safety Act, Regulations, and Codes.
- Confirm that PPE fits properly and is used as intended, without modifications that could compromise effectiveness.

Safe Work Practices and Procedures Compliance

- Identify deviations from established safe work practices, including:
 - Using machinery or tools without authorization.
 - Using incorrect tools or equipment for a task.
 - Removing or disabling safety guards or protective devices.
 - Performing repairs or adjustments on active/moving equipment.
 - Failing to properly lock out and tag out (LOTO) electrical equipment before maintenance.
- Observe the behavior of employees, contractors, and visitors to ensure adherence to safety policies and procedures.

Housekeeping and Worksite Organization

Effective housekeeping is essential for workplace safety and prevents accidents by keeping work areas clean, organized, and hazard-free. Poor housekeeping can contribute to:

- Slips, trips, and falls due to clutter, spills, and loose objects on floors, stairs, or platforms.
- Striking hazards from improperly stacked items or misplaced materials.
- Cuts, punctures, and abrasions caused by exposed nails, wires, or sharp objects.



- Fire hazards resulting from accumulated waste materials, paper, or flammable debris.

Housekeeping inspections must assess:

- Cleanliness and orderliness of work areas.
- Storage and stacking of materials to prevent falling object hazards.
- Clear and maintained hallways, floors, and exits to eliminate obstructions.
- Proper disposal of waste materials to reduce fire and contamination risks.

Signage and Hazard Communication

All worksites must have clear, visible, and updated safety signage to communicate risks and direct workers to emergency resources. Inspections must ensure:

- Caution tape, barricades, and restricted access areas are properly marked.
- Evacuation plans, muster points, and emergency procedures are clearly posted.
- Warning and danger signs are properly displayed in high-risk areas.
- Audible and visual alarms are in place and functional for emergency situations.
- First aid station locations and first aider lists are clearly marked and accessible.
- Permit-required work areas are updated daily, and proper documentation is in place.
- Nearby work operations do not interfere with the safe performance of scheduled work.

Ensuring Compliance and Continuous Improvement

- Supervisors are responsible for ensuring that all key inspection elements are evaluated as part of their scheduled safety inspections.
- Corrective actions must be implemented immediately for critical hazards, and follow-ups must confirm their effectiveness.



- All inspection records must be maintained for a minimum of two years for compliance verification and continuous improvement.
- Employees are encouraged to report any hazards not previously identified to supervisors or the Health and Safety Representative (HSR).

By implementing these Key Inspection Criteria, Aeria Solutions ensures that hazards are proactively identified, risks are effectively controlled, and all worksite safety measures are in compliance with industry regulations and best practices.

8.8. Reporting

Aeria Solutions is committed to ensuring a safe and healthy work environment by establishing a clear and effective reporting process for identifying and correcting unsafe or unhealthy working conditions. Immediate reporting and corrective action are critical to the success of the Health and Safety Program and regulatory compliance.

This policy aligns with:

- Canada Labour Code, Part II, Section 126(1)(g) – Employee Obligation to Report Unsafe Conditions
- BC Occupational Health and Safety Regulation, Part 3, Section 3.10 – Employer Duty to Address and Correct Workplace Hazards
- WorkSafeBC Guidelines – Reporting Safety Concerns and Work Refusals

Worker Protection Against Retaliation

- Workers who report an unsafe or unhealthy condition will not face any form of retaliation, coercion, or discrimination.
- Employees have the right and obligation to refuse unsafe work, as per Aeria Solutions' Work Refusal Policy and applicable occupational health and safety laws.

Reporting Methods and Documentation

Workers may report hazards through multiple channels, including:

- Field-Level Hazard Assessments (FLHA) – Used to identify and report risks before starting work.



- Safety Meetings – Open discussions on workplace hazards and safety concerns.
- Tailgate Talks – Site-specific safety briefings to raise awareness and address risks.
- Inspection Reports – Formal reports documenting worksite hazards and deficiencies.
- Observation Cards – Quick, anonymous reporting of unsafe conditions or at-risk behaviors.

Ensuring Compliance and Continuous Improvement

- Supervisors must take immediate action to correct reported hazards and ensure follow-ups are conducted.
- All reports must be reviewed by the HSE team and documented for compliance tracking.
- Employees are encouraged to participate in safety discussions and hazard identification initiatives to foster a proactive safety culture.

By implementing this Reporting Unsafe Conditions Policy, Aeria Solutions ensures that all hazards are identified, reported, and addressed effectively, reinforcing worker safety, regulatory compliance, and a continuous commitment to improving workplace health and safety standards.

9. Maintenance

9.1. Preventative Maintenance Policy

Aeria Solutions is committed to ensuring that all tools, equipment, and vehicles are properly maintained to reduce the risk of injuries, equipment failure, and property damage. A structured preventative maintenance program is implemented to ensure compliance with the Occupational Health and Safety Act, Regulation, and Code and manufacturer recommendations.

This policy aligns with:



- Canada Labour Code, Part II, Section 125(1)(k) – Employer Duty to Maintain Equipment in a Safe Condition
- BC Occupational Health and Safety Regulation, Part 12, Section 12.2 – Equipment and Tool Maintenance Requirements
- WorkSafeBC Guidelines – Preventative Maintenance and Safety Best Practices

Aeria Solutions ensures that the preventative maintenance system includes:

- A maintenance schedule and system for monitoring and maintaining workplace equipment.
- An equipment repair and replacement schedule that follows manufacturer recommendations to prevent failures and hazardous conditions.
- A system for documenting records of maintenance and repairs to ensure compliance and accountability.

Preventative maintenance includes pre-job startup inspections as well as ongoing visual daily inspections conducted by employees. All maintenance activities will be carried out by qualified and competent personnel.

9.2. Preventative Maintenance Program

Proper maintenance is a critical component of Aeria Solutions' safety program. Ensuring that tools, equipment, and vehicles are inspected, maintained, and kept in good repair reduces the risk of injury, damage, and operational downtime.

Key Program Requirements

- Only properly trained personnel are authorized to use tools, equipment, and vehicles.
- All tools, equipment, and vehicles must be inspected before use.
- Vehicle inspections include a mandatory circle check before operation.
- Maintenance schedules for tools, equipment, and vehicles must be adhered to. Follow the scheduling required by the manufacture and scheduled by the maintenance manager.



- Jobsite supervisors are required to conduct bi-weekly inspections of all tools, equipment, and vehicles on-site. These inspections are recorded using an inspection checklist specific to the equipment type.
- If a worker identifies an unsafe tool, equipment, or vehicle, they must immediately tag it out of service and notify a supervisor.
- Unsafe tools, equipment, or vehicles must either be repaired or replaced—Aeria Solutions’ management must be informed of the action taken.

Safe Use of Hand and Power Tools

- Select the correct tool for the job.
- Maintain tools in good working condition.
- Use tools correctly and for their intended purpose.
- Store tools securely in a designated safe area.

9.3. Responsibilities

Management Responsibilities

- Ensure all equipment is maintained at appropriate intervals to ensure safe operation.
- Arrange for regular operational and preventative maintenance in accordance with manufacturer recommendations.
- Ensure defective equipment is immediately addressed to protect workers from exposure to hazards.
- Assign qualified personnel to repair or replace defective equipment as soon as practicable.
- Monitor the preventative maintenance program and make necessary revisions.
- Maintain detailed maintenance records for audit and compliance purposes.

Supervisor Responsibilities



- Maintain a written inventory of all tools, equipment, and machinery used within their assigned work areas.
- Ensure all equipment is maintained in safe working order and in accordance with manufacturer instructions.
- Conduct regular equipment and tool inspections to ensure continued compliance.
- Ensure all defective tools and equipment are taken out of service until properly repaired or replaced.
- Verify that workers are using the correct tools and equipment safely and as intended.
- Ensure all workers receive training in the proper use of tools, equipment, and machinery.

Worker Responsibilities

- Inspect all tools, vehicles, and equipment prior to use.
- Use all assigned tools, vehicles, and equipment as required to minimize workplace hazards.
- Follow all operating and maintenance procedures for specific equipment.
- Remain alert and focused when using tools and equipment.
- Do not use equipment, power tools, or hand tools for purposes other than their intended use.
- Follow manufacturer operating instructions to prevent misuse and hazards

9.4. Defective Equipment

To ensure the safety of all personnel, defective equipment must be immediately reported, tagged, and removed from service.

- Any tool, equipment, or machinery that is not functioning properly, or presents a hazard, must be reported to a supervisor immediately.



- Unsafe tools or equipment must be tagged and removed from service until repaired or replaced.
- Only authorized and competent personnel may conduct equipment repairs.
- Repair requisitions must be submitted for all defective equipment and records of repairs must be kept in the designated work area.

9.5. Records

Aeria Solutions' preventative maintenance program requires a structured recording system for all maintenance activities.

- Maintenance records must include an inventory of equipment, maintenance schedules, and repair history.
- Records must document what maintenance work was completed, when it was completed, and by whom.
- Maintenance logs must be readily accessible for regulatory review, compliance tracking, and safety audits.

10. Emergency Response Plan

10.1. Emergency Response Policy

Aeria Solutions is committed to maintaining a safe and healthy work environment across all operations. In compliance with Part 4.13 of the WorkSafeBC Occupational Health & Safety Regulation, Aeria has established this Emergency Response Plan (ERP) & Policy to ensure that all employees, contractors, visitors, and external stakeholders can respond effectively and consistently to emergencies.

This policy also acknowledges the specialized nature of Remotely Piloted Aircraft Systems (RPAS) incidents, requiring adherence to both the general ERP response and the RPAS-specific investigation and reporting procedures outlined in the RPAS Operations Manual.

Scope



This policy applies to all Aeria operations and worksites in British Columbia, including but not limited to:

- General field operations, including environmental, industrial, and data collection activities.
- Remotely Piloted Aircraft Systems (RPAS) operations, requiring additional emergency response considerations.

RPAS-Specific Provisions:

- In addition to the general ERP, an RPAS emergency (e.g., in-flight incidents) requires following RPAS Operations Manual protocols for immediate response and post-incident investigations.
- Any RPAS incident review must determine whether external authorities, such as Transport Canada, need to be contacted.

Objectives

Aeria Solutions' Emergency Response Plan is designed to:

- Protect Lives and Property – Ensure swift, organized emergency responses to minimize harm and damage.
- Ensure Compliance – Align procedures with WorkSafeBC regulations, the BC Fire Code, and other applicable laws.
- Enhance Communication – Provide clear guidelines for internal and external communication during emergencies.
- Support Continuous Improvement – Regularly review, update, and test emergency protocols through drills and training exercises.

Emergency Preparedness Measures

- All emergency response plans must meet regulatory requirements, including Part 7, Section 116 of the Alberta OHS Occupational Health and Safety Code (for operations outside BC).



- Aeria Solutions recognizes the potential for various emergency scenarios, including fires, extreme weather events, and medical emergencies.
- Emergency equipment (e.g., first aid kits, fire extinguishers) will be provided at all active worksites.
- Employees must be trained in the proper use of emergency equipment, and emergency response procedures must be reviewed periodically.
- Site maps, safety boards, and emergency procedures must be clearly displayed at each active worksite.
- Annual emergency response testing is mandatory, with additional field drills conducted for projects lasting longer than 30 days.
- Mock drills will be conducted to test and improve emergency response plans. Any deficiencies identified will be addressed through corrective actions.
- All emergency response plans must include the location of the nearest medical facilities.

By implementing this Emergency Response Policy, Aeria Solutions ensures that all employees are prepared to handle emergency situations, comply with legal requirements, and minimize risks to personnel and property.

10.2. Preparedness & Response

Aeria Solutions has developed a comprehensive Emergency Response Plan (ERP) to ensure that all potential emergencies are identified and addressed in a structured and effective manner. This plan is designed to protect employees, contractors, and the public while minimizing risks to property and operations.

- Plan Development and Review
- Site-specific emergency response plans are developed with input from all involved personnel to ensure relevance and practicality.
- The ERP is reviewed and re-evaluated annually alongside the rest of Aeria Solutions' Health and Safety Manual to maintain accuracy and compliance.



- If a significant update is required before the manual revision, changes will be posted electronically and communicated to all personnel until formal updates are made.

Emergency Procedures

Aeria Solutions has prepared detailed emergency response procedures for the following situations, they can be found in the appendix of this document or on your SiteDocs resources:

- General Emergency Response – Covers initial response protocols for various emergency scenarios.
- Evacuation Procedures – Ensures safe evacuation routes and muster points are clearly identified and practiced.
- Potential or Actual Violence – Addresses workplace violence prevention, threat assessment, and response procedures.
- Spill Clean-Up and Re-Entry – Outlines containment, cleanup, and decontamination procedures for hazardous spills.
- Frostbite and Freezing – Provides guidelines for preventing and treating cold-related injuries in extreme conditions.
- Fire Prevention and Response – Establishes fire safety measures, extinguisher use, and evacuation protocols.
- Medical Emergencies – Covers injury response, first aid procedures, and medical transportation protocols.
- Vehicle and Equipment-Related Emergencies – Covers response protocols for transportation incidents and mechanical failures.
- Fatalities and Severe Injuries – Defines reporting, response, and notification procedures in the event of a serious workplace incident.

For RPAS-related emergencies see RPAS Operations Manual.

10.3. How to Conduct a Drill

Aeria Solutions is committed to ensuring that all employees, contractors, and visitors are prepared to respond effectively in an emergency. As part of our Emergency Response Plan (ERP), annual emergency drills are mandatory, with additional drills conducted as needed based on worksite conditions, client requirements, or operational risks.



Drill Coordination and Planning

- A designated Emergency Drill Coordinator (or team) will oversee and execute emergency drills.
- All employees must be informed about upcoming drills, including what will take place and the procedures to be followed.
- Surprise elements may be incorporated by notifying workers shortly before the drill begins to test real-time response effectiveness.
- Emergency equipment inspections (fire extinguishers, first aid kits, eyewash stations, air horns, etc.) must be completed before each drill to ensure functionality.
- Emergency procedures must be reviewed with employees during orientation and reinforced in safety meetings to maintain readiness.

Emergency Drill Execution Steps

Announce the Start of the Drill

- Designated emergency personnel alert all staff that the drill has begun.
- A timer will be used to measure response time.

Simulated Emergency Response

- Employees must respond as if it were a real emergency, following the evacuation procedures specific to the scenario (e.g., fire, tornado, chemical spill).
- Workers must move as quickly and safely as possible to the designated muster point or shelter area.
- If indoors, employees must use stairs instead of elevators to reach safe areas or exit points.

Accountability and Headcount



- Once all employees have evacuated, supervisors or designated personnel must verify that all workers are accounted for.
- Any missing personnel must be identified and reported immediately.

Drill Completion and Debriefing

- The Emergency Drill Coordinator will announce that the drill is over, and employees will return to work.
- The coordinator must document observations, including:
 - Effectiveness of evacuation routes and muster points.
 - Communication methods and alert systems.
 - Any confusion, delays, or potential risks observed during the drill.

Post-Drill Review and Documentation

- Employees will be debriefed on the drill's effectiveness immediately afterward or during the next safety meeting.
- Workers are encouraged to provide feedback on the strengths and weaknesses of the drill.
- A formal report of the drill will be documented and stored for future reference.
- Necessary adjustments (e.g., changing muster point locations, improving alarm systems, revising communication methods) will be implemented and tested in the next drill.

By implementing this Emergency Drill Procedure, Aeria Solutions ensures that all personnel are well-prepared to respond swiftly and effectively in an actual emergency, minimizing risks and ensuring compliance with safety regulations.

10.4. Procedures

Aeria Solutions is committed to ensuring a prompt, structured, and effective response to all workplace incidents. The following steps must be taken following any incident. The



order of actions shall be determined by those witnessing or arriving at the scene based on the prevailing conditions.

Emergency Response Steps

- **Remain Calm:** Maintain composure to ensure a controlled and effective response.
- **Assess the Scene:** The first responder must quickly evaluate conditions before taking any action.
- **Call for Assistance:** Notify emergency services (911) and the designated site supervisor immediately if the situation requires external response.
- **Identify Hazards:** Determine if there are immediate dangers that could cause further harm.
- **Make the Area Safe:** Take necessary steps to mitigate risks or ensure the area is safe for responders and affected personnel. If it is a medical emergency, make the area safe to administer first aid.
- **Administer First Aid (if applicable):** Provide first aid only if it is safe to do so. Move injured persons only if there is an immediate threat (e.g., fire, electrical hazard, atmospheric contamination).
- **Preserve the Scene:** Avoid unnecessary alterations, except where needed for safety or emergency intervention.
- **Document Changes:** Record any modifications made to the scene for investigation purposes.
- **Secure the Area:** Restrict access until authorities or incident investigators arrive.

Emergency Equipment & Reporting

Aeria Solutions provides emergency equipment, including mobile communication devices, first aid kits, fire extinguishers, and emergency flares, in all field vehicles. At office locations, emergency services (hospitals, police, and fire) can be contacted via 911.

Prior to commencing field operations, the location of emergency facilities and expected response times must be determined. A transportation plan must be developed and communicated to all employees.

Employees must report all incidents involving injury, illness, or equipment damage using the Incident Report Form. The location of emergency equipment, emergency procedures,



and medical facilities must be addressed at safety meetings, site orientations, and tailgate meetings.

Reference: Occupational Health and Safety Regulation (B.C. Reg. 296/97), Part 3, Sections 3.8, 3.9, 3.10

11. Investigations

11.1. Investigations Policy

Aeria Solutions is committed to ensuring that all incidents, near-misses, and accidents are thoroughly investigated to prevent recurrence and improve workplace safety. This policy aligns with BC Occupational Health and Safety (OHS) Regulation, Part 3, Division 10 (Sections 3.4 – 3.12), which outlines the legal framework for incident investigations.

Key regulatory provisions include:

- Section 3.5(1): Employers must undertake a preliminary investigation within 48 hours to identify unsafe conditions, acts, or procedures.
- Section 3.8(1): A full investigation must follow immediately after the preliminary investigation, identifying root causes and recommending corrective actions.
- Employers must ensure that investigation reports are shared or posted, and corrective actions are implemented without undue delay, in compliance with WorkSafeBC regulations.

Scope

This policy applies to all incidents that:

- Are legally required to be reported.
- Resulted in injury requiring medical treatment.
- Did not cause an injury but had the potential to cause serious harm.
- Are mandated by regulation to be investigated.



Aeria Solutions ensures all incidents are reported promptly, investigated thoroughly, and corrective actions are implemented to prevent recurrence.

Incident Reporting & Investigation Requirements

All employees shall:

- Report incidents immediately to their supervisor.
- Assist in investigations when requested.

Management shall:

- Ensure investigations are conducted promptly and by a trained and competent individual.
- Forward reports to the manager as soon as practicable.
- Review all incident reports as they occur.
- Notify applicable external regulatory agencies, as per Occupational Health & Safety Acts, Codes, and Regulations, in cases of:
 - Worker fatality.
 - Serious injury requiring hospitalization beyond emergency care.
 - Unplanned or uncontrolled fire, explosion, or flood causing or posing a risk of serious injury.
 - Collapse or failure of cranes, derricks, hoists, or structural components.

Investigations shall be conducted within 24 hours of the incident to preserve evidence integrity. The primary purpose is to identify root causes and ensure corrective actions are taken to prevent recurrence. Management will review all Incident Investigation Reports to verify the adequacy of corrective actions and ensure they are fully implemented.

Reference: BC Occupational Health and Safety Regulation (B.C. Reg. 296/97), Part 3, Division 10, Sections 3.4 – 3.12.



11.2. Roles & Responsibilities

Owners

- Ensure compliance with Occupational Health & Safety Regulations.
- Handle media and public affairs related to safety incidents.
- Monitor and review investigation findings.
- Offer recommendations to prevent future incidents.

Managers

- Implement and enforce corrective actions.
- Ensure proper incident reporting and investigation.
- Monitor and verify that corrective actions are effective.

Supervisors

- Ensure all incidents are investigated thoroughly.
- Participate in investigations alongside the Safety Representative.
- Enforce the Drug and Alcohol Testing Program for post-incident cases.
- Secure the scene of the incident to preserve evidence.
- Protect the public, environment, and other workers from further harm.
- Gather all necessary information and complete required documentation.
- Involve Safety Officers when needed for a detailed root cause analysis.
- Ensure injured employees receive appropriate care.

Workers

- Immediately report all incidents to their Supervisor.
- Provide factual accounts of incidents.
- Assist in investigations when required.



Safety Representative

- Determine the category of the incident (e.g., near-miss, injury, major event).
- Advise Supervisors and Managers on investigation procedures and reporting requirements.
- Assist in organizing and administering investigation activities.
- Support management in root cause analysis and recommending corrective actions.
- Lead and participate in investigations.

Reference: BC Occupational Health and Safety Regulation (B.C. Reg. 296/97), Part 3, Sections 3.8 – 3.12.

11.3. Investigation Types

Aeria Solutions is committed to ensuring that all incidents, near-misses, hazards, and operational deviations are investigated with an appropriate level of scrutiny and detail based on their severity, regulatory requirements, and potential for recurrence.

Investigations will follow WorkSafeBC, Canada Labour Code, Transport Canada RPAS regulations, and industry best practices to enhance safety, compliance, and continuous improvement.

Each incident will be assigned one of the following investigation categories, ensuring that resources are allocated efficiently while maintaining a high standard of incident analysis.

Formal Investigations

Formal investigations are conducted for serious incidents that require extensive analysis, involve regulatory compliance obligations, or have a high potential for recurrence.

Types of Formal Investigations:

- Serious Injury, Fatality, or Major Incident Investigation
 - Triggered when an incident results in a fatality, a serious workplace injury requiring hospitalization, or a permanent disability.



- Requires a full root cause analysis and regulatory notification (WorkSafeBC, Canada Labour Code, Transport Canada if RPAS is involved).
 - Incident scene must be secured until released by authorities.
 - Investigation is led by senior management, HSE personnel, and external regulatory representatives if required.
- Regulatory & Compliance Investigation
 - Triggered when an incident involves a violation of regulatory requirements, such as Transport Canada RPAS regulations, WorkSafeBC OHS standards, or environmental protection laws.
 - Requires detailed documentation and may involve external government agencies for enforcement action.
 - Example: Unauthorized RPAS operation in controlled airspace leading to a Transport Canada investigation.
- Environmental Incident Investigation
 - Triggered when an incident results in chemical spills, contamination, or damage to wildlife or ecosystems.
 - May require environmental monitoring, remediation plans, and regulatory reporting (e.g., BC Ministry of Environment, Canadian Environmental Protection Act).
 - Example: Aerial RPAS survey resulting in disturbance to protected wildlife species.

Standard Investigations

Standard investigations are conducted for moderate-risk incidents, including injuries, equipment failures, and procedural non-conformance.

Types of Standard Investigations:

- Workplace Injury Investigation



- Triggered when an employee, contractor, or visitor sustains an injury that requires medical attention but does not result in hospitalization or lost workdays.
 - Requires witness interviews, hazard identification, and corrective action planning.
 - Includes ergonomic assessments for repetitive strain injuries or incident analysis for minor trips, falls, or equipment-related injuries.
- **Equipment Failure & Asset Damage Investigation**
 - Conducted when a critical piece of equipment fails or an asset sustains damage exceeding \$500.
 - Investigates maintenance records, operational procedures, and failure points.
 - Example: LiDAR payload failure on an RPAS mission causing equipment damage.
- **Non-Conformance Investigation**
 - Triggered when a deviation from standard procedures, regulatory requirements, or company policies occurs without an immediate safety consequence.
 - Focuses on corrective action and procedural updates.
 - Example: Failure to follow pre-flight checklists in an RPAS operation, discovered during an audit.

Informal Investigations

Informal investigations are conducted for low-risk events that require documentation but do not necessitate full-scale investigations.

Types of Informal Investigations:

Near-Miss Investigation



- Triggered when an event occurs that could have resulted in injury or damage but did not.
- Focuses on hazard mitigation and behavioral safety improvements.
- Example: A worker narrowly avoids being struck by falling debris but is unharmed.

Minor Property or Equipment Damage Investigation

- Conducted when damage does not exceed \$500 and does not impact operations.
- Documents findings and identifies preventive measures.
- Example: A ground vehicle scratches an RPAS transport case but does not damage the drone itself.

Behavioral Safety Observation Investigation

- Triggered when unsafe behavior is observed but does not result in an incident.
- Used to identify training gaps, reinforcement strategies, and awareness campaigns.
- Example: A worker observed not wearing safety gloves during battery handling.

RPAS-Specific Investigations

Given Aeria Solutions' RPAS operations, investigations related to drone missions must comply with Transport Canada's Canadian Aviation Regulations (CARs) Part IX and Aeria Solutions' RPAS Operations Manual.

Types of RPAS-Specific Investigations:

- **RPAS Flight Incident Investigation**
 - Triggered when an RPAS experiences an in-flight emergency (see RPAS Operations Manual for detailed list of RPAS emergencies).
 - Requires review of telemetry logs, operator reports, and airspace coordination records.
 - Regulatory reporting to Transport Canada (CADORS reporting system) and internal safety review committee.



- Example: RPAS loss of communication during a mission, triggering a controlled crash landing.
- RPAS Near-Miss Investigation
 - Triggered when an RPAS nearly collides with manned aircraft, buildings, or personnel but no damage occurs.
 - Investigates airspace awareness, pilot procedures, and risk mitigation measures.
 - Example: A drone operator loses situational awareness in a high-traffic corridor, requiring emergency maneuvers.
- Payload & Sensor Malfunction Investigation
 - Conducted when LiDAR, multispectral, or other payload sensors fail mid-flight, affecting mission deliverables.
 - Assesses data integrity, equipment reliability, and maintenance compliance.
 - Example: A multispectral camera produces corrupted imagery due to power fluctuations.

Investigation Assignment & Escalation

Assignment of Investigation Levels

- Formal investigations require senior management oversight and may involve external agencies.
- Standard investigations are led by HSE personnel and supervisors.
- Informal investigations are handled on-site by immediate supervisors.
- RPAS-specific investigations are conducted by the RPAS Operations Team in coordination with HSE.

Escalation Criteria

An investigation shall be escalated to a higher level if:



- New evidence suggests greater risk than initially assessed.
- Regulatory bodies request further information or compliance measures.
- Similar incidents occur repeatedly, indicating a systemic issue.

Reference: BC Occupational Health and Safety Regulation (B.C. Reg. 296/97), Part 3, Sections 3.4 – 3.12; Transport Canada RPAS Regulations (CARs Part IX); Canada Labour Code, Part II, Sections 127 – 129.

11.4. Investigation Process

Aeria Solutions ensures a thorough, structured, and unbiased approach to incident investigations. The purpose of an investigation is to:

- Identify who was involved.
- Determine where, when, and what happened.
- Establish why the incident occurred (causal factors).
- Develop recommendations on how to prevent recurrence.

All investigations must align with BC OHS Regulation, Part 3, Division 10 (Sections 3.4 – 3.12), ensuring compliance with legal requirements and industry best practices.

Investigation Steps

Initial Fact Gathering

The Responsible Investigator will document the following:

- WHO – Identify all individuals involved.
- WHERE – Determine the location of the incident.
- WHEN – Record the date and time.
- WHAT – Provide a detailed incident description.

Before the Incident:

- What events led to the incident?



- What was the individual doing immediately before the event?

At the Time of the Incident:

- What was the individual doing?
- What was the last event before the incident?

After the Incident:

- Who was involved in the response?
- What actions were taken?
- What treatment was provided?

Other Considerations:

- Additional observations.
- Any contributing factors.

Root Cause Analysis – "WHY"

The investigator will identify contributing factors, including:

- Unsafe actions by individuals.
- Hazardous working conditions.
- Environmental or ergonomic factors.

Corrective Measures – "HOW"

Once the causes are established, corrective actions will be developed to prevent recurrence. These may include:

- Engineering controls.
- Administrative changes (e.g., enhanced training).
- Procedural modifications.
- Increased supervision or monitoring.



All corrective actions must be assigned to responsible individuals with clear deadlines for implementation.

Reference: BC Occupational Health and Safety Regulation (B.C. Reg. 296/97), Part 3, Sections 3.4 – 3.12.

11.5. Incident & Accident Response

Aeria Solutions follows a structured process to ensure that incidents are promptly assessed and necessary actions are taken to mitigate risks, secure the area, and initiate a thorough investigation. This process aligns with WorkSafeBC regulations and Canada Labour Code, Part II, Section 127 (Accident Scene Protection and Investigation Requirements).

Initial Supervisor Assessment

The acting Supervisor will complete an initial assessment of the incident to determine the following:

- What has occurred?
- Who was involved?
- What is required to control the scene?

If the incident is classified as an Emergency Situation, the Emergency Response Plan (ERP) must be followed. If it is not an emergency, the Incident Investigation Process shall proceed.

Securing the Incident Scene

To prevent further risks or disruptions, the scene must be secured while allowing for the safe removal of injured personnel and controlled shutdown of equipment. The scene should be secured to:

- Protect the public.
- Protect the environment.
- Prevent further incidents.



- Locate and preserve evidence.
- Meet legislative requirements.

Evidence Collection

Investigators shall collect and document relevant physical and digital evidence, including:

- Maps.
- Photographs and video footage.
- Measurements of site conditions.
- Site plans and layouts.

All evidence and incident investigation information (e.g., photographs, videos) shall be dated and referenced as attachments to the investigation report.

Documentation Requirements

Investigators must immediately record relevant details, as incident sites may change rapidly or evidence may be lost. Documentation must include:

- Witness information (contact details).
- RCMP/Police officers present, if applicable.
- Position of injured persons (e.g., workers, public).
- Position of equipment (e.g., hoist, vehicle).
- Position of materials (e.g., chemicals, loads).
- Preventive devices in use (e.g., machine guards).
- Ergonomic conditions (e.g., lighting, equipment controls).
- Environmental conditions (e.g., weather, temperature).
- Housekeeping conditions (e.g., presence of debris).

Investigation Procedures

The investigator shall:



- Conduct interviews with all involved individuals, including eyewitnesses and workers familiar with the job process.
- Emphasize that the purpose of the investigation is to determine causes and corrective actions, not to assign blame.
- Review preliminary documentation.
- Obtain relevant information regarding workplace conditions at the time of the incident.
- Establish a timeline of events, including any relevant occurrences in the 48 hours before and after the incident.

Reference: BC Occupational Health and Safety Regulation (B.C. Reg. 296/97), Part 3, Sections 3.5 – 3.8; Canada Labour Code, Part II, Section 127 (Investigation and Scene Protection Requirements)

11.6. Investigation Team

Aeria Solutions is committed to conducting thorough and unbiased investigations by assembling a competent Investigation Team to analyze all incidents and determine necessary corrective actions. The Investigation Team is responsible for gathering facts, identifying causes, and ensuring compliance with BC OHS Regulation, Part 3, Section 3.28 and Canada Labour Code, Part II, Section 128.

Investigation Team Composition

The team must include:

- A Supervisor or Manager responsible for the work area where the incident occurred.
- A Safety Representative to provide regulatory compliance expertise.
- A Worker Representative familiar with the task being performed.
- A Technical Expert or Engineer (if applicable).
- Any external regulatory representatives as required by law.



Reference: BC Occupational Health and Safety Regulation (B.C. Reg. 296/97), Part 3, Section 3.28; Canada Labour Code, Part II, Section 128.

11.7. Conduct of Investigation Team

The Investigation Team is responsible for conducting thorough, unbiased, and professional incident investigations to determine root causes and recommend corrective actions. The conduct of the team is critical to ensuring that investigations are credible, fair, and constructive while respecting the privacy and dignity of all involved.

Investigation Team Conduct Guidelines

1. Objectivity & Impartiality

- Investigators must approach each case without bias.
- Any investigator who has a personal or emotional connection to the incident must recuse themselves from the investigation.
- Findings must be based solely on facts, evidence, and verified information.

2. Confidentiality & Privacy

- Sensitive information obtained during investigations must be kept confidential and shared only with authorized personnel.
- Witness statements should be anonymous where possible to encourage honesty.
- Incident reports should not contain unnecessary personal details that do not contribute to the investigation's purpose.

3. Professionalism & Respect

- Investigators must treat all individuals involved with respect and fairness.
- Avoid leading questions or accusatory language during interviews.
- The focus of the investigation is fact-finding, not fault-finding.

4. Avoiding Conflicts of Interest



- Investigators must remove themselves from an investigation if they have a conflict of interest (e.g., direct involvement in the incident, personal relationships with those involved).
- Supervisors and managers should assign alternative investigators if potential bias is identified.

5. Accurate Documentation & Reporting

- All findings must be clearly documented and supported by evidence.
- The sequence of events must be recorded precisely, avoiding speculation or opinion.
- Investigators must verify facts before submitting reports.

6. Communication & Coordination

- The team must maintain ongoing communication with management and safety representatives throughout the process.
- Investigators should clarify expectations and timelines for completing their assessments.

Reference: BC Occupational Health and Safety Regulation (B.C. Reg. 296/97), Part 3, Section 3.28; Canada Labour Code, Part II, Section 128.

11.8. Determination of immediate Cause

The immediate cause of an incident is often a substandard act or condition that directly contributed to the event. Identifying these causes is crucial for implementing corrective measures.

Classification of Immediate Causes

Substandard Acts:

1. Operating equipment without authorization.
2. Failure to warn or secure.
3. Operating at improper speed.



4. Using defective equipment.
5. Failing to use PPE properly.
6. Improper lifting or positioning.
7. Failure to follow procedures or identify hazards.

Substandard Conditions:

1. Inadequate safety barriers or PPE.
2. Defective tools, equipment, or materials.
3. Poor housekeeping or clutter.
4. Exposure to hazardous substances (e.g., radiation, extreme temperatures).
5. Inadequate ventilation or lighting.

Investigators must classify the immediate cause based on observable evidence before proceeding to root cause analysis.

Reference: BC Occupational Health and Safety Regulation (B.C. Reg. 296/97), Part 3, Sections 3.4 – 3.12.

11.9. Determination of Root Cause

Root cause analysis determines the underlying reasons why an incident occurred. Addressing these factors is essential for long-term prevention.

Categories of Root Causes

Personal Factors:

1. Inadequate physical or mental capability.
2. Lack of knowledge or training.
3. Improper motivation or lack of safety awareness.
4. Stress-related factors (fatigue, overwork, emotional strain).

Job/System Factors:



1. Inadequate leadership or supervision.
2. Deficient engineering or maintenance practices.
3. Inadequate tools, equipment, or work standards.
4. Poor communication or lack of safety policies.

All corrective actions must be rooted in the identified causes to prevent recurrence.

Reference: BC Occupational Health and Safety Regulation (B.C. Reg. 296/97), Part 3, Section 3.9; Canada Labour Code, Part II, Sections 127 – 129.

11.10. Corrective Action Plan

Aeria Solutions ensures that all corrective actions arising from an investigation are effectively planned, implemented, and monitored to prevent recurrence of incidents. The Corrective Action Plan (CAP) must be developed using a structured and proactive approach to risk mitigation.

Corrective Action Categories

Corrective actions must be designed to eliminate or minimize risks based on the investigation's findings. They should fall under one or more of the following categories:

1. Engineering Controls
 - Modify workplace design or equipment to eliminate hazards.
 - Improve machine guarding, automation, ventilation, and noise reduction measures.
 - Enhance ergonomic conditions to reduce strain-related injuries.
2. Administrative Controls
 - Update policies, procedures, and standard operating guidelines (SOGs).
 - Improve training programs to reinforce safe work practices.
 - Implement work scheduling changes to mitigate risks related to fatigue or high-stress conditions.



3. Personal Protective Equipment (PPE)

- Ensure that PPE is adequate, accessible, and properly used.
- Conduct regular inspections and replace defective PPE.
- Provide additional training on proper use and maintenance of PPE.

4. Substitution & Process Changes

- Replace hazardous materials, tools, or processes with safer alternatives.
- Identify safer chemical alternatives where applicable.

Corrective Action Implementation Process

1. Assignment of Actions

- Each corrective action must be assigned to a responsible individual by name (not position) to ensure accountability.
- The responsible individual must acknowledge receipt of the assigned action and confirm understanding of the expectations.

2. SMART Corrective Actions

- Specific: Clearly define the action to be taken.
- Measurable: Establish criteria to track completion.
- Attainable: Ensure feasibility within operational limits.
- Relevant: Address the identified root cause directly.
- Time-Bound: Define realistic completion deadlines.

3. Temporary vs. Permanent Solutions

- Temporary Actions: Implement immediately to control immediate hazards.
- Permanent Actions: Require long-term planning and may involve significant changes to policy, equipment, or procedures.

4. Communication of Corrective Actions



- Corrective actions must be communicated to all relevant personnel to ensure awareness and compliance.
- Training sessions, tailgate talks, and safety meetings should be used to inform employees of changes.

5. Follow-Up & Monitoring

- A designated safety officer or manager must track corrective actions to ensure timely completion.
- Follow-up reviews should be scheduled at 30 days, 60 days, and 90 days to evaluate effectiveness.
- If corrective actions fail to reduce risk, additional modifications must be made.

Documentation & Accountability

- Incident Reports must document the corrective actions taken, responsible persons, and completion status.
- All completed corrective actions should be reviewed during management audits and safety committee meetings.
- Non-compliance with corrective actions must be escalated to senior leadership for resolution.

Preventive Actions & Continuous Improvement

Aeria Solutions is committed to continuous improvement through:

- Regular safety audits to identify potential risks before incidents occur.
- Proactive risk assessments to improve safety culture.
- Implementation of a lessons-learned database to track common trends and ensure preventive measures are in place across operations.

Reference: BC Occupational Health and Safety Regulation (B.C. Reg. 296/97), Part 3, Sections 3.9 – 3.12; Canada Labour Code, Part II, Sections 127 – 129.



11.11. Communication

Effective communication of incident findings is essential to prevent recurrence and ensure organizational learning. Information identified and documented throughout an incident may assist employees, subcontractors, and management in enhancing workplace safety practices.

The Safety Representative is responsible for:

- Communicating appropriate incident findings and corrective actions to affected employees.
- Ensuring compliance with applicable regulatory reporting requirements (e.g., WorkSafeBC, Occupational Health and Safety authorities).
- Coordinating notifications to external regulatory agencies, where required.

Incident Communication Practices

1. Internal Communication

- Incidents shall be discussed at safety meetings and tailgate talks.
- Incident summaries shall be posted on the safety board for workplace awareness.
- Lessons learned shall be incorporated into training programs.

2. Regulatory Reporting

- Certain incidents require reporting to WorkSafeBC or other authorities within legally mandated timeframes.
- The Safety Representative shall ensure all regulatory reports are completed accurately and on time.

3. Employee Engagement

- Employees shall be informed of corrective actions taken following an incident.



- Workers are encouraged to ask questions and participate in discussions to improve safety awareness.

Reference: BC Occupational Health and Safety Regulation (B.C. Reg. 296/97), Part 3, Section 3.9 (Reporting Unsafe Conditions), Section 3.8 (Committee Participation in Safety Reviews); Canada Labour Code, Part II, Section 127 (Accident Scene Protection and Reporting Requirements).

11.12. Incident & Accident Reporting Matrix

A structured Incident Reporting Matrix ensures that the appropriate personnel are notified in a timely manner based on the type of incident. This process is critical for ensuring accountability, compliance, and prompt corrective actions.

Type of Incident	Who to Notify	When to Notify	Incident Report Form Required?
Minor First Aid	HSE Manager	Within 24 hrs	Yes
Clinic or Doctor Visit	HSE Manager	ASAP	Yes
Hospitalization or Fatality	CEO, then Safety Manager	ASAP	Yes
Damage Exceeding \$500	HSE Manager	ASAP	Yes
Non-Conformance	HSE Manager	ASAP	Yes
RPAS Related	Accountable Executive	ASAP	Yes (refer to RPAS Operators Manual)

Reference: BC Occupational Health and Safety Regulation (B.C. Reg. 296/97), Part 3, Section 3.5 (Workplace Inspections) and Section 3.9 (Correction of Unsafe Conditions).

11.13. Incident & Accident Reporting Form

The Supervisor is responsible for initiating the Field Incident Report and ensuring that all required steps in the incident investigation are completed.

Incident Reporting Process

1. Provide Emergency Assistance



- Ensure immediate medical response as needed.
- Call 911 or emergency responders if required.
- 2. Secure the Incident Scene
 - Retain the area in the same condition as when the incident occurred.
 - Preserve physical evidence where safe to do so.
- 3. Notify Management
 - Follow the Incident Notification Matrix to report the event.
- 4. Identify Witnesses
 - Obtain written and signed witness statements.
 - Conduct structured interviews to gather details.
- 5. Document the Incident
 - Use photographs, drawings, and video recordings for visual records.
 - Tag out any involved equipment for further investigation.
- 6. Prepare & Submit Reports
 - Complete the Field Incident Report and submit it to the HSE Manager.
- 7. Communicate Findings
 - Share the Incident Notice with all work sites.
 - Post findings on employee bulletin boards and discuss them in safety meetings.

Reference: BC Occupational Health and Safety Regulation (B.C. Reg. 296/97), Part 3, Section 3.8 (Committee Participation in Safety Reviews) and Section 3.12 (Reporting Requirements).



11.14. Incident Classification

To ensure proper response and reporting, incidents must be classified based on their nature and impact.

Incident Categories

1. Damage – Property damage to personal, business, or client-owned assets.
2. Environmental – Environmental damage or wildlife interaction incidents.
3. Injury – Workplace injury affecting employees, contractors, or clients.
4. Near Miss – An event that had the potential to result in injury or damage but did not.
5. Non-Conformance – A violation of safety, environmental, or quality standards.

Reference: BC Occupational Health and Safety Regulation (B.C. Reg. 296/97), Part 3, Section 3.5 (Workplace Inspections) and Section 3.9 (Correction of Unsafe Conditions).

11.15. Injury Classification

To ensure consistency in reporting and response, injuries shall be categorized based on severity and work impact.

Injury Categories

1. First Aid Case (FAC) – Minor injuries requiring basic treatment (e.g., minor cuts, splinters).
2. Lost Work Day Case (LWDC) – An injury resulting in missed workdays beyond the day of injury.
3. Restricted Work Day Case (RWDC) – An injury causing work restrictions but no lost time.
4. Recordable Medical Case (RMC) – More severe than first aid but not causing lost time (e.g., fractures, multiple stitches, hospitalization without lost workdays).
5. Occupational Injury – An injury resulting from work-related activities.



6. Occupational Illness – Work-related illness due to exposure (e.g., poisoning, respiratory conditions, heatstroke).
7. Exclusions from Recordable Cases

The following incidents are not considered recordable:

- Injuries resulting solely from non-work-related events occurring outside the workplace.
- Minor personal health issues (e.g., colds, flu, voluntary health program participation).
- Self-inflicted injuries from personal tasks performed outside work hours.

Reference: BC Occupational Health and Safety Regulation (B.C. Reg. 296/97), Part 3, Section 3.14 (Occupational First Aid) and Section 3.17 (First Aid Procedures); Canada Labour Code, Part II, Section 239 (Work-Related Injury and Illness Classification).

12. Program Administration

12.1. Safety Statistics & Records Keeping

Aeria Solutions recognizes the importance of maintaining accurate safety records and statistics to meet regulatory requirements and support continuous improvement of its Health & Safety Program. Records are essential for identifying trends, mitigating hazards, and ensuring compliance with WorkSafeBC, Canada Labour Code, and Occupational Health & Safety Regulations.

Records & Documentation

The following records must be maintained:

- Incident Investigation Reports
- Workplace Inspection Reports
- Near Miss Reports
- Safety Data Sheets (SDS)



- Workers' Compensation Board (WCB) Claims
- First Aid Records
- Hazard Assessments
- New Employee Safety Orientation Logs
- Training Records (including WHMIS and First Aid Certifications)
- Tailgate Talks and Safety Meeting Minutes
- Internal & External Safety Audits
- Safe Job Procedures and Work Practices
- Mock Emergency Drill Reports
- Disciplinary Action Records related to Safety Non-Conformance

Review & Compliance

- Safety records shall be reviewed annually by management.
- Safety audits shall be conducted to assess program effectiveness.
- Program adjustments shall be made to ensure compliance with regulatory updates, industry standards, and operational changes.
- The company shall strive to maintain its Certificate of Recognition (COR) and meet continuous improvement objectives.

Reference: BC Occupational Health and Safety Regulation (B.C. Reg. 296/97), Part 3, Section 3.3 (Health and Safety Program), Section 3.9 (Record Keeping); Canada Labour Code, Part II, Section 134 (Record Maintenance Requirements).

12.2. System Overview & Audit Policy

Aeria Solutions conducts scheduled and unscheduled audits to ensure compliance with workplace safety procedures, regulatory requirements, and operational standards. Audits are essential for evaluating program effectiveness and identifying areas for improvement.

Scheduled Operational Audits



- Frequency: Conducted quarterly and whenever regulatory changes occur.
- Scope: Includes review of:
 - Compliance with operational safety procedures.
 - Personal Protective Equipment (PPE) usage and maintenance.
 - Adherence to safe work procedures.
 - Incident reporting and investigation compliance.
- Documentation: Findings are recorded in a standardized audit template and stored electronically for accessibility.

Unscheduled (Drop-In) Audits

- Purpose: Spot-checks to assess real-time compliance.
- Frequency: Conducted randomly across operational teams.
- Scope: Focuses on hazard identification, PPE use, and adherence to safety policies.

Protocol and Procedure Audits

- Frequency: Annually.
- Scope:
 - Review of operational and training procedures.
 - Assessment of Key Performance Indicators (KPIs).
 - Analysis of investigation reports to identify trends and risk areas.
 - Evaluation of corrective actions for effectiveness.
- Outcome: Generate an action plan for necessary policy or procedural updates.

Simulated Drills & Exercises

- Frequency: Semi-annual (twice per year).
- Scope:

- Conduct mock emergency drills to assess response readiness.
- Evaluate team adherence to emergency protocols.
- Identify areas for response improvement and training gaps.

Reference: BC Occupational Health and Safety Regulation (B.C. Reg. 296/97), Part 3, Section 3.8 (Safety Audits & Review).

12.3. Audit Procedure

Planning & Preparation

- Define audit scope and objectives.
- Assign competent audit teams familiar with operational hazards.
- Notify relevant personnel and ensure access to documentation & sites.

Execution

- Collect evidence through:
 - Observation of workplace conditions.
 - Interviews with employees and supervisors.
 - Review of documents, procedures, and logs.
- Use standardized audit checklists for consistency.
- Identify non-conformances and areas for improvement.

Reporting

- Prepare a detailed audit report, including:
 - Summary of findings and deficiencies.
 - Identified non-compliance issues.
 - Recommendations for corrective actions.
- Share reports with management, supervisors, and safety teams.



Corrective Actions & Follow-Up

- Develop a Corrective Action Plan with:
 - Assigned responsible persons.
 - Deadlines for corrective actions.
 - KPIs to track improvement.
- Conduct follow-up audits to ensure corrective measures are implemented.

Review & Continuous Improvement

- Use audit findings to update policies, procedures, and training.
- Identify trends and address systemic issues proactively.

Reference: BC Occupational Health and Safety Regulation (B.C. Reg. 296/97), Part 3, Sections 3.3 – 3.5 (Audit & Program Evaluation Requirements).

12.4. Management Meetings

Aeria Solutions management meets regularly to review the effectiveness of the Health & Safety Program and ensure adequate resources are allocated for safety initiatives.

Meeting Frequency & Scope

- Senior management meetings occur annually (or more frequently if required).
- Topics include:
 - Review of Safety Performance Objectives & Programs.
 - Corrective Action Plans & Inspection Review.
 - Evaluation of Health & Safety Resource Allocation.
 - Discussion of Operational Controls.
 - Review of Health & Safety Policy & Legal Compliance.

Documentation & Follow-Up



- Meeting results shall be documented through agendas and minutes.
- A summary of post-review action items shall be tracked for completion.

Reference: BC Occupational Health and Safety Regulation (B.C. Reg. 296/97), Part 3, Section 3.3 (Management's Role in Safety Programs).

12.5. Proactive Safety Management

Aeria Solutions is committed to proactive safety management to reduce risk, prevent incidents, and continuously improve workplace safety. By integrating prevention-focused safety planning, risk assessments, and real-time hazard controls, Aeria Solutions fosters a strong safety culture that protects employees, subcontractors, clients, and the environment.

This proactive approach aligns with BC OHS Regulations, Canada Labour Code Part II, Transport Canada RPAS Regulations (CARs Part IX), and ISO 45001 Occupational Health & Safety Standards.

Operational Planning Meetings

Purpose:

- To incorporate safety planning into operational workflows.
- To assess and mitigate risks before work begins.
- To ensure compliance with legal and procedural requirements.

Frequency:

- Conducted before each field deployment, new project, or major task.

Procedure:

1. Pre-Deployment Risk Review:
 - Conduct Site Surveys, Concept of Operations (CONOPS), and Specific Operational Risk Assessments (SORAs).
 - Review applicable WorkSafeBC, Transport Canada, and site-specific regulations.



- Identify site-specific hazards, operational constraints, and mitigation strategies.

2. Operational Safety Planning:

- Discuss task-specific safety procedures and risk controls.
- Confirm that all participants understand worksite hazards and emergency response measures.
- Review and verify that necessary Personal Protective Equipment (PPE) is available and in compliance.

3. Document & Approve Risk Mitigation Strategies:

- Establish safe work parameters (e.g., buffer zones for RPAS operations, equipment handling protocols).
- Implement task-specific safety checklists to verify procedural compliance.
- Assign responsibilities for safety oversight during operations.

Reference: BC Occupational Health and Safety Regulation (B.C. Reg. 296/97), Part 3, Section 3.5 (Hazard Identification & Risk Control), Section 3.9 (Operational Safety Planning Requirements).

Tailgate Talks (Tailgate Meetings)

Purpose:

- To ensure real-time, task-specific hazard awareness.
- To reinforce safe work practices and compliance measures.
- To provide a forum for workers to discuss safety concerns and observations.

Frequency:

- Daily or before starting specific tasks.

Procedure:

1. Pre-Task Review:



- Review the site survey and associated safety documentation.
- Address hazards identified during pre-work inspections.
- Reinforce task-specific safe work practices and control measures.

2. Real-Time Hazard Identification:

- Discuss weather conditions, environmental risks, and site-specific hazards.
- Review use of proper PPE, equipment handling, and emergency response steps.

3. Worker Participation & Feedback:

- Encourage employee engagement in identifying additional risks or concerns.
- Record new hazards, observations, or best practices for continuous improvement.

Reference: BC Occupational Health and Safety Regulation (B.C. Reg. 296/97), Part 4, Section 4.1 (Safe Work Practices), Section 4.9 (Training & Awareness Requirements).

Formal Safety Meetings

Purpose:

- To assess company-wide safety performance.
- To review incidents, trends, and corrective actions.
- To update safety policies and protocols based on regulatory changes.

Frequency:

- Conducted quarterly with Aeria management staff and accountable executives.

Procedure:

1. Safety Performance Review:

- Analyze safety metrics, incident reports, and near-miss trends.
- Identify root causes of repeat hazards and evaluate corrective actions taken.



2. Regulatory & Policy Updates:

- Discuss new legal requirements (WorkSafeBC, Transport Canada, Environmental Protection Laws).
- Integrate best practices from industry safety audits.

3. Continuous Improvement Planning:

- Establish goals for enhancing workplace safety culture.
- Implement training initiatives, equipment upgrades, or procedural refinements.
- Prepare detailed meeting minutes documenting outcomes and action items.

Reference: Canada Labour Code, Part II, Section 125(1)(z.01) (Requirement for a Workplace Safety Program).

Behavior-Based Safety (BBS) & Near-Miss Reporting

Purpose:

- To identify risk behaviors before incidents occur.
- To engage employees in proactive hazard recognition.
- To encourage open reporting of unsafe conditions without fear of retaliation.

Frequency:

- Ongoing, integrated into all safety processes.

Procedure:

1. Observation & Data Collection:

- Supervisors conduct regular observations of worker behaviors.
- Near-miss incidents are analyzed to prevent future accidents.

2. Positive Reinforcement & Coaching:

- Recognize and reward safe behaviors.



- Provide coaching and corrective action for at-risk behaviors.

3. Confidential Reporting Mechanism:

- Workers can report near-misses or safety concerns anonymously.
- Reports are reviewed at safety meetings and used to update policies.

Reference: ISO 45001 (Occupational Health & Safety Management Systems), Section 8.1 (Proactive Hazard Management).

12.6. Key Performance Indicators

Aeria Solutions establishes a clear, enforceable framework for identifying, measuring, and evaluating Key Performance Indicators (KPIs) within its Health and Safety Management System (HSMS). By utilizing both leading (preventive) and lagging (outcome-based) indicators, Aeria Solutions aims to:

1. Continuously improve safety performance and minimize workplace incidents.
2. Identify potential risks early to ensure proactive mitigation measures are in place.
3. Comply with all applicable legal and regulatory requirements (e.g., WorkSafeBC, Transport Canada RPAS Regulations, and ISO 45001 Occupational Health & Safety Management Standards).
4. Support data-driven decision-making and effective resource allocation.
5. Strengthen accountability across all levels of the organization through measurable safety objectives.

This KPI framework aligns with industry best practices and regulatory mandates to drive continuous improvement in workplace safety.

KPI Selection

Selection Process

- HSE Management, in consultation with executive leadership, department heads, and safety representatives, selects KPIs that accurately reflect organizational health and safety priorities.



- KPIs are designed to provide a balanced view of performance by incorporating both leading and lagging indicators.

Types of KPIs

- Leading Indicators (Preventive Metrics):
 - Number of hazard identifications and corrections before incidents occur.
 - Percentage of safety training completion rates per quarter.
 - Frequency of safety meetings, tailgate talks, and engagement sessions.
 - Compliance rate with pre-flight RPAS safety checklists and operational risk assessments.
 - Number of workplace inspections completed vs. scheduled.
- Lagging Indicators (Outcome-Based Metrics):
 - Total recordable incident rate (TRIR) per 100 employees.
 - Lost Time Injury Frequency Rate (LTIFR).
 - Severity rate of injuries resulting in lost workdays.
 - Number of regulatory citations or non-compliances from WorkSafeBC or Transport Canada.
 - Financial cost of workplace injuries, damage, or environmental incidents.

Data Collection & Management

Collection Process

- Supervisors and Team Leads gather data (e.g., training logs, incident reports, hazard assessments) using standardized reporting forms or digital tracking systems.
- HSE Management centralizes and validates KPI data to ensure accuracy, consistency, and compliance with reporting standards.

Technology & Tools



- Safety data shall be recorded using digital HSE management software, allowing for real-time tracking of safety performance metrics.
- Audit and inspection results shall be stored in a centralized database for trend analysis.

Reference: BC Occupational Health and Safety Regulation (B.C. Reg. 296/97), Part 3, Section 3.3 (Health and Safety Program Monitoring); Canada Labour Code, Part II, Section 134 (Record Maintenance Requirements).

Data Analysis & Benchmarking

Analysis Process

- HSE Management analyzes KPI data at predefined intervals (monthly, quarterly, annually) to:
 - Identify trends, anomalies, or emerging safety risks.
 - Compare current performance with historical data to evaluate improvement or decline.
 - Assess whether safety initiatives are achieving desired outcomes.

Benchmarking

- KPI results are benchmarked against:
 - Regulatory standards (e.g., WorkSafeBC, Transport Canada).
 - Industry norms and global safety best practices.
 - Internal performance metrics and corporate safety objectives.

KPI Reporting & Communication

Formal Reporting Structure

- Quarterly KPI reports are generated and shared with:
 - Executive leadership, supervisors, and operational teams.
 - Health & Safety Committees and key stakeholders.



- Annual safety performance reports shall be reviewed at corporate management meetings to guide long-term planning.

Meeting Discussions & Follow-Ups

- KPI findings and action items shall be discussed during:
 - Quarterly safety review meetings.
 - Monthly HSE compliance check-ins.
 - Project kick-off meetings to ensure operational safety alignment.

Reference: ISO 45001 (Occupational Health & Safety Management Systems), Section 9.1 (Performance Evaluation & Monitoring).

KPI-Based Action Planning

Corrective Action Implementation

- If a KPI falls below target performance, HSE Management must develop a corrective action plan in coordination with affected departments.
- Corrective actions may include:
 1. Additional training programs to address skill gaps.
 2. Revised work procedures or updated SOPs.
 3. Reallocation of safety resources (e.g., additional PPE, equipment upgrades).
 4. Improved reporting mechanisms to capture early warning signs.

Accountability & Follow-Through

- Responsible persons and deadlines must be assigned for each action item.
- Performance improvements shall be monitored for effectiveness over the following:
 - 30 days (initial review).
 - 90 days (progress check).
 - Annual review (final assessment & long-term planning).



Annual KPI Review & Revision

Review Frequency

- KPIs shall be reviewed at least annually, or more frequently if regulatory or operational changes require updates.

Continuous Improvement Adjustments

- KPIs that no longer align with Aeria Solutions' strategic safety objectives or fail to provide actionable insights shall be:
 - Retired or replaced with more relevant indicators.
 - Adjusted to meet updated compliance requirements.
 - Expanded to incorporate new safety performance metrics (e.g., AI-based predictive analytics for RPAS operations).

Reference: WorkSafeBC Guidelines on Performance Metrics, Transport Canada RPAS Safety Standards, and ISO 45001 Section 10 (Continuous Improvement).

12.7. Records Filling & Accessibility

Aeria Solutions is committed to maintaining accurate, secure, and compliant record-keeping as part of its Health and Safety Management System (HSMS). Proper storage, retention, and accessibility of records ensure regulatory compliance, organizational accountability, and efficient retrieval when needed. This policy ensures compliance with WorkSafeBC, the Canada Labour Code, and ISO 45001 Occupational Health & Safety Standards.

This policy applies to all health and safety-related documents, incident reports, training records, and regulatory compliance materials.

Records Management Objectives

Aeria Solutions maintains record-keeping practices that:

1. Ensure key records are properly filed and readily accessible.
2. Meet applicable regulatory retention periods for legal and compliance purposes.



3. Protect sensitive information while ensuring accessibility for authorized personnel.
4. Ensure records are securely disposed of when the retention period expires.
5. Facilitate accurate reporting and analysis for safety improvement and auditing purposes.

Types of Safety Records Maintained

The following records must be stored, maintained, and reviewed periodically:

- Incident Investigation Reports
- Workplace Inspection Reports
- Near Miss Reports
- Hazard Assessments & Risk Evaluations
- First Aid & Medical Records
- Employee Training & Certification Logs (e.g., WHMIS, First Aid, RPAS Training)
- Tailgate Talks & Safety Meeting Minutes
- Regulatory Reporting & Compliance Submissions
- Safe Job Procedures (SJPs) & Safe Work Practices (SWPs)
- Mock Emergency Drill Reports
- Health & Safety Committee Meeting Minutes
- Internal & External Safety Audits
- Disciplinary Actions Related to Safety Violations

Record Retention & Disposal

Retention Periods

Aeria Solutions follows legal and industry guidelines for retaining health and safety records:

Record Type	Minimum Retention Period
-------------	--------------------------



Incident Investigation Reports	10 years
First Aid & Medical Treatment Logs	10 years
Employee Training & Certifications	Duration of Employment + 5 years
WCB/WorkSafeBC Claims	10 years
Safety Audits & Inspections	5 years
Exposure & Toxic Substance Data	30 years
Health & Safety Committee Minutes	5 years

- Records must be reviewed annually to determine if they are eligible for disposal.
- Once the retention period has expired, records shall be destroyed securely through shredding, deletion, or certified disposal processes.

Reference: Canada Labour Code, Part II, Section 177.5 (Record Keeping & Retention Requirements); BC Occupational Health and Safety Regulation (B.C. Reg. 296/97), Part 3, Section 3.9 (Retention of Safety Records).

Accessibility & Employee Rights

Employee Access to Records

- Employees or their representatives may request copies of their safety-related records at no cost for the first request.
- Additional copies may be provided at a nominal charge (e.g., five cents per page).
- Employee records will be stamped as "COPY" to protect the integrity of the original documents.

Exposure & Medical Records Access

- Employees and their designated representatives may access records related to:
 - Occupational exposure to hazardous substances or physical agents.
 - Medical evaluations related to workplace exposures.
 - Past and present exposure data for toxic materials.
- Confidentiality:



- Physicians, nurses, or other authorized personnel maintaining medical records may remove the identity of third-party individuals who provided confidential health-related information.
- Personally identifiable medical records shall not be disclosed without the employee's consent, except where legally required.

Reference: Canada Labour Code, Part II, Section 134 (Access to Health & Safety Records); BC Occupational Health and Safety Regulation (B.C. Reg. 296/97), Part 5, Section 5.16 (Availability of SDS & Exposure Data).

Filing & Storage Requirements

To ensure secure, organized, and compliant record storage, Aeria Solutions enforces the following standards:

- **Legibility & Identification:**
 - All records must be legible, properly labeled, and categorized.
 - Documents must include dates, responsible personnel, and reference numbers.
- **Security & Confidentiality:**
 - Health and safety records shall be stored in secure locations to prevent unauthorized access, tampering, or loss.
 - Digital records shall be encrypted and protected by role-based access controls.
- **Accessibility & Retrieval:**
 - Authorized personnel must be able to retrieve records within 24 hours of a request.
 - Critical regulatory documents must be accessible on demand during audits or inspections.
- **Backup & Disaster Recovery:**



- Digital safety records shall be backed up regularly to a secure cloud or offsite storage system.
- Paper records shall be duplicated and stored in fireproof cabinets for essential files.

Regulatory Compliance & Record Review

- Records shall be reviewed annually to ensure compliance with WorkSafeBC, Transport Canada, and ISO 45001 Safety Management System requirements.
- Periodic audits shall be conducted to verify:
 - Proper filing and accessibility.
 - Retention compliance with legal mandates.
 - Secure disposal of outdated documents.
- Records related to active litigation, regulatory investigations, or workers' compensation claims shall not be destroyed until all legal matters are resolved.

Reference: BC Occupational Health and Safety Regulation (B.C. Reg. 296/97), Part 3, Section 3.8 (Record Keeping Requirements); Canada Labour Code, Part II, Section 177.5 (Retention of Safety Records).

13. Appendix A: List of Workflows

13.1. Annual Review Workflow

Workflow Name

Annual Review Workflow

Trigger

- Occurs once per year during the Annual General Meeting (AGM) or at the scheduled annual review period of the HSE policies.

Response Steps

1. Assemble Review Team



- CEO/Accountable Executive and key team members convene to evaluate all HSE policies and procedures.

2. Collect Performance Data

- Gather audit results, incident reports, regulatory changes, and employee feedback for review.

3. Identify Gaps & Improvement Areas

- Document any deficiencies, outdated references, or needed enhancements.

4. Propose Amendments

- Draft recommended policy or procedural updates.

5. Obtain Approvals

- Submit amendments to CEO/Accountable Executive for approval.

6. Finalize & Communicate

- Incorporate approved amendments into the master HSE document.
- Distribute revised documents (e.g., update SiteDocs) and communicate changes to all employees.

Responsible Parties

- **CEO/Accountable Executive:** Oversees final approval.
- **Operations Manager / HSE Representative:** Coordinates data collection, drafts proposed amendments.
- **Field Supervisors & Team Leads:** Provide feedback and insight from field operations.

Regulatory or Policy References

- *Amendment Procedure (Section 1.2)*
- *Canada Labour Code, Part II, Section 125(1)(z.03)* (requiring ongoing hazard prevention program reviews)



13.2. On-Demand Amendment Workflow

Workflow Name

On-Demand Amendment Workflow

Trigger

- A field operator or group of operators identifies an issue or gap in the HSE policies or procedures at any time outside the annual review cycle.

Response Steps

1. Propose Solution

- Field operator(s) submit a written suggestion or concern to an Accountable Executive or Manager.

2. Managerial Review

- Accountable Executive or Manager evaluates the proposal and organizes a protocol meeting.

3. Team Discussion

- Relevant teams (HSE, operations, supervisors) discuss the proposed amendment for feasibility and impact.

4. Approval & Implementation

- If approved, incorporate changes into master HSE documents.
- Communicate updates to the workforce (e.g., via SiteDocs, email bulletins).

Responsible Parties

- **Field Operators:** Initiate the proposal.
- **Accountable Executive / Manager:** Reviews and approves or denies the amendment.
- **HSE Representative:** Updates the master HSE documents and distributes changes.



Regulatory or Policy References

- *Amendment Process (Section 1.2)*
- *Canada Labour Code, Part II, Section 126* (workers' right to participate and report concerns)

13.3. Amendment Procedure Workflow

Workflow Name

Amendment Procedure Workflow

Trigger

- Any time an amendment (annual or on-demand) is officially adopted.

Response Steps

1. Assign Amendment Number

- Record in Table 1 (Identification of Change).

2. Record Dates

- Log the date proposed and date entered into the master document.

3. Identify Responsible Person

- The person making the amendment ensures details are accurate.

4. Reference & Description

- Complete Table 2 with the amendment number and a concise description of what changed.

5. Distribute Updated Policy

- Update references in all resource folders, including SiteDocs.
- Notify all employees and relevant contractors.

Responsible Parties

- **Person Responsible for Amendment:** Completes the forms, ensures accuracy.



- **HSE Representative:** Updates central files and notifies staff.

Regulatory or Policy References

- *Table 1 & Table 2 in Section 1.2 (Amendment Documentation)*
- *Canada Labour Code, Part II, Section 125(1)(z.03) (ongoing program maintenance)*

13.4. Refuse Unsafe Work Workflow

Workflow Name

Refuse Unsafe Work Workflow

Trigger

- A worker perceives an imminent or serious threat to their health and safety.

Response Steps

1. Immediate Notification

- Worker stops work and notifies their supervisor/HSE Representative.

2. Initial Assessment

- Supervisor assesses the situation to determine if the risk is legitimate.

3. Temporary Reassignment

- If risk is confirmed, assign the worker to alternate duties until hazards are controlled.

4. Investigation

- Supervisor or HSE Representative investigates the refusal, consulting the health and safety committee if unresolved.

5. Resolution

- If the hazard exists, implement corrective actions before work resumes.
- If no hazard is found, document findings and communicate them to the worker.



6. No Retaliation

- Worker cannot be penalized for refusing unsafe work.

Responsible Parties

- **Worker:** Refuses unsafe work, reports the hazard.
- **Supervisor:** Investigates, provides alternate duties, and implements controls.
- **HSE Representative:** May be involved if hazard is complex or unresolved.

Regulatory or Policy References

- *Refuse Unsafe Work Policy (Section 3.9)*
- *BC OHS Regulation, s.3.12 and Canada Labour Code, Part II, Section 128(1)*

13.5. Hazard Identification & Risk Assessment Workflow

Workflow Name

Hazard Identification & Risk Assessment Workflow

Trigger

- At the start of any new project, when tasks or conditions change, or when new hazards are introduced.

Response Steps

1. Initiate Hazard Assessment

- Identify potential hazards (physical, chemical, ergonomic, biological, etc.).

2. Classify Risks

- Use Likelihood × Severity matrix to categorize risk levels (Critical, High, Medium, Low).

3. Determine Controls

- Apply the Hierarchy of Controls (elimination, substitution, engineering, administrative, PPE).



4. Document & Communicate

- Record findings in Formal Hazard Assessment (FHA) or Field-Level Hazard Assessment (FLHA) forms.
- Share control measures with all affected personnel.

5. Monitor & Review

- Update the assessment if conditions or tasks change, or if a near miss/incident occurs.

Responsible Parties

- **HSE Representative:** Oversees hazard assessment processes.
- **Supervisors / Operations Managers:** Conduct or verify site-specific surveys.
- **Workers:** Participate in FLHAs daily or as tasks/conditions change.

Regulatory or Policy References

- *Hazard Assessment Policy (Section 6.1)*
- *BC OHS Regulation, Part 3, Section 3.5*
- *Canada Labour Code, Part II, Section 125(1)(z.03)*

13.6. Formal Hazard Assessment Workflow

Workflow Name

Formal Hazard Assessment (FHA) Workflow

Trigger

- Conducted for recurring or routine tasks before they are performed.

Response Steps

1. Identify Routine Tasks

- List common tasks (e.g., driving, lifting, operating machinery).

2. Assess Hazards



- Evaluate each task for potential hazards, referencing historical data and best practices.

3. Assign Risk Ratings

- Score hazards using the risk matrix (likelihood × severity).

4. Pre-Built Controls

- Reference standardized control measures (engineering, administrative, PPE).

5. Review & Approval

- Supervisors and HSE confirm adequacy of controls.

6. Post & Implement

- Make FHA available on SiteDocs.
- Ensure workers review relevant FHA before starting tasks.

Responsible Parties

- **HSE Team:** Develops and maintains FHA templates.
- **Supervisors:** Ensures employees follow the FHA controls.
- **Employees:** Review FHA prior to work.

Regulatory or Policy References

- *Formal Hazard Assessment Policy (Section 7.7)*
- *BC OHS Regulation, Part 3, Section 3.5*

13.7. Field-Level Hazard Assessment (FLHA) Workflow

Workflow Name

Field-Level Hazard Assessment (FLHA) Workflow

Trigger



- Daily start of shift, when new hazards appear, or when scope of work changes (e.g., weather shift, new personnel, unexpected site conditions).

Response Steps

1. Pre-Shift FLHA

- Complete FLHA workbook, identifying environment- or task-specific hazards.

2. Discuss Controls

- Crew discusses required controls; update if conditions shift mid-task.

3. Implement Controls

- Deploy engineering or administrative measures, ensure PPE compliance.

4. Document & Sign

- All crew members sign the FLHA acknowledging hazards and controls.

5. Monitor & Revise

- If new hazards arise, revise FLHA accordingly.

Responsible Parties

- **All Workers on Site:** Participate, sign, and adhere to FLHA.
- **Supervisors / Team Leads:** Review FLHA validity, ensure follow-through.
- **HSE Representative:** Oversees training on FLHA process.

Regulatory or Policy References

- *Field-Level Hazard Assessment Policy (Section 7.8)*
- *BC OHS Regulation, Part 3, Section 3.5*

13.8. Incident Reporting & Investigation Workflow

Workflow Name

Incident Reporting & Investigation Workflow



Trigger

- Any workplace incident, near-miss, injury, illness, property damage, or regulatory-reportable event occurs.

Response Steps

1. Immediate Actions

- Secure the scene, provide first aid or emergency services if needed.

2. Notify Supervisor & HSE

- Report incident details using the Incident Report Form as soon as possible.

3. Preserve Evidence

- Tag and remove defective equipment or isolate the area.

4. Conduct Investigation

- Gather witness statements, photos, and documentation.
- Classify immediate vs. root causes.

5. Develop Corrective Actions

- Assign tasks to responsible individuals with deadlines.

6. Follow-Up & Closure

- Verify completion of corrective actions and share lessons learned in safety meetings.

Responsible Parties

- **Supervisor:** Leads the initial response, ensures form completion.
- **HSE Representative:** Oversees investigation, root cause analysis, and compliance.
- **Workers:** Report incidents promptly, cooperate with investigators.

Regulatory or Policy References

- *Investigations Policy (Section 11.1)*



- *BC OHS Regulation, Part 3, Division 10*
- *Canada Labour Code, Part II, Section 125(1)(c)*

13.9. Emergency Preparedness & Response Workflow

Workflow Name

Emergency Preparedness & Response Workflow

Trigger

- Any incident or condition posing an immediate threat (fire, severe weather, chemical spill, workplace violence, RPAS emergency, etc.).

Response Steps

1. Activation

- Sound alarm or alert.
- Deploy ERP (Emergency Response Plan) procedures.

2. Initial Assessment

- Supervisor or designated lead determines the nature and scope of the emergency.

3. Protect Personnel

- Evacuate or shelter-in-place per ERP guidelines.
- Provide first aid if safe to do so.

4. Contact Emergency Services

- Call 911 or local responders as required.

5. Incident Command

- Supervisor or on-site lead coordinates actions until emergency services arrive.

6. Communication



- Notify all employees, contractors, and relevant parties (landowners, regulatory agencies if needed).

7. Contain & Control

- Mitigate hazards (shut off gas, contain spills, etc.) if trained and safe.

8. Post-Incident Actions

- Document the event, initiate investigation, and implement corrective actions.

Responsible Parties

- **All Employees:** Follow ERP, evacuate if directed, assist within their training.
- **Supervisor / Site Lead:** Acts as incident commander, ensures 911 contact if needed.
- **HSE Representative:** Coordinates post-incident investigation, updates ERP if changes are needed.

Regulatory or Policy References

- *Emergency Response Plan (Section 10.1)*
- *BC OHS Regulation, Part 4.13*
- *Canada Labour Code, Part II, Section 125(1)(z.03)*

13.10. Performance Monitoring & Audits Workflow

Workflow Name

Performance Monitoring & Audits Workflow

Trigger

- Scheduled quarterly or annual audits, or unscheduled spot-check audits.

Response Steps

1. Plan the Audit



- Define scope (worksites, documents, compliance checks).

2. **Gather Documents**

- Collect inspection reports, incident logs, training records, hazard assessments.

3. **Conduct Audit**

- Observe work practices, interview personnel, review documents.

4. **Identify Non-Conformances**

- Record findings, categorize severity, propose corrective actions.

5. **Report Findings**

- Compile an audit report with recommendations.

6. **Action & Follow-Up**

- Assign corrective actions, track completion, verify effectiveness in subsequent audits.

Responsible Parties

- **HSE Representative:** Coordinates overall auditing process.
- **Supervisors:** Provide site access, documentation, and corrective follow-up.
- **Management:** Reviews audit results and ensures continuous improvement.

Regulatory or Policy References

- *Safety Management System (Section 2.6)*
- *WorkSafeBC Guidelines – Safety Audits*
- *Canada Labour Code, Part II, Section 134.1*

13.11. PPE Selection & Usage Workflow

Workflow Name

PPE Selection & Usage Workflow



Trigger

- When tasks involve hazards that cannot be eliminated or sufficiently controlled via engineering or administrative measures.

Response Steps

1. Hazard Assessment

- Determine PPE requirements based on risk level (e.g., hard hats, eyewear, hearing protection).

2. PPE Provision

- Supply CSA- or ANSI-approved PPE at no cost to the worker.

3. Worker Training

- Demonstrate proper PPE use, care, and limitations.

4. Inspections & Maintenance

- Perform routine checks; replace defective or expired equipment.

5. Enforcement

- Supervisors ensure compliance on site.
- Non-compliance is addressed per disciplinary policies.

Responsible Parties

- **HSE Representative:** Specifies approved PPE for identified hazards.
- **Supervisors:** Enforce PPE usage, conduct checks.
- **Workers:** Use and maintain PPE properly, report defects.

Regulatory or Policy References

- *Personal Protective Equipment Policy (Section 3.2)*
- *BC OHS Regulation, Part 8*
- *CSA/ANSI Standards for PPE*



13.12. Vehicle Inspection & Safe Driving Workflow

Workflow Name

Vehicle Inspection & Safe Driving Workflow

Trigger

- Operating any company-owned or personal vehicle for work purposes.

Response Steps

1. Pre-Trip Inspection

- Circle check (tires, fluids, lights, brakes).
- Document findings in the Vehicle Inspection Checklist.

2. Safe Driving Adherence

- Obey speed limits, seatbelt laws, and no-texting/distracted driving policies.

3. Reporting Issues

- If defects or maintenance needs are identified, tag the vehicle out of service and notify a supervisor.

4. Post-Trip Inspection

- Note new damage or mechanical issues; complete final checks.

5. Incident Reporting

- Any vehicle collisions, near misses, or traffic infractions are reported to the supervisor immediately.

Responsible Parties

- **Driver:** Performs inspections, operates vehicle safely, reports issues.
- **Supervisor / Manager:** Ensures vehicles are properly maintained, addresses reported defects.



- **HSE Representative:** Audits logs, verifies compliance with motor vehicle regulations.

Regulatory or Policy References

- *Vehicle Safety Policy (Section 3.3)*
- *BC Motor Vehicle Act*
- *Canada Labour Code, Part II, Section 125(1)(z.17)*

13.13. Distracted Driving Enforcement Workflow

Workflow Name

Distracted Driving Enforcement Workflow

Trigger

- Any employee, contractor, or driver operating a vehicle under Aeria Solutions while using a handheld device or otherwise driving distracted.

Response Steps

1. Observation / Report

- Supervisor or witness observes distracted driving behavior.

2. Immediate Intervention

- Inform the driver to cease unsafe behavior.

3. Documentation

- Record the incident details (date, time, vehicle, nature of distraction).

4. Corrective Action

- Provide retraining or apply disciplinary measures according to severity and policy.

5. Follow-Up

- Monitor driver compliance in subsequent trips or field operations.



Responsible Parties

- **Employees:** Must not use handheld devices while driving, follow legal & company rules.
- **Supervisors:** Enforce policy, address infractions, maintain documentation.
- **HSE Representative:** Oversees policy effectiveness, ensures consistent disciplinary actions.

Regulatory or Policy References

- *Distracted Driving Policy (Section 3.4)*
- *BC Motor Vehicle Act, Section 214.2*

13.14. COVID-19 Safety Measures Implementation Workflow

Workflow Name

COVID-19 Safety Measures Implementation Workflow

Trigger

- Active public health orders, client-specific COVID-19 protocols, or internal decisions due to increased infection risk.

Response Steps

1. Monitor Public Health Guidance

- HSE reviews local regulations (PHAC, provincial guidelines).

2. Implement Measures

- Introduce physical distancing, PPE (masks), sanitization stations, or remote work if feasible.

3. Site-Specific Protocols

- Provide training or orientation for staff on new COVID-19 measures.
- Restrict access if symptomatic or after exposure.



4. Communication

- Notify employees, contractors, and visitors of mandatory procedures (e.g., screening, mask usage).

5. Enforcement & Updates

- Supervisors ensure compliance; respond to non-compliance swiftly.
- Update protocols as health orders change.

Responsible Parties

- **HSE Representative:** Tracks public health changes, updates policies.
- **Supervisors:** Enforce site-specific measures.
- **Workers:** Comply with screenings, distancing, mask usage (if mandated).

Regulatory or Policy References

- *COVID-19 Policy (Section 3.5)*
- *Canada Labour Code, Part II – Public Health Emergencies*
- *Public Health Agency of Canada (PHAC) Guidelines*

13.15. Pandemic Response Implementation Workflow

Workflow Name

Pandemic Response Implementation Workflow

Trigger

- Declared pandemic or public health emergency (other than COVID-19 specifically).

Response Steps

1. Activate Pandemic Plan

- Review local, provincial, and federal advisories.

2. Work Adjustments



- Encourage remote work, reduce site staffing, enforce distancing as needed.

3. Hygiene & Sanitization

- Provide handwashing/sanitization stations, ensure cleaning protocols.

4. Self-Isolation & Reporting

- Employees with symptoms or close contacts must stay home and inform their supervisor.

5. Communication & Training

- Train staff on updated protocols (mask usage, personal hygiene) and updated policies.

6. Monitoring & Documentation

- Track cases, exposures, or quarantine status. Adjust measures as official guidance evolves.

Responsible Parties

- **HSE Team:** Implements plan, coordinates with local health authorities.
- **Supervisors:** Enforce site-level measures.
- **Employees:** Follow health instructions, report exposures.

Regulatory or Policy References

- *Pandemic Disease Policy (Section 3.6)*
- *BC OHS Regulation, Part 4 – General Workplace Safety*
- *Public Health Agency of Canada (PHAC) Guidelines*

13.16. Drug & Alcohol Testing & Fit for Duty Workflow

Workflow Name

Drug & Alcohol Testing & Fit for Duty Workflow

Trigger



- Pre-employment for safety-sensitive positions.
- Post-incident or near-miss where impairment is suspected.
- Random testing for safety-sensitive roles as defined by company policy.

Response Steps

1. Determine Testing Requirement

- Supervisor/HSE confirms the test trigger (pre-hire, post-incident, random).

2. Arrange for Test

- Direct the individual to an approved testing facility or use a mobile testing service.

3. Temporary Removal

- The worker may be suspended from safety-sensitive duties until results are confirmed.

4. Review Results

- Positive result or refusal to test triggers disciplinary procedures, up to termination for gross misconduct.

5. Support & Rehabilitation

- If positive, the employee may access Employee Assistance Program (EAP).
- Return-to-duty process may require negative test results or successful rehabilitation.

Responsible Parties

- **Supervisor:** Initiates testing after an incident or suspicion.
- **HSE Representative:** Manages policy compliance, coordinates results with management.
- **Employee:** Complies with testing or faces disciplinary action.

Regulatory or Policy References



- *Drug & Alcohol Policy (Section 3.8)*
- *Criminal Code of Canada*
- *Canada Labour Code, Part II, Section 125(1)(z.16)*

13.17. Harassment & Violence Reporting & Investigation Workflow

Workflow Name

Harassment & Violence Reporting & Investigation Workflow

Trigger

- Any report or observation of bullying, harassment, discrimination, or workplace violence threat.

Response Steps

1. Receive Complaint

- Worker reports incident to Supervisor, HSE, or HR.

2. Ensure Safety

- If violence is active, activate ERP and notify law enforcement if necessary.

3. Investigation Initiation

- Assign a neutral investigator.
- Separate involved parties if needed.

4. Conduct Interviews

- Gather statements from complainant, alleged perpetrator, witnesses.

5. Determine Findings

- Evaluate evidence against company policy and legal standards.

6. Corrective Action

- If substantiated, apply disciplinary measures or remedial actions.



7. Communication & Follow-Up

- Provide resolution details to involved parties, ensuring confidentiality.
- Monitor workplace for recurrence.

Responsible Parties

- **Complainant:** Reports harassment or violence.
- **Supervisor / HR / HSE:** Investigates or designates investigator, ensures safety.
- **Management:** Authorizes disciplinary measures if policy violation is confirmed.

Regulatory or Policy References

- *Harassment & Violence Policy (Section 3.10)*
- *Canada Labour Code, Part II, Section 125(1)(z.16)*
- *BC OHS Regulation, Part 4 (Violence Prevention)*

13.18. Waste Disposal & Management Workflow

Workflow Name

Waste Disposal & Management Workflow

Trigger

- Generation or discovery of waste (hazardous, recyclable, general) on any Aeria Solutions site.

Response Steps

1. Identify Waste Type

- Determine if waste is hazardous (flammable, corrosive, toxic) or non-hazardous.

2. Label & Segregate

- Use proper containers, label per WHMIS/SDS requirements.

3. Storage & Handling



- Store in secure, ventilated areas; separate incompatible substances.

4. Transport Arrangements

- Licensed carriers handle hazardous waste transport; comply with tracking documents.

5. Final Disposal

- Dispose at certified facilities; ensure recycling or recovery where possible.

6. Documentation

- Maintain records of waste type, volume, disposal date, and final destination.

Responsible Parties

- **Supervisor:** Oversees correct labeling and storage on site.
- **Employees:** Follow established disposal procedures and report spills.
- **HSE Representative:** Confirms compliance with environmental regulations.

Regulatory or Policy References

- *Waste Disposal Policy (Section 3.13)*
- *Canadian Environmental Protection Act, 1999*
- *BC Environmental Management Act*

13.19. Fatigue Reporting & Mitigation Workflow

Workflow Name

Fatigue Reporting & Mitigation Workflow

Trigger

- Workers showing signs of fatigue, extended work hours, or scheduling that may compromise safe performance.

Response Steps

1. Self-Assessment



- Worker notifies supervisor if feeling too fatigued to work safely.

2. Supervisor Assessment

- Evaluate work hours, shifts, rest breaks; observe worker's physical condition.

3. Adjust Work Assignments

- Modify duties, provide additional rest breaks, reassign tasks if necessary.

4. Document & Monitor

- Record fatigue-related absences or modified duties.

5. Follow-Up

- Re-assess the worker's fitness for duty next shift.
- Consider schedule changes or medical evaluation if fatigue persists.

Responsible Parties

- **Worker:** Reports fatigue, ensures personal rest.
- **Supervisor:** Manages scheduling and reassignments; documents steps.
- **HSE Representative:** Monitors fatigue incidents, recommends policy adjustments.

Regulatory or Policy References

- *Fatigue Management Policy (Section 3.14)*
- *BC OHS Regulation, Part 4*
- *National Safety Code (NSC) – Hours of Service*

13.20. Contractor Selection & Prequalification Workflow

Workflow Name

Contractor Selection & Prequalification Workflow

Trigger



- Before hiring or engaging a new contracting employer for work on Aeria Solutions projects.

Response Steps

1. Prequalification Questionnaire

- Contractors submit safety records, WCB coverage, and training documents.

2. Safety Program Review

- HSE reviews hazard assessments, incident statistics, and policies.

3. Score & Evaluate

- Compare contractor data against Aeria's safety standards.

4. Approve or Reject

- Approve qualified contractors or require corrective measures before approval.

5. Document Decision

- Store records of acceptance or rejection, including noted deficiencies.

Responsible Parties

- **HSE Representative / Manager:** Collects and evaluates contractor documents.
- **Operations Manager:** Approves or rejects based on HSE recommendation.

Regulatory or Policy References

- *Contractor Selection Process (Section 4.3)*
- *Canada Labour Code, Part II*
- *WorkSafeBC Contractor Safety Guidelines*

13.21. Contractor Management & Performance Review Workflow

Workflow Name

Contractor Management & Performance Review Workflow



Trigger

- Contractor begins work on Aeria Solutions project, ongoing oversight, or at scheduled intervals (monthly/quarterly).

Response Steps

1. Orientation & Site Induction

- Provide contractor with site-specific orientation and HSE requirements.

2. Monitor Compliance

- Conduct regular inspections, audits, or meetings to ensure adherence to policies.

3. Incident Reporting

- Contractor reports any incidents or near misses immediately; Aeria shares findings with all parties.

4. Performance Evaluation

- Rate contractor's safety performance using KPIs (incident rates, corrective actions taken).

5. Corrective Actions / Termination

- Address repeated non-compliance or safety failures.
- Terminate contract for major or repeated violations.

Responsible Parties

- **Supervisors / Project Manager:** Oversee contractor on site, evaluate performance.
- **Contracting Employer:** Complies with Aeria Solutions' policies, submits reports.
- **HSE Representative:** Conducts audits, enforces improvements.

Regulatory or Policy References

- *Contractor Management Process (Section 4.5)*



- *BC OHS Regulation, Part 3*
- *Workers' Compensation Act*

13.22. Site-Specific Orientation Workflow

Workflow Name

Site-Specific Orientation Workflow

Trigger

- Any new individual (employee, contractor, client rep, inspector, visitor) arrives at an active worksite.

Response Steps

1. Sign In / Registration

- Escort visitor/contractor to sign-in register and complete orientation checklist.

2. Hazard Overview

- Provide briefing on ongoing tasks, potential risks, and required PPE.

3. Emergency Protocols

- Show muster points, emergency exits, and reporting methods.

4. Site Rules & Restrictions

- Emphasize restricted areas, equipment operation limits, and safety policies.

5. Completion & Acknowledgment

- Visitor/contractor signs acknowledgment form.
- Maintain record of orientation for compliance.

Responsible Parties

- **Field Supervisor:** Delivers orientation, collects signatures.
- **Visitor / Contractor:** Adheres to site rules, uses required PPE.



Regulatory or Policy References

- *Site-Specific Orientation Process (Section 4.8)*
- *BC OHS Regulation, Part 3, Section 3.23–3.25*

13.23. Health & Safety Committee (HSC) Establishment Workflow

Workflow Name

HSC Establishment & Composition Workflow

Trigger

- Worksite or employer has 20 or more regular employees, or as required by OHS regulations.

Response Steps

- 1. Determine Member Count**
 - Employer decides how many worker reps and employer reps are required.
- 2. Select Worker Members**
 - If unionized, union selects worker reps; otherwise, workers elect reps.
- 3. Select Employer Members**
 - Employer appoints management reps.
- 4. Nominate Co-Chairs**
 - One from employer side, one from worker side.
- 5. Set Terms of Reference**
 - Define meeting frequency, dispute resolution, roles, and responsibilities.

Responsible Parties

- **Employer (CEO / Manager):** Initiates formation, ensures compliance.
- **Workers:** Elect worker members.



- **HSE Representative:** Assists in setup and orientation of HSC members.

Regulatory or Policy References

- *Health & Safety Committees & Representatives (Section 5)*
- *BC OHS Regulation, Part 3, Section 3.6–3.7*
- *Workers Compensation Act, s.130*

13.24. HSC Meeting & Reporting Workflow

Workflow Name

HSC Meeting & Reporting Workflow

Trigger

- Scheduled quarterly HSC meeting, special meeting upon request of co-chairs or OHS officer, or after significant incident.

Response Steps

1. Prepare Agenda

- Co-chairs draft agenda, distribute to members in advance.

2. Conduct Meeting

- Roll call, approve last minutes, review incidents/hazards, discuss new business.

3. Record Minutes

- Note action items, recommendations, responsible persons, deadlines.

4. Post & Distribute Minutes

- Share minutes on safety boards, digital platforms (SiteDocs).
- Keep on file for at least two years.

5. Follow-Up

- Track completion of assigned corrective actions.



- Escalate unresolved safety issues to management.

Responsible Parties

- **HSC Co-Chairs:** Organize, run meetings, finalize minutes.
- **HSC Members:** Attend, participate, carry out assigned actions.
- **Employer / HSE Representative:** Review and implement committee recommendations.

Regulatory or Policy References

- *Meeting Frequency & Requirements (Section 5.9)*
- *BC OHS Regulation, Part 3, Section 3.7*
- *Canada Labour Code, Part II, Section 134.1*

13.25. Preventative Maintenance Workflow

Workflow Name

Preventative Maintenance Workflow

Trigger

- Scheduled equipment maintenance intervals, or detection of defects during inspections.

Response Steps

1. Schedule Maintenance

- Follow manufacturer guidelines and internal maintenance calendar.

2. Pre-Use Checks

- Users inspect tools/equipment daily; remove from service if unsafe.

3. Repair / Replace

- Competent personnel perform necessary repairs; document all work.

4. Record Keeping



- Log maintenance in designated forms (equipment history, inspection reports).

5. Verification

- Supervisor or maintenance manager verifies repairs before reactivating equipment.

Responsible Parties

- **Maintenance Manager:** Oversees scheduling and compliance with manufacturer guidelines.
- **Supervisors:** Conduct or verify inspections, ensure repairs are done.
- **Workers:** Perform daily checks, report defects immediately.

Regulatory or Policy References

- *Preventative Maintenance Policy (Section 9.1)*
- *BC OHS Regulation, Part 12*
- *Canada Labour Code, Part II, Section 125(1)(k)*

13.26. Emergency Drill Workflow

Workflow Name

Emergency Drill Workflow

Trigger

- Annually as per company policy, or as required by client contracts/extended projects (longer than 30 days).

Response Steps

1. Plan the Drill

- Choose scenario (fire, medical emergency, RPAS incident, etc.).
- Notify employees (can be brief prior notice or surprise).



2. Run Drill

- Sound alarms or announce the scenario.
- Workers follow ERP (evacuation routes, muster points).

3. Observe & Time

- Document participants' actions, speed, adherence to procedures.

4. Debrief

- Gather immediate feedback from participants.
- Identify strengths and weaknesses.

5. Corrective Actions

- Update ERP or training if gaps found.
- Distribute findings in safety meetings.

Responsible Parties

- **Emergency Drill Coordinator / Supervisor:** Organizes drills, monitors performance.
- **All Employees:** Comply with drill instructions, provide feedback.
- **HSE Representative:** Reviews results, updates emergency response plan as needed.

Regulatory or Policy References

- *Emergency Response Plan (Section 10.3)*
- *BC OHS Regulation, Part 4.13*
- *Annual ERP Testing Requirement*

13.27. Open Communication & Hazard Reporting Workflow

Workflow Name

Open Communication & Hazard Reporting Workflow



Trigger

- Worker identifies hazard, near miss, or any concern regarding safety, harassment, or process improvement.

Response Steps

1. Immediate Report

- Employee reports verbally or via anonymous system to supervisor/HSE.

2. Acknowledgment

- Supervisor/HSE acknowledges receipt of concern, ensures no retaliation.

3. Investigation / Assessment

- Evaluate and investigate hazard or concern.

4. Feedback & Corrective Action

- Communicate results or corrective measures to the reporting individual (unless anonymous).

5. Documentation

- Record details for continuous improvement; track resolution in a hazard log or near-miss log.

Responsible Parties

- **Employee:** Initiates reporting, cooperates in follow-up.
- **Supervisor / HSE:** Investigates and resolves.
- **Management:** Ensures no retaliation, fosters open culture.

Regulatory or Policy References

- *Open Communication Policy (Section 3.7)*
- *Canada Labour Code, Part II, Section 126(1)(g)*



13.28. Disciplinary Action Workflow (Non-Compliance or Grounds for Dismissal)

Workflow Name

Disciplinary Action Workflow

Trigger

- Significant policy violation, repeated safety infractions, or gross misconduct (e.g., harassment, substance abuse at work).

Response Steps

1. Identify Violation

- Supervisor or HSE documents the offense, referencing policy or rule broken.

2. Initial Review

- Supervisor meets with the individual, gathers facts.

3. Progressive Discipline

- Depending on severity: verbal warning → written warning → suspension → termination.
- For gross misconduct (e.g., violence, theft, intentional sabotage): immediate termination possible.

4. Documentation

- Record details of the violation, corrective steps, or termination reason.

5. Appeal or Grievance (if applicable)

- Employee may follow internal appeal processes or union channels (if unionized).

Responsible Parties

- **Supervisor:** Initiates discipline procedure, consults with management/HSE.
- **Management:** Approves higher-level discipline or dismissal.



- **Employee:** May respond or appeal through official channels.

Regulatory or Policy References

- *Grounds for Dismissal (Section 3.17)*
- *Company Rules (Section 3.15)*
- *Canada Labour Code, Part II, Section 147* (protection against retaliation for safety-related reporting does not apply to general misconduct)

13.29. Records Keeping & Accessibility Workflow

Workflow Name

Records Keeping & Accessibility Workflow

Trigger

- Any creation, update, or disposal of safety-related records (incident reports, hazard assessments, training logs, etc.).

Response Steps

1. Record Creation

- Use standard forms (incident, FLHA, audits) with clear labeling (dates, locations, references).

2. Secure Storage

- Store electronically in a secured system (e.g., SiteDocs) or lockable filing cabinet.

3. Retention & Disposal

- Retain records per required periods (e.g., 5 years, 10 years).
- Destroy securely after retention period ends (shred or wipe data).

4. Access Requests

- Provide employees or authorized parties with copies upon request (stamped "COPY").



5. Annual Review

- HSE ensures compliance with retention schedules, updates or purges records as needed.

Responsible Parties

- **HSE Representative:** Oversees record-keeping system, ensures compliance.
- **Supervisors:** Submit completed forms to HSE for filing.
- **Management:** Reviews record accuracy and ensures resources for secure storage.

Regulatory or Policy References

- *Safety Statistics & Records Keeping (Section 12.1)*
- *Canada Labour Code, Part II, Section 177.5*
- *BC OHS Regulation, Part 3, Section 3.9*

13.30. KPI Tracking & Action Plan Workflow

Workflow Name

KPI Tracking & Action Plan Workflow

Trigger

- Ongoing monthly/quarterly data collection, or significant deviation from safety targets.

Response Steps

1. Collect Data

- Supervisors/HSE gather incident rates, near-misses, training hours, etc.

2. Analyze Trends

- Compare performance to previous periods and set KPIs.

3. Identify Gaps

- Investigate root causes if targets missed.



- Propose improvements or resource needs.

4. Develop Action Plan

- Assign tasks, deadlines, and responsible parties to correct deficiencies.

5. Review & Communicate

- Present KPI outcomes in safety/management meetings.
- Adjust safety strategies if needed.

Responsible Parties

- **HSE Team:** Collects and consolidates data, suggests improvements.
- **Supervisors:** Provide site-level stats, implement assigned actions.
- **Management:** Oversees overall performance, approves major corrective measures.

Regulatory or Policy References

- *Key Performance Indicators (Section 12.6)*
- *ISO 45001 – Performance Evaluation & Monitoring*
- *WorkSafeBC Guidelines – Performance Monitoring*

14. Appendix B: HSE Key Performance Indicators

Aeria Solutions monitors Key Performance Indicators (KPIs) to evaluate safety performance, compliance, operational efficiency, and continuous improvement within the Health and Safety Management System (HSMS). These KPIs incorporate leading (preventive) and lagging (outcome-based) indicators to ensure proactive risk management and regulatory adherence HSE 20250129.

Leading Indicators (Preventive Metrics)

Leading indicators measure proactive safety efforts aimed at preventing incidents before they occur.

Hazard Identification & Risk Management



- Number of hazards identified per month
- Number of corrective actions implemented before incidents occur
- Completion rate of site-specific hazard assessments
- Percentage of Field-Level Hazard Assessments (FLHAs) completed before shifts
- Frequency of risk assessments for new tasks or work environments

Training & Safety Engagement

- Percentage of employees with up-to-date mandatory safety training (e.g., WHMIS, First Aid, RPAS training)
- Number of tailgate talks, safety meetings, and engagement sessions per month
- Attendance rate for required safety meetings
- Percentage of supervisors and employees completing refresher training on safety protocols

Compliance & Inspections

- Number of workplace inspections completed vs. scheduled
- Percentage of non-compliance issues corrected within set timeframes
- Percentage of equipment passing pre-use safety inspections
- Rate of compliance with pre-flight RPAS safety checklists

Employee & Contractor Participation

- Number of safety improvement suggestions submitted by employees
- Percentage of safety audits involving employee participation
- Percentage of new employee safety orientations completed before work starts
- Contractor compliance rate with HSE requirements and prequalification standards

Emergency Preparedness & Drills

- Number of emergency response drills conducted annually



- Response time for emergency drill completion
- Percentage of employees trained in site-specific emergency procedures

Lagging Indicators (Outcome-Based Metrics)

Lagging indicators track historical performance and the effectiveness of safety programs.

Incident & Injury Rates

- Total Recordable Incident Rate (TRIR) – Number of recordable incidents per 100 employees
- Lost Time Injury Frequency Rate (LTIFR) – Number of lost time injuries per 200,000 work hours
- Severity Rate of injuries resulting in lost workdays
- Near-Miss Reporting Rate – Number of near-miss events reported vs. actual incidents
- Rate of injury classification (first aid cases vs. medical treatment cases)

Regulatory Compliance & Violations

- Number of regulatory citations or non-compliances from WorkSafeBC, Transport Canada, or other authorities
- Rate of safety policy violations per quarter
- Percentage of corrective actions implemented post-regulatory audit

Operational Safety Performance

- Percentage of vehicle and equipment incidents per 1,000 hours of operation
- Rate of confined space entry compliance with permit regulations
- Number of failed PPE compliance checks

Financial & Business Impact

- Total cost of workplace injuries, property damage, and environmental incidents



- Percentage of projects completed without a lost-time incident
- Cost savings from proactive hazard mitigation efforts

KPI Tracking & Continuous Improvement

To ensure KPIs are actionable and drive meaningful safety improvements, Aeria Solutions:

- Monitors KPI data at predefined intervals (monthly, quarterly, annually)
- Benchmarks results against regulatory standards (WorkSafeBC, Transport Canada, ISO 45001)
- Develops corrective action plans when KPIs fall below target performance
- Uses data-driven decision-making to allocate safety resources effectively

KPIs are reviewed at least annually and adjusted to reflect emerging risks, regulatory updates, and operational changes.

15. Appendix C: Emergency Response Plans

15.1. Emergency Response Procedure (ERP) – Evacuation

Regulatory References:

- Canada Labour Code, Part II
- Occupational Health and Safety Regulation (B.C. Reg. 296/97), Part 4, Sections 4.13, 4.14
- Workplace Safety Guidelines for High-Risk Environments

Purpose

This Evacuation Emergency Response Procedure (ERP) establishes clear and structured actions to protect personnel and assets in the event of an emergency requiring evacuation. It applies to all employees, contractors, and visitors at Aeria Solutions work locations.

Scope

This procedure covers evacuation due to:



- Fire
- Earthquake
- Chemical spills or hazardous material release
- Natural disasters (e.g., flooding, severe storms)
- Workplace violence or security threats
- Other life-threatening hazards

Evacuation Procedures

Pre-Job Evacuation Planning

- Before any field job begins, a safe assembly area (muster point) must be identified and communicated to all workers and subcontractors.
- The muster point must be:
 - A safe distance from potential hazards
 - Clearly marked and known by all workers
 - Accessible under various weather and environmental conditions

Sound the Alarm

- The first person to identify an emergency must immediately activate the alarm system (audible alarm, radio communication, or other emergency notification systems).
- Alert all personnel on site and provide clear instructions.

Exit the Area

- All personnel must stop work immediately and proceed to the nearest safe exit following the designated evacuation routes.
- Do not stop to collect personal belongings unless it is safe to do so.
- Ensure that evacuation routes remain clear and unobstructed at all times.



Accounting for Personnel

- At the muster point, the designated site supervisor or emergency response lead must conduct a headcount.
- Use the site's personnel tracking system (sign-in sheets, electronic check-in, or other means) to verify all individuals are accounted for.
- Missing persons must be reported immediately to emergency responders—no unauthorized personnel may attempt a rescue.

Controlled Re-Entry

- Re-entry into the evacuated area is strictly prohibited until:
 - Emergency responders (fire, medical, hazmat) or the designated site supervisor declare it safe.
 - A post-evacuation hazard assessment has been completed.

Voluntary Emergency Response

- Employees are not required to engage in emergency rescue operations unless they are designated, trained, and equipped for emergency response.
- Any rescue efforts will only be conducted if:
 - Rescuers are not placed in immediate danger.
 - A qualified emergency response team (internal or external) has been deployed.

Incident Reporting & Follow-Up

- Following an evacuation event, an Incident Report must be completed within 24 hours.
- A post-incident review will be conducted to analyze response effectiveness and implement corrective actions if necessary.



15.2. Emergency Response Procedure (ERP) – Workplace Violence

Regulatory References:

- Occupational Health and Safety Regulation (B.C. Reg. 296/97), Part 4, Sections 4.28 - 4.30
- Canada Labour Code, Part II, Section 125(1)(z.16) (Employer's obligation to prevent violence in the workplace)

Purpose

Aeria Solutions is committed to maintaining a workplace free from violence, harassment, and intimidation. This procedure establishes clear actions for recognizing, responding to, and preventing workplace violence to ensure the safety of all employees, contractors, and visitors.

Scope

This procedure applies to any incident of workplace violence, including but not limited to:

- Physical assault or threats of harm
- Verbal abuse, harassment, or intimidation
- Aggressive or hostile behavior that could cause harm
- Any other act that creates a hazardous work environment

Potential Threat Sources

Workplace violence may originate from various sources, including:

- Clients, landowners, or third parties
- Fellow employees or subcontractors
- Disgruntled individuals or external threats

Violence Prevention & Response Procedures

Threat Recognition



- Employees must remain vigilant for signs of escalating hostility, aggression, or potential violence.
- Warning signs may include verbal threats, erratic behavior, physical intimidation, or unauthorized individuals in restricted areas.

Immediate Departure

- If a situation appears threatening, employees must leave the area immediately and relocate to a safe location.
- Workers should avoid engaging with the aggressor and prioritize personal safety.

Supervisor Notification

- Any threats, violent behavior, or concerning incidents must be reported to a supervisor or manager via phone or radio communication.
- The supervisor must assess the situation and determine the next steps.

Emergency Response

- If an actual threat is made or violence occurs, employees must:
 - Leave the area immediately.
 - Call 911 to report the incident.
 - Notify the supervisor or manager that emergency services have been contacted.
- Supervisors must assist law enforcement or emergency responders by providing relevant details about the incident.

Documentation & Investigation

- All incidents of workplace violence must be documented in an Incident Report.
- Management will conduct a formal investigation to determine the cause of the incident, implement corrective measures, and provide resolution.
- **Preventative Measures**



Risk Assessments

- Aeria Solutions will conduct periodic risk assessments to identify potential workplace violence risks.
- Assessments will consider location-specific risks, past incidents, and the nature of interactions with external parties.

Training

- Employees will receive regular training on conflict de-escalation, threat recognition, and emergency response procedures.
- Training will reinforce how to handle confrontational situations safely and the importance of early intervention.

Zero Tolerance Policy

- Aeria Solutions enforces a strict zero-tolerance policy for workplace violence.
- Any confirmed act of workplace violence or threats will result in immediate disciplinary action, up to and including termination.
- **Incident Reporting & Follow-Up**
- Following any workplace violence incident, an Incident Report must be completed within 24 hours.
- A post-incident review will assess the effectiveness of the response and identify any necessary corrective actions.

1.1. Emergency Response Procedure (ERP) Hazardous Spill Response

Regulatory References:

- OHS Regulation Part 5, Sections 5.48-5.59
- Canada Labour Code, Part II, Section 125(1)(c)

Purpose



This procedure establishes containment, cleanup, and re-entry protocols for hazardous spills to prevent health hazards, environmental contamination, and operational disruptions. It applies to all employees, contractors, and visitors at Aeria Solutions work locations.

Scope

This procedure applies to spills involving:

- Hazardous chemicals or materials
- Fuel, oil, or other petroleum products
- Toxic, corrosive, or flammable substances
- Biological or radiological contaminants
- Any other materials that pose a safety or environmental risk

Spill Response Procedures

Assess the Situation

- Identify the type and extent of the spill, determining if hazardous materials are involved.
- Refer to the Safety Data Sheet (SDS) for material-specific hazards and handling procedures.
- Evaluate risks to personnel, the environment, and operations.

Isolate the Area

- Restrict access to the spill zone to prevent exposure.
- Use caution tape, barriers, or warning signs to secure the area.
- Evacuate nearby personnel if there is an immediate danger.

Use PPE

- Personnel involved in cleanup must wear appropriate personal protective equipment (PPE) based on the SDS and the type of spill.



- PPE may include gloves, respirators, chemical-resistant clothing, or eye protection.

Contain the Spill

- Utilize spill containment kits, absorbents, or dikes to prevent further spread.
- Shut off any sources contributing to the spill, such as leaks or active equipment.

Neutralization & Cleanup

- Follow the material-specific cleanup procedures outlined in the SDS.
- If applicable, use neutralizing agents to render the spill non-hazardous.
- Avoid using incompatible cleaning agents that may create additional hazards.

Dispose of Waste Properly

- Collect and store contaminated materials in designated hazardous waste containers.
- Label all waste as per regulatory requirements.
- Dispose of hazardous waste following environmental regulations and company policies.

Report the Incident

- Document the spill, including type, location, quantity, and response actions taken.
- Notify a supervisor or manager immediately.
- Report spills to regulatory agencies as required by law.

Re-Entry Authorization

- Only allow personnel to re-enter the area after verification that the site is fully decontaminated and safe.
- Conduct air quality or surface contamination tests if required.
- The designated site supervisor or environmental safety officer must approve re-entry.



Incident Reporting & Follow-Up

- An Incident Report must be completed within 24 hours.
- A post-incident review will assess the response effectiveness and determine corrective actions to prevent future spills.

1.2. Emergency Response Procedure (ERP) – Cold Exposure and Frostbite Prevention

Regulatory References:

- OHS Regulation Part 7, Section 7.38
- Canada Labour Code, Part II, Section 125(1)(z.03)

Purpose

This procedure provides guidelines for preventing, recognizing, and responding to cold-related injuries during field operations in extreme weather conditions. It applies to all employees, contractors, and visitors at Aeria Solutions work locations where cold exposure risks exist.

Scope

This procedure applies to any work conducted in environments with:

- Subzero temperatures
- Wind chill factors that increase the risk of frostbite or hypothermia
- Prolonged exposure to cold or wet conditions
- Remote field operations where immediate medical assistance may be delayed

Cold Exposure Prevention & Response Procedures

Monitor Weather Conditions

- Conduct pre-job hazard assessments to evaluate the risk of extreme cold exposure.
- Monitor local weather forecasts and wind chill factors before and during operations.



- Adjust work plans based on temperature thresholds and environmental risks.

Use Proper Clothing

- Employees must wear insulated, moisture-wicking layers to retain body heat.
- Gloves, thermal boots, and windproof outer layers must be worn in extreme cold conditions.
- Wet or damp clothing must be replaced immediately to prevent heat loss.

Recognize Symptoms

- Early signs of frostbite include numbness, tingling sensations, white or waxy skin, and reduced sensitivity in extremities.
- Symptoms of hypothermia include uncontrollable shivering, confusion, drowsiness, and slurred speech.
- Workers experiencing cold-related symptoms must report them immediately to a supervisor.

Provide Immediate Treatment

- Move affected individuals to a warm, sheltered area as soon as possible.
- Remove wet or restrictive clothing to improve circulation.
- Rewarm affected areas using body heat or warm (not hot) water.
- Avoid direct heat sources such as open flames or heating pads, as these may cause burns.

Seek Medical Attention

- Severe frostbite cases involving hard, blackened, or blistered skin must be reported immediately.
- Hypothermia cases must receive urgent medical attention if the individual exhibits confusion, extreme fatigue, or unconsciousness.



- Emergency medical services must be contacted if symptoms worsen despite initial treatment.

Modify Work Schedules

- In extreme cold conditions, workers must rotate at regular intervals to minimize prolonged exposure.
- Scheduled breaks in heated areas must be provided to allow for rewarming.
- High-risk tasks should be rescheduled or adjusted when temperatures reach critical danger levels.

Incident Reporting & Follow-Up

- Any cold-related injury must be documented in an Incident Report within 24 hours.
- A post-incident review will assess prevention strategies and implement improvements where necessary.

1.3. Emergency Response Procedure (ERP) – Fire Safety and Response

Regulatory References:

- OHS Regulation Part 4, Sections 4.81-4.84
- Canada Labour Code, Part II, Section 125(1)(k)

Purpose

This procedure establishes fire safety measures, fire extinguisher use, and evacuation protocols to protect personnel, property, and the environment in the event of a fire. It applies to all employees, contractors, and visitors at Aeria Solutions work locations.

Scope

This procedure applies to:

- Prevention of workplace fires
- Proper storage and handling of flammable materials



- Safe and effective fire extinguisher use
- Emergency response and evacuation procedures

Fire Safety and Response Procedures

Fire Prevention

- Maintain clear work areas free of flammable debris, clutter, or unnecessary combustible materials.
- Store and transport flammable liquids in approved, labeled containers and keep them away from ignition sources.
- Ensure all electrical equipment is properly maintained and compliant with safety standards to prevent electrical fires.
- Never block fire exits, extinguishers, or emergency equipment.

Fire Extinguisher Use

- Only personnel trained in fire extinguisher use may operate one in an emergency.
- Before attempting to extinguish a fire, assess whether it is safe to do so—if the fire is too large or spreading rapidly, evacuate immediately.
- Use the PASS technique to operate a fire extinguisher:
 - **Pull** the pin to unlock the extinguisher.
 - **Aim** at the base of the fire.
 - **Squeeze** the handle to discharge the extinguishing agent.
 - **Sweep** from side to side until the fire is out.

Emergency Response

- Activate the fire alarm system or notify emergency personnel immediately if a fire is detected.
- Evacuate the area following designated evacuation routes and proceed to the nearest muster point.



- Never use elevators during a fire evacuation.
- Conduct a headcount at the muster point to account for all personnel. Any missing individuals must be reported to emergency responders.

Fire Drills

- Fire drills will be conducted at least once annually to ensure all employees are aware of fire response procedures.
- Drills will test alarm activation, evacuation times, and accountability procedures.
- Any identified gaps in fire response will be reviewed, and corrective actions will be implemented.

Incident Reporting & Follow-Up

- Any fire-related incident, regardless of size, must be documented in an Incident Report within 24 hours.
- A post-incident review will be conducted to assess response effectiveness, identify causes, and implement necessary corrective measures.

1.4. Emergency Response Procedure (ERP) – Medical Emergency Response

Regulatory References:

- OHS Regulation Part 3, Sections 3.14-3.21
- Canada Labour Code, Part II, Section 125(1)(z.02)

Purpose

This procedure establishes response protocols for injuries, illnesses, or health emergencies that occur during operations. It ensures a rapid, effective response to medical incidents while prioritizing worker safety and regulatory compliance.

Scope

This procedure applies to any medical emergency occurring in the workplace, including:



- Workplace injuries such as falls, burns, lacerations, or fractures
- Sudden illnesses, including heart attacks, strokes, or respiratory distress
- Exposure to hazardous substances
- Any health-related incidents requiring medical attention

Medical Emergency Response Procedures

Assess the Situation

- Evaluate the severity of the medical emergency and determine if immediate intervention is required.
- Identify any potential hazards that could endanger responders or the injured worker.
- Ensure the area is safe before providing assistance.

Provide First Aid

- Administer first aid according to training guidelines while ensuring personal safety.
- Use appropriate first aid supplies from the designated medical kit.
- If necessary, provide CPR, stop bleeding, or stabilize injuries until medical professionals arrive.

Activate Emergency Services

- Call 911 for any critical medical incidents, including life-threatening conditions.
- Provide clear and concise information, including the nature of the emergency, location, and condition of the injured worker.
- Assign a designated employee to meet emergency responders and guide them to the incident site.

Transport Injured Workers

- If the injury is serious but not life-threatening, arrange for safe transport to the nearest medical facility following emergency transport plans.
- Use designated company vehicles or emergency transport providers as needed.



- Ensure the injured worker is accompanied by a supervisor or trained personnel if required.

Notify Management

- Report the incident to a supervisor or manager immediately.
- Complete the necessary documentation, including a First Aid Report and Incident Report, as per company and regulatory requirements.

Follow-Up

- Conduct a post-incident review to assess the effectiveness of the response.
- Identify any areas for improvement in emergency procedures, training, or equipment.
- Implement corrective actions as necessary to enhance future response capabilities.

Incident Reporting & Documentation

- Any medical emergency must be recorded in an Incident Report within 24 hours.
- A detailed review will be conducted to determine preventive measures and improve response protocols.

1.5. Emergency Response Procedure (ERP) – Transportation Incidents and Mechanical Failures

Regulatory References:

- OHS Regulation Part 16, Sections 16.1-16.43
- Canada Labour Code, Part II, Section 125(1)(z.14)

Purpose

This procedure establishes response protocols for transportation incidents and mechanical failures during field operations. It ensures the safety of personnel, prevents further risks, and ensures compliance with regulatory requirements.



Scope

This procedure applies to all transportation-related incidents, including:

- Vehicle collisions
- Mechanical failures of fleet vehicles or field equipment
- Roadside breakdowns in hazardous or remote locations
- Any incident affecting the safe operation of company vehicles or equipment

Response Procedures

Immediate Actions

- Assess injuries and determine if emergency medical services are required.
- If injuries are present, call 911 and provide first aid if it is safe to do so.
- Move to a safe location if possible, ensuring all personnel remain clear of traffic or hazardous conditions.

Vehicle Breakdown

- Activate hazard lights and deploy safety markers such as cones, flares, or reflective triangles to alert other drivers.
- Contact designated emergency roadside support or company dispatch for assistance.
- Remain inside the vehicle if conditions are unsafe outside (e.g., heavy traffic, extreme weather).

Collision Response

- Report all incidents to a supervisor or manager as soon as possible.
- Notify regulatory authorities if required based on the severity of the incident.
- Document the scene with photos, witness statements, and a description of events.
- Do not admit fault or make unofficial statements—wait for an official investigation.



Mechanical Failures

- Cease operation of any malfunctioning vehicle or equipment immediately.
- Move the vehicle to a safe location if possible, avoiding road hazards or environmental risks.
- Report mechanical issues to maintenance personnel or the designated fleet manager.
- Do not attempt repairs unless trained and authorized to do so.

Investigation & Documentation

- Complete an Incident Report detailing the transportation or mechanical failure event.
- Conduct a post-incident review to assess the cause and determine preventive measures.
- Implement corrective actions, including maintenance checks, additional training, or procedural updates.

Incident Reporting & Follow-Up

- All transportation incidents must be reported within 24 hours.
- A post-incident review will be conducted to ensure continuous improvement in vehicle safety and emergency response.

1.6. Emergency Response Procedure (ERP) – Serious Workplace Incidents

Regulatory References:

- OHS Regulation Part 3, Sections 3.7-3.11
- Canada Labour Code, Part II, Section 125(1)(c)

Purpose



This procedure establishes reporting, response, and notification protocols in the event of a serious workplace incident. It ensures a structured, compliant, and compassionate approach to managing critical incidents, preserving confidentiality, and supporting affected individuals and their families while adhering to legal and regulatory requirements.

Scope

This procedure applies to all serious workplace incidents, including but not limited to:

- Fatalities or life-threatening injuries
- Severe workplace accidents requiring emergency medical response
- Equipment failures resulting in catastrophic consequences
- Incidents leading to significant environmental damage
- Any event requiring regulatory notification and formal investigation

Serious Incident Response Procedures

Secure the Scene

- Immediately restrict access to the incident area to prevent further harm and preserve evidence.
- Only emergency responders and authorized personnel may enter the secured area.
- Suspend all work in the affected area until further notice.
- If necessary, deploy hazard barriers, warning signs, or security personnel.

Provide Emergency Care

- Administer first aid following standard protocols while ensuring personal safety.
- Call 911 or request emergency medical services immediately if required.
- Do not move an injured worker unless there is an immediate danger.
- Ensure a trained first aid attendant is present to manage medical care until emergency responders arrive.

Notify Authorities



- Report the incident to the appropriate regulatory body based on jurisdiction and nature of the event, including but not limited to:
 - WorkSafeBC (for workplace accidents and injuries)
 - Transport Canada (if transportation-related)
 - Environment Canada (for environmental hazards or spills)
- Documentation must include time, location, nature of the incident, and immediate actions taken.
- If required by law, cooperate fully with regulatory inspections or investigations.

Notify Next of Kin

- Only authorized senior management or HR personnel may communicate with the affected worker's family.
- Ensure that notifications are made with professionalism, compassion, and respect for privacy.
- If emergency responders or hospital officials handle notifications, management must coordinate with them to ensure accurate and timely updates.
- All communications with next of kin must be documented, and confidentiality must be strictly maintained.

Investigate the Incident

- Conduct a formal internal investigation in compliance with regulatory requirements.
- The investigation team should include safety officers, management representatives, and employee representatives as required.
- Collect and preserve all relevant evidence, including witness statements, security footage, equipment logs, and worksite conditions.
- Prepare a detailed incident report, ensuring factual accuracy and compliance with applicable legal standards.

Implement Corrective Actions



- Identify the root causes of the incident through analysis of findings.
- Develop and implement corrective actions to prevent recurrence, which may include:
 - Changes in operational procedures
 - Equipment modifications or replacements
 - Additional safety training for employees
 - Enhanced risk assessments or hazard controls
- Communicate all corrective actions to employees and ensure compliance through monitoring and follow-ups.

Confidentiality & Support for Affected Employees

- Incident details must only be shared on a need-to-know basis, ensuring compliance with privacy laws.
- Employees involved in or witnessing a serious incident should be offered access to mental health support, such as an Employee Assistance Program (EAP) or trauma counseling.
- HR must work closely with affected employees to provide any necessary leave, accommodations, or additional support services.

Incident Reporting & Follow-Up

- An official Incident Report must be completed within 24 hours and reviewed by senior management.
- A post-incident review meeting should be conducted to assess response effectiveness and improve emergency procedures.
- Lessons learned from the incident should be integrated into future safety training and risk management practices.