

**CE 3372 – Water Systems Design**  
**Exercise Set 15**

**Problem Statement and Background**

Figure 1 is an older (circa 1993) aerial image of a portion of Houston, Texas. The red polygon is the drainage boundary for a storm sewer system that drains North from the part of the area near Westheimer Road to a tributary of Buffalo Bayou and East from the area. The drainage ditch is shown as the “blue” fuzzy line on the figure. Drainage in the ditch is from West to East. The two main streets in the study area are highlighted in magenta.




Figure 1: Tanglewilde Drive Study Area

Figure 2 is a map showing storm drainage alignments and inlets location.




Figure 2: Tanglewilde Drive Storm Drain Inlet and Pipe Alignments

The figure shows land surface elevations in feet at the indicated locations. A linear scale is

shown in the legend. Use the map(s) and:

1. Construct a land surface elevation contour map using the provided elevation and locations.
2. Using your contour map determine the drainage areas to each inlet node. Indicate which nodes you do not assign drainage (junction nodes for connecting pipes).
3. Use the rational design method to size the conduits for a 5-year storm, for Harris County, Texas.
4. Specify the invert (flow line) elevations of the nodes (inlets and junction boxes).
5. Specify the soffit (crown) elevations for the pipes at each node.

Submit a memorandum with screen captures of the relevant components above. Save your work, you need it for Project 2.