2022 퍼블리셔 부트캠프 005

- FontAwesome 5 정리 // Bootstrap 5: spacing, button

!Tips & Links

- ※ 강의 https://www.udemy.com/course/the-complete-web-development-bootcamp/
- ※ 코드플레이(bootstrap5) https://www.codeply.com/p?starter=Bootstrap%205
- ※ Github downloadeZIP 데탑에서 보임 // ※ font: <u>Ubuntu</u>, <u>Montserrat</u>

Font Awesome 5

fas(solid), fab(brand): free(fa는 deprecated) // span에 i 넣고 font-size, color~ =inherit

CDN

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.8.2/css/all.min.css"/>

※ DOC에서 styling보기 https://fontawesome.com/v5.15/how-to-use/on-the-web/referencing-icons/basic-use

icon sizing / fa-*	fa-xs(.75), -sm(.875), -lg(1.33), -2x, -3x, -5x, -7x, -10x		
.fa-ul에 li안에 .fa-li안에 <i></i>	li-style을 decorative bullets으로 변경 (ul에 class, li은 따로, span에 class) fa-check-square(체크박스), fa-square(빈 체크박스), fa-spinner.fa-pulse(스피너.animation) ul.fa-ul > li > span.fa-li >i.far.fa-check-square		
rotate / <u>fa-rotate-</u> * <u>fa-flip-</u> *	fa-rotate-90, -rotate-180, -rotate-270 // each 90deg transform 쓰는 것이기에 rotating + flipping는 span으로 감싸서 드세요		
animating / fa-spin fa-pulse	fa-spin: 360deg // fa-pulse: 360deg / 8step (fa-spinner 추천) 스피너 아이콘 https://fontawesome.com/v5.15/icons?d=gallery&p=2&c=spinners		
float, border, f-width	fa-pull-left / fa-pull-right // fa-border // fa-fw(여러 아이콘 fixed width)		
stacking / fa-stack	can stack icons / fa-stack-1x(front, 1x), fa-stack-2x(back, LG) 1x에 fa-inverse해서 반전 / inline-block, vertical-aligin top middle 맞추기		
transform	data-fa-transform="shrink-, grow-, up-, down-, left-, right-, rotate-, flip-"		
masking	two icon=>single-color shape / class="fa-파낼 모양" data-fa-mask="fa-판 모양"		
layering, text	class="fa-layers(wrap) fa-fw(align)"/ fa-layer-text/ fa-layers-counter: 오른위 카운터		
duotone icons(fad)	style="fa-primary-color: #;fa-secondary-color:#" // color, opacity, swap		

Font Awesome 5

spacing☞

mt-auto / mb-auto	해당 margin 또는 padding 자동	y축
ms-auto / me-auto	해당 margin 또는 padding 자동	x축 / s: start(left), e: end(right)
mx-auto, my-auto	중앙정렬	

.btn 버튼(역할)					
btn-outline-	아웃라인 버튼				
	tabindex="-1"	.disabled에			
a에 .btn.disabled	role="button"	attribute			
	aria-disabled="true"	있어야함			
버튼박스에 d-grid	(예시) d-grid gap-2 col-6 mx-auto =>중앙정렬 반응형 버튼(col-6)				
toggle	active인 버튼 data-bs- .active랑 aria-pressed: =>기능 있는 점 알아드	="true" 필요			

color				
-primary	#007bff			
-secondary	#6c757d			
-success	#28a745	bg, text		
-danger	#dc3545			
-warning	#ffc107			
-info	#17a2b8			
-light	#f8f9fa			
-dark	#343a40			
-white	#fff			
-transparent	transparent			
-black-50	(0,0,0,.5)	text		
-white-50	(255,255,255,.5)	lext		
-muted	#6c757d			

/* -----<lang: en>-------*/
skeleton 畸대 files, skeleton project / HTML page structure, dummy ~ test template