

FUNCTIONS SOLUTIONS

Solution 1:

```
import java.util.Scanner;
public class Solution {
   public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        System.out.print("Input the first number: ");
        double x = sc.nextDouble();
        System.out.print("Input the second number: ");
        double y = sc.nextDouble();
        System.out.print("Input the third number: ");
        double z = sc.nextDouble();
        System.out.print("The average value is " + average(x, y, z)+"\n" );
    }
    public static double average(double x, double y, double z) {
        return (x + y + z) / 3;
    }
}
```

Solution 2:

```
import java.util.*;

public class Solution {
   public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int num;

        System.out.print("Enter an integer: ");
        num = sc.nextInt();

        if(isEven(num)) {
            System.out.println("Number is even");
        } else {
            System.out.println("Number is odd");
        }
}
```



```
public static boolean isEven(int number) {
    if(number % 2 == 0) {
        return true;
    }
    else {
        return false;
    }
}
```

Solution 3:

```
mport java.util.Scanner;
public class Solution {
  public static void main(String args[]) {
       System.out.println("Please Enter a number : ");
       Scanner sc = new Scanner(System.in);
       int palindrome = sc.nextInt();
       if(isPalindrome(palindrome)) {
           System.out.println("Number : " + palindrome + " is a palindrome");
           System.out.println("Number : " + palindrome + " is not a palindrome");
  public static boolean isPalindrome(int number) {
       int palindrome = number; // copied number into variable
       int reverse = 0;
       while (palindrome != 0) {
           int remainder = palindrome % 10;
           reverse = reverse * 10 + remainder;
          palindrome = palindrome / 10;
```



```
// if original and the reverse of number is equal means
// number is palindrome in Java
if (number == reverse) {
    return true;
}
return false;
}
```

Solution 4: This is a DIY question & should be solved on your own.

Solution 5:

```
import java.util.Scanner;
public class Solution {
  public static void main(String[] args) {
     Scanner sc = new Scanner(System.in);
     System.out.print("Input an integer: ");
     int digits = sc.nextInt();
     System.out.println("The sum is " + sumDigits(digits));
  }

public static int sumDigits(int n) {
    int sumOfDigits = 0;
    while(n > 0) {
        int lastDigit = n % 10;
            sumOfDigits += lastDigit;
            n /= 10;
    }

    return sumOfDigits;
}
```