Cardiac Deformation Lab

Comprehensive Research Analysis & Scientific Biomechanical Report

Research Prototype — Computational Image Analysis

Advanced continuum kinematics, dense optical-flow deformation fields, longitudinal metric kinetics, and mathematical validation benchmarks.

Report Metadata Attribute	Specification
Study Name	Report Test Study 50d91b
Study ID	3c3fde2f-b5d3-4dd8-9817-c4141107e797
Subject Code	TEST-REP-01
Report Identifier	REP-49BDE981
Generated Date	October 18, 2026 at 09:15:20 UTC
Software Version	v1.0.4
Report Schema Version	v1.0
Total Analyses Evaluated	2

MANDATORY SCIENTIFIC & NON-CLINICAL DISCLAIMER

This document presents computational image-derived measurements generated by a research prototype. The results are not medical diagnoses, prognoses, treatment recommendations, or clinical findings.
Optical-flow displacement represents apparent image motion and may not equal physical tissue motion. All derived metrics (strains, directions, coherence, TSI) are exploratory mathematical descriptors.

Table of Contents

Section (Part I)	Section (Part II)
1. Executive Summary	2. Study Information
3. Computational Methodology	4. Mathematical Framework
5. Input and Preprocessing	6. Motion Analysis
7. Strain Analysis	8. Advanced Metrics
9. Deformation Fingerprint	10. Temporal Analysis
11. ROI and Tracking	12. Calibration
13. Computational Quality Control	14. Longitudinal Analysis
15. Statistical Analysis	16. Synthetic Validation
17. Manual Reference Benchmark	18. Comparison Analysis
19. Limitations	20. Conclusion
21. Appendix	N/A

1. Executive Summary

The study contains **2** computational image analyses evaluated under the research workspace pipeline. Of these, **0** are multi-frame cine temporal sequences, and **2** are differential single-pair analyses. Associated manual reference annotations count: **0**. Spatial physical calibration is active on **2** of 2 analyses, while localized Region-of-Interest (ROI) segmentation is enabled on **0** analyses.

Metric	Value	Metric	Value
Total Image Analyses	2	Calibrated Analyses	2 / 2
Temporal Cine Sequences	0	ROI Segmentation Usage	0 / 2
Manual Reference Annotations	0	Average Computational QC Score	98.0 / 100
Total QC Technical Warnings	0	Longitudinal Tracking Available	Yes

2. Study Information

Study Attribute	Recorded Metadata
Study Name	Report Test Study 50d91b
Study Unique ID	3c3fde2f-b5d3-4dd8-9817-c4141107e797
Subject Pseudonym	TEST-REP-01
Creation Timestamp	October 18, 2026 at 09:15:20 UTC
Last Modified Timestamp	October 18, 2026 at 09:15:20 UTC
Study Description	Validation study for Step 11.18 reporting and export package.
Associated Analysis Sessions	2461f0ed-60f7-4428-a237-c43900c6288a, 13eb6514-053b-4cab-8119-f7b035d709ef

3. Computational Methodology

The Cardiac Deformation Lab processes cardiac imagery through an automated, deterministic 12-stage computational continuum mechanics pipeline:
Input → **Preprocessing** (Grayscale conversion, Gaussian smoothing, histogram normalization) → **Motion Estimation** (Farnebäck dense optical flow) → **Displacement Calculation** (Euclidean vector magnitude) → **Spatial Strain Tensor** (Infinitesimal Green-Saint-Venant formulation) → **Principal Strains** (Spectral decomposition of eigenvalues) → **Advanced Kinematic Descriptors** (Motion coherence, strain gradient, anisotropy, deformation energy) → **Temporal Analysis** (Inter-frame cine tracking, TSI) → **ROI & Tracking** (Fixed or Lucas-Kanade updated contours) → **Computational Quality Control** (Signal SNR, gradient smoothness, flow bounds) → **Statistical & Longitudinal Analytics**.

4. Mathematical Framework

Displacement Vector:
d(x, y) = [u(x, y), v(x, y)]■
Displacement magnitude: $D = \sqrt{(u^2 + v^2)}$

Displacement Gradient Tensor:
∇**d** = [[∂u/∂x, ∂u/∂y], [∂v/∂x, ∂v/∂y]]

Infinitesimal Strain Tensor:
ε = 1/2 (∇**d** + (∇**d**)■)
ε_xx = ∂u/∂x
ε_yy = ∂v/∂y
ε_xy = 1/2 (∂u/∂y + ∂v/∂x)

Principal Strains & Directions:
Eigenvalues of ε: λ■, λ■ = ((ε_xx + ε_yy)/2) ± $\sqrt{(((\varepsilon_{xx} - \varepsilon_{yy})/2)^2 + \varepsilon_{xy}^2)}$

Radial and Circumferential Deformation:
d_r = **d** · **e**_r (projection onto unit radial vector from centroid)
d_c = **d** · **e**_c (projection onto unit tangential vector)

Spatial Calibration:
Physical displacement = pixel displacement × pixel spacing (mm/px).
Note: Strain represents dimensionless spatial gradient (mm/mm) and remains invariant to isotropic scaling.

5. Input and Preprocessing

Analysis ID	Input Image Pair	Dimensions	Grayscale	Normalization
2461f0ed	frame_1.png / frame_2.png	N/A	Complete	Normalized (8-bit)
13eb6514	frame_1.png / frame_2.png	N/A	Complete	Normalized (8-bit)

6. Motion Analysis

Analysis ID	Mean	Max	Min	Std Dev	Units	Method
2461f0ed	1.5011	6.6640	0.0000	2.2486	mm	Farnebäck Dense Flow

Analysis ID	Mean	Max	Min	Std Dev	Units	Method
13eb6514	1.5011	6.6640	0.0000	2.2486	mm	Farnebäck Dense Flow

Figure 1: Estimated Image Displacement Magnitude Field [Metric: Displacement] (Units: mm)



Caption: *Figure: Estimated image displacement magnitude computed via dense optical flow.*

Figure 2: Estimated Motion-Vector Field [Metric: Motion Vectors] (Units: Directional Grid)



Caption: *Figure: Estimated motion-vector field illustrating planar kinematics.*

7. Strain Analysis

Analysis ID	Mean Exx	Max Exx	Mean Eyy	Max Eyy	Mean Exy	Mean ε■	Max ε■
2461f0ed	1.4901e-10	2.3369	0.0000	1.8853	-5.2982e-10	N/A	N/A

Analysis ID	Mean Exx	Max Exx	Mean Eyy	Max Eyy	Mean Exy	Mean ε■	Max ε■
13eb6514	1.4901e-10	2.3369	0.0000	1.8853	-5.2982e-10	N/A	N/A

Figure 3: Principal Strain (ε■) Tensor Field [Metric: Principal Strain (ε■)] (Units: Dimensionless)



Caption: *Figure: Principal strain magnitude field indicating local expansion or compression.*

8. Advanced Kinematic Metrics

Analysis ID	Motion Coherence	Strain Gradient	Anisotropy	Strain Entropy	Deform Energy
2461f0ed	{'mean': 0.87485391528732, 'min': 0.41423624992486563, 'max': 1.0}	{'mean': 0.03285359232557878, 'max': 1.507015101010996}	{'mean': 0.48522666585271584, 'max': 0.9999999999997575}	2.8164	{'mean': 0.08022965068805313, 'max': 7.648597898083885}
13eb6514	{'mean': 0.87485391528732, 'min': 0.41423624992486563, 'max': 1.0}	{'mean': 0.03285359232557878, 'max': 1.507015101010996}	{'mean': 0.48522666585271584, 'max': 0.9999999999997575}	2.8164	{'mean': 0.08022965068805313, 'max': 7.648597898083885}

9. Computational Deformation Fingerprint

Dimension Key	Biomechanical Descriptor	Raw Scalar	Normalized Value [0-1]
D_mean	Mean Displacement	N/A	0.2253
D_max	Max Displacement	N/A	1.0000
epsilon_mean	Mean Strain Magnitude	N/A	0.0000
epsilon_max	Peak Strain Magnitude	N/A	0.3507
epsilon_principal	Principal Strain (ε■)	N/A	0.0100
anisotropy	Strain Anisotropy	N/A	0.0728

Dimension Key	Biomechanical Descriptor	Raw Scalar	Normalized Value [0-1]
entropy	Strain Entropy	N/A	0.4226
strain_gradient	Strain Spatial Gradient	0.0329	0.0049
coherence	Motion Coherence Index	N/A	0.1313
TSI	Temporal Stability Index	N/A	N/A

10. Temporal Cine Analysis

Temporal analysis was not available for this study.

11. Region of Interest (ROI) and Tracking Analysis

Important Scientific Protocol: Full-image metrics and localized ROI metrics are evaluated separately. They are never mixed or aggregated into a single indiscriminate field.

No localized ROI segmentation was applied to the analyses in this study.

12. Spatial Calibration

Displacement values are converted to physical units only when valid spatial calibration is available. Strain remains dimensionless (spatial ratio).

Analysis ID	Pixel Spacing X	Pixel Spacing Y	Physical Unit	Status
2461f0ed	0.5	0.5	mm	Active
13eb6514	0.5	0.5	mm	Active

13. Computational Quality Assessment

Notice: *This quality assessment evaluates computational/image-processing conditions and is not a clinical confidence score.*

Analysis ID	Quality Score	Rating Level	Warnings	Primary Warning Message
2461f0ed	98.0 / 100	High	0	N/A
13eb6514	98.0 / 100	High	0	N/A

14. Longitudinal Multi-Session Analysis

Metric Name	Trend Direction	Slope	R^2	Abs Change	Pct Change
Mean Displacement	stable	N/A	N/A	N/A	N/A
Maximum Displacement	stable	N/A	N/A	N/A	N/A
Mean Strain	stable	N/A	N/A	N/A	N/A
Maximum Strain	stable	N/A	N/A	N/A	N/A

Metric Name	Trend Direction	Slope	R^2	Abs Change	Pct Change
Mean Principal Strain	stable	N/A	N/A	N/A	N/A
Maximum Principal Strain	stable	N/A	N/A	N/A	N/A
Anisotropy Index	stable	N/A	N/A	N/A	N/A
Strain Entropy	stable	N/A	N/A	N/A	N/A
Strain Gradient	stable	N/A	N/A	N/A	N/A
Motion Coherence	stable	N/A	N/A	N/A	N/A
Temporal Stability Index	stable	N/A	N/A	N/A	N/A
ROI Mean Displacement	stable	N/A	N/A	N/A	N/A
ROI Mean Strain	stable	N/A	N/A	N/A	N/A
ROI Principal Strain	stable	N/A	N/A	N/A	N/A
Computational Quality Score	stable	N/A	N/A	N/A	N/A

15. Advanced Statistical Analytics

Metric	N	Mean	Median	Std Dev	Min	Max	IQR
Mean Displacement	2	1.5011	1.5011	N/A	1.5011	1.5011	0.0000
Max Displacement	2	6.6640	6.6640	N/A	6.6640	6.6640	0.0000
Mean Strain	0	N/A	N/A	N/A	N/A	N/A	N/A
Max Strain	0	N/A	N/A	N/A	N/A	N/A	N/A
Mean Principal Strain	0	N/A	N/A	N/A	N/A	N/A	N/A
Max Principal Strain	0	N/A	N/A	N/A	N/A	N/A	N/A
Anisotropy Index	2	0.4852	0.4852	N/A	0.4852	0.4852	0.0000
Strain Entropy	2	2.8164	2.8164	N/A	2.8164	2.8164	0.0000
Strain Gradient	2	0.0329	0.0329	N/A	0.0329	0.0329	0.0000
Motion Coherence	2	0.8749	0.8749	N/A	0.8749	0.8749	0.0000
Temporal Stability Index	0	N/A	N/A	N/A	N/A	N/A	N/A
Quality Score	2	98.0000	98.0000	N/A	98.0000	98.0000	0.0000

Notice: Correlation describes statistical association and does not imply causation.

16. Synthetic / Phantom Validation Benchmark

Methodological Context: *Synthetic validation evaluates algorithmic behavior against mathematically controlled reference fields and does not establish clinical validity.*

Parameter	Setting	Validation Error Metric	Observed Value
Deformation Mode	N/A	Displacement MAE	N/A px

Parameter	Setting	Validation Error Metric	Observed Value
Deformation Strength	N/A	Displacement RMSE	N/A px
Noise Amplitude	N/A	Displacement Pearson r	N/A
Gaussian Blur Sigma	N/A	Principal Strain MAE	N/A

17. Manual Reference Benchmark

Important Notice: *Manual annotations are reference measurements for computational benchmarking and are subject to annotator variability. They are not clinical ground truth.*

No manual landmark or contour annotations available for reference benchmarking in this study.

18. In-Study Comparison Analysis

Differential comparison could not be calculated.

19. Limitations

1. Apparent Image Motion vs. Physical Motion: Optical flow measures brightness constancy variations in image pixel coordinates, which may differ from physical tissue motion under out-of-plane speckle decorrelation or non-rigid myocardial through-plane deformation.
2. Two-Dimensional Restriction: All strain tensors (ε_xx, ε_yy, ε_xy) are computed in a 2D image plane, omitting radial-longitudinal shear components present in 3D cardiac mechanics.
3. Temporal Sampling Rate: Frame rates affect peak displacement and strain derivative estimation. Nyquist limits govern kinematic precision.
4. Spatial Calibration Constraints: Physical conversions (mm/px) assume isotropic, uniform pixel spacing in orthogonal directions.
5. Manual Annotation Variability: Reference annotations represent subjective operator placements with intra- and inter-observer variance.
6. Statistical Sample Size: Small study cohorts limit statistical generalizability; correlations represent association rather than causation.

20. Computational Conclusion

The analysis demonstrates the extraction of image-derived motion, displacement, strain, and related computational descriptors using the implemented research pipeline. The pipeline successfully processed all associated input frames, computed dense continuum fields, evaluated spatial and temporal consistency, and compiled quantitative multi-session trends.

Scientific Interpretation Notice: The results should be interpreted as computational research outputs and not as clinical findings. These measurements provide an objective quantitative basis for engineering research, computational algorithm validation, and academic inquiry.

21. Appendix & System Metadata

System Component	Technical Specification
Software System	Cardiac Deformation Lab (CDL)
Software Version	v1.0.4
Report Engine	ReportLab PDF Engine with Dynamic Two-Pass Canvas
Report Identifier	REP-49BDE981
Timestamp of Generation	October 18, 2026 at 09:15:20 UTC
Optical Flow Algorithm	Farnebäck Dense Optical Flow (OpenCV)
Strain Formulation	Infinitesimal Green-Saint-Venant Deformation Tensor
Included Analysis Sessions	2461f0ed, 13eb6514