


WEB APP START-UPS

A PROJECT REPORT

Submitted by
Naman Dutta

Internet and Web Programming



NOVEMBER, 2019

ACKNOWLEDGEMENT

We express gratitude to our guide, Dr. LOKESH KUMAR R, for guidance and suggestions that helped us to complete the project on Web App Start-ups on time and also us in doing a lot of Research and we came to know about so many new things about the subject. Words are inadequate to express our gratitude to the faculty and staff members who encouraged and supported us during the project. Finally, we would like to thank our ever-loving parents for their blessings and our friends for their timely help and support.

ABSTRACT

It is believed that gathering passionate people in the same place is the formula for innovation. And yet too many people are afraid of sharing ideas and diversity. Many people lack confidence in trying to pursue their idea of business. Opening a Start-Up is a new trend in business world, where people are trying to commercial their ideas and interests. This helps both sides, Clients and Service Providers. In this project, we aim to help small scale start-ups (usually started from home) to manage their small business in effective way. This project will help the Service Provider manage the trial balance sheet, store the details of clients and products details. The major factor is that our proposed system will bring out those passionate people who are afraid of start-up and try best in managing their work. This will help the people analyse their progress of their business, managing clients and keeping tap on the products needed to buy.

TABLE OF CONTENTS

SR.NO	CHAPTER	PAGE NUMBER
1.	INTRODUCTION	7
	1.1 SYSTEM OVERVIEW	7
	1.2 OBJECTIVES	7
	1.3 APPLICATIONS	8
	1.4 LIMITATIONS	8
2.	LITERATURE SURVEY	8
3.	SYSTEM ANALYSIS	
	3.1 EXISTING SYSTEM	11
	3.2 PROPOSED SYSTEM	11
4.	REQUIREMENT SPECIFICATION	
	4.1 HARDWARE REQUIREMENTS	14
	4.2 SOFTWARE REQUIREMENTS	14
5.	SYSTEM DESIGN SPECIFICATION	
	5.1 SYSTEM ARCHITECTURE	15
	5.2 MODULE DESCRIPTION	16
	5.3 DETAILED DESIGN	23
	5.4 DATABASE DESIGN AND SAMPLE	24
6.	SYSTEM IMPLEMENTATION	29
7.	CONCLUSION AND FUTURE ENHANCEMENTS	
	7.1 FUTURE ENHANCEMENTS	30
	7.2 CONCLUSION	30
8.	APPENDICES	
	8.1 SAMPLE SOURCE CODE	31
	8.2 SCREENSHOTS/OUTPUT	101

9.	REFERENCES	
	9.1 LIST OF JOURNALS	109
	9.2 LIST OF BOOKS	109
	9.3 LIST OF WEBSITES	109

LIST OF FIGURES

SR.NO	FIGURE	PAGE NUMBER
1.	Sticky Notes for the admin	12
2.	material/buy.html	13
3.	sold products/sell.html	13
4.	budget.html	14
5.	System Architecture	15
6.	Total Earned page	16
7.	Sales Report	17
8.	Latest product bought page	17
9.	Totals Target page	17
10.	layout, header, sidebar colour options page	18
11.	Buy page module	19
12.	Sold Product page	20
13.	Budget page module	21
14.	multimedia	21
15.	Top products	22
16.	Top clients	22
17.	feedback	23
18.	contact us	23
19.	Database Design for history/budget	24
20.	Database Design for raw Materials/ buy.html	25
21.	Database Design for sold products /sell	25
22.	Homepage	101
23.	Admin page	101

24.	Customer Page	102
25.	Login page	102
26.	Services page	103
27.	Our Works page	103
28.	Top Products page	104
29.	Digital Agency page	104
30.	Top Clients page	105
31.	Contact US page	105
32.	Company Name page	106
33.	Budget page	106
34.	Sold Products page	107
35.	Sold Products Record Page	107
36.	Raw Materials page	108
37.	Raw Material Record page	108

1. INTRODUCTION

Opening a Start-Up is a new trend in business world, where people are trying to commercial their ideas and interests. This helps both sides, Clients and Service Providers. The major factor is that our proposed system will bring out those passionate people who are afraid of start-up and try best in managing their work. web-based start-up provides an efficient platform to track business records and other details like client and products without manual intervention. This also provides entrepreneurs to handle balance sheet which makes them to evaluate the business progress. This web-based start-up also vests a lot of benefits like In time remarks system with current date using note and slip sessions which makes easier to analyse the business record at particular time and date. Apart from these, web-based start-up is very easy to handle by the users as one would not need to be highly skilled to use this platform. This platform is very much user friendly.

1.1 SYSTEM OVERVIEW

Opening a Start-Up is a new trend in business world, where people are trying to commercial their ideas and interests. This helps both sides, Clients and Service Providers. This project will help the Service Provider manage the trial balance sheet, store the details of clients and products details. The user adds the raw materials details such as raw material name, name of the seller and the price cost and it also has option of deleting the error row. Again, the user adds the Product details such as Product name, name of the client and the price sold at. It also has option of deleting the error row. The module updates the transaction done at buy.html and sell.html in order of transaction date. The budget page shows the trial balance sheet for the user.

1.2 OBJECTIVE

The objectives of our project are:

- Our aim is to target every scale of start-up.
- To form responsible application.
- To find more related efficient ideas of handling business in future.
- To speak to as a contend in the web-based business of India.
- To increase the success count of start-ups.
- To form the user feasible application.

1.3 APPLICATION

- Start-up from office tiffin system.
- Digitalizing household start-up.
- A try out prototype for starting start-up.

1.4 LIMITATIONS

- The system is single administrative prototype.
- The authentication and security measures of our is not properly oriented.

2. LITERATURE SURVEY

Paper	Author Name	Year of Published	Description
Efficient JavaScript Mutation Testing[1]	Shabnam Mirshokraie , Ali Mesbah, Karthik Pattabiraman	2013	This study includes seven JavaScript-based objects in total. It has implemented JavaScript mutation testing approach in a tool called MUTANDIS. MUTANDIS is written in Java and is publicly available for download. Mutation testing systematically evaluates the quality of the existing test suites. Thus, this technique is able to minimize the number of generated mutants(change) while increasing their effect on the semantics of the system.
Emotional Design of Web Page[2]	Nan JiangI, Xinyu Feng2, Hui LiuI, Juan Liul	2008	This paper studies the emotional design of colors, images, and character signs of a web page. The web design should take the beauty into consideration,

			but the application of the colors, images and characters is more important. The combination of the web nature and requirements should be in harmony. So, the website will have an unique feature and mien, making the website the browsers' favorite, long-lasting and full of vitality.
Experimental Data for the A?B* A Pattern in CSS: Inputs and Outputs[3]	Leonard Punt, Sjoerd Visscher, Vadim Zaytsev	2016	This paper mainly to detect the undoing style in CSS code using a dataset which is available under MIT license.

User Experience design in web applications	Dr.Jay Kiruthika, Dr.Souheil Khaddaj, Dr.Darrel Greenhill, Dr.Jarek Francik	2016	<p>This paper looks into few issues of designing web applications and recommends design criteria to create efficient web applications. This paper exposes the importance of UX design methodology for the web design based on the emotional experience of a user rather than user interactive design. The methodology adopted to test UX web applications is a framework which tests: User behavior, Context of use, User satisfaction. Thus, UX has become vital key process in design and development in applications especially in webbased applications and web sites. process in design and development in applications especially in web-based applications and web sites.</p>
--	---	------	--

HTML Educational Node.js System (HENS): applied syste for development [4]	An web	Brian Carter	2014	<p>In this paper, a very compelling proposition is presented, a portable system for software development. The focus is on HTML, JavaScript, CSS, Node.js, and SQLite. The system provides all the applications required for students to start developing web applications. In this paper, HENS was proposed as an environment that provides a portable education system for software development. Creating HENS is involved and requires many steps. The benefit is the creation of a system that can be copied to students' portable drives (hard drive, USB, cloud drive) that contains the tools required to develop web applications. HENS provides an environment that is accessible to beginning students while providing a professional portable environment for seasoned developers. HENS uses Node.js as the server side development platform and SQLite as the database environment.</p>
---	-----------	--------------	------	--

How Web Design influences User Experience: a Multi-modal Method for Real-Time Assessment[5]	Cristina Liviana Caldiroli, Roberta Garbo, Federica Pallavicini,	2017	The proposed study has two main objectives: (1) to investigate the user experience while performing comprehension task on the Web through the adoption of a real-time multi-level assessment, with particular attention on cognitive load; (2) to test the relationship between specific aspects of web design
during Web Browsing			and users experience. The aim of this proposal is to create a feasible way to address the actual limitations of the existing protocols for the assessment of cognitive load and of user experience during Web browsing.

3. SYSTEM ANALYSIS

3.1 EXISTING SYSTEM

There are many tools available for developing sustainable start-ups. Few are:

- Pipefy: Its flexibility makes it great for any type of start-up to manage their work flow.
- Evernote: It is great tool for “self-management” – you can create lists, add comments pictures, audio notes and much more.
- Wunderlist: It is great tool for keeping track of out professional and personal to-do lists. Never miss deadlines or be late again with built-in reminders.

3.2 PROPOSED SYSTEM

In our proposed model, we have introduced a systematic and sustainable system which will help small scale start-ups to progress on. Our aim is to help people to make progress of their business by providing a continuous analysis of the business status. So, how it differs from other systems? Answer to this would be:

- Our System is highly flexible and easy to use. This will help Users an interactive interface to work on.
- Our system will have the least expected slips and mistakes in it.
- Out system will digitalize the balance sheet. Hence there would be no humancalculator error.
- Our system has notes and slip session, where user will add notes regarding to the business and the notes would be sorted out with date.
- Our system aims to help user keep track of clients and products or raw materials used in business.

{{HEADER}}

NOTES

DATE	NOTES
<div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">ENTER DATE</div>	<div style="border: 1px solid black; height: 100px; width: 100%;"></div>

INPUT

ENTER NOTES

ADD

DELETE

{{FOOTER}}

Fig1: Sticky Notes for the admin

{{HEADER}}					
PRODUCT STORE					
ID					
PRODUCT NAME					
SELLER			PRICE		
CREATE	READ	UPDATE	DELETE ALL		
ID	PRODUCT NAME	SELLER	PRICE	EDIT	DELETE
{{FOOTER}}					

Fig2: material/buy.html

{{HEADER}}					
PRODUCT STORE					
ID					
PRODUCT NAME					
SELLER			PRICE		
CREATE	READ	UPDATE	DELETE ALL		
ID	PRODUCT NAME	SELLER	PRICE	EDIT	DELETE
{{FOOTER}}					

Fig3: sold products/sell.html

{{HEADER}}

FINANCIAL MANAGEMENT

Please Enter The Capital

Calculate

Please Enter Your Expenses

Please Enter Your Expenses Amount

Calculate

Please Enter Your Income

Please Enter Your Income Amount

Calculate

BUDGET	INCOME	EXPENSES	AMOUNT
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
\$1000		\$500	<input type="radio"/>

TITLE	VALUE		
TRANSPORT	\$200	<input type="radio"/>	<input type="radio"/>

{{FOOTER}}

Fig4: budget.html

4. REQUIUREMENT SPECIFICATION

4.1 HARDWARE REQUIREMENTS

- INTEL® Core™ i5-5200U CPU @ 2.20GHz
- NVIDIA GEFORCE
- INSTALLED MEMORY 8.00 GB RAM
- 64 bit operating system, x64-based processor

4.2 SOFTWARE REQUIREMENT

- HTML5
- CSS3
- JAVASCRIPT
- FRAMEWORKS OF JAVASCRIPT
- BOOTSTRAP 4.3

5. SYSTEM DESIGN SPECIFICATION

5.1 SYSTEM ARCHITECTURE




Fig5: System Architecture

5.2 MODULE DESCRIPTION

Module 1 –ADMIN PAGE Module

In this module, we are providing the administration with the super control power over the system. From this page, the administrator (user in this case) will have control over all the other pages. Basically, we have designed the user admin page to display the various data entries in the system in processed data. The data displayed here would provide information about the total number of orders processed in the 'sell.html' page, the total number of clients processed in the 'sell.html' page, total number of sellers processed in the 'buy.html' page, and total balance earned processed in the 'budget.html' page.




Fig6: Total Earned page

Along with all that the admin page also creates the monthly sales report to the fake data entries. The best design about the sales graph is that we will be able to compare the different bars by striking down the other bars. This will help for comparative analysis between income-expense, income-balance, expense-balance, income, expense and balance.




Fig7: Sales Report

From the 'sell.html' page, we extracted down the client data and processed it into the top clients by using a parametric limitation factor for the number of products bought by the same client. In product column it displays the latest product bought.

TOP CLIENTS		
SN	Client	Product
1	rishav	cement
2	w	q

Fig8: Latest product bought page

Now at the end there is income, expense and the total balance obtained.



Fig9: Totals Target page

The page format setting menu. This menu will allow the admin (user) to format the page according to his/her will. The setting has option of fixed side-bar and fixed header-bar. The setting has function of changing the colour of the side bar and header bar. We have provided various bold and gradient colours. There is also an option of the setting reset to default which will return the colour of side bars and the header to its default colour 'white'.

[illegible]

Fig10: layout, header, sidebar colour options page

Module 2 Buy page Module

In this module, the user adds the raw materials details such as raw material name, name of the seller and the price cost. It also has option of deleting the error row.

Raw Materials

Name:

Seller:

Price:

rawMaterial Name	Seller	Price \$	Delete
cement	naman	100	<input type="button" value="Delete"/>
ww	ww19	12	<input type="button" value="Delete"/>
chair	amazon	15	<input type="button" value="Delete"/>

Fig11: Buy page module

Module 3 Sell page Module

In this module, the user adds the Product details such as Product name, name of the client and the price sold at. It also has option of deleting the error row.

Sold Products

Name:

Price:

Client:

Product Name	Price \$	Client	Delete
cement	200	rishav	<input type="button" value="Delete"/>
q	11	w	<input type="button" value="Delete"/>

Fig12: Sold Product page

—

Module 4 Budget page Module

The module updates the transaction done at buy.html and sell.html in order of transaction date. The module is update wherever there is any change in either of the pages. The budget page shows the trial balance sheet for the user. It also displays the total balance obtained after every transaction.

Budget



Date	Raw/Product Name	Debit 	Credit 	Balance \$
5 November 2019	cement	₹100	—	₹100
5 November 2019	cement	—	₹200	₹-100
5 November 2019	q	—	₹11	₹-111
5 November 2019	ww	₹12	—	₹-99
5 November 2019	chair	₹15	—	₹-84

Fig13: Budget page module

Module 5 – User’s Customer view page

In this section, there is details about the user’s business, its top product, its top clients and contact details. The user can add multimedia for better connection with the customer. It also has option for the feedback which can be viewed by the admin (user) later.



Fig14: multimedia


**Fig15: Top products**

Fig16: Top clients


First Name

Last Name

Email Address

Your Message

SEND

Fig17: Feedback**Fig18: contact us**

5.3 DETAILED DESIGN:

Functionality for admin User page:

- View the current status of the business going on in numbers.
- Process and analyse the data obtained from the other modules.
- Obtain the monthly sales report after processing.
- Display the income, expense and the current balance.
- Format the page looks according to the user's choice.

Functionality for Sell page:

- Add the product name, client name, price of the product.
- Delete the error rows.

Functionality for buy page:

- Add the raw material name, seller name, price of the material.
- Delete the error rows.

Functionality for the budget page

- Update the trial balance for the admin (user) according to the products sold and raw material obtained.

- Update the trial balance in order of transaction date.
- Display the balance change after every transaction.

Functionality for the customer page

- Displays the overview of the company for the customer.
- Displays the top products sold with description.
- Displays the top clients
- Allows to fill the feedback option.
- Display the contact details.

5.4 DATABASE DESIGN AND SAMPLE

```
const historySchema = new Schema({
  transactionDate: {
    type: Date,
    default: new Date().toDateString()
  },
  price: {
    type: Number,
    default: 0,
  },
  debit: {
    type: Boolean,
    required: true,
  },
  name: {
    type: String,
    required: true
  },
  target: {
    type: Schema.ObjectId
  }
});
```

Fig19: Database Design for history/budget

```
const rawMaterialSchema = new Schema({
  name: {
    type: String,
    required: true,
  },
  purchasedFrom: {
    type: String,
    required: true,
  },
  price: {
    type: Number,
    default: 0,
    min: 0,
  },
});
```

Fig20: Database Design for raw Materials/ buy.html

```
const soldProductSchema = new Schema({
  name: {
    type: String,
    required: true
  },
  price: {
    type: Number,
    min: 0,
    default: 0
  },
  soldTo: {
    type: String,
    required: false,
    default: "SELF"
  }
});
```

Fig 21: Database Design for sold products /sell SAMPLE DATA

```
/*histories*/
```

```
/* 1 */
```

```
{
```

```
  "_id" : ObjectId("5dc08c5e8e570f225c542a63"),
```

```
  "transactionDate" : ISODate("2019-11-04T18:30:00.000Z"),
```

"price" : 100,

```
"name" : "cement",
"target" : ObjectId("5dc08c5e8e570f225c542a62"),
"debit" : true,
"__v" : 0
}

/* 2 */
{
  "_id" : ObjectId("5dc08ca38e570f225c542a6b"),
  "transactionDate" : ISODate("2019-11-04T18:30:00.000Z"),
  "price" : 200,
  "name" : "cement",
  "target" : ObjectId("5dc08ca38e570f225c542a6a"),
  "debit" : false,
  "__v" : 0
}

/* 3 */
{
  "_id" : ObjectId("5dc1282bc574ce184027f48c"),
  "transactionDate" : ISODate("2019-11-04T18:30:00.000Z"),
  "price" : 11,
  "name" : "q",
  "target" : ObjectId("5dc1282bc574ce184027f48a"),
  "debit" : false,
  "__v" : 0
}
```

```
}

/* 4 */

{
  "_id" : ObjectId("5dc1285bc574ce184027f48f"),
  "transactionDate" : ISODate("2019-11-04T18:30:00.000Z"),
  "price" : 12,
  "name" : "ww",
  "target" : ObjectId("5dc1285ac574ce184027f48e"),
  "debit" : true,
  "__v" : 0
}

/* 5 */

{
  "_id" : ObjectId("5dc12892c574ce184027f491"),
  "transactionDate" : ISODate("2019-11-04T18:30:00.000Z"),
  "price" : 15,
  "name" : "chair",
  "target" : ObjectId("5dc12892c574ce184027f490"),
  "debit" : true,
  "__v" : 0
}
```


/raw materials/

```
/* 1 */
```

```
{  
  "_id" : ObjectId("5dc08c5e8e570f225c542a62"),  
  "price" : 100,  
  "name" : "cement",  
  "purchasedFrom" : "naman",  
  "__v" : 0  
}
```

```
/* 2 */
```

```
{  
  "_id" : ObjectId("5dc1285ac574ce184027f48e"),  
  "price" : 12,  
  "name" : "ww",  
  "purchasedFrom" : "ww19",  
  "__v" : 0  
}
```

```
/* 3 */
```

```
{  
  "_id" : ObjectId("5dc12892c574ce184027f490"),  
  "price" : 15,  
  "name" : "chair",  
  "purchasedFrom" : "amazon",  
  "__v" : 0  
}
```

```
/soldProducts/
```

```
/* 1 */
```

```
{
  "_id" : ObjectId("5dc08ca38e570f225c542a6a"),
  "price" : 200,
  "soldTo" : "rishav",
  "name" : "cement",
  "__v" : 0
}
```

```
/* 2 */
```

```
{
  "_id" : ObjectId("5dc1282bc574ce184027f48a"),
  "price" : 11,
  "soldTo" : "w",
  "name" : "q",
  "__v" : 0
}
```

6. SYSTEM IMPLEMENTATION

we have designed the user admin page to display the various data entries in the system in processed data. The data displayed here would provide information about the total number of orders processed in the 'sell.html' page, the total number of clients processed in the 'sell.html' page, total number of sellers processed in the 'buy.html' page, and total balance earned processed in the 'budget.html' page. From the 'sell.html' page, we extracted down the client data and processed it into the top clients. The user adds the raw materials details such as raw material name, name of the seller and the price cost and it also has option of deleting the error row. Again the user adds the Product details such as Product name, name of the client and the price sold at. It also has option of deleting the error row. The module updates the transaction done at buy.html and sell.html in order of transaction date. The budget page shows the trial

balance sheet for the user. It also displays the total balance obtained after every transaction.

7. CONCLSION AND FUTURE ENHANCEMENTS

7.1 FUTURE ENHANCEMENTS


- ★ It can be upgraded to the big platform for large scale start-ups as well.
- ★ This encourage people to follow web-based platform in huge number and digitize the start-ups.
- ★ It helps more people to join the business in coming days.
- ★ This will increase the success count of start-ups.
- ★ It can be enhanced so that this will be the easily adapted by all in future.
- ★ It helps to find more related efficient ideas of handling business in future.
- ★ This encourages developers to build these type of web-based platform more effective in future.


7.2 CONCLUSION

With intent to the small-scale start-ups, the idea of web-based start-ups through which a small group of individuals can easily coin their idea into implementation. The idea of web-based start-ups is one of the efficient approaches to handle the start-ups which encourages the individuals to implement their ideas. This is efficient because one does not need to keep track of their business activities and related details manually. This web-based start-up provides an efficient platform to track business records and other details like client and products without manual intervention. This also provides entrepreneurs to handle balance sheet which makes them to evaluate the business progress. This web-based start-up also vests a lot of benefits like Intime remarks system with current date using note and slip sessions which makes easier to analyse the business record at particular time and date.

Apart from these, web-based start-up is very easy to handle by the users as one would not need to be highly skilled to use this platform. This platform is very much user friendly. Hence this does not discourage an individual for start-ups.

In a nutshell this type of ideas help many youths as well business enthusiasts to take decision of starting small business. This idea is intended to increase the number of start-ups with the short span of time. Hence it can help many youths to come up with idea of starting business and reduces their fear of doing so.





[REDACTED]

[REDACTED]

[REDACTED]



[REDACTED]


[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]









[REDACTED]

[REDACTED]

[REDACTED]






<meta charset="utf-8">















maximumscale=1, user-scalable=no, shrink-to-fit=no" />







<meta name="msapplication-tap-highlight" content="no">







.app-main{



[REDACTED]

[REDACTED]

}











`<div class="app-header header-shadow">`



<div class="app-header__logo">




<div class="logo-src"></div>



<div class="header__pane ml-auto">






`<button type="button" class="hamburger close-sidebar-btn hamburger-`




elastic" data-class="closed-sidebar">










</button>












`<div class="app-header__mobile-menu">`







`<button type="button" class="hamburger hamburger--elastic mobile-`




















`<div class="app-header__menu">`






```
<button type="button" class="btn-icon btn-icon-only btn btn-primary btnsm
```





mobile-toggle-header-nav">




``











```
</div> <div class="app-header__content">
```





`<div class="search-wrapper">`




`<div class="input-holder">`



```
<input type="text" class="search-input" placeholder="Type to search">
```




<button class="search-icon"></button>





`<button class="close"></button>`













<div class="widget-content p-0">




```
<div class="widget-content-wrapper">  
  <div class="widget-content-left">  
    <div class="btn-group">
```







ariaexpanded="false" class="p-0 btn">





`src="assets/images/avatars/1.jpg" alt="">`







`<div tabindex="-1" role="menu" aria-`



hidden="true" class="dropdown-menu dropdown-menu-right">



```
<button      type="button"      tabindex="0"
```



`class="dropdownitem">User Account</button>`



```
<button      type="button"      tabindex="0"
```



`class="dropdownitem">Settings</button>`





`<button` `type="button"` `tabindex="0"`





`class="dropdownitem">Actions</button>`






```
<button type="button" tabindex="0" class="dropdownitem">Dividers</button>
```












`<div class="widget-heading">`
















`<div class="widget-content-right header-user-info ml-3">`




```
<button type="button" class="btn-shadow p-1 btn btn-primary
```




btnsm show-toastr-example">










```
        </div>
      </div>    </div>
    </div>
  </div>    <div class="ui-theme-settings">
```




```
<button type="button" id="TooltipDemo" class="btn-open-options btn
```



btnwarning">







```
<div class="theme-settings__inner">
```




`<div class="scrollbar-container">`



`<div class="theme-settings__options-wrapper">`



`<h3 class="themeoptions-heading">Layout Options`







`<ul class="list-group">`



`<li class="list-group-item">`





`<div class="widget-content-wrapper">`



`<div class="widget-content-left mr-3">`



`<div class="switch has-switch switch-container-class"`





`<div class="switch-animate switch-on">`





```
<input type="checkbox" checked="" data-toggle="toggle" data-
```



onstyle="success">





















`subheading">`Makes the header top fixed, always visible!









[REDACTED]

[REDACTED]



`<li class="list-group-item">`





```
<div class="widget-content-wrapper">  
  <div class="widget-content-left mr-3">
```



```
<div class="switch has-switch switch-container-class" data-
```

```
<div class="swatch-holder class"
```

```
class="fixed-sidebar">
```

```

        <div class="swatch-holder class"
            <div class="switch-animate switch-on">
<input type="checkbox" checked datatoggle="toggle" data-
onstyle="success">
            </div>
        </div>
    </div>
    <div class="widget-content-left">
        <div class="widget-heading">Fixed Sidebar
    </div>
        <div class="widget-
subheading">Makes the sidebar left fixed, always visible!
        </div>
    </div>
    </div>
    </div>
    </li>
</ul>
</div>
<h3 class="themeoptions-heading">
    <div>
        Header Options
    </div>
    <button type="button" class="btn-pill btn-shadow btn-wide
mlauto btn btn-focus btn-sm switch-header-cs-class" data-class="">
        Restore Default
    </button>
    </h3>
    <div class="p-3">
        <ul class="list-group">
            <li class="list-group-item">
                <h5 class="pb-2">Choose Color Scheme
                </h5>
                <div class="theme-settings-swatches">
                    <div class="swatch-holder bg-primary switch-header-
csclass" data-class="bg-primary header-text-light">

```

```
<div class="swatch-holder class"
```

```
</div>
```

```
bg-secondary switch-header-cs-
```

```
data-class="bg-secondary header-text-light">
```



```

        <div class="swatch-holder class"
    </div>
    <div class="swatch-holder bg-success switch-header-csclass"
data-class="bg-success header-text-dark">
    </div>
    <div class="swatch-holder bg-info switch-header-cs-class"
dataclass="bg-info header-text-dark">
    </div>
    <div class="swatch-holder bg-warning switch-header-csclass"
data-class="bg-warning header-text-dark">
    </div>
    <div class="swatch-holder bg-danger switch-header-csclass"
data-class="bg-danger header-text-light">
    </div>
    <div class="swatch-holder bg-light switch-header-cs-class"
dataclass="bg-light header-text-dark">
    </div>
    <div class="swatch-holder bg-dark switch-header-cs-class"
dataclass="bg-dark header-text-light">
    </div>
    <div class="swatch-holder bg-focus switch-header-csclass"
data-class="bg-focus header-text-light">
    </div>
    <div class="swatch-holder bg-alternate switch-header-csclass"
data-class="bg-alternate header-text-light">
    </div>
    <div class="divider">
    </div>
    <div class="swatch-holder bg-vicious-stance switch-header-
csclass" data-class="bg-vicious-stance header-text-light">
    </div>
    <div class="swatch-holder bg-midnight-bloom switch-headercs-
class" data-class="bg-midnight-bloom header-text-light">
    </div>
    <div class="swatch-holder bg-night-sky switch-header-csclass"
data-class="bg-night-sky header-text-light">

```

```
<div class="swatch-holder class"
```

```
</div>
```

```
bg-slick-carbon switch-header-cs-
```

```
data-class="bg-slick-carbon header-text-light">
```




```

        <div class="swatch-holder class"
    </div>
    <div class="swatch-holder bg-asteroid switch-header-csclass"
data-class="bg-asteroid header-text-light">
    </div>
    <div class="swatch-holder bg-royal switch-header-csclass"
data-class="bg-royal header-text-light">
    </div>
    <div class="swatch-holder bg-warm-flame switch-header-
csclass" data-class="bg-warm-flame header-text-dark">
    </div>
    <div class="swatch-holder bg-night-fade switch-header-csclass"
data-class="bg-night-fade header-text-dark">
    </div>
    <div class="swatch-holder bg-sunny-morning switch-header-
csclass" data-class="bg-sunny-morning header-text-dark">
    </div>
    <div class="swatch-holder bg-tempting-azure switch-header-
csclass" data-class="bg-tempting-azure header-text-dark">
    </div>
    <div class="swatch-holder bg-amy-crisp switch-header-csclass"
data-class="bg-amy-crisp header-text-dark">
    </div>
    <div class="swatch-holder bg-heavy-rain switch-header-
csclass" data-class="bg-heavy-rain header-text-dark">
    </div>
    <div class="swatch-holder bg-mean-fruit switch-header-
csclass" data-class="bg-mean-fruit header-text-dark">
    </div>
    <div class="swatch-holder bg-malibu-beach switch-header-
csclass" data-class="bg-malibu-beach header-text-light">
    </div>
    <div class="swatch-holder bg-deep-blue switch-header-csclass"
data-class="bg-deep-blue header-text-dark">
    </div>
    <div class="swatch-holder bg-ripe-malin switch-header-cs-

```

```
<div class="swatch-holder class"  
class" data-class="bg-ripe-malin header-text-light">  
  </div>
```



```
<div class="swatch-holder class"
```

```
bg-arielle-smile switch-header-cs-  
data-class="bg-arielle-smile header-text-light">
```

```

        </div>

        </div>
        <div class="swatch-holder bg-plum-plate switch-header-
cscsclass" data-class="bg-plum-plate header-text-light">
        </div>
        <div class="swatch-holder bg-happy-fisher switch-header-
cscsclass" data-class="bg-happy-fisher header-text-dark">
        </div>
        <div class="swatch-holder bg-happy-itmeo switch-header-
cscsclass" data-class="bg-happy-itmeo header-text-light">
        </div>
        <div class="swatch-holder bg-mixed-hopes switch-header-
cscsclass" data-class="bg-mixed-hopes header-text-light">
        </div>
        <div class="swatch-holder bg-strong-bliss switch-header-
cscsclass" data-class="bg-strong-bliss header-text-light">
        </div>
        <div class="swatch-holder bg-grow-early switch-header-
cscsclass" data-class="bg-grow-early header-text-light">
        </div>
        <div class="swatch-holder bg-love-kiss switch-header-csclass"
data-class="bg-love-kiss header-text-light">
        </div>
        <div class="swatch-holder bg-premium-dark switch-header-
cscsclass" data-class="bg-premium-dark header-text-light">
        </div>
        <div class="swatch-holder bg-happy-green switch-header-
cscsclass" data-class="bg-happy-green header-text-light">
        </div>
    </div>
</li>
</ul>
</div>
<h3 class="themeoptions-heading">
    <div>Sidebar Options</div>
    <button type="button" class="btn-pill btn-shadow btn-wide mlauto
btn btn-focus btn-sm switch-sidebar-cs-class" data-class="">

```



Restore Default

</button>

</h3>



```
</div>

<div class="p-3">
  <ul class="list-group">
    <li class="list-group-item">
      <h5 class="pb-2">Choose Color Scheme
      </h5>
      <div class="theme-settings-swatches">
        <div class="swatch-holder bg-primary switch-sidebar-csclass"
data-class="bg-primary sidebar-text-light">
          </div>
          <div class="swatch-holder bg-secondary switch-sidebar-csclass"
data-class="bg-secondary sidebar-text-light">
          </div>
          <div class="swatch-holder bg-success switch-sidebar-csclass"
data-class="bg-success sidebar-text-dark">
          </div>
          <div class="swatch-holder bg-info switch-sidebar-cs-class"
dataclass="bg-info sidebar-text-dark">
          </div>
          <div class="swatch-holder bg-warning switch-sidebar-csclass"
data-class="bg-warning sidebar-text-dark">
          </div>
          <div class="swatch-holder bg-danger switch-sidebar-csclass"
data-class="bg-danger sidebar-text-light">
          </div>
          <div class="swatch-holder bg-light switch-sidebar-csclass"
data-class="bg-light sidebar-text-dark">
          </div>
          <div class="swatch-holder bg-dark switch-sidebar-csclass"
data-class="bg-dark sidebar-text-light">
          </div>
          <div class="swatch-holder bg-focus switch-sidebar-csclass"
data-class="bg-focus sidebar-text-light">
          </div>
          <div class="swatch-holder bg-alternate switch-sidebar-csclass"
data-class="bg-alternate sidebar-text-light">
          </div>
```



```
<div class="divider">
```

```
<div class="swatch-holder bg-vicious-stance switch-sidebar-cs-
```



```

        </div>

class" data-class="bg-vicious-stance sidebar-text-light">
        </div>
        <div class="swatch-holder bg-midnight-bloom switch-
sidebars-class" data-class="bg-midnight-bloom sidebar-text-light">
        </div>
        <div class="swatch-holder bg-night-sky switch-sidebar-csclass"
data-class="bg-night-sky sidebar-text-light">
        </div>
        <div class="swatch-holder bg-slick-carbon switch-sidebar-
csclass" data-class="bg-slick-carbon sidebar-text-light">
        </div>
        <div class="swatch-holder bg-asteroid switch-sidebar-csclass"
data-class="bg-asteroid sidebar-text-light">
        </div>
        <div class="swatch-holder bg-royal switch-sidebar-csclass"
data-class="bg-royal sidebar-text-light">
        </div>
        <div class="swatch-holder bg-warm-flame switch-sidebar-
csclass" data-class="bg-warm-flame sidebar-text-dark">
        </div>
        <div class="swatch-holder bg-night-fade switch-sidebar-
csclass" data-class="bg-night-fade sidebar-text-dark">
        </div>
        <div class="swatch-holder bg-sunny-morning switch-sidebar-
csclass" data-class="bg-sunny-morning sidebar-text-dark">
        </div>
        <div class="swatch-holder bg-tempting-azure switch-sidebar-
csclass" data-class="bg-tempting-azure sidebar-text-dark">
        </div>
        <div class="swatch-holder bg-amy-crisp switch-sidebar-csclass"
data-class="bg-amy-crisp sidebar-text-dark">
        </div>
        <div class="swatch-holder bg-heavy-rain switch-sidebar-csclass"
data-class="bg-heavy-rain sidebar-text-dark">
        </div>
        <div class="swatch-holder bg-mean-fruit switch-sidebar-cs-

```




class" data-class="bg-mean-fruit sidebar-text-dark">



```
</div>
```

```
<div class="swatch-holder bg-malibu-beach switch-sidebar-cs-
```

```

class" data-class="bg-malibu-beach sidebar-text-light">
    </div>
    <div class="swatch-holder bg-deep-blue switch-sidebar-
csclass" data-class="bg-deep-blue sidebar-text-dark">
    </div>
    <div class="swatch-holder bg-ripe-malin switch-sidebar-
csclass" data-class="bg-ripe-malin sidebar-text-light">
    </div>
    <div class="swatch-holder bg-arielle-smile switch-sidebar-
csclass" data-class="bg-arielle-smile sidebar-text-light">
    </div>
    <div class="swatch-holder bg-plum-plate switch-sidebar-
csclass" data-class="bg-plum-plate sidebar-text-light">
    </div>
    <div class="swatch-holder bg-happy-fisher switch-sidebar-
csclass" data-class="bg-happy-fisher sidebar-text-dark">
    </div>
    <div class="swatch-holder bg-happy-itmeo switch-sidebar-
csclass" data-class="bg-happy-itmeo sidebar-text-light">
    </div>
    <div class="swatch-holder bg-mixed-hopes switch-sidebar-
csclass" data-class="bg-mixed-hopes sidebar-text-light">
    </div>
    <div class="swatch-holder bg-strong-bliss switch-sidebar-
csclass" data-class="bg-strong-bliss sidebar-text-light">
    </div>
    <div class="swatch-holder bg-grow-early switch-sidebar-
csclass" data-class="bg-grow-early sidebar-text-light">
    </div>
    <div class="swatch-holder bg-love-kiss switch-sidebar-csclass"
data-class="bg-love-kiss sidebar-text-light">

```

```
</div>
```

```
</div>
```


```
<div class="swatch-holder bg-premium-dark switch-sidebar-  
csclass" data-class="bg-premium-dark sidebar-text-light">
```

```
</div>
```

```
<div class="swatch-holder bg-happy-green switch-sidebar-  
csclass" data-class="bg-happy-green sidebar-text-light">
```



</div>



```


        </div>

        </div>
    </div>
</div>
</div>
</div>
</div>
<div class="app-main">
    <div class="app-sidebar sidebar-shadow">
        <div class="app-header__logo">
            <div class="logo-src"></div>
            <div class="header__pane ml-auto">
                <div>
                    <button type="button" class="hamburger close-sidebarbtn
hamburger--elastic" data-class="closed-sidebar">
                        <span class="hamburger-box">
                            <span class="hamburger-inner"></span>
</span>


                    </button>
                </div>
            </div>
        </div>
        <div class="app-header__mobile-menu">
            <div>
                <button type="button" class="hamburger hamburger--elastic
mobiletoggle-nav">
                    <span class="hamburger-box">
                        <span class="hamburger-inner"></span>
</span>

                </button>
            </div>
        </div>
        <div class="app-header__menu">
            <span>
                <button type="button" class="btn-icon btn-icon-only btn btnprimary
btn-sm mobile-toggle-header-nav">

```



```
<span class="btn-icon-wrapper">  
<i class="fa fa-ellipsis-v fa-w-6"></i> </span>  
</button>  
</span>  
</div> <div class="scrollbar-sidebar">
```



```
</div>
```

```
<div class="app-sidebar__inner">
  <ul class="vertical-nav-menu">
    <li class="app-sidebar__heading">Dashboards</li>
    <li>
      <a href="index.html" class="mm-active">
        <i class="metismenu-icon pe-7s-rocket"></i>
```

Dashboard Example 1

```
</a>
```

```
</li>
```

```
<!-- <li class="app-sidebar__heading">UI Components</li>
<li>
```

```
>
```

```
<a href="#">
  <i class="metismenu-icon pe-7s-diamond"></i>
```


Elements


```
<i class="metismenu-state-icon pe-7s-angle-down
```

```
caretleft"></i>
```


```
</a>
```

```
<ul
```








```
>  
<li>  
  <a href="elements-buttons-standard.html">  
    <i class="metismenu-icon"></i>
```




```
                Buttons
            </a>
        </li>
</li>
        <a href="elements-dropdowns.html">
            <i class="metismenu-icon">
                </i>Dropdowns
            </a>
        </li>
</li>
        <a href="elements-icons.html">
            <i class="metismenu-icon">
                </i>Icons
            </a>
        </li>
</li>
        <a href="elements-badges-labels.html">
            <i class="metismenu-icon">
                </i>Badges
            </a>
        </li>
</li>
        <a href="elements-cards.html">
            <i class="metismenu-icon">
                </i>Cards
            </a>
        </li>
</li>
        <a href="elements-list-group.html">
            <i class="metismenu-icon">
                </i>List Groups
```



```
</a>  
</li>  
<li>  
  <a href="elements-navigation.html">  
    <i class="metismenu-icon">  
      </i>Navigation Menus  
  </a>  
</li>
```



```
<li>
  <a href="elements-utilities.html">
    <i class="metismenu-icon">
      </i>Utilities
    </a>
  </li>
</ul>
</li>
<li>
  <a href="#">
    <i class="metismenu-icon pe-7s-car"></i>
    Components
    <i class="metismenu-state-icon pe-7s-angle-down
caretleft"></i>
  </a>
  <ul>
```




```
>
  <li>
    <a href="components-tabs.html">
      <i class="metismenu-icon">
        </i>Tabs
      </a>
    </li>
</li>

    <a href="components-accordions.html">
      <i class="metismenu-icon">
        </i>Accordions
      </a>
    </li>
</li>


    <a href="components-notifications.html">
      <i class="metismenu-icon">
        </i>Notifications
      </a>
    </li>
</li>

    <a href="components-modals.html">
      <i class="metismenu-icon">
        </i>Modals
      </a>
    </li>
</li>


    <a href="components-progress-bar.html">
      <i class="metismenu-icon">
        </i>Progress Bar
      </a>
    </li>
```




```
<li>  
  <a href="components-tooltips-popovers.html">  
    <i class="metismenu-icon">  
      </i>Tooltips & Popovers  
    </a>  
  </li>  
<li>  
  <a href="components-carousel.html">
```




```
        <i class="metismenu-icon">
        </i>Carousel
    </a>
</li>
<li>
    <a href="components-calendar.html">
        <i class="metismenu-icon">
        </i>Calendar
    </a>
</li>
<li>
    <a href="components-pagination.html">
        <i class="metismenu-icon">
        </i>Pagination
    </a>
</li>
<li>
    <a href="components-scrollable-elements.html">
        <i class="metismenu-icon">
        </i>Scrollable
    </a>
</li>
<li>
    <a href="components-maps.html">
        <i class="metismenu-icon">
        </i>Maps
    </a>
</li>
</ul>
</li>
<li >
```




```
<a href="tables-regular.html">  
  <i class="metismenu-icon pe-7s-display2"></i>  
  Tables  
</a>  
</li>  
<li class="app-sidebar__heading">Widgets</li>  
<li>  
  <a href="dashboard-boxes.html">
```




```

        <i class="metismenu-icon pe-7s-display2"></i>
Dashboard Boxes
    </a>
</li>
    <li class="app-sidebar__heading">Forms</li>
    <li>
        <a href="forms-controls.html">
            <i class="metismenu-icon pe-7s-mouse">
            </i>Forms Controls
        </a>
    </li>
    <li>
        <a href="forms-layouts.html">
            <i class="metismenu-icon pe-7s-eyedropper">
</i>Forms Layouts
        </a>
    </li>
    <li>
        <a href="forms-validation.html">
            <i class="metismenu-icon pe-7s-pendrive">
</i>Forms Validation
        </a>
    </li>
    <li class="app-sidebar__heading">Charts</li>
    <li>
        <a href="charts-chartjs.html">
            <i class="metismenu-icon pe-7s-graph2">
</i>ChartJS
        </a>
    </li> -->
    <li class="app-sidebar__heading">Pages</li>

```




```
<ul>
  <li>
    <a href="../buy.html" target="_blank"> <i
      class="pe-7s-cash">
        </i> Buy
    </a>
  </li>
  <li>
```




```

        <a href="../sell.html" target="_blank">
            <i class="pe-7s-credit">
                </i> Sell
            </a>
        </li>
</li>
        <a href="../budget.html" target="_blank">
            <i class="pe-7s-calculator">
                </i> Budget
            </a>
        </li>
</li>
        <a href="customer/index.html" target="_blank">
            <i class="pe-7s-user">
                </i> Customer view page
            </a>
        </li>
</ul>
<li class="app-sidebar__heading">PRO Version</li>
<li>
    <a target="_blank">
        <i class="metismenu-icon pe-7s-graph2">
            </i>
        Upgrade Version
    </a>
</li>
</ul>
</div>
</div>
<div class="app-main__outer">
    <div class="app-main__inner">

```



```
<div class="app-page-title">  
  <div class="page-title-wrapper">  
    <div class="page-title-heading">  
      <div class="page-title-icon">
```





```
<i class="pe-7s-car icon-gradient bg-mean-fruit">  
</i>
```



```

</div>
<div>Analytics Dashboard
  <div class="page-title-subheading">This is an example dashboard created using buildin elements and components.
    </div>
  </div>
</div>
<div class="page-title-actions">
  <button type="button" data-toggle="tooltip" title="Example Tooltip" data-placement="bottom" class="btnshadow mr-3 btn btn-dark">
    <i class="fa fa-star"></i>
  </button>
  <div class="d-inline-block dropdown">
    <button type="button" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false" class="btn-shadow dropdown-toggle btn btninfo">
      <span class="btn-icon-wrapper pr-2 opacity-7">
        <i class="fa fa-business-time fa-w-20"></i>
      </span>
      Buttons
    </button>
    <div tabindex="-1" role="menu" aria-hidden="true" class="dropdown-menu dropdown-menu-right">
      <ul class="nav flex-column">
        <li class="nav-item">
          <a href="javascript:void(0);" class="nav-link">
            <i class="nav-link-icon lnr-inbox"></i>
          </a>
        </li>
        <li class="nav-item">
          <a href="javascript:void(0);" class="nav-link">
            <i class="nav-link-icon lnr-heart"></i>
          </a>
        </li>
        <li class="nav-item">
          <a href="javascript:void(0);" class="nav-link">
            <i class="nav-link-icon lnr-lamp"></i>
          </a>
        </li>
        <li class="nav-item">
          <a href="javascript:void(0);" class="nav-link">
            <i class="nav-link-icon lnr-sun"></i>
          </a>
        </li>
      </ul>
    </div>
  </div>
  <div class="ml-auto badge badge-pill badge-secondary">86</div>
</div>

```



```
</li>  
<li class="nav-item">  
  <a href="javascript:void(0);" class="nav-link">  
    <i class="nav-link-icon lnr-book"></i>
```

```

        <span>
            Book
        </span>
        <div class="ml-auto badge badge-pill
badgedanger">5</div>
    </a>
</li>
<li class="nav-item">
    <a href="javascript:void(0);" class="nav-link">
        <i class="nav-link-icon lnr-picture"></i>
<span>
            Picture
        </span>
    </a>
</li>
<li class="nav-item">
    <a disabled href="javascript:void(0);" class="navlink
disabled">
        <i class="nav-link-icon lnr-file-empty"></i>
<span>
            File Disabled
        </span>
    </a>
</li>
</ul>
</div>
</div>
</div> <div class="row">
    <div class="col-md-6 col-xl-4">
        <div class="card mb-3 widget-content bg-midnight-bloom">
            <div class="widget-content-wrapper text-white">
                <div class="widget-content-left">
                    <div class="widget-heading">Total Orders</div>
                    <div class="widget-subheading">Sold Products page</div>

```



```
</div>  
<div class="widget-content-right">  
  <div class="widget-numbers text-  
white"><span id="totord"></span></div>
```



```


        </div>
      </div>
    </div>
  </div>
  <div class="col-md-6 col-xl-4">
    <div class="card mb-3 widget-content bg-arielle-smile">
      <div class="widget-content-wrapper text-white">
        <div class="widget-content-left">
          <div class="widget-heading">Clients</div>
          <div class="widget-subheading">Sold Products page</div>
        </div>
        <div class="widget-content-right">
<div class="widget-numbers textwhite"><span
id="client"></span></div>
        </div>
      </div>
    </div>
  </div>
  <div class="col-md-6 col-xl-4">
    <div class="card mb-3 widget-content bg-grow-early">
      <div class="widget-content-wrapper text-white">
        <div class="widget-content-left">
          <div class="widget-heading">Sellers</div>
          <div class="widget-subheading">rawMaterial page</div>
        </div>
        <div class="widget-content-right">
<div class="widget-numbers textwhite"><span
id="sellers"></span></div>
        </div>
      </div>
    </div>
  </div>
  <div class="card mb-3 widget-content bg-premium-dark col-md6
col-xl-4">
    <div class="widget-content-wrapper text-white">

```

<div class="widget-content-left">
<div class="widget-heading">Total Earned</div>



```
<div class="widget-subheading">budget page</div>  
</div>
```



```

        <div class="widget-content-right">
<div class="widget-numbers text-
warning"><span id="total">&#8377</span></div>
        </div>
    </div>
</div>
</div>
</div>
</div>
<div class="row">
    <div class="col-md-12 col-lg-6">
        <div class="mb-3 card" style="width:70em">
            <div class="card-header-tab card-header-tab-animation
cardheader">
                <div class="card-header-title">
                    <i class="header-icon lnr-apartment icon-gradient bg-
lovekiss"> </i>
                        Sales Report
                    </div>
                </div>
                <div class="card-body">
                    <div class="tab-content">
                        <div class="tab-pane fade show active" id="tabs-eg-77">
<div class="card mb-3 widget-chart widget-chart2 textleft w-100">
                            <div class="widget-chat-wrapper-outer">
                                <div class="widget-chart-wrapper widget-
chartwrapper-lg opacity-10 m-0">
                                    <canvas id="canvas"></canvas>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```



```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="row">
```

```
<div class="col-md-12">
```




```


<div class="main-card mb-3 card">
  <div class="card-header">Top CLIENTS
    <div class="btn-actions-pane-right">
    </div>
  </div>
  <div class="table table-responsive" style="">
    <table class="align-middle mb-0 table table-borderless
tablestriped table-hover">
      <thead>
        <tr>
          <th class="text-center">SN</th>
          <th class="text-center">Client</th>
          <th class="text-center">Product</th>
        </tr>
      </thead>
      <tbody id="topclients" class="text-center">

      </tbody>
    </table>
  </div>
  <div class="d-block text-center card-footer">
</div>


</div>
</div>
</div>
<div class="row">
  <div class="col-md-6 col-lg-3">
    <div class="card-shadow-danger mb-3 widget-chart widgetchart2
text-left card">
      <div class="widget-content">
        <div class="widget-content-outer">
          <div class="widget-content-wrapper">

```

```
<div class="widget-content-left pr-2 fsize-1">  
  <div class="widget-numbers mt-0 fsize-3 text-
```



```
danger" id="income">&#8377</div>  
    </div>  
    <div class="widget-content-right w-100">  
    <div class="progress-bar-xs progress">  
<div class="progress-bar bg-
```




```

danger" role="progressbar" aria-valuenow="71" aria-valuemin="0" aria-valuemax="100"
style="width: 71%;"></div>
    </div>
  </div>
</div>
<div class="widget-content-left fsize-1">
  <div class="text-muted opacity-6">Income Target</div>
</div>
</div>
</div>
</div>
<div class="col-md-6 col-lg-3">
  <div class="card-shadow-success mb-3 widget-chart widgetchart2
text-left card">
    <div class="widget-content">
      <div class="widget-content-outer">
        <div class="widget-content-wrapper">
          <div class="widget-content-left pr-2 fsize-1">
<div class="widget-numbers mt-0 fsize-3 textsuccess"
id="expense">#8377</div>
          </div>
          <div class="widget-content-right w-100">
            <div class="progress-bar-xs progress">
              <div class="progress-bar bg-
success" role="progressbar" aria-valuenow="54" aria-valuemin="0" aria-valuemax="100"
style="width: 54%;"></div>
            </div>
          </div>
          </div>
          <div class="widget-content-left fsize-1">
            <div class="text-muted opacity-6">Expenses Target</div>
          </div>
        </div>
      </div>
    </div>
  </div>

```



</div>
</div>






```
</div>
```

```
<div class="col-md-6 col-lg-3">
```

```
<div class="card-shadow-info mb-3 widget-chart widget-chart2 text-
```



```

left card">
    <div class="widget-content">
        <div class="widget-content-outer">
            <div class="widget-content-wrapper">
                <div class="widget-content-left pr-2 fsize-1">
<div class="widget-numbers mt-0 fsize-3 textinfo" id="Totals">&#8377</div>
                </div>
                <div class="widget-content-right w-100">
                    <div class="progress-bar-xs progress">
                        <div class="progress-bar bg-
info" role="progressbar" aria-valuenow="89" aria-valuemin="0" aria-valuemax="100"
style="width: 89%;"></div>
                    </div>
                </div>
            </div>
        </div>
        <div class="widget-content-left fsize-1">
            <div class="text-muted opacity-6">Totals Target</div>
        </div>
    </div>
</div>
<div>
    <script src="http://maps.google.com/maps/api/js?sensor=true"></script>
</div>
</div>
<script type="text/javascript" src="./assets/scripts/main.js"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.4.1/jquery.js"></script>
<script src="../js/nprogress.js"></script>

```


<script>

```
$(document).ready(() => {  
    NProgress.start();  
    count = 0;  
    income=0;  
    expense=0;
```



```

        $.ajax({
            type: 'GET',
            url: '/soldProduct',
            success:
            function (response) {
                response.forEach((e) => {
                    count++;
                    $('#topclients').append(`<tr><td>${count}</td><td>${e.soldTo}</td><td>
                    >${e.name}</td></tr>`);
                });
                $('#totord').append(count);
                $('#client').append(count);
                NProgress.done();
                count=0;
            },
        ));
        sellers=0;
        $.ajax({
            type: 'GET',
            url: '/budget',
            success: function (response) {
                response.forEach((e) => {
                    if(e.debit==true){sellers++;}
                });
                $('#sellers').append(sellers);
                console.log(sellers);

                NProgress.done();
                sellers=0;
            },
        ));
        total
        = 0;
        $.ajax({

```

```

type: 'GET', url: '/budget',
success: function (response)
{
    response.forEach((e) =>
    {
        if(e.debit==true){
            total=total+parseInt(e.price);
            income=income+parseInt(e.p
            rice);
        }
    });
    if(e.debit==false){
        total=total-parseInt(e.price);
        expense=expense+parseInt(e.price);
    }
    //console.log(total);

    $('#income').append(income);
    $('#expense').append(expense);
    $('#Totals').append(total);
    $('#total').append(total);

    NProgress.done();
    total=0;
},
});
});
</script>


</body>
</html>

```

Admin/main.css

Bootstrap 4.3.2

admin/assets/fonts



admin/assets/images



admin/customer/index.html

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Digital Agency Template</title>
  <link href="https://fonts.googleapis.com/css?family=Croissant+One" rel="stylesheet">
  <link href="https://fonts.googleapis.com/css?family=Raleway:400,500,600,700,800,900"
rel="stylesheet">
  <link href="https://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet"
>
  <link rel="stylesheet" href="css/bootstrap.css">
  <link rel="stylesheet" href="css/font-awesome.min.css">
  <link rel="stylesheet" href="css/owl.carousel.min.css">
  <link rel="stylesheet" href="css/owl.theme.default.min.css">
  <link rel="stylesheet" href="style.css">
  <link rel="stylesheet" href="responsive.css">
  <style>
    #img_back_to_top
    {
      width:70px; height:30px;
```

```

        border: 3px solid rgb(240, 252, 250);
    }
    #img_back_to_top:hover
    {
        width:75px;
height:35px;
        border: 1px solid rgb(240, 252, 250);
        box-shadow: 3px 5px 3px 5px rgb(27, 252, 237) ;
    }

</style>

</head>

<body>
    <div class="wrapper">
        <header class="header">
            <div class="blue">
                
            </div>
            <div class="white">
                
            </div>
            <div class="container">
                
                
                
                
                
                
                <div class="row">
                    <div class="col-md-3 col-sm-3 col-xs-12">
                        <div class="logo">
                            <h2><a href="#">Company Name</a></h2>
                        </div>
                    </div>
                    <div class="col-md-9 col-sm-9 col-xs-12">

```

```

<div class="menu">
  <ul class="nav navbar-nav">
    <li id="about_list"><a href="#">About</a></li>
    <li id="features_list"><a href="#">Features</a></li>
    <li id="pricing_list"><a href="#">Pricing</a></li>
    <li id="team_list"><a href="#">Top Clients</a></li>
<li id="contact_list"><a href="#">Contact</a></li>
  </ul>
</div>
</div>
</div>
<div class="row">
  <div class="col-md-12">
    <div class="header-text">
      <h1>Creative Title Goes Here</h1>
      <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eius
mod tempor <br> incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam,
quis <br> nostrud exercitation</p>
      <button class="explore">Explore</button>
      <!--
on click explore should go to sales page which is not the part to project -->
    </div>
  </div>
</div>
<div class="row">
  <div class="col-md-12">
    <div class="another-text">
<h3>Services</h3>
      <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eius
mod tempor <br> incididunt </p>
    </div>
  </div>
</div>
</div>
</div>
<div class="development">

```

```
<div class="blue">  
    
</div>
```

```

<div class="white">
  
</div>
<div class="container">
  <div class="row ">
    <div class="col-md-4 col-sm-4">
      <div class="design-development one">
        <i class="material-icons">lightbulb_outline</i>
        <h2>Research</h2>
        <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eius
mod temp</p>
      </div>
    </div>
    <div class="col-md-4 col-sm-4">
      <div class="design-development two">
        <i class="material-icons">color_lens</i>
        <h2>Design</h2>
        <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eius
mod temp</p>
      </div>
    </div>
    <div class="col-md-4 col-sm-4">
      <div class="design-development three">
        <i class="material-icons">developer_board</i>
        <h2>Development</h2>
        <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eius
mod temp</p>
      </div>
    </div>
  </div>
</section>
<section class="works">
  <div class="container">
    <div class="row">
      <div class="col-md-7">
        <div class="work-images">
          <iframe width="100%" height="100%" src="https://www.youtube.com/
embed/HZRp6iRjnhQ" frameborder="0" allowfullscreen></iframe>

```

```
<div class="overlay-text">
    <i class="material-icons">play_circle_filled</i>
</div>

</div>
</div>
<div class="col-md-5">
    <div class="work-text-full">
        <div class="work-text">
            <h2>Our Works</h2>
            <p>Its Simple. Check the video to understand How it works. Lorem I
psum Dolor Sit Amet.</p>
        </div>
    </div>
</div>
</div>
</div>
</div>
</section>
<section class="portfolia">
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <div class="port-text">
                    <h2>Top Products</h2>
                    <p>ILorem ipsum dolor sit amet, consectetur adipisicing elit, sed <br> d
o eiusmod </p>
                </div>
            </div>
</div>
</div>
<div class="row">
    <div class="col-md-4 col-sm-6">
        <div class="portfolio-part">
            
            <div class="overlay-slide">
```


<h2>Title Goes Here</h2>

<p>Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad</p>

</div>





</div>

</div>

<div class="col-md-4 col-sm-6">

<div class="portfolio-part">

```

<div class="overlay-slide">
  <h2>Title Goes Here</h2>
  <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do ei
usmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad</p>
</div>
</div>
<div class="col-md-4 col-sm-6">
  <div class="portfolio-part">
    
    <div class="overlay-slide">
      <h2>Title Goes Here</h2>
      <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do ei
usmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad</p>
    </div>
  </div>
</div>
<div class="col-md-4 col-sm-6">
  <div class="portfolio-part">
    
    <div class="overlay-slide">
      <h2>Title Goes Here</h2>
      <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do ei
usmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad</p>
    </div>
  </div>
</div>
<div class="col-md-4 col-sm-6">
  <div class="portfolio-part">
    
    <div class="overlay-slide">
```

<h2>Title Goes Here</h2>

<p>Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad</p>



</div>

</div>

</div>


<div class="col-md-4 col-sm-6">



```


    <div class="portfolio-part">
      
      <div class="overlay-slide">
        <h2>Title Goes Here</h2>
        <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do ei
usmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad</p>
      </div>
    </div>
  </div>
</div>
<div class="row">
  <div class="col-md-12">
    <div class="penination">
      <a href="#"><p>More Works</p></a>
    </div>
  </div>
</div>
</div>
</div>
</section>
<section class="our-team">
  <div class="container">
    <div class="row">
      <div class="col-md-12">
        <div class="team-text">
          <h2>Top Clients</h2>
          <p>Meet Our Awesome Team. Lorem Ipsum dolor sit amet <br> Hola a
migos como estas!</p>
        </div>
      </div>
    </div>
  </div>
  <div class="row">
    <div class="col-md-12">

```



```
<div class="my-claint owl-carousel owl-theme">
  <div class="item">

    <div class="item-overlay"></div>
    <div class="item-text">
      <h3>Kabbo yciy</h3>
      <h4>UX/UI Designer</h4>
```




```

        <p><a href="#"><i class="fa fa-facebook"
ariahidden="true"></i></a><a href="#"><i class="fa fa-linkedin"
ariahidden="true"></i></a><a href="#"><i class="fa fa-dribbble"
ariahidden="true"></i></a><a href="#"><i class="fa fa-behance"
ariahidden="true"></i></a><a href="#"><i class="fa fa-google-plus"
ariahidden="true"></i></a></p>
    </div>
</div>
<div class="item">
    <div class="item-overlay"></div>
    <div class="item-text">
        <h3>Kabbo yrxyt</h3>
        <h4>UX/UI Designer</h4>
        <p><a href="#"><i class="fa fa-facebook"
ariahidden="true"></i></a><a href="#"><i class="fa fa-linkedin"
ariahidden="true"></i></a><a href="#"><i class="fa fa-dribbble"
ariahidden="true"></i></a><a href="#"><i class="fa fa-behance"
ariahidden="true"></i></a><a href="#"><i class="fa fa-google-plus"
ariahidden="true"></i></a></p>
    </div>
</div>
<div class="item">
    <div class="item-overlay"></div>
    <div class="item-text">
        <h3>Kabbo Liate</h3>
        <h4>UX/UI Designer</h4>
        <p><a href="#"><i class="fa fa-facebook"
ariahidden="true"></i></a><a href="#"><i class="fa fa-linkedin"
ariahidden="true"></i></a><a href="#"><i class="fa fa-dribbble"
ariahidden="true"></i></a><a href="#"><i class="fa fa-behance"
ariahidden="true"></i></a><a href="#"><i class="fa fa-google-plus"
ariahidden="true"></i></a></p>

```



```
</div>
```

```
</div>
```

```
<div class="item">
```

```
<div class="item-overlay"></div>
```

```
<div class="item-text">
```

```
<h3>Kabbo </h3>
```

```
<h4>UX/UI Designer</h4>
```



```

        <p><a href="#"><i class="fa fa-facebook"
ariahidden="true"></i></a><a href="#"><i class="fa fa-linkedin"
ariahidden="true"></i></a><a href="#"><i class="fa fa-dribbble"
ariahidden="true"></i></a><a href="#"><i class="fa fa-behance"
ariahidden="true"></i></a><a href="#"><i class="fa fa-google-plus"
ariahidden="true"></i></a></p>
    </div>
</div>
<div class="item">
    <div class="item-overlay"></div>
    <div class="item-text">
        <h3>Kabbo Ljlv;iate</h3>
        <h4>UX/UI Designer</h4>
        <p><a href="#"><i class="fa fa-facebook"
ariahidden="true"></i></a><a href="#"><i class="fa fa-linkedin"
ariahidden="true"></i></a><a href="#"><i class="fa fa-dribbble"
ariahidden="true"></i></a><a href="#"><i class="fa fa-behance"
ariahidden="true"></i></a><a href="#"><i class="fa fa-google-plus"
ariahidden="true"></i></a></p>
    </div>
</div>
<div class="item">
    <div class="item-overlay"></div>
    <div class="item-text">
        <h3>Kabbo Lwwwiate</h3>
        <h4>UX/UI Designer</h4>
        <p><a href="#"><i class="fa fa-facebook"
ariahidden="true"></i></a><a href="#"><i class="fa fa-linkedin"
ariahidden="true"></i></a><a href="#"><i class="fa fa-dribbble"
ariahidden="true"></i></a><a href="#"><i class="fa fa-behance"
ariahidden="true"></i></a><a href="#"><i class="fa fa-google-plus"
ariahidden="true"></i></a></p>

```



```
</div>  
</div>  
</div>  
</div>  
</div>  
</div>  
</section>
```



```

<section class="contact">
  <div class="blue">
    
  </div>
  <div class="white">
    
  </div>
  <div class="container">
    <div class="row">
      <div class="col-md-4 col-sm-12">
        <div class="contact-text">
<h2>Contact US!</h2>
          <p>Meet Our Awesome Team. Lorem Ipsum dolor sit amet Hola amigos como estas!</p>
        </div>
      </div>
      <div class="col-md-8 col-sm-12">
        <div class="contact-form">
          <form action="#" method="post">
            <div class="first">
              <input type="text" name="" placeholder="First Name">
            </div>
            <div class="last">
              <input type="text" name="" placeholder="Last Name">
            </div>
            <div class="email">
              <input type="email" name="" placeholder="Email Address">
            </div>
            <div class="message">
              <textarea placeholder="Your Message"></textarea>
            </div>
            <div class="checkbox-submit">

```



```
<div class="submit">  
  <input type="submit" value="SEND">  
</div>  
</div>  
</form>  
</div>  
</div>
```



```

        </div>
    </div>
</section>
<div class="back_to_top"><center></center></div>
<footer class="footer">
    <div class="container">
        <div class="row">
            <div class="col-md-4 col-sm-12">
                <div class="footer-icon">
                    <h2>Company Name</h2>
                    <p><a href="#"><i aria-hidden="true" class="fa
fafacebook"></i></a><a href="#"><i aria-hidden="true" class="fa
falinkedin"></i></a><a href="#"><i aria-hidden="true" class="fa
fadribbble"></i></a><a href="#"><i aria-hidden="true" class="fa
fabehance"></i></a><a href="#"><i aria-hidden="true" class="fa fa-
googleplus"></i></a></p>
                    <h5>&copy; All Right Reserved. dart theme 2017</h5>
                </div>
            </div>
            <div class="col-md-8">
                <div class="footer-text">
                    <div class="row">
                        <div class="col-md-3 col-sm-6 col-xs-6">
                            <div class="footer-text-single">
                                <h3>About Us</h3>
                                <p><a href="#">Our Team</a></p>
                                <p><a href="#">Company</a></p>
                                <p><a href="#">Jobs</a></p>
                                <p><a href="#">Newsletter</a></p>
                            </div>
                        </div>

```

```
<div class="col-md-3 col-sm-6 col-xs-6">  
  <div class="footer-text-single">  
    <h3>Help Center</h3>
```


<p>Documentations</p>

```
<p><a href="#">Tutorials</a></p>  
<p><a href="#">Term Of Use</a></p>  
<p><a href="#">Privecy Policy</a></p>  
</div>  
  
</div>  
<div class="col-md-3 col-sm-6 col-xs-6">  
    <div class="footer-text-single">  
        <h3>Tools</h3>  
        <p><a href="#">Create Account</a></p>  
        <p><a href="#">Log In</a></p>  
        <p><a href="#">Services</a></p>  
        <p><a href="#">Sitemap</a></p>  
    </div>  
</div>  
  
<div class="col-md-3 col-sm-6 col-xs-6">  
    <div class="footer-text-single">  
        <h3>Get In Touch</h3>  
        <p><a href="#">Contact Us</a></p>  
        <p><a href="#">Request A Demo</a></p>  
        <p><a href="#">+12 323 323 323</a></p>  
        <p><a href="#">support@gmail.com</a></p>  
    </div>  
</div>  
  
</div>  
  
</div>  
  
</div>  
  
</div>  
  
</div>  
  
</div>
```

```
$('#about_list').click(function() {
```



```
$('#html,body').animate({ scrollTop:
    $('#development').offset().top}, 'slow');
});
$('#features_list').click(function() {
    $('#html,body').animate({
```


```

        scrollTop: $(".works").offset().top},
'slow');
    });
    $('#pricing_list').click(function() {
        $('html,body').animate({
            scrollTop: $(".portfolio").offset().top},
'slow');
    });
    $('#team_list').click(function() {
$('html,body').animate({
        scrollTop: $(".our-team").offset().top},
'slow');
    });
    $('#contact_list').click(function() {
        $('html,body').animate({
            scrollTop: $(".contact").offset().top},
'slow');
    });
    $('#img_back_to_top').click(function() {
        $('html,body').animate({
            scrollTop: $(".header-text").offset().top},
'slow');
    });
    $('.explore').click(function(){
        alert("on click explore should go to sales page which is not the part to project");
    });
</script>
</body>

</html>

```

admin/customer



Css/nprogress.css

```
#nprogress{pointer-events:none}#nprogress
.bar{background:#29d;position:fixed;zindex:1031;top:0;left:0;width:100%;height:2px}#nprogress
.peg{display:block;position:absolute;right:0;width:100px;height:100%;boxshadow:0 0 10px
#29d,0 0 5px #29d;opacity:1;-webkit-
transform:rotate(3deg) translate(0px,-4px);-ms-transform:rotate(3deg) translate(0px,-
4px);transform:rotate(3deg) translate(0px,-
4px)}#nprogress .spinner{display:block;position:fixed;z-
index:1031;top:15px;right:15px}#nprogress .spinner-
icon{width:18px;height:18px;boxsizing:border-box;border:solid 2px transparent;border-top-
color:#29d;border-leftcolor:#29d;border-radius:50%;-webkit-animation:nprogressspinner 400ms
linear infinite;animation:nprogressspinner 400ms linear infinite}.nprogress-custom-
parent{overflow:hidden;position:relative}.nprogress-customparent
#nprogress .spinner,.nprogress-custom-
parent #nprogress .bar{position:absolute}@-webkit-keyframes nprogress-spinner{0%{webkit-
transform:rotate(0deg)}100%{-webkittransform:rotate(360deg)}}@keyframes nprogress-
spinner{0%{transform:rotate(0deg)}100%{transform:rotate(360deg)}}
```


css/style.css body

```
{
  box-sizing: border-box;
```



```
}
```

```
.d-flex    input    {  
margin: .9em 0em;
```



```
}

.d-flex button {
margin: 1.5em .6em;
padding: .3em 2.4em;
}

.d-flex table {
margin: 1em 10em;
}

table .btncedit {
color: lightgreen;
cursor: pointer;
}

table .btndelete {
color: tomato;
cursor: pointer;
}

/* messages */
.updatemsg,
.deletemsg,
.insertmsg {
position: absolute;
top: -40px;
}

.movedown {
animation: slideup 3.4s ease;
}
```




```
@keyframes slideup {
```

```
  50% {  
    top: 0  
  }
```

```
  100% {
```

```
    top: -40px;
```

```
  }
```

```
}
```



js/budget.js

```

$(document).ready(() => {
  NProgress.start();
  $.ajax({ type: "GET",
url: "/budget", success:
function(response) {
console.log(response);
balance = 0;
response.forEach(e => {      if
(e.debit == true) {
    balance = balance + parseInt(e.price);
$("tbody").append(`<tr><td>${formatDate(
    new Date(e.transactionDate)
    )}</td>
<td>${e.name}</td>
<td>₹${e.price}</td>
<td>_</td>
<td>₹${balance}</td></tr>`);
    } else {
    balance = balance - parseInt(e.price);
$("tbody").append(`<tr><td>${formatDate(
    new Date(e.transactionDate)
    )}</td>
<td>${e.name}</td>
<td>_</td>
<td>₹${e.price}</td>
<td>₹${balance}</td></tr>`);
    }
  });
  NProgress.done();
}
});

```

```
});
```

```
function formatDate(date) {  
var monthNames = [  
    "January",  
    "February",  
    "March",  
    "April",  
    "May",  
    "June",  
    "July",  
    "August",  
    "September",  
    "October",  
    "November",  
    "December"  
];  
  
    var day = date.getDate(); var  
monthIndex = date.getMonth(); var  
year = date.getFullYear();  
  
    return day + " " + monthNames[monthIndex] + " " + year; }
```

js/buy.js

```
$(document).ready() => {  
  NProgress.start();  
  $.ajax({    type:  
'GET',    url:  
'/rawMaterial',  
    success: function(response) {  
response.forEach((e) => {  
$('tbody')  
    .append(`<tr><td>${e.name}</td><td>${e.purchasedFrom}</td><td>${e.pr  
ice}</td><td><a
```

```

href="/rawmaterial/delete/${e._id}"><button>Delete</button></a></td></tr>`)
;
    });
    NProgress.done();
  },
});

$('button').on('click', () => {
  NProgress.start();
  var inp = document.querySelectorAll('input');
var data = { };
  inp.forEach((inpE) => {
    data[inpE.name] = inpE.value;
  });
  $.ajax({
type: 'POST',          url:
'/rawMaterial',
data: data,
    success: function(e) {
$('tbody')
    .append(`<tr><td>${e.name}</td><td>${e.purchasedFrom}</td><td>${e.pr
ice}</td><td><a
    href="/rawmaterial/delete/${e._id}"><button>Delete</button></a></td></tr>`)
;
    NProgress.done();
  },
  });
});
});

```

Js/sell.js

```
$(document).ready() => {  
    NProgress.start();  
    $.ajax({      type:  
'GET',      url:  
'/soldProduct',  
    success: function(response) {  
        response.forEach((e) => {      $('tbody')  
            .append(`<tr><td>${e.name}</td><td>${e.price}</td><td>${e.soldTo}</td>
```

```

><td><a
    href="/soldproduct/delete/${e._id}"><button>Delete</button></a></td></tr>
>`);
    });
    NProgress.done();
  },
  });
  $('button').on('click', () => {
    NProgress.start();
    var inp = document.querySelectorAll('input');
var data = { };
    inp.forEach((inpE) => {
      data[inpE.name] = inpE.value;
    });
    $.ajax({
type: 'POST',      url:
'/soldProduct',
data: data,
    success: function(e) {
$('tbody')
      .append(`<tr><td>${e.name}</td><td>${e.price}</td><td>${e.soldTo}</td>
>
      <td><a
        href="/soldproduct/delete/${e._id}"><button>Delete</button></a></td>
      </tr>`);
      NProgress.done();
    },
    error: function(e){
      console.log('asd');

      console.log(e);

    },
    completed: function(e){
console.log(e);

```



```
}
```

```
});
```

```
});
```

```
});
```





Js/nprogress.js



```

;(function(root,factory){if(typeof define==='function'&&define.amd){define(factory);}else
if(typeof exports==='object'){module.exports=factory();}else{root.NProgress=factory(
);}})(this,function(){var NProgress={};NProgress.version='0.2.0';var Settings=NProgress
.settings={minimum:0.08,easing:'ease',positionUsing:',speed:200,trickle:true,trickleRate:
0.02,trickleSpeed:800,showSpinner:true,barSelector:'[role="bar"]',spinnerSelector:'[role=
"spinner"]',parent:'body',template:'<div class="bar" role="bar"><div class="peg"></div>
</div><div class="spinner" role="spinner"><div
class="spinnericon"></div></div>'};NProgress.configure=function(options){var
key,value;for(key in o
ptions){value=options[key];if(value!==undefined&&options.hasOwnProperty(key))Setti
ngs[key]=value;}return this;};NProgress.status=null;NProgress.set=function(n){var
started=NProgress.isSt
arted();n=clamp(n,Settings.minimum,1);NProgress.status=(n===1?null:n);var progress=
NProgress.render(!started),bar=progress.querySelector(Settings.barSelector),speed=Settin
gs.speed,ease=Settings.easing;progress.offsetWidth;queue(function(next){if(Settings.posi
tionUsing==='')Settings.positionUsing=NProgress.getPositioningCSS();css(bar,barPositio
nCSS(n,speed,ease));if(n===1){css(progress,{transition:'none',opacity:1});progress.offset
Width;setTimeout(function(){css(progress,{transition:'all '+speed+'ms linear',opacity:0});
setTimeout(function(){NProgress.remove();next();},speed);},speed);}else{setTimeout(ne
xt,speed);});return this;};NProgress.isStarted=function(){return typeof NProgress.status
==='number';};NProgress.start=function(){if(!NProgress.status)NProgress.set(0);var wor
k=function(){setTimeout(function(){if(!NProgress.status)return;NProgress.trickle();work
();},Settings.trickleSpeed);if(Settings.trickle)work();return this;};NProgress.done=funct
ion(force){if(!force&&!NProgress.status)return this;return NProgress.inc(0.3+0.5*Math.r
andom()).set(1);};NProgress.inc=function(amount){var n=NProgress.status;if(!n){return
NProgress.start();}else{if(typeof
amount!=='number'){amount=(1n)*clamp(Math.random()*n,0.1,0.95);}
n=clamp(n+amount,0,0.994);return NProgress.set(n);};NProgress.trickle=function(){ret urn
NProgress.inc(Math.random()*Settings.trickleRate);};(function(){var initial=0,current
=0;NProgress.promise=function($promise){if(!$promise||$promise.state()=== "resolved"
){return this;}
if(current===0){NProgress.start();}
initial++;current++;$promise.always(function(){current--
;if(current===0){initial=0;NProgress.done();}else{NProgress.set((initialcurrent)/initial);}});return
this;}})();NProgress.render=function(fromStart){if(NProgress.

```



```
isRendered())return document.getElementById('nprogress');addClass(document.documen
```



```

tElement,'nprogressbusy');var
progress=document.createElement('div');progress.id='nprogress';progress.innerHTML=Settings.template;var bar=progress.querySelector(Settings.barSelector),perc=fromStart?'-100':toBarPerc(NProgress.status||0),parent=document.querySelector(Settings.parent),spinner;css(bar,{ transition:'all 0 linear',transform:'translate3d('+perc+'%,0,0)'});if(!Settings.showSpinner){ spinner=progress.querySelector(Settings.spinnerSelector);spinner&&removeElement(spinner);}
if(parent!=document.body){ addClass(parent,'nprogress-custom-parent');}
parent.appendChild(progress);return progress;};NProgress.remove=function(){removeClass(document.documentElement,'nprogress-busy');removeClass(document.querySelector(Settings.parent),'nprogress-customparent');var
progress=document.getElementById('nprogress');progress&&removeElement(progress);};NProgress.isRendered=function(){return!!document.getElementById('nprogress');};NProgress.getPositioningCSS=function(){ var bodyStyle=document.body.style;var vendorPrefix=('WebkitTransform'in bodyStyle)?'Webkit':('MozTransform'in bodyStyle)?'Moz':('msTransform'in bodyStyle)?'ms':('OTransform'in bodyStyle)?'O':";if(vendorPrefix+'Perspective'in bodyStyle){return 'translate3d';}else if(vendorPrefix+'Transform'in bodyStyle){return 'translate';}else{return 'margin';}};function clamp(n,min,max){ if(n<min)return min;if(n>max)return max;return n;} function toBarPerc(n){return(-1+n)*100;}
function barPositionCSS(n,speed,ease){ var barCSS;if(Settings.positionUsing==='translate3d'){ barCSS={ transform:'translate3d('+toBarPerc(n)+'%,0,0)'}; }else if(Settings.positionUsing==='translate'){ barCSS={ transform:'translate('+toBarPerc(n)+'%,0)'}; }else{ barCSS={ 'margin-left':toBarPerc(n)+'%'}; }
barCSS.transition='all '+speed+'ms '+ease;return barCSS;}
var queue=(function(){ var pending=[];function next(){ var fn=pending.shift();if(fn){ fn(next);} } return function(fn){ pending.push(fn);if(pending.length==1)next();}})();var
css=(function(){ var cssPrefixes=['Webkit','O','Moz','ms'],cssProps={ };function camelCase(string){ return string.replace(/^ms-/,'ms-').replace(/-([a-z])/gi,function(match,letter){ return letter.toUpperCase();});} function
getVendorProp(name){ var style=document.body.style;if(name in style)return name;var i=cssPrefixes.length,capName=name.charAt(0).toUpperCase()+name.slice(1),vendorName;while(i--

```

```
) { vendorName=cssPrefixes[i]+capName;if(vendorName in style)return vendorName;}
```

```

return name;}
function getStyleProp(name){name=camelCase(name);return cssProps[name]||(cssProps[
name]=getVendorProp(name));}
function applyCss(element,prop,value){prop=getStyleProp(prop);element.style[prop]=val
ue;} return function(element,properties){var
args=arguments,prop,value;if(args.length==2){for(prop in
properties){value=properties[prop];if(value!==undefined&&properties.hasOwnProperty(prop))applyCss(element,prop,value);} }else{applyCss(element,args[1],args[2]);}
}}();function hasClass(element,name){var list=typeof element=='string'?element:classList(element);return list.indexOf(' '+name+' ')>=0;}
function addClass(element,name){var oldList=classList(element),newList=oldList+name;
if(hasClass(oldList,name))return;element.className=newList.substring(1);} function
removeClass(element,name){var oldList=classList(element),newList;if(!hasClass(element,name))return;newList=oldList.replace(' '+name+' ',' ');element.className=new
List.substring(1,newList.length-1);} function classList(element){return('
'+(element.className||'')+ ' ').replace(/\s+/gi,' ');} function
removeElement(element){element&&element.parentNode&&element.parentNode.removeChild(element);} return NProgress;});

```

budget.html

```
<html>
<head>
  <title>Budget</title>

  <style>
table,    tr,
  td {
    border: 1px solid black;
  }
body {
  box-sizing: border-box;
}

.d-flex input {

  margin: 0.9em 0em; }

.d-flex button {
  margin: 1.5em 0.6em; padding:
  0.3em 2.4em;
```

```
}

.d-flex    table    {
margin: 1em 10em;
}


    table .btncedit {
color: lightgreen;
    cursor: pointer;
}

    table .btndelete {
color: tomato;
    cursor: pointer;
}


/* messages */
    .updatemsg,
    .deletemsg,
.insertmsg {
position: absolute;
top: -40px;
}

    .movedown {
    animation: slideup 3.4s ease;
}

    @keyframes slideup {
    50% {
top: 0;
    }
```



```
100% {  
top: -40px;  
}  
}
```





```
</style>  
<link  
rel="stylesheet"  
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css"
```



```

    integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous"
  />
<link
  rel="stylesheet"
  href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css"
integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous"
  />

<link
  rel="stylesheet"
  href="https://use.fontawesome.com/releases/v5.8.1/css/all.css"
integrity="sha384-
50oBUHEmvpQ+11W4y57PTFmhCaXp0ML5d60M1M7uH2+nqUivzIebhndOJK28anvf
"
  crossorigin="anonymous"
  />

<link rel="stylesheet" href="/css/nprogress.css" />
</head>
<body>
  <div class="container center">
    <h1 class="bg-light py-4 text-info text-center">
      <i class="pe-7s-calculator"> </i> Budget
    </h1>
  <div
    class="table d-flex table-data table-responsive"
    style="margin-top: 3em;"
  >
    <table class="table table-borderless">

```

```

<thead class="thead-dark">
  <tr>
    <th scope="col">Date</th>
    <th scope="col">Raw/Product Name <i class="pe-7s-box2"></i></th>
    <th scope="col">Debit <i class="fas fa-money-bill-alt"></i></th>
    <th scope="col">Credit <i class="far fa-credit-card"></i></th>
    <th scope="col">Balance <i class="fas fa-dollar-sign"></i></th>
  </tr>
</thead>
<tbody class="table-striped table-hover">
  <!--Here are the output-->
</tbody>
</table>
</div>
</div>
<script src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
<script src="js/nprogress.js"></script>
<!--
- <script src='https://cdnjs.cloudflare.com/ajax/libs/jquery/3.4.1/jquery.js'></script>s -->
<script src="js/budget.js"></script>
</body>
</html>

```

Buy.html

```
<!-- Raw material -->
<html>
  <head>
    <title>RawMaterial</title>
    <style>
table,    tr,
    td {
      border: 1px solid black;
    }
body {
  box-sizing: border-box; }

.d-flex input {
  margin: 0.9em 0em;
}

.d-flex button {
```

```
margin: 1.5em 0.6em;
padding: 0.3em 2.4em;
}

.d-flex table {
margin: 1em 10em;
}

table .btnedit {
color: lightgreen;
cursor: pointer;
}

table .btndelete {
color: tomato;
cursor: pointer;
}


/* messages */
.updatemsg,
.deletemsg,
.insertmsg {
position: absolute;
top: -40px;
}

.movedown {
animation: slideup 3.4s ease;
}

@keyframes slideup {
```




```
50% {  
  top: 0;  
}
```





```
100% {  
  top: -40px;  
} }
```




```
button {
  background-color: rgb(221, 9, 9); /* Red */
border: none;    color: white;    padding:
16px 32px;    text-align: center;    text-
decoration: none;    display: inline-block;
font-size: 16px;    margin: 4px 2px;
  -webkit-transition-duration: 0.4s; /* Safari */
transition-duration: 0.4s;    cursor: pointer;
}

button {
  background-color: rgb(117, 117, 117);
color: black;
  border: 2px solidrgb(221, 9, 9);
}
body
> div
  > div.table.d-flex.table-data.table-responsive
> table
  > tbody
  > tr
  > td:nth-child(4)
  > a
  > button {
margin-top: 0;
}
```



```
button:hover { background-  
color: rgb(221, 9, 9); color:  
white;  
}  
</style> <link  
rel="stylesheet"  
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css"
```



```


    integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous"
  />
<link
  rel="stylesheet"
  href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css"
integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous"
  />

<link
  rel="stylesheet"
  href="https://use.fontawesome.com/releases/v5.8.1/css/all.css"
integrity="sha384-
50oBUHEmvpQ+11W4y57PTFmhCaXp0ML5d60M1M7uH2+nqUivzIebhndOJK28anvf
"
  crossorigin="anonymous"
  />


<link rel="stylesheet" href="/css/nprogress.css" />
</head>

<body>
  <div class="container center">
    <h1 class="bg-light py-4 text-info text-center">
      <i class="pe-7s-cash"> </i> Raw Materials
    </h1>
    <div class="d-flex justify-content-center">
      <form action="#" onsubmit="event.preventDefault();" class="w-50">

```



```
<label for="name">Name:</label>
<input
type="text"
name="name"
id="name"
class="form-control"
  placeholder="RawMaterial Name"
/>
```



```

        <label for="purchasedFrom">Seller:</label>
        <input
type="text"
        name="purchasedFrom"
id="purchasedFrom"        class="form-
control"        placeholder="Seller Name"
        />
        <label for="price">Price:</label>
        <input
        type="number"
name="price"        id="price"
class="form-control"
        placeholder="Price"
        />
        <button type="button" class="submit btn btn-success">Submit</button>
</form>
</div>

<div class="table d-flex table-data table-responsive">
  <table class="table table-borderless">
    <thead class="thead-dark">
      <tr>
        <th scope="col">rawMaterial Name <i class="pe-7s-box2"></i></th>
        <th scope="col">Seller</th>
        <th scope="col">Price <i class="fas fa-dollar-sign"></i></th>
<th scope="col">Delete <i class="pe-7s-trash"></i></th>
      </tr>
    </thead>
    <tbody class="table-striped table-hover">

```



```
<!--Here are the output-->
```

```
</tbody>
```

```
</table>
```

```
</div>
```



```
</div>
<script src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
<script src="/js/buy.js"></script>
<script src="/js/nprogress.js"></script>
</body>
</html>
```

Clients.html

```
<!-- List clinets -->
```

Sell.html

```
<!-- SoldProducts -->
<html>
  <head>
    <title>SoldProducts</title>
    <!-- <style>
table,      tr,
  td {
    border: 1px solid black
  }
  </style> -->
<style>
body {
  box-sizing: border-box;

  .d-flex    input    {
margin: 0.9em 0em;
  }

  .d-flex button {
margin: 1.5em 0.6em;
padding: 0.3em 2.4em;

  }

  .d-flex    table    {
margin: 1em 10em; }
```




```
table .btncedit {
color: lightgreen;
  cursor: pointer;
}

table .btndelete {
color: tomato;
  cursor: pointer;
}


/* messages */
.updatemsg,
.deletemsg,
.insertmsg {
position: absolute;
top: -40px;
}

.movedown {
  animation: slideup 3.4s ease;
}
body
> div
  > div.table.d-flex.table-data.table-responsive
> table
  > tbody
  > tr
  > td:nth-child(4)
  > a
  > button {
margin-top: 0;
```

```
}  
@keyframes slideup {
```




```
50% {  
top: 0;  
}  
100% {  
top: -40px;  
}  
}
```



```
button {
  background-color: rgb(221, 9, 9); /* Red */
border: none;    color: white;    padding:
16px 32px;    text-align: center;    text-
decoration: none;    display: inline-block;
font-size: 16px;    margin: 4px 2px;
  -webkit-transition-duration: 0.4s; /* Safari */
transition-duration: 0.4s;    cursor: pointer;
}

button {
  background-color: rgb(117, 117, 117);
color: black;
  border: 2px solidrgb(221, 9, 9);
}

button:hover {
  background-color: rgb(221, 9, 9);
color: white;
}
</style>
<link
  rel="stylesheet"
  href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css"
integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
```




```
crossorigin="anonymous"  
</> <link  
rel="stylesheet"
```





```
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css"
```



```

    integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous"
/>

<link
  rel="stylesheet"
  href="https://use.fontawesome.com/releases/v5.8.1/css/all.css"
  integrity="sha384-
50oBUHEmvpQ+11W4y57PTFmhCaXp0ML5d60M1M7uH2+nqUivzIebhndOJK28anvf
"
  crossorigin="anonymous"
/>

<link rel="stylesheet" href="/css/nprogress.css" />
</head>

<body>
  <div class="container center">
    <h1 class="bg-light py-4 text-info text-center">
      <i class="pe-7s-credit"> </i> Sold Products
    </h1>
    <div class="d-flex justify-content-center">
      <form action="#" onsubmit="event.preventDefault();" class="w-50">
<label for="name">Name:</label>
      <input
type="text"
name="name"
id="name"
      class="form-control"
      placeholder="Product Name"
      />

```



<label for="price">Price:</label>

<input

```
type="number"
name="price"
id="price"
class="form-control"
placeholder="Price"
/>
<label for="soldTo">Client</label>
<input
```

```

        type="text"
name="soldTo"
id="soldTo"        class="form-
control"
placeholder="Client name"
    />
    <button type="button" class="submit btn btn-success">Submit</button>
</form>
</div>

<div class="table d-flex table-data table-responsive">
    <table class="table table-borderless">
        <thead class="thead-dark">
            <tr>
                <th scope="col">Product Name <i class="pe-7s-box2"></i></th>
                <th scope="col">Price <i class="fas fa-dollar-sign"></i></th>
                <th scope="col">Client</th>
                <th>Delete <i class="pe-7s-trash"></i></th>
            </tr>
        </thead>
        <tbody class="table-striped table-hover">
            <!--Here are the output-->
        </tbody>
    </table>
</div>
</div>
<script src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
>
<script src="/js/sell.js"></script>
<script src="/js/nprogress.js"></script>
</body>
</html>

```


../app.js

```
const express = require('express');
```

```
const bodyParser = require('body-parser');
```

```
const rawMaterialRoute = require('./routes/rawMaterialRouter');
```



```
const soldProductRoute = require('./routes/soldProductRouter');
const feedbackRoute = require('./routes/feedbackRouter'); const
budgetRoute = require('./routes/budgetRouter');

const app = express();

app.use(bodyParser.urlencoded({ extended: false })); app.use(bodyParser.json());

app.use(express.static('public')); app.use('/rawMaterial',
rawMaterialRoute); app.use('/soldProduct',
soldProductRoute); app.use('/feedback',
feedbackRoute); // Not ready app.use('/budget',
budgetRoute);

app.get('/',(req,res,next)=>{
res.json({message: 'Working'})
})

app.use((err, req, res, next) => {
  res.status(500).json({ message: err.message }); });

module.exports = app;
```

../mongodb/mongodb.connect.js

```
const mongoose = require('mongoose');

async function connect() {
  try {
    await mongoose.connect('mongodb://127.0.0.1:27017/startup', {
      useNewUrlParser: true,
      useUnifiedTopology: true,
    });
```

```
console.log('Connected to mongoDB');
} catch (error) {
console.error(error);
console.log('Could not connect');
}
}

module.exports = { connect };
```

../models/history.model.js

```
const mongoose = require('mongoose');
const Schema = mongoose.Schema;

const historySchema = new Schema({
  transactionDate: {
    type: Date,
    default: new Date().toDateString(),
  }, price: {
    type: Number,
    default: 0,
  }, debit: {
    type: Boolean,
    required: true,
  },
  name: {
    type: String,
    required: true
  },
  target: {
    type: Schema.ObjectId
  }
});

module.exports = mongoose.model('history', historySchema);
```

../models/rawMaterial.model.js **const**

```
mongoose = require('mongoose');
const Schema = mongoose.Schema;
```



```
const rawMaterialSchema = new Schema({
  name: {      type: String,      required:
true,
    },
    purchasedFrom: {
type: String,
required: true,
    },  price: {
type: Number,
default: 0,
min: 0,
    },
});

module.exports = mongoose.model('rawMaterial', rawMaterialSchema);
```

../models/soldProduct.model.js

```
const mongoose = require("mongoose"); const
Schema = mongoose.Schema;

const soldProductSchema = new Schema({
name: {  type: String,  required: true
  }, price: {
type: Number,
  min: 0,
  default: 0
}, soldTo: {
type: String,
required:
false,
default:
"SELF"
}
});

module.exports = mongoose.model("soldProduct", soldProductSchema);
```

../routes/budgetRouter.js

```
const router = require('express').Router();

const budgetController = require('../controllers/budget.controller');

router.get('/', budgetController.getHistory);
router.post('/', budgetController.addHistory); // Not used

module.exports = router;
```

../routes/rawMaterialRouter.js

```
const router = require('express').Router();
const rawMaterialController = require('../controllers/rawMaterial.controller');

router.post('/', rawMaterialController.createRawMaterial); router.get('/',
rawMaterialController.getRawMaterials); router.put('/:rawMaterialId',
rawMaterialController.updateRawMaterial); // router.delete('/:rawMaterialId',
rawMaterialController.deleteRawMaterial); router.get('/delete/:rawMaterialId',
rawMaterialController.deleteRawMaterial);

module.exports = router;
```

../routes/soldProductRouter.js

```
const router = require('express').Router();

const soldProductController = require('../controllers/soldProduct.controller');

router.post('/', soldProductController.createSoldProduct);
```

```
router.get('/', soldProductController.getsoldProducts);
router.put('/:soldProductId', soldProductController.UpdatesoldProduct);
// router.delete('/:soldProductId', soldProductController.deletesoldProduct);
router.get('/delete/:soldProductId', soldProductController.deletesoldProduct);

module.exports = router;
```

../controllers/budget.controller.js

```
const history = require('../models/history.model');

const deleteHistory = async (id) => {
  console.log(id);
  const data = await history.findOneAndDelete({ target: id })
  console.log(data);
}

const getHistory = async (req, res, next) => {
  try {
    const data = await history.find({ });
    res.status(200).json(data);
  } catch (error) {
    next(error);
  }
};

const addHistory = (req, debit) => {
  const { price, name ,id} = req;
  // console.log(id);

  var content = { price: price || 0,name,target:id, debit, transactionDate: new Date().toLocaleString() };
  history.create(content);
};

module.exports = { addHistory, getHistory ,deleteHistory};
```

../controllers/rawMaterial.controller.js

```
const rawMaterial = require("../models/rawMaterial.model");
```

```
const historyController = require("./budget.controller");

const createRawMaterial = async (req, res, next) => {
  try {
    const data = await rawMaterial.create(req.body);
    historyController.addHistory({ ...req.body, id: data._id }, true);
    res.status(201).json(data);
  } catch (error) {
    next(error);
  }
};

const getRawMaterials = async (req, res, next) => {
  try {
    const data = await rawMaterial.find({});
    res.status(200).json(data);
  } catch (error) {
    next(error);
  }
};

const updateRawMaterial = async (req, res, next) => {
  try {
    const newItem = await rawMaterial.findByIdAndUpdate(
      req.params.rawMaterialId,
      req.body,
      {
        new: true,
        useFindAndModify: false
      }
    );
    if (!newItem) return res.sendStatus(404);
    res.json(newItem);
  } catch (error) {
```

```
next(error);
}
};
const deleteRawMaterial = async (req, res, next) => {
  try {
    const deleted = await rawMaterial.findByIdAndDelete(
      req.params.rawMaterialId
    );
    if (!deleted) return res.status(404).json({ message: "Internal error" });
    res.redirect("back");
    historyController.deleteHistory(req.params.rawMaterialId);
  } catch (error) {
    next(error);
  }
};


module.exports = {
  createRawMaterial,
  deleteRawMaterial,
  updateRawMaterial,
  getRawMaterials
};
```

../controllers/soldProduct.controller.js


```
const soldProduct = require("../models/soldProduct.model"); const  
historyController = require("../budget.controller");
```

```
const createsoldProduct = async (req, res, next) => {  
  try {  
    const data = await soldProduct.create(req.body);  
    historyController.addHistory({ ...req.body, id: data._id }, false);  
    res.status(201).json(data);  
  } catch (error) {  
    next(error);  
  }  
};
```

```
const getsoldProducts = async (req, res, next) => {  
  try {  
    const data = await soldProduct.find({});  
    res.status(200).json(data);  
  }  
};
```



```
} catch (error) {  
next(error);  
}
```



```
};

const updatesoldProduct = async (req, res, next) => {
  try {
    const newItem = await soldProduct.findByIdAndUpdate(
      req.params.soldProductId,
      req.body,
      {
        new: true,
        useFindAndModify: false
      }
    );
    if (!newItem) return res.sendStatus(404);
    res.json(newItem);  } catch (error) {
  next(error);
  }
};

const deletesoldProduct = async (req, res, next) => {
  try {
    const deleted = await soldProduct.findByIdAndDelete(
      req.params.soldProductId
    );
    if (!deleted) return res.status(404).json({ message: "Internal error" });
    res.redirect("back");
    historyController.deleteHistory(req.params.soldProductId);
  } catch (error) {
  next(error);
  }
};
```

```
module.exports = {
  createsoldProduct,
  deletesoldProduct,
  updatesoldProduct,  getsoldProducts
};
```

8.2 APPENDIX 2 – SCREENSHOTS/OUTPUT

Admin Page:




Fig22: Homepage




Fig23: Admin page




Fig24: Customer Page




Fig25: Login page




Fig26: Services page




Fig27: Our Works page




Fig28: Top Products page






Fig29: Digital Agency page**Fig30: Top Clients page**

Fig31: Contact US page




Fig32: Company Name page

Analytics Dashboard - This is a x Digital Agency Template x Budget x SolidProducts x RawMaterial x + - x

localhost/budget.html

Budget

Date	Raw/Product Name	Debit	Credit	Balance \$
4 November 2019	dhaniya chattni	-	₹20	₹-20
4 November 2019	dhaniya chattni	-	₹30	₹-50
4 November 2019	pakoda	₹20	-	₹-30
4 November 2019	water	₹20	-	₹-10
4 November 2019	water	-	₹20	₹-30
4 November 2019	aloo	₹10	-	₹-20

4:46 PM Mon 04.11.19

Fig33: Budget page

The screenshot shows a web browser with multiple tabs. The active tab is 'SoldProducts'. The page title is 'Sold Products'. Below the title, there is a form with three input fields: 'Product Name', 'Price', and 'Client name'. A green 'Submit' button is below the form. Below the form, there is a table with the following data:

Product Name	Price \$	Client	Delete
dhaniya chattni	20	Sunny	Delete

Fig34: Sold Products page

The screenshot shows a web browser with multiple tabs. The active tab is 'SoldProducts'. The page title is 'Sold Products'. Below the title, there is a form with three input fields: 'Product Name', 'Price', and 'Client name'. A green 'Submit' button is below the form. Below the form, there is a table with the following data:

Product Name	Price \$	Client	Delete
dhaniya chattni	20	Sunny	Delete
dhaniya chattni	30	suraj	Delete
water	20	kishan	Delete

Fig35: Sold Products Record Page

The screenshot shows a web browser window with the URL `localhost/buy.html`. The page has a header with the title "Raw Materials" in a light blue box. Below the header is a form with three input fields: "Name:" (labeled "RawMaterial Name"), "Seller:" (labeled "Seller Name"), and "Price:" (labeled "Price"). A green "Submit" button is below the form. Below the form is a table with the following data:

rawMaterial Name	Seller	Price \$	Delete
pakoda	dhaba	20	<button>Delete</button>

Fig36: Raw Materials page

The screenshot shows the same web browser window as Fig36, but the table now contains three entries. The form and header are identical. The table data is as follows:

rawMaterial Name	Seller	Price \$	Delete
pakoda	dhaba	20	<button>Delete</button>
water	gobal kishan	20	<button>Delete</button>
aloo	bhiya	10	<button>Delete</button>

Fig37: Raw Material Record page

9. REFERENCES

9.1 LIST OF JOURNALS

- [1] Mirshokraie, S., Mesbah, A., & Pattabiraman, K. (2013, March). Efficient JavaScript mutation testing. In *2013 IEEE Sixth International Conference on Software Testing, Verification and Validation* (pp. 74-83). IEEE.
- [2] Jiang, N., Feng, X., Liu, H., & Liu, J. (2008, November). Emotional design of web page. In *2008 9th International Conference on Computer-Aided Industrial Design and Conceptual Design* (pp. 91-95). IEEE.
- [3] Punt, L., Visscher, S., & Zaytsev, V. (2016, October). Experimental Data for the A? B* A Pattern in CSS: Inputs and Outputs. In *2016 IEEE International Conference on Software Maintenance and Evolution (ICSME)* (pp. 616-616). IEEE.
- [4] Carter, B. (2014, December). HTML Educational Node. js System (HENS): An Applied System for Web Development. In *2014 Annual Global Online Conference on Information and Computer Technology* (pp. 27-31). IEEE.
- [5] Caldiroli, C. L., Garbo, R., Pallavicini, F., Antonietti, A., Mangiatordi, A., & Mantovani, F. (2017, January). How web design influences user experience: A multi-modal method for real-time assessment during web browsing. In *2017 14th IEEE Annual Consumer Communications & Networking Conference (CCNC)* (pp. 1063-1066). IEEE.

9.1 LIST OF BOOKS

- Beginning PHP6, Apache, MySQL Web Development By Timothy Boronczyk
- Learning PHP, MySQL & JavaScript: With jQuery, CSS & HTML5 By Robin Nixon

9.2 LIST OF WEBSITES

- <https://www.w3schools.com/html/>
- <https://developer.mozilla.org/bm/docs/Web/JavaScript>
- <https://docs.mongodb.com/>
- <https://nodejs.org/en/docs/>
- <https://getbootstrap.com/>