# Programming Assignment 2: Deques and Randomized Queues

Write a generic data type for a deque and a randomized queue. The goal of this assignment is to implement elementary data structures using arrays and linked lists, and to introduce you to generics and iterators.

**Dequeue.** A *double-ended queue* or *deque* (pronounced "deck") is a generalization of a stack and a queue that supports adding and removing items from either the front or the back of the data structure. Create a generic data type `Deque` that implements the following API:

```
public class Deque<Item> implements Iterable<Item> {
   public Deque()                           // construct an empty deque
   public boolean isEmpty()                 // is the deque empty?
   public int size()                        // return the number of items on the deque
   public void addFirst(Item item)          // add the item to the front
   public void addLast(Item item)           // add the item to the end
   public Item removeFirst()                // remove and return the item from the front
   public Item removeLast()                 // remove and return the item from the end
   public Iterator<Item> iterator()         // return an iterator over items in order from front to end
   public static void main(String[] args)   // unit testing
}
```

*Corner cases*. Throw a `java.lang.NullPointerException` if the client attempts to add a null item; throw a `java.util.NoSuchElementException` if the client attempts to remove an item from an empty deque; throw a `java.lang.UnsupportedOperationException` if the client calls the `remove()` method in the iterator; throw a `java.util.NoSuchElementException` if the client calls the `next()` method in the iterator and there are no more items to return.

*Performance requirements*. Your deque implementation must support each deque operation in *constant worst-case time*. A deque containing $n$ items must use at most $48n + 192$ bytes of memory. and use space proportional to the number of items *currently* in the deque. Additionally, your iterator implementation must support each operation (including construction) in *constant worst-case time*.

**Randomized queue.** A *randomized queue* is similar to a stack or queue, except that the item removed is chosen uniformly at random from items in the data structure. Create a generic data type `RandomizedQueue` that implements the following API:

```
public class RandomizedQueue<Item> implements Iterable<Item> {
   public RandomizedQueue()                 // construct an empty randomized queue
   public boolean isEmpty()                 // is the queue empty?
   public int size()                        // return the number of items on the queue
   public void enqueue(Item item)           // add the item
   public Item dequeue()                    // remove and return a random item
   public Item sample()                     // return (but do not remove) a random item
   public Iterator<Item> iterator()         // return an independent iterator over items in random order
   public static void main(String[] args)   // unit testing
}
```

*Corner cases*. The order of two or more iterators to the same randomized queue must be *mutually independent*; each iterator must maintain its own random order. Throw a `java.lang.NullPointerException` if the client attempts to add a null item; throw a `java.util.NoSuchElementException` if the client attempts to sample or dequeue an item from an empty randomized queue; throw a `java.lang.UnsupportedOperationException` if the client calls the `remove()` method in the iterator; throw a `java.util.NoSuchElementException` if the client calls the `next()` method in the iterator and there are no more items to return.

*Performance requirements*. Your randomized queue implementation must support each randomized queue operation (besides creating an iterator) in *constant amortized time*. That is, any sequence of $m$ randomized queue operations (starting from an empty queue) should take at most $cm$ steps in the worst case, for some constant $c$. A randomized queue containing $n$ items must use at most $48n + 192$ bytes of memory. Additionally, your iterator implementation must support operations `next()` and `hasNext()` in *constant worst-case time*; and construction in *linear time*; you may (and will need to) use a linear amount of extra memory per iterator.

**Permutation client.** Write a client program `Permutation.java` that takes a command-line integer $k$; reads in a sequence of strings from standard input using `StdIn.readString()`; and prints exactly $k$ of them, uniformly at random. Print each item from the sequence at most once. You may assume that $0 \le k \le n$, where $n$ is the number of string on standard input.

```
% more distinct.txt                      % more duplicates.txt
A B C D E F G H I                        AA BB BB BB BB BB CC CC

% java Permutation 3 < distinct.txt     % java Permutation 8 < duplicates.txt
C                                        BB
```

```
G                                          AA
A                                          BB
                                           CC
% java Permutation 3 < distinct.txt        BB
E                                          BB
F                                          CC
G                                          BB
```

The running time of `Permutation` must be linear in the size of the input. You may use only a constant amount of memory plus either one `Deque` or `RandomizedQueue` object of maximum size at most *n*. (For an extra challenge, use only one `Deque` or `RandomizedQueue` object of maximum size at most *k*.) It must have the following API:

```
public class Permutation {
   public static void main(String[] args)
}
```

**Deliverables.** Submit only `Deque.java`, `RandomizedQueue.java`, and `Permutation.java`. We will supply `algs4.jar`. Do not call library functions except those in [StdIn](), [StdOut](), [StdRandom](), `java.lang`, `java.util.Iterator`, and `java.util.NoSuchElementException`. In particular, do not use either `java.util.LinkedList` or `java.util.ArrayList`.