

Local Project Setup

Last updated by | Daniel Vo | 23 Sept 2026 at 10:05 GMT+10


Local Development Setup Guide

Contents

- Local Development Setup Guide
 -  Setup Workflow
 -  Repository & Application Structure
 - 1. Prerequisites & Access
 - 2. Local Configuration
 - Setup local.settings.json
 - Bypass Web App Entra Authentication
 - 3. Running the Application
 - Start the Backend (Function App)
 - Start the Frontend (Web App)
 - Start the Local Emulator (SWA CLI)
 - Start Stripe CLI
 - image.png
 - 4. Application Routes & Testing
 - Available Form Routes
 - Running Tests

Setup Workflow

Below is the high-level sequence of steps required to get your local environment running.



Repository & Application Structure

Repository Layout

- `app/` — Core application code and app-level pipeline entry files.
- `pipelines/` — Azure DevOps pipeline templates and Fees table seed scripts.
- `infra/` — Bicep infrastructure definitions and infrastructure deployment pipelines.

Application Structure (`ls-formshub/app/`)

- `az-ae-fa-formshub-functionapp/` — Backend Azure Function App and `apps.sln`.
- `logicApp/` — Azure Logic Apps workflows.
- `web/` — Frontend web application code.
- `FeeLogic.Tests/` — Unit tests for fee calculation logic.

1. Prerequisites & Access

Before setting up the project, ensure you have the following installed:

- **.NET SDK 8.0+**
- **Node.js 18+**
- **Azure Functions Core Tools v4**
- **Azure CLI**
- **Stripe CLI:** For testing and handling payment webhooks locally.
- **Static Web App CLI (SWA CLI):** For simulating Azure logins and routing.

[!IMPORTANT]


System Access

Reach out to **IT Support** to request developer access to the Application, Service Bus, Blob Storage, Blob Tables, and SQL Databases for each environment. *Note: Database management via SSMS requires Microsoft Entra MFA and your company email account.*

2. Local Configuration

Setup `local.settings.json`

Navigate to the `az-ae-fa-formshub-functionapp` project and create a `local.settings.json` file. Paste the generated Stripe secret into the `StripeWebhookSecret` field.



```

{
  "IsEncrypted": false,
  "Host": {
    "LocalHttpPort": 7071,
    "CORS": "http://localhost:3000,http://localhost:4280",
    "CORSCredentials": true
  },
  "Values": {
    "AzureWebJobsStorage": "DefaultEndpointsProtocol=https;AccountName=azaestformshubdev;Account
    "FUNCTIONS_WORKER_RUNTIME": "dotnet-isolated",
    "StripeSecretKey": "sk_test_XXX_get from the DEV environment",
    "StripeWebhookSecret": "Copied from the above_XXX",
    "StorageAccountName": "azstorformshubdev",
    "blobContainerName": "forms-hub-blob",
    "ServiceBusConnection__fullyQualifiedNamespace": "az-ae-sbns-formshub-dev.servicebus.windows
    "ServiceBusTopicName": "forms-submission",
    "ReceiptEmail_Registry": "martin.urzua@lawsociety.com.au",
    "ReceiptEmail_A2J": "martin.urzua@lawsociety.com.au",
    "DateFormat": "yyyy-MM-ddTHH:mm:ss.fff+00:00",
    "DateTimeFormat": "yyyy-MM-ddTHH:mm:ss.fffK",
    "timeZone": "AUS Eastern Standard Time",
    "FeeRulesTableServiceUri": "https://azaestformshubdev.table.core.windows.net",
    "FeeRulesPCNewTableName": "FeeRulePCNew",
    "FeeRulesPCOriginalTableName": "FeeRulePCOriginal",
    "FeeRulesPCRenewTableName": "FeeRulePCRenew",
    "FeeRulesPCVariationTableName": "FeeRulePCVariation",
    "FeeRulesSimpleFormsTableName": "FeeRuleSimpleForms",
    "FeeRulesCofTableName": "FeeRuleCof",
    "SqlDbConnectionString": "Server=tcp:az-ae-sql-formshub-dev.database.windows.net,1433;Databa
    "currency": "aud"
  }
}

```

Bypass Web App Entra Authentication

[!WARNING] Only need to do this step if Entra authentication is blocked for local development. Please try before making changes to `staticwebapp.config.json`.

If not working, try the following:

To ensure Entra authentication doesn't block local development, open `staticwebapp.config.json` in the frontend directory and **temporarily remove** the authentication block. (*Remember not to commit this change to the repository*).

```

78 "navigationFallback": {
79   "rewrite": "/index.html",
80   "exclude": [
81     "/images/*.png,*.jpg,*.gif,*.ico,*.svg",
82     "/*.css,*.scss,*.js",
83     "/static/*",
84     "/.auth/*"
85   ]
86 },
87 "auth": {
88   "identityProviders": {
89     "customOpenIdConnectProviders": {
90       "aad2c": {
91         "registration": {
92           "clientIdSettingName": "AAD2C_PROVIDER_CLIENT_ID",
93           "clientCredential": {
94             "clientSecretSettingName": "AAD2C_PROVIDER_CLIENT_SECRET"
95           },
96           "openIdConnectConfiguration": {
97             "wellKnownOpenIdConfiguration": "WELL_KNOWN_OPENID_CONFIGURATION"
98           }
99         },
100         "login": {
101           "nameClaimType": "http://schemas.xmlsoap.org/ws/2005/05/identity/claims/nameidentifier",
102           "scopes": [],
103           "loginParameterNames": []
104         }
105       }
106     }
107   },
108   "responseOverrides": {
109     "401": {
110       "redirect": "/.auth/login/aad2c?post_login_redirect_uri=referrer",
111       "statusCode": 302
112     }
113   }
114 }
115 }
116

```

3. Running the Application

Start the Backend (Function App)

If using Visual Studio, set api as the startup project, then just press F5 for debugging.

```

1 {
2   "profiles": {
3     "api": {
4       "commandName": "Project",
5       "commandLineArgs": "--port 7071",
6       "launchBrowser": true
7     }
8   }
9 }

```

[Optional with VS Code]

Open a terminal, navigate to the Function App directory, and start the host:

```

cd ls-formshub/app/az-ae-fa-formshub-functionapp
dotnet restore
dotnet build
cd bin/Debug/net8.0
func host start

```

Start the Frontend (Web App)

In a new terminal, install your node modules and start the React application:

```
cd ls-formshub/app/web
npm install
npm start
```



Start the Local Emulator (SWA CLI)

To simulate the Azure Static Web Apps environment (which injects a mock `/.auth/me` endpoint and proxies your API calls), install the SWA CLI globally and start the emulator:


```
# Only need to install once
npm install -g @azure/static-web-apps-cli
swa start http://localhost:3000 --api-location http://localhost:7071
```



Start Stripe CLI

To listen and forward Stripe events for webhooks, we need to run Stripe CLI from a new terminal:


```
# Only need to install once
npm install --global @stripe/cli
stripe login
# It will open the browser, then follow the instructions to log in.
# Your account must be invited by Service Desk to be the same LS NSW organisation.
# Once done, run the next command
stripe listen --forward-to localhost:7071/api/ProcessStripePaymentWebhook
```



```
PS C:\Source\Forms-Hub> stripe listen --forward-to localhost:7071/api/ProcessStripePaymentWebhook
> Ready! You are using Stripe API Version [2024-04-10]. Your webhook signing secret is whsec_218cd23...
2026-09-09 14:29:48 --> customer.created [evt_1UDd8q2KBD4hUfAbmRfVgsUe]
```

You can now access and debug the application locally at <http://localhost:4280>.

Note: The default is an empty page; you need to access to a specific form such as `/pc-new`. And you need to simulate the Azure AD login process for the first time. The login page should be displayed as soon as you load a form if the SWA was installed and everything was configured correctly.



Microsoft Azure

Azure Static Web Apps Auth

Provider	aadb2c
	Name of the identity provider
User ID	0137fbec3216448866b0709bfe66229c
	An Azure Static Web Apps-specific unique ID for the user
Username	testuser@lawsociety.com.au
	Username or email address of the user
User's roles	anonymous
authenticated
	Roles used during authorization. One role per line. Note: roles "authenticated" and "anonymous" will be added automatically if not provided.
User's claims	[]
	Claims from the identity provider. JSON array of claims. See documentation for example claims.
	Login Clear

4. Application Routes & Testing

Available Form Routes

Once the app is running on port 4280 , you can append these dedicated URLs to access specific forms:

- /certificate-of-fitness
- /pc-new
- /pc-renew
- /pc-original
- /pc-merged
- /pc-variation
- /flss
- /presidential-appt-or-nomination
- /presidential-appt-or-nomination-split-fee
- /law-society-mediation-program
- /lawyer-mediator-accr-scheme
- /lma-payment
- /submission-success

Running Tests

To run the automated tests for the fee calculation logic, execute the following from the `az-ae-fa-formshub-functionapp` directory:

```
dotnet test ..\FeeLogic.Tests\FeeLogic.Tests.csproj
```

