

EASIII

Installation Guide



January 2026 (Ver. 1.002)

This guide is delivered subject to the following conditions and restrictions:

- This guide contains proprietary information belonging to Elmo Motion Control Ltd. Such information is supplied solely for the purpose of assisting users of Elmo's servo drive(s) in their installation.
- The text and graphics included in this manual are for the purpose of illustration and reference only. The specifications on which they are based are subject to change without notice.
- Elmo Motion Control and the Elmo Motion Control logo are trademarks of Elmo Motion Control Ltd.
- Information in this document is subject to change without notice.



Elmo Motion Control and the Elmo Motion Control logo are registered trademarks of Elmo Motion Control Ltd.



EtherCAT® and Safety over EtherCAT® are registered trademarks and patented technologies, licensed by Beckhoff Automation GmbH, Germany.



EtherCAT® Conformance tested is a registered trademark and patented technology, licensed by Beckhoff Automation GmbH, Germany.



CANopen compliant. CANopen® is a registered trademark and patented technology, licensed by CAN in Automation (CiA) GmbH, Kontumazgarten 3, DE-90429 Nuremberg, Germany.

Document no. MAN-EASIIIIG (Ver. 1.002)

Copyright © 2026

Elmo Motion Control Ltd.

All rights reserved.

Revision History

Version	Date	Details
Ver. 1.000	Jan 2024	Initial Release
Ver. 1001	June 2025	Updated for release of EASIII Ver. 3.0.0.17
Ver. 1.002	Jan 2026	Updated for release of EASIII Ver. 3.0.0.25

Chapter 1:	Installation	4
1.1	System Requirements.....	4
1.2	Installing EASIII	5
1.3	Running EASIII.....	8
1.4	Upgrading EASIII	9
1.5	Uninstalling EASIII.....	10

Chapter 1: Installation

This document provides EASIII system requirements and instructions for installing and setting it up.


1.1 System Requirements

To install EASIII, you need a PC with the following requirements:

- One of the following Operating Systems:
 - Windows 10 - 64 Bit
 - Windows 11
- Supports 64 bit processing
 - A PC with a 64 Bit Operating System
 - At least 8 GB RAM
 - Install Microsoft .NET Framework 4.8 on your PC

To install and operate EASIII correctly requires the following:

1. Go to **Control Panel > System** to verify that you are using a Windows 10 or 11 version.



2. Verify that you have Microsoft .NET Framework 4.8 installed.

1.2 Installing EASIII

When installing EASIII for the first time, the following EASIII-related files are installed:

EASIII system files	The files installed together with EASIII and are located under the installation folder
USB drivers	Installed with EASIII, the USB driver files are located under the standard Windows system folder
EASIII settings files	Includes all global settings related to the EASIII application, its appearance, GUI layout, user preferences and tool settings, that are created and managed by EASIII and are not directly controlled by the user.


Notes:

- This EASIII installation procedure is for Windows 10 and 11 operating systems.
- The EASIII USB is a plug and play device. The system automatically recognizes the USB when it is plugged in. The USB driver is installed during the EASIII installation process.
- When installing in a system with Windows 10 and 11 Operating Systems, make sure you have Administrator permissions on your computer to be able to perform all available functions.


To install EASIII:

1. Double-click the installation file icon  **Elmo Application Studio III Setup x.x.x.x.exe** to start the installation.


The Elmo Application Studio III - InstallShield Wizard window appears.




The Welcome to the InstallShield Wizard for Elmo Application Studio III window appears next.




2. Click **Next**. The License Agreement window is displayed.



3. Select **I accept the terms in the license agreement** to continue with the installation process.
4. Click **Next**. The Destination Folder window appears.




5. Click **Next** to install EASIII in the default location or click **Change** to select a different location.
- The Ready to Install the Program window appears.




6. Click **Install** to start the installation.

A progress bar is displayed showing the progress of the installation.



When the installation is completed, the **InstallShield Wizard Completed** window appears.



7. Click **Finish** to exit the installation.

The EASIII icon is now displayed on your desktop. A new group called Elmo Motion Control is added to **Apps** in your Windows **Start** menu.

1.3 Running EASIII

To run EASIII on Windows:

Double-click the  icon on your desktop. EASIII opens.

or

Click the **Start** button, type Elmo Application Studio in the search field, and then press ENTER.

1.4 Upgrading EASIII

To ensure the highest system stability and a clean configuration, we recommend a clean installation when moving to a new version. This applies regardless of which version of EAS is **currently installed**.

To upgrade EASIII:

1. Uninstall the existing EAS version. For details, see [Uninstalling EASIII](#).
2. Install the new EAS version. For details, see [Installing EASIII](#).


1.5 Uninstalling EASIII

If you want to uninstall EASIII, you can uninstall it through the Control Panel.

To uninstall EASIII using the Control Panel:


Note: It is recommended to close all running EASIII programs before starting this process.

1. On your desktop, go to **Control Panel > Programs and Features**.




2. In the **Uninstall or change a program** window, double-click **Elmo Application Studio III** or right-click it and select **Uninstall** from the drop-down menu.


A message appears asking you whether you are sure you want to uninstall Elmo Application Studio III.



3. Click **Yes**.

The Windows Installer window is displayed followed by the Elmo Application Studio III window showing a progress bar while uninstalling the application from your computer.





4. Click **Cancel** anytime to cancel the uninstallation process.

EASIII is uninstalled from your computer when the progress bar ends. When you uninstall EASIII, the following files are left as they are on the disk:

User files	Every file created by the user or by any tool during user activity in EASIII. User files include user programs, scripts, traces, recording data, user setup files, and so on.
EASIII Settings files	Includes all global settings related to the EASIII application, its appearance, GUI layout, user preferences and tool settings, that are created and managed by EASIII and are not directly controlled by the user.

Go Safer, Smarter, Smaller, Simpler.
Go Platinum.

Platinum 
by **Elmo**

www.elmocom.com