












Title		
Size	Number	Revision
A		
Date:	11/20/2025	Sheet of
File:	D:\ESD\BTL\ALTUM\AVR\AVR.SchDocDrawn By:	


CON2

D1

U1

P1

CON1



Comment	Description	Designator	Footprint	LibRef	Quantity
104	Capacitor non-pol	C1, C4	CAP Ceramic/W300	Capacitor NP	2
1000uF	Capacitor pol	C2, C3	CYL/D.400/LS.200	Capacitor	2
Cap Non-Pol	Non-Polarized Capacitor	C5, C6, C7	C0805	Cap Non-Pol	3
100nF	Capacitor non-pol	C8, C9	C0805	Capacitor NP	2
ISP/JTAG	ISP AVR10-pin interface	CON1	HDR/Header/10/DL/BOX	CON ISP AVR10-pin	1
CON DC PWR	DC input connector	CON2	CONN/DC/PWR/5.0MM	CON DC PWR	1
1N4007	Default Diode	D1	DO-41	Diode	1
Led	Typical LED	D2	Led 0805 RED	Led	1
Header 2	Header, 2-Pin	P1	HDR/Terminal/2	Header 2	1
Header 4	Header, 4-Pin	P2, P3	HDR/Header/4	Header 4	2
Header 6	Header, 6-Pin	P4, P5, P6	HDR/Header/6	Header 6	3
Header 2	Header, 2-Pin	P7	HDR/Header/2	Header 2	1
1K	Resistor	R1	R0805	Resistor	1
Resistor	Resistor	R2, R3	R0805	Resistor	2
Button	Tact switch 2 pin	SW1	SW/2/DIP	SW SPST	1
SW DIP-2		SW2	SW/DIP2	SW DIP-2	1
78xx	LDO Fixed Voltage regulator	U1	TO-220	78xx	1
ATMEGA324PV-10AU	AVR AVR [®] ATmega Microcontroller IC 8-Bit 10MHz 32KB (16Kx16) FLASH 44-TQFP (10x10)	U2	QFP80P1200X1200X120-44N	ATMEGA324PV-10AU	1
XTAL	Crystal	XT1	XT2	XTAL	1