

TS001_Login

Execution Environment

| | |
|-----------------|----------------------|
| Host name | duyvt - S510UQ |
| OS | Linux 64bit |
| Katalon version | 7.7.1.205 |
| Browser | Chrome 85.0.4183.121 |

Summary

| | | | |
|-------------|-------------------------|------------|---------------------|
| ID | Test Suites/TS001_Login | | |
| Description | | | |
| Total | 5 | | |
| Passed | 2 | Failed | 3 |
| Error | 0 | Incomplete | 0 |
| Start | 2020-10-06 17:30:54 | End | 2020-10-06 17:31:24 |
| Elapsed | 30.434s | | |

| # | ID | Description | Status |
|---|----------------------------------|---|--------|
| 1 | Test Cases/TC003_PasswordBlank | | FAILED |
| 2 | Test Cases/TC004_WrongPassword | | FAILED |
| 3 | Test Cases/TC005_SuccessLogin | | PASSED |
| 4 | Test Cases/TC002_UsernameBlank | username: empty password: ThisIsNotAPassword https://katalon-demo-cura.herokuapp.com/ | FAILED |
| 5 | Test Cases/TC001_LoginFieldBlank | username empty password empty https://katalon-demo-cura.herokuapp.com/ | PASSED |

TC003_PasswordBlank

Information

| | | | |
|-------------|--------------------------------|-----|---------------------|
| ID | Test Cases/TC003_PasswordBlank | | |
| Description | | | |
| Tag | | | |
| Start | 2020-10-06 17:30:54 | End | 2020-10-06 17:30:59 |
| Elapsed | 5.376s | | |
| Status | FAILED | | |

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("") Browser is opened with url: " | 1.418s | PASSED |
| 2 | navigateToUrl("https://katalon-demo-cura.herokuapp.com/profile.php#login") Navigate to 'https://katalon-demo-cura.herokuapp.com/profile.php#login' successfully | 3.455s | PASSED |

TC003_PasswordBlank

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 3 | <p>setText(findTestObject("Object Repository/TC003_PasswordBlank/Page_CURA Healthcare Service/input_Username_username"), username)</p> <p>Unable to set text 'null' of object 'Object Repository/TC003_PasswordBlank/Page_CURA Healthcare Service/input_Username_username' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'null' of object 'Object Repository/TC003_PasswordBlank/Page_CURA Healthcare Service/input_Username_username'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText(SetTextKeyword.groovy:66)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute(SetTextKeyword.groovy:37)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:73)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText(WebUiBuiltInKeywords.groovy:977)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$1.call(Unknown Source)</p> <p>at TC003_PasswordBlank.run(TC003_PasswordBlank:23)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:339)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:330)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:309)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:301)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestMainPhase(TestSuiteExecutor.java:191)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:141)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:90)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1601980245601.run(TempTestSuite1601980245601.groovy:39)</p> <p>Caused by: java.lang.IllegalArgumentException: Text is null</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:48)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText(SetTextKeyword.groovy:66)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute(SetTextKeyword.groovy:37)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:73)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText</p> | 0.280s | FAILED |


TC003_PasswordBlank


| # | Description | Elapsed | Status |
|---|---|---------|--------|
| | (WebUiBuiltInKeywords.groovy:977) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$setText\$1.call(Unknown Source) at Script1601457941173.run(Script1601457941173.groovy:23) ... 13 more) | | |

Login

Please login to make appointment.

Demo account

 John Doe

 ThisIsNotAPassword



Username


Password


Login


CURA Healthcare Service

Atlanta 550 Pharr Road NE Suite 525
Atlanta, GA 30305

 (678) 813-1KMS
 info@katalon.com







Copyright © CURA Healthcare Service 2020

TC004_WrongPassword

Information

| | | | |
|-------------|--------------------------------|-----|---------------------|
| ID | Test Cases/TC004_WrongPassword | | |
| Description | | | |
| Tag | | | |
| Start | 2020-10-06 17:30:59 | End | 2020-10-06 17:31:04 |
| Elapsed | 4.560s | | |
| Status | FAILED | | |

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("") Browser is opened with url: " | 0.717s | PASSED |
| 2 | navigateToUrl("https://katalon-demo-cura.herokuapp.com/profile.php#login") Navigate to 'https://katalon-demo-cura.herokuapp.com/profile.php#login' successfully | 3.457s | PASSED |

TC004_WrongPassword

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 3 | <p>setText(findTestObject("Object Repository/TC004_WrongPassword/Page_CURA Healthcare Service/input_Username_username"), username)</p> <p>Unable to set text 'null' of object 'Object Repository/TC004_WrongPassword/Page_CURA Healthcare Service/input_Username_username' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'null' of object 'Object Repository/TC004_WrongPassword/Page_CURA Healthcare Service/input_Username_username'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText(SetTextKeyword.groovy:66)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute(SetTextKeyword.groovy:37)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:73)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText(WebUiBuiltInKeywords.groovy:977)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$1.call(Unknown Source)</p> <p>at TC004_WrongPassword.run(TC004_WrongPassword:23)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:339)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:330)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:309)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:301)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestMainPhase(TestSuiteExecutor.java:191)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:141)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:90)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1601980245601.run(TempTestSuite1601980245601.groovy:39)</p> <p>Caused by: java.lang.IllegalArgumentException: Text is null</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:48)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText(SetTextKeyword.groovy:66)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute(SetTextKeyword.groovy:37)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:73)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText</p> | 0.210s | FAILED |

TC004_WrongPassword

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| | (WebUiBuiltInKeywords.groovy:977) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$setText\$1.call(Unknown Source) at Script1601458018294.run(Script1601458018294.groovy:23) ... 13 more) | | |

Login

Please login to make appointment.

Demo account

John Doe

ThisIsNotAPassword

Username Username

Password Password

Login

CURA Healthcare Service

Atlanta 550 Pharr Road NE Suite 525
Atlanta, GA 30305

(678) 813-1KMS
info@katalon.com

f t

Copyright © CURA Healthcare Service 2020

TC005_SuccessLogin

Information

| | | | |
|-------------|-------------------------------|-----|---------------------|
| ID | Test Cases/TC005_SuccessLogin | | |
| Description | | | |
| Tag | | | |
| Start | 2020-10-06 17:31:04 | End | 2020-10-06 17:31:11 |
| Elapsed | 7.224s | | |
| Status | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("") Browser is opened with url: " | 0.575s | PASSED |
| 2 | navigateToUrl("https://katalon-demo-cura.herokuapp.com/profile.php#login") Navigate to 'https://katalon-demo-cura.herokuapp.com/profile.php#login' successfully | 3.686s | PASSED |
| 3 | setText(findTestObject("Object Repository/TC005_SuccessLogin/Page_CURA Healthcare Service/input_username_username"), "John Doe") Text 'John Doe' is set on object 'Object Repository/TC005_SuccessLogin/Page_CURA Healthcare Service/input_username_username' | 0.641s | PASSED |
| 4 | setEncryptedText(findTestObject("Object Repository/TC005_SuccessLogin/Page_CURA Healthcare Service/input_Password_password"), "g3/DOGG74jC3Firr3yH+3D/yKbOqqUNM") Text ***** has been set on object 'Object Repository/TC005_SuccessLogin/Page_CURA Healthcare Service/input_Password_password' | 0.395s | PASSED |
| 5 | click(findTestObject("Object Repository/TC005_SuccessLogin/Page_CURA Healthcare Service/button_Login")) Object: 'Object Repository/TC005_SuccessLogin/Page_CURA Healthcare Service/button_Login' is clicked on | 1.101s | PASSED |

TC005_SuccessLogin

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 6 | <p>waitForElementPresent(findTestObject("TC005_SuccessLogin/Page_CURA Healthcare Service/h2_Make Appointment"), 10)</p> <p>Object 'Object Repository/TC005_SuccessLogin/Page_CURA Healthcare Service/h2_Make Appointment' is present</p> | 0.372s | PASSED |
| 7 | <p>verifyElementText(findTestObject("Object Repository/TC005_SuccessLogin/Page_CURA Healthcare Service/h2_Make Appointment"), "Make Appointment")</p> <p>Actual text and expected text of test object 'Object Repository/TC005_SuccessLogin/Page_CURA Healthcare Service/h2_Make Appointment' are matched.</p> | 0.275s | PASSED |
| 8 | <p>closeBrowser()</p> <p>Browser is closed</p> | 0.075s | PASSED |

TC002_UsernameBlank

Information

| | | | |
|-------------|---|-----|---------------------|
| ID | Test Cases/TC002_UsernameBlank | | |
| Description | username: empty password: ThisIsNotAPassword | | |
| Tag | https://katalon-demo-cura.herokuapp.com/ login | | |
| Start | | | |
| Elapsed | 2020-10-06 17:31:11 | End | 2020-10-06 17:31:18 |
| Status | 6.567s FAILED | | |

Details


| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("") Browser is opened with url: " | 0.450s | PASSED |
| 2 | navigateToUrl("https://katalon-demo-cura.herokuapp.com/profile.php#login") Navigate to 'https://katalon-demo-cura.herokuapp.com/profile.php#login' successfully | 5.821s | PASSED |

TC002_UsernameBlank

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 3 | <p>setText(findTestObject("Object Repository/TC002_UsernameBlank/Page_CURA Healthcare Service/input_Password_password"), password)</p> <p>Unable to set text 'null' of object 'Object Repository/TC002_UsernameBlank/Page_CURA Healthcare Service/input_Password_password' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'null' of object 'Object Repository/TC002_UsernameBlank/Page_CURA Healthcare Service/input_Password_password'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText(SetTextKeyword.groovy:66)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute(SetTextKeyword.groovy:37)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:73)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText(WebUiBuiltInKeywords.groovy:977)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$1.call(Unknown Source)</p> <p>at TC002_UsernameBlank.run(TC002_UsernameBlank:23)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:339)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:330)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:309)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:301)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestMainPhase(TestSuiteExecutor.java:191)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:141)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:90)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1601980245601.run(TempTestSuite1601980245601.groovy:39)</p> <p>Caused by: java.lang.IllegalArgumentException: Text is null</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:48)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText(SetTextKeyword.groovy:66)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute(SetTextKeyword.groovy:37)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:73)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText</p> | 0.196s | FAILED |

TC002_UsernameBlank


| # | Description | Elapsed | Status |
|---|---|---------|--------|
| | (WebUiBuiltInKeywords.groovy:977) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$setText\$1.call(Unknown Source) at Script1601457905964.run(Script1601457905964.groovy:23) ... 13 more) | | |




Login

Please login to make appointment.

Demo account

 John Doe



 ThisIsNotAPassword




Username

Password


CURA Healthcare Service

Atlanta 550 Pharr Road NE Suite 525
Atlanta, GA 30305

 (678) 813-1KMS
 info@katalon.com



Copyright © CURA Healthcare Service 2020



TC001_LoginFieldBlank

Information

| | | | |
|-------------|---|-----|---------------------|
| ID | Test Cases/TC001_LoginFieldBlank | | |
| Description | username empty password empty | | |
| Tag | https://katalon-demo-cura.herokuapp.com/ login | | |
| Start | | | |
| Elapsed | 2020-10-06 17:31:18 | End | 2020-10-06 17:31:24 |
| Status | 6.476s PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | openBrowser("") Browser is opened with url: " | 0.490s | PASSED |
| 2 | navigateToUrl("https://katalon-demo-cura.herokuapp.com/profile.php#login") Navigate to 'https://katalon-demo-cura.herokuapp.com/profile.php#login' successfully | 3.820s | PASSED |
| 3 | click(findTestObject("Object Repository/TC001_LoginFieldBlank/Page_CURA Healthcare Service/button_Login")) Object: 'Object Repository/TC001_LoginFieldBlank/Page_CURA Healthcare Service/button_Login' is clicked on | 1.245s | PASSED |
| 4 | waitForElementPresent(findTestObject("TC001_LoginFieldBlank/Page_CURA Healthcare Service/p_Login failed Please ensure the username a_eb55b5"), 10) Object 'Object Repository/TC001_LoginFieldBlank/Page_CURA Healthcare Service/p_Login failed Please ensure the username a_eb55b5' is present | 0.476s | PASSED |
| 5 | verifyElementText(findTestObject("Object Repository/TC001_LoginFieldBlank/Page_CURA Healthcare Service/p_Login failed Please ensure the username a_eb55b5"), "Login failed! Please ensure the username and password are valid.") Actual text and expected text of test object 'Object Repository/TC001_LoginFieldBlank/Page_CURA Healthcare Service/p_Login failed Please ensure the username a_eb55b5' are matched. | 0.276s | PASSED |

TC001_LoginFieldBlank

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 6 | closeBrowser() Browser is closed | 0.071s | PASSED |