Introduction Page for local-test.php script

All documentation of source code will generally have an Introduction Page. It will be used to provide general information about the script.

In some cases, there may be an Introduction Page for the complete App.

What is the purpose of this script: Provide a local front-end for IPN testing.

What is required: 1) The script and 2) related page.

If you don't know how to start, please read this page https://wpappsforthat.com/index.php/diy-overview/ -> A quick start. In this case, the script already exists. All you need to do is upload it and then create the template page.

Document for local-test.php

```
local testing of PayPal IPN.
<?php
/**
                                         Required edits will be marked in red with the
* Template Name: Local Test
* script name: local-test.php
                                         script.
* parent script name:
* page name: Local Test ←
* application name: WS / MS PayPal Payment Application
                                                               This script needs
* business use: Member payment management
                                                               an PAGE created
* author: Dave Van Abel (modified from Ideal Kamerolli)
                                                               with this name.
* dev site:
* create date: 2022-09-03
                                                               After uploading the
* last update date: 2022-09-27
                                                               script, it will need
* base note: IPN Local Test Suite
                                                               the Template name
* status: Public Release
                                                               assigned to it.
                                                   Edit
*/
                                                               This is part of the
get header();
if ( ! defined( 'ABSPATH' ) ) {die( '-1' );}
                                                               basics of writing
                                                               Apps.
//$system_mode = 'live'; // set 'test' f/r
                                               sandbox and 'live'
for real payments.
$paypal_seller = 'yourseller@yourdomain.com'; //Your PayPal
account email address
//$paypal_url = "https://www.wpappsforthat.com/index.php/paypal-
ipn.php"; // 09-27-22 This url works
                                                          This is the URL that
$timestamp = date i18n('Ymd-HisT'); // Grab Time
                                                          works for my Wordpress
                                                          website.
// understanding passing to class and more //
class Fruit {
                                                          Edit for your website and
    // Properties
                                                          Paypal IPN.
    public $name;
    public $color;
                                   Reference code used to learn a class feature
    // Methods
    function set name($name) {
      $this->name = $name;
    function get name() {
      return $this->name;
    }
  }
  $apple = new Fruit();
```

This script provides the web interface for

```
$banana = new Fruit():
 $apple->set name('Apple');
 $banana->set name('Banana');
?>
<head>
<link rel="stylesheet" type="text/css" href="style.css">
</head>
<h2>IPN Local Test</h2>
<form name="localtest" id="localtest" method="post"</pre>
action="https://www.yourdomain.com/index.php/paypal-ipn/" >
      <div class="row">
          <!-- Specify product details -->
          <div class="col-25">
                 Item Name
              </div>
              <div class="col-75">
                 <input maxlength="40" size="40"</pre>
title="item_one" value = "GeorgeBeGood" id="item_one"
name="item one" type="text" />
                 <div class="col-25">
                 Item Amount
              </div>
              <div class="col-75">
                 <hd><
                    <input maxlength="40" size="20"</pre>
title="amount" value = "1.00" id="amount" name="amount"
type="number"
            />
                 </div>
          <div class="col-25">
                 Timestamp
              </div>
              <div class="col-75">
```

```
<input maxlength="40" size="40"</pre>
title="timestamp" value = "<?php echo $timestamp; ?>"
id="timestamp" name="timestamp" type="text" />
                    </div>
            <!-- Submit -->
            <div class="row">
                <!-- Get paypal email address from
core config.php -->
                    <input type="hidden" name="business"</pre>
value="<?php echo $paypal seller; ?>">
                    <input type="hidden" name="cmd"</pre>
value=" xclick">
                    <!-- WORK REQUIRED HERE -Specify product
details -->
                    <!-- 04-21-20 removed "item name", "amount"
because in form -->
                    <!-- <input type="hidden" name="timestamp"
value="<?php echo $timestamp; ?>"> -->
                    <input type="hidden" name="currency_code"</pre>
value="USD">
                    <!-- WS / MS custom data -->
                    <input type="hidden" name="user id"</pre>
value="199628">
                    <!-- WS / MS custom data -->
                    <input type="hidden" name="user id"</pre>
value="199628">
                    <!-- LOCAL PAYPAL IPN HIDDEN DATA PASSING
FOR TESTING PURPOSES -->
                    <input type="hidden" name="user_id"</pre>
value="199628">
                        <input type="hidden" name="mc_gross"</pre>
value="19.95">
                        <input type="hidden"</pre>
name="protection eligibility" value="Eligible">
```

```
<input type="hidden"</pre>
name="address_status" value="confirmed">
                          <input type="hidden" name="payer_id"</pre>
value="LPLWNMTBWMFAY">
                          <input type="hidden" name="tax"</pre>
value="0.00">
                           <input type="hidden"</pre>
name="address_street" value="1+Main+St">
                           <input type="hidden" name="payment_date"</pre>
value="20%3A12%3A59+Jan+13%2C+2009+PST">
                           <input type="hidden"</pre>
name="payment status" value="Completed">
                           <input type="hidden" name="charset"</pre>
value="windows-1252">
                          <input type="hidden" name="address_zip"</pre>
value="95131">
                          <input type="hidden" name="first name"</pre>
value="Test">
                           <input type="hidden" name="mc_fee"</pre>
value="0.88">
                          <input type="hidden"</pre>
name="address_country_code" value="US">
                          <input type="hidden" name="address_name"</pre>
value="Test+User">
                          <input type="hidden"</pre>
name="notify version" value="2.6">
                           <input type="hidden" name="custom"</pre>
value="199628">
                           <input type="hidden" name="payer_status"</pre>
value="verified">
                          <input type="hidden"</pre>
name="address country" value="United+States">
                          <input type="hidden" name="address_city"</pre>
value="San+Jose">
                          <input type="hidden" name="quantity"</pre>
value="1">
                           <input type="hidden" name="verify_sign"</pre>
value="AtkOfCXbDm2hu0ZELryHFjY-
Vb7PAUvS6nMXgysbElEn9v-1XcmSoGtf">
                           <input type="hidden" name="payer_email"</pre>
value="gpmac 1231902590 per%40paypal.com">
                          <input type="hidden" name="txn_id"</pre>
value="61E67681CH3238416">
                          <input type="hidden" name="payment_type"</pre>
value="instant">
```

```
<input type="hidden" name="last_name"</pre>
value="User">
                        <input type="hidden"</pre>
name="address_state" value="CA">
                        <input type="hidden"</pre>
name="receiver email" value="gpmac 1231902686 biz%40paypal.com">
                        <input type="hidden" name="payment_fee"</pre>
value="0.88">
                        <input type="hidden" name="receiver_id"</pre>
value="S8XGHLYDW9T3S">
                        <input type="hidden" name="txn_type"</pre>
value="express checkout">
                        <input type="hidden" name="item_name"</pre>
value="mc currency=USD">
                        <input type="hidden" name="item_number"</pre>
value="">
                        <input type="hidden"</pre>
name="residence_country" value="US">
                        <input type="hidden" name="test_ipn"</pre>
value="1">
                        <input type="hidden"</pre>
name="handling amount" value="0.00">
                        <input type="hidden"</pre>
name="transaction subject" value="">
                        <input type="hidden"</pre>
name="payment gross" value="19.95">
                        <input type="hidden" name="shipping"</pre>
value="0.00">
                    < 1 __
<!-- Local Tests Suite -->
                    <!-- <input type="hidden" name="action"
value="submit" >
                    <input value="Local Test" name="submit"</pre>
type="submit" />
                </div>
            </form>
```