## Oml MultiOberon/LLVM Quick-Start

Copyright © 2019-2020, by Dmitry Dagaev

Oml is the instance of MultiOberon compiler with LLVM backend. Used prepared library with LLVM 5.0. Version 0.95 27-Jun-2020

## Installation.

On Windows (this color - for Windows):
For BlackBox 1.6
win\_toinstall.vbs 16 <path-to-blackbox>
For BlackBox 1.7
win toinstall.vbs 17 <path-to-blackbox>

On Linux (this color – for Linux):

glibc 2.15 or STT\_GNU\_IFUNC support is needed, tinfo package required

Download and install <a href="https://blackbox.obertone.ru/download">https://blackbox.obertone.ru/download</a>

tclsh lin toinstall.tcl 17 <path-to-blackbox>

# How to Start from Black Box

#### 1 Installation

#### 1.1. Preconditions.

Oml uses LLVM 5.0 Services in LLVMT.dll.

2. Oml/Docu/Quick-Start.odc

#### 3 Compile LLVM Services:

^Q DevCompiler.CompileThis LlvmC LlvmForAArch64 LlvmForAMDGPU LlvmForARM LlvmForBPF LlvmForHexagon LlvmForLanai LlvmForMips LlvmForMSP430 LlvmForNVPTX LlvmForPowerPC LlvmForSparc LlvmForSystemZ LlvmForX86 LlvmForXCore LlvmNative LlvmRefs

## 3 Compile the following modules:

^Q DevCompiler.CompileThis HostApi HostConLog HostTimes OmcCfgfile OmcTarget OmcCRuntime OmcHooks OmcDialog OmcOPM OmcOPT OmcOPU OmcOPB OmcOPS OmcOPP OmcDump OmcTester OmcParams OmcCommandParams OmcOdcSource OmcOdcTextReader OmcExtSource OmcRuntimeStd OmcDialogStd OmcDialogConsole OmcCompiler OmcConsole OmcLoader OmlOPG OmlOPL OmlOPF OmlOPC OmlOPV OmlParams OmlBackEnd OmlCompiler OmlLinker

## 2 Compiling Examples

#### 2.1. Compiling examples for 32-bit:

 $\verb|^Q OmlCompiler.CompileThis OmtestHelloWorld OmtestFormats OmtestDateTime OmtestMkTraps OmtestHeap| \\$ 

Expected result in ~/Omtest/Clwe/ directory: OmtestHelloWorld.ll OmtestHelloWorld.bc OmtestFormats.ll OmtestFormats.bc OmtestDateTime.ll OmtestDateTime.bc OmtestMkTraps.ll OmtestMkTraps.bc OmtestHeap.ll OmtestHeap.bc

## 2.2. Compiling examples for 64-bit:

^Q OmlCompiler.CompileThis -64 OmtestHelloWorld OmtestFormats OmtestDateTime OmtestMkTraps OmtestHeap

Expected result in ~/Omtest/Clwr/ directory: OmtestHelloWorld.II OmtestHelloWorld.bc OmtestFormats.II OmtestFormats.bc OmtestDateTime.II OmtestDateTime.bc OmtestMkTraps.II OmtestMkTraps.bc OmtestHeap.II OmtestHeap.bc

## 3 Self-Compiling Shell

## 3.1 Self-Compile 32-bit LLVM Services.

^Q OmlCompiler.CompileThis LlvmC LlvmForAArch64 LlvmForAMDGPU LlvmForARM LlvmForBPF LlvmForHexagon LlvmForLanai LlvmForMips LlvmForMSP430 LlvmForNVPTX LlvmForPowerPC LlvmForSparc LlvmForSystemZ LlvmForX86 LlvmForXCore LlvmNative LlvmRefs

## 3.2 Self-Compile 32-bit console Oberon Shell.

^Q OmlCompiler.CompileThis LlvmNative OmcCfgfile OmcTarget OmcCRuntime OmcDialog OmcHooks OmcOdcTextReader OmcExtSource OmcDialogConsole OmcRuntimeStd OmcOPM OmcOPT OmcOPB OmcOPU OmcOPS OmcOPP OmcTester OmcParams OmcConsole OmcDump OmcShell OmlOPG OmlOPL OmlOPF OmlOPC OmlOPV OmlParams OmlBackEnd OmcLoader OmcLoaderRoutines OmcObjLoader Coff OmlBcLoader Win :OmlSh

^Q OmlCompiler.CompileThis LlvmNative OmcCfgfile OmcTarget OmcCRuntime OmcDialog OmcHooks OmcOdcTextReader OmcExtSource OmcDialogConsole OmcRuntimeStd OmcOPM OmcOPT OmcOPB OmcOPU OmcOPS OmcOPP OmcTester OmcParams OmcConsole OmcDump OmcShell OmlOPG OmlOPL OmlOPF OmlOPC OmlOPV OmlParams OmlBackEnd OmcLoader OmcLoaderRoutines OmcObjLoader Elf OmlBcLoader: OmlSh

## 3.3 Self-Compile 64-bit LLVM Services.

^Q OmlCompiler.CompileThis -64 LlvmC LlvmForAArch64 LlvmForAMDGPU LlvmForARM LlvmForBPF LlvmForHexagon LlvmForLanai LlvmForMips LlvmForMSP430 LlvmForNVPTX LlvmForPowerPC LlvmForSparc LlvmForSystemZ LlvmForX86 LlvmForXCore LlvmNative LlvmRefs

## 3.4 Self-Compile 64-bit console Oberon Shell.

^Q OmlCompiler.CompileThis -64 LlvmNative OmcCfgfile OmcTarget OmcCRuntime OmcDialog OmcHooks OmcOdcTextReader OmcExtSource OmcDialogConsole OmcRuntimeStd OmcOPM OmcOPT OmcOPB OmcOPU OmcOPS OmcOPP OmcTester OmcParams OmcConsole OmcDump OmcShell OmlOPG OmlOPL OmlOPF OmlOPC OmlOPV OmlParams OmlBackEnd OmcLoader OmcLoaderRoutines OmcObjLoader\_Coff OmlBcLoader\_Win :OmlSh

^Q OmlCompiler.CompileThis -64 LlvmNative OmcCfgfile OmcTarget OmcCRuntime OmcDialog OmcHooks OmcOdcTextReader OmcExtSource OmcDialogConsole OmcRuntimeStd OmcOPM OmcOPT OmcOPB OmcOPU OmcOPS OmcOPP OmcTester OmcParams OmcConsole OmcDump OmcShell OmlOPG OmlOPL OmlOPF OmlOPC OmlOPV OmlParams OmlBackEnd OmcLoader OmcLoaderRoutines OmcObjLoader Elf OmlBcLoader: OmlSh

## 4 Unloading Oml Compiler

^Q DevDebug.UnloadThis OmlCompiler OmlLinker OmlBackEnd OmlParams OmlOPV OmlOPC OmlOPF OmlOPL OmlOPG OmcCompiler OmcDialogStd OmcRuntimeStd OmcOdcSource OmcCommandParams OmcParams OmcTester OmcDump OmcOPP OmcOPS OmcOPU OmcOPB OmcOPT OmcOPM OmcDialog OmcHooks OmcCRuntime OmcTarget OmcCfgfile Runner OLog HostTimes Times OStrings

# How to Start from Command Line.

#### 1 Installation

1. Preconditions.

Oml uses LLVM 5.0 Services in LLVMT.dll.. Process all the commands below from the Mob-master root dir.

## 2 Compiling examples

```
Blwe\omlsh co OmtestHelloWorld Blue/omlsh co OmtestHelloWorld
```

A new symbol file is created first, then OmtestHelloWorld.mod is compiled to 32-bit Omtest/Clwe/HelloWorld.bc. A list of files can be compiled.

```
Blwe\omlsh ru OmtestHelloWorld Blue/omlsh ru OmtestHelloWorld
```

Run 32-bit OmtestHelloWorld.bc with Oml Shell as dynamically loaded module.

```
Blwe\omlsh ex OmtestHelloWorld
Blue/omlsh ex OmtestHelloWorld
```

Execute means both 32-bit compile and run OmtestHelloWorld.mod with Oml Shell.

```
Blwe\omlsh co OmtestHelloWorld: OmtestFormats: OmtestDateTime: OmtestMkTraps: OmtestHeap:
Blue/omlsh co OmtestHelloWorld: OmtestFormats: OmtestDateTime: OmtestMkTraps: OmtestHeap:
```

The command above compiles all the examples listed for 32-bit.

```
Blwr\omlsh co OmtestHelloWorld Blur/omlsh co OmtestHelloWorld
```

A new symbol file is created first, then OmtestHelloWorld.mod is compiled to 64-bit Omtest/Clwr/HelloWorld.bc. A list of files can be compiled.

```
Blwr\omlsh ru OmtestHelloWorld
Blur/omlsh ru OmtestHelloWorld
```

Run 64-bit OmtestHelloWorld.bc with Oml Shell as dynamically loaded module.

```
Blwr\omlsh ex OmtestHelloWorld
Blur/omlsh ex OmtestHelloWorld
```

Execute means both 64-bit compile and run OmtestHelloWorld.mod with Oml Shell.

```
Blwr\omlsh co +HostConLog OmtestHelloWorld: OmtestFormats: OmtestDateTime: OmtestMkTraps: OmtestHeap:
Blur/omlsh co +HostConLog OmtestHelloWorld: OmtestFormats: OmtestDateTime: OmtestMkTraps: OmtestHeap:
```

The command above compiles all the examples listed for 64-bit.

## 3 Running the examples

```
3.1. The simplest Hello, World example Blwe\omlsh ru OmtestHelloWorld Blue/omlsh ru OmtestHelloWorld
```

```
Logging with char, int and real formats
```

```
Blwe\omlsh ru OmtestFormats
Blue/omlsh ru OmtestFormats
```

#### 3.2 Shows date, time and delay

```
Blwe\omlsh ru OmtestDateTime
Blue/omlsh ru OmtestDateTime
```

# 3.3 Traps handling abilities of runtime Simple Assert

```
Blwe\omlsh ru OmtestMkTraps -trap a
Blue/omlsh ru OmtestMkTraps -trap a
Simple Halt
Blwe\omlsh ru OmtestMkTraps -trap h
Blue/omlsh ru OmtestMkTraps -trap h
Zero divide
Blwe\omlsh ru OmtestMkTraps -trap z
Blue/omlsh ru OmtestMkTraps -trap z
Nil pointer dereference
Blwe\omlsh ru OmtestMkTraps -trap p
Blue/omlsh ru OmtestMkTraps -trap p
```

## 3.4 Dynamic memory and garbage collector

```
Blwe\omlsh ru OmtestHeap Blue/omlsh ru OmtestHeap
```

## 4 Example set executives

In order to compile and link to binary executives the C-development environment is needed. I provide no Visual Studio or MinGW or CMake tools. Please, use external tools or modify scripts. I use the following:

- gcc, ar for lwe,
- clang for lwr.

```
lwe_tomake
lue_tomake.sh
Makes all the 32-bit executives of example set
lwe_toclean
lue_toclean.sh
Cleans all the 32-bit executives of example set
lwr_tomake
lur_tomake.sh
Makes all the 64-bit executives of example set
lwr_toclean
lur_toclean.sh
Cleans all the 64-bit executives of example set
```

## 5 Running executives

5.1. The simplest Hello, World example (64-bit)
Omtest\Clwr\OmtestHelloWorld
Omtest/Clur/OmtestHelloWorld

#### Logging with char, int and real formats

Omtest\Clwr\OmtestFormats
Omtest/Clur/OmtestFormats

#### 5.2 Shows date, time and delay

Omtest\Clwr\OmtestDateTime
Omtest/Clur/OmtestDateTime

# 5.3 Traps handling abilities of runtime Simple Assert

```
Omtest\Clwr\OmtestMkTraps -trap a
Omtest/Clur/OmtestMkTraps -trap a
```

#### Simple Halt

```
Omtest\Clwr\OmtestMkTraps -trap h
Omtest/Clur/OmtestMkTraps -trap h
Zero divide
Omtest\Clwr\OmtestMkTraps -trap z
Omtest/Clur/OmtestMkTraps -trap z
Nil pointer dereference
Omtest\Clwr\OmtestMkTraps -trap p
Omtest/Clur/OmtestMkTraps -trap p
```

### 5.4 Dynamic memory and garbage collector

```
Omtest\Clwr\OmtestHeap
Omtest/Clur/OmtestHeap
```

## 6 Making Compiled Shell Binaries

In order to compile and link to binary executives the C-development environment is needed. I provide no Visual Studio or MinGW or CMake tools. Please, use external tools or modify scripts. I use the following:

- gcc, ar for lwe,
- clang for lwr.

```
lwe_sh_tomake
lue_sh_tomake.sh
Makes all the 32-bit executive of omlsh
lwe_sh_toclean
lue_sh_toclean.sh
Cleans all the 32-bit executive of omlsh
lwr_sh_tomake
lur_sh_tomake.sh
Makes all the 64-bit executive of omlsh
lwr_sh_toclean
lur_sh_toclean.sh
Cleans all the 64-bit executive of omlsh
```

## 7 Tests set

lwe\_tests\_tomake

```
lue_tests_tomake.sh
And 64-bit
lwr tests tomake
lur tests tomake.sh
Makes all the tests prepared: OmtestOmcSimpleTest OmtestOmcStringsTest OmtestOmcSystemTest
OmtestOmcImportsTest OmtestOmcExtensionsTest OmtestOmcBoundTest OmtestOmcAdvancedTest
lwe tests run
lue tests run.sh
And 64-bit
lwr tests run
lur tests run.sh
Runs all the compiler tests
lwe tests jit run
lue tests jit run.sh
And 64-bit
lwr tests jit run
lur tests jit run.sh
Runs all the compiler tests via LLVM Just-In-Time Compiler
```

## Change log

may 2019 original MultiOberon pre-version 0.8 released nov 2019 MultiOberon pre-version 0.9 released jun 2020 MultiOberon pre-version 0.95 released

Use it and enjoy! - ЎЪsalos y disfrъtalos! - Bonne utilisation - Приятного использования - Powodzenia - Viel SpaЯ

Dmitry V. Dagaev dvdagaev@yahoo.com