# **Software Engineering: Tutorial 12**

David Voigt January 27th, 2023

### **Agenda**

- 1. Homework 10 discussion
- 2. Recap: **SOLID** principles
- 3. Exercises

#### Homework 10: Writing very narrow generators

```
val words: Gen[String] = Gen.oneOf(
   "Lagerregal", "aba", "a", "oTtO"
)
property("Palindrom") {
   forAll(words) { (word: String) =>
    assertEq(isPalindrome(word), isPalindrome(word.reverse))
}
}
```

- This is not general generator. It only generates some handpicked samples.
- This does not leverage the benefits of property tests

```
val randomString = Gen.alphaStr

property("if string is palindrome, then its equal to its reversion") {
   forAll(randomString) { (s: String) =>
     assert(if (isPalindrome(s) {
        s.toLowerCase() == s.reverse.toLowerCase()
    } else {
        s.toLowerCase() != s.reverse.toLowerCase()
    })
}
```



- Heuristics to identify good designs
- State desirable properties of software designs

## Single Responsibility Principle (SRP)

A component (class, function, module, ...) should only have one reason to change.

- A class HttpRequest is responsible to know the requested URL
- Changes in the requirements (problem space) leads to changes in the implementation (solution space)
- An entity should only have one responsibility and thus only one reason to change
- This simplifies adding new features

## Open-Closed Principal (ODP)

A component should be **open for extension**, but closed **for modifications**.

- Extension means extending the behavior of a module.
  - Changing requirements can be solved by extending the module
- Modification means changing the source code of a module.
  - No need for changing the source code of a module to support changed requirements


## Liskov-Substitution Principle (LSP)

Subtypes must be **behaviorally substitutable** for their base types

Let  $P \in Ps$  be an observable property, such that P(x) holds for all objects x of type T. Then a subtype S <: T conforms to LSP with respect to Ps and T, if P(y) is true for all objects y of type S.

#### Interface Segregation Principle (ISP)

Clients should not be forced to depend on methods that they do not use.



## Dependency Inversion Principle (DIP)

High-level modules should not depend on low-level modules. Both should depend on abstractions.

- High level design decisions should influence low level implementation, not the other way around!
- We want to be able to switch lower levels and change implementation details, without affecting the higher levels.



What SOLID design principle(s) the alternative design adheres to?

What SOLID design principle(s) the alternative design adheres to?

#### Dependency Inversion Principle

 An abstraction (Item interface) is introduced between the high-level classes (Shelf) and low-level classes (Book & DVD) that changes the direction of the dependency

#### Open-Closed Principle

- To extend the application, e.g. to use other "items", simply add another concrete implementation of the Item interface.
- The extention (adding a new Item) will not require any changes to the classes already exsiting in the model.

Is this a reasonable design? Take the SOLID principles into account! How would you improve the design?

Is this a reasonable design? Take the SOLID principles into account! How would you improve the design?

- This design goes against Liskov Substitution Principle (LSP)
- Many of Board's methods, such as the given getTile, are designed to work with two dimension, not three.
- They lose their context/meaning when it comes to three dimensions
- Client code attempting to use the 3DBoard class as its base class Board would fail

## **Analysis and Design**

What classes will be in your "model" (for example a UML class diagram?) Only name the classes.

### **Analysis and Design**

What classes will be in your "model" (for example a UML class diagram?) Only name the classes.

Professor, Announcement, Student and Feed as classes

User Stories - As a student I want to read the feed so I can see important announcements - As a professor I want to see who has access to the feed I post my announcements on