

Cycle radius terms

Condition	N	Method	Edge	Tail bias	Centering	Square-root term	Linear term	Recorder	Total	Finite / all
aliased rotation	131072	Two frequencies	0-1	0.001147	0.0009727	0.1415	0.002831	1.615e-05	0.1465	400/400
aliased rotation	131072	Two frequencies	1-2	0.001147	0.0009727	0.1415	0.002831	1.603e-05	0.1465	400/400
aliased rotation	131072	Two frequencies	2-0	0.001147	0.0009727	0.1415	0.002831	1.609e-05	0.1465	400/400
aliased rotation	131072	Common envelope	0-1	0.001147	0.0009727	0.1333	0.002513	1.615e-05	0.138	400/400
aliased rotation	131072	Common envelope	1-2	0.001147	0.0009727	0.1333	0.002513	1.603e-05	0.138	400/400
aliased rotation	131072	Common envelope	2-0	0.001147	0.0009727	0.1333	0.002513	1.609e-05	0.138	400/400
aliased rotation	131072	Diagonal envelope	0-1	0.001147	0.0009727	0.1333	0.002513	1.615e-05	0.138	400/400
aliased rotation	131072	Diagonal envelope	1-2	0.001147	0.0009727	0.1333	0.002513	1.603e-05	0.138	400/400
aliased rotation	131072	Diagonal envelope	2-0	0.001147	0.0009727	0.1333	0.002513	1.609e-05	0.138	400/400
correlated error null	131072	Two frequencies	0-1	0.001153	0.001216	0.1769	0.003539	1.807e-05	0.1828	400/400
correlated error null	131072	Two frequencies	1-2	0.001153	0.001216	0.1769	0.003539	1.797e-05	0.1828	400/400
correlated error null	131072	Two frequencies	2-0	0.001153	0.001216	0.1769	0.003539	1.802e-05	0.1828	400/400

Each value is the median of available descriptive formula values. These are not saved component enclosures. Complete term quantiles and missing-value counts are in the accompanying table.

Cycle radius terms

Condition	N	Method	Edge	Tail bias	Centering	Square-root term	Linear term	Recorder	Total	Finite / all
correlated error null	131072	Common envelope	0-1	0.001153	0.001216	0.1666	0.003141	1.807e-05	0.1722	400/400
correlated error null	131072	Common envelope	1-2	0.001153	0.001216	0.1666	0.003141	1.797e-05	0.1722	400/400
correlated error null	131072	Common envelope	2-0	0.001153	0.001216	0.1666	0.003141	1.802e-05	0.1722	400/400
correlated error null	131072	Diagonal envelope	0-1	0.001153	0.001216	0.1666	0.003141	1.807e-05	0.1722	400/400
correlated error null	131072	Diagonal envelope	1-2	0.001153	0.001216	0.1666	0.003141	1.797e-05	0.1722	400/400
correlated error null	131072	Diagonal envelope	2-0	0.001153	0.001216	0.1666	0.003141	1.802e-05	0.1722	400/400
correlated error rotating	131072	Two frequencies	0-1	0.001153	0.001216	0.1769	0.003539	1.806e-05	0.1828	200/200
correlated error rotating	131072	Two frequencies	1-2	0.001153	0.001216	0.1769	0.003539	1.792e-05	0.1828	200/200
correlated error rotating	131072	Two frequencies	2-0	0.001153	0.001216	0.1769	0.003539	1.8e-05	0.1828	200/200
correlated error rotating	131072	Common envelope	0-1	0.001153	0.001216	0.1666	0.003141	1.806e-05	0.1722	200/200
correlated error rotating	131072	Common envelope	1-2	0.001153	0.001216	0.1666	0.003141	1.792e-05	0.1722	200/200
correlated error rotating	131072	Common envelope	2-0	0.001153	0.001216	0.1666	0.003141	1.8e-05	0.1722	200/200

Each value is the median of available descriptive formula values. These are not saved component enclosures. Complete term quantiles and missing-value counts are in the accompanying table.

Cycle radius terms

Condition	N	Method	Edge	Tail bias	Centering	Square-root term	Linear term	Recorder	Total	Finite / all
correlated error rotating	131072	Diagonal envelope	0-1	0.001153	0.001216	0.1666	0.003141	1.806e-05	0.1722	200/200
correlated error rotating	131072	Diagonal envelope	1-2	0.001153	0.001216	0.1666	0.003141	1.792e-05	0.1722	200/200
correlated error rotating	131072	Diagonal envelope	2-0	0.001153	0.001216	0.1666	0.003141	1.8e-05	0.1722	200/200
identity null	2097152	Two frequencies	0-1	1.589e-05	6.08e-05	0.03537	0.0001769	1.621e-05	0.03564	400/400
identity null	2097152	Two frequencies	1-2	1.589e-05	6.08e-05	0.03537	0.0001769	1.621e-05	0.03564	400/400
identity null	2097152	Two frequencies	2-0	1.589e-05	6.08e-05	0.03537	0.0001769	1.621e-05	0.03564	400/400
identity null	2097152	Common envelope	0-1	1.589e-05	6.08e-05	0.03333	0.0001571	1.621e-05	0.03358	400/400
identity null	2097152	Common envelope	1-2	1.589e-05	6.08e-05	0.03333	0.0001571	1.621e-05	0.03358	400/400
identity null	2097152	Common envelope	2-0	1.589e-05	6.08e-05	0.03333	0.0001571	1.621e-05	0.03358	400/400
identity null	2097152	Diagonal envelope	0-1	1.589e-05	6.08e-05	0.03333	0.0001571	1.621e-05	0.03358	400/400
identity null	2097152	Diagonal envelope	1-2	1.589e-05	6.08e-05	0.03333	0.0001571	1.621e-05	0.03358	400/400
identity null	2097152	Diagonal envelope	2-0	1.589e-05	6.08e-05	0.03333	0.0001571	1.621e-05	0.03358	400/400

Each value is the median of available descriptive formula values. These are not saved component enclosures. Complete term quantiles and missing-value counts are in the accompanying table.

Cycle radius terms

Condition	N	Method	Edge	Tail bias	Centering	Square-root term	Linear term	Recorder	Total	Finite / all
identity rotating	2097152	Two frequencies	0-1	1.589e-05	6.08e-05	0.03537	0.0001769	1.621e-05	0.03564	200/200
identity rotating	2097152	Two frequencies	1-2	1.589e-05	6.08e-05	0.03537	0.0001769	1.621e-05	0.03564	200/200
identity rotating	2097152	Two frequencies	2-0	1.589e-05	6.08e-05	0.03537	0.0001769	1.621e-05	0.03564	200/200
identity rotating	2097152	Common envelope	0-1	1.589e-05	6.08e-05	0.03333	0.0001571	1.621e-05	0.03358	200/200
identity rotating	2097152	Common envelope	1-2	1.589e-05	6.08e-05	0.03333	0.0001571	1.621e-05	0.03358	200/200
identity rotating	2097152	Common envelope	2-0	1.589e-05	6.08e-05	0.03333	0.0001571	1.621e-05	0.03358	200/200
identity rotating	2097152	Diagonal envelope	0-1	1.589e-05	6.08e-05	0.03333	0.0001571	1.621e-05	0.03358	200/200
identity rotating	2097152	Diagonal envelope	1-2	1.589e-05	6.08e-05	0.03333	0.0001571	1.621e-05	0.03358	200/200
identity rotating	2097152	Diagonal envelope	2-0	1.589e-05	6.08e-05	0.03333	0.0001571	1.621e-05	0.03358	200/200
large bias	131072	Two frequencies	0-1	0.004588	0.0009727	0.1415	0.002831	1.615e-05	0.1499	400/400
large bias	131072	Two frequencies	1-2	0.004588	0.0009727	0.1415	0.002831	1.603e-05	0.1499	400/400
large bias	131072	Two frequencies	2-0	0.004588	0.0009727	0.1415	0.002831	1.609e-05	0.1499	400/400

Each value is the median of available descriptive formula values. These are not saved component enclosures. Complete term quantiles and missing-value counts are in the accompanying table.

Cycle radius terms

Condition	N	Method	Edge	Tail bias	Centering	Square-root term	Linear term	Recorder	Total	Finite / all
large bias	131072	Common envelope	0-1	0.004588	0.0009727	0.1333	0.002513	1.615e-05	0.1414	400/400
large bias	131072	Common envelope	1-2	0.004588	0.0009727	0.1333	0.002513	1.603e-05	0.1414	400/400
large bias	131072	Common envelope	2-0	0.004588	0.0009727	0.1333	0.002513	1.609e-05	0.1414	400/400
large bias	131072	Diagonal envelope	0-1	0.004588	0.0009727	0.1333	0.002513	1.615e-05	0.1414	400/400
large bias	131072	Diagonal envelope	1-2	0.004588	0.0009727	0.1333	0.002513	1.603e-05	0.1414	400/400
large bias	131072	Diagonal envelope	2-0	0.004588	0.0009727	0.1333	0.002513	1.609e-05	0.1414	400/400
null 1048576	1048576	Two frequencies	0-1	0.0009979	0.0001216	0.05002	0.0003539	1.615e-05	0.05151	400/400
null 1048576	1048576	Two frequencies	1-2	0.0009979	0.0001216	0.05002	0.0003539	1.603e-05	0.05151	400/400
null 1048576	1048576	Two frequencies	2-0	0.0009979	0.0001216	0.05002	0.0003539	1.609e-05	0.05151	400/400
null 1048576	1048576	Common envelope	0-1	0.0009979	0.0001216	0.04713	0.0003141	1.615e-05	0.04858	400/400
null 1048576	1048576	Common envelope	1-2	0.0009979	0.0001216	0.04713	0.0003141	1.603e-05	0.04858	400/400
null 1048576	1048576	Common envelope	2-0	0.0009979	0.0001216	0.04713	0.0003141	1.609e-05	0.04858	400/400

Each value is the median of available descriptive formula values. These are not saved component enclosures. Complete term quantiles and missing-value counts are in the accompanying table.

Cycle radius terms

Condition	N	Method	Edge	Tail bias	Centering	Square-root term	Linear term	Recorder	Total	Finite / all
null 1048576	1048576	Diagonal envelope	0-1	0.0009979	0.0001216	0.04713	0.0003141	1.615e-05	0.04858	400/400
null 1048576	1048576	Diagonal envelope	1-2	0.0009979	0.0001216	0.04713	0.0003141	1.603e-05	0.04858	400/400
null 1048576	1048576	Diagonal envelope	2-0	0.0009979	0.0001216	0.04713	0.0003141	1.609e-05	0.04858	400/400
null 131072	131072	Two frequencies	0-1	0.001147	0.0009727	0.1415	0.002831	1.615e-05	0.1465	1000/1000
null 131072	131072	Two frequencies	1-2	0.001147	0.0009727	0.1415	0.002831	1.603e-05	0.1465	1000/1000
null 131072	131072	Two frequencies	2-0	0.001147	0.0009727	0.1415	0.002831	1.609e-05	0.1465	1000/1000
null 131072	131072	Common envelope	0-1	0.001147	0.0009727	0.1333	0.002513	1.615e-05	0.138	1000/1000
null 131072	131072	Common envelope	1-2	0.001147	0.0009727	0.1333	0.002513	1.603e-05	0.138	1000/1000
null 131072	131072	Common envelope	2-0	0.001147	0.0009727	0.1333	0.002513	1.609e-05	0.138	1000/1000
null 131072	131072	Diagonal envelope	0-1	0.001147	0.0009727	0.1333	0.002513	1.615e-05	0.138	1000/1000
null 131072	131072	Diagonal envelope	1-2	0.001147	0.0009727	0.1333	0.002513	1.603e-05	0.138	1000/1000
null 131072	131072	Diagonal envelope	2-0	0.001147	0.0009727	0.1333	0.002513	1.609e-05	0.138	1000/1000

Each value is the median of available descriptive formula values. These are not saved component enclosures. Complete term quantiles and missing-value counts are in the accompanying table.

Cycle radius terms

Condition	N	Method	Edge	Tail bias	Centering	Square-root term	Linear term	Recorder	Total	Finite / all
null 16384	16384	Two frequencies	0-1	0.002339	0.007782	0.4002	0.02265	1.614e-05	0.433	400/400
null 16384	16384	Two frequencies	1-2	0.002339	0.007782	0.4002	0.02265	1.603e-05	0.433	400/400
null 16384	16384	Two frequencies	2-0	0.002339	0.007782	0.4002	0.02265	1.608e-05	0.433	400/400
null 16384	16384	Common envelope	0-1	0.002339	0.007782	0.3771	0.02011	1.614e-05	0.4073	400/400
null 16384	16384	Common envelope	1-2	0.002339	0.007782	0.3771	0.02011	1.603e-05	0.4073	400/400
null 16384	16384	Common envelope	2-0	0.002339	0.007782	0.3771	0.02011	1.608e-05	0.4073	400/400
null 16384	16384	Diagonal envelope	0-1	0.002339	0.007782	0.3771	0.02011	1.614e-05	0.4073	400/400
null 16384	16384	Diagonal envelope	1-2	0.002339	0.007782	0.3771	0.02011	1.603e-05	0.4073	400/400
null 16384	16384	Diagonal envelope	2-0	0.002339	0.007782	0.3771	0.02011	1.608e-05	0.4073	400/400
null 2097152	2097152	Two frequencies	0-1	0.0009872	6.08e-05	0.03537	0.0001769	1.615e-05	0.03661	400/400
null 2097152	2097152	Two frequencies	1-2	0.0009872	6.08e-05	0.03537	0.0001769	1.603e-05	0.03661	400/400
null 2097152	2097152	Two frequencies	2-0	0.0009872	6.08e-05	0.03537	0.0001769	1.609e-05	0.03661	400/400

Each value is the median of available descriptive formula values. These are not saved component enclosures. Complete term quantiles and missing-value counts are in the accompanying table.

Cycle radius terms

Condition	N	Method	Edge	Tail bias	Centering	Square-root term	Linear term	Recorder	Total	Finite / all
null 2097152	2097152	Common envelope	0-1	0.0009872	6.08e-05	0.03333	0.0001571	1.615e-05	0.03455	400/400
null 2097152	2097152	Common envelope	1-2	0.0009872	6.08e-05	0.03333	0.0001571	1.603e-05	0.03455	400/400
null 2097152	2097152	Common envelope	2-0	0.0009872	6.08e-05	0.03333	0.0001571	1.609e-05	0.03455	400/400
null 2097152	2097152	Diagonal envelope	0-1	0.0009872	6.08e-05	0.03333	0.0001571	1.615e-05	0.03455	400/400
null 2097152	2097152	Diagonal envelope	1-2	0.0009872	6.08e-05	0.03333	0.0001571	1.603e-05	0.03455	400/400
null 2097152	2097152	Diagonal envelope	2-0	0.0009872	6.08e-05	0.03333	0.0001571	1.609e-05	0.03455	400/400
null 262144	262144	Two frequencies	0-1	0.001062	0.0004864	0.1	0.001416	1.615e-05	0.103	400/400
null 262144	262144	Two frequencies	1-2	0.001062	0.0004864	0.1	0.001416	1.603e-05	0.103	400/400
null 262144	262144	Two frequencies	2-0	0.001062	0.0004864	0.1	0.001416	1.609e-05	0.103	400/400
null 262144	262144	Common envelope	0-1	0.001062	0.0004864	0.09426	0.001257	1.615e-05	0.09708	400/400
null 262144	262144	Common envelope	1-2	0.001062	0.0004864	0.09426	0.001257	1.603e-05	0.09708	400/400
null 262144	262144	Common envelope	2-0	0.001062	0.0004864	0.09426	0.001257	1.609e-05	0.09708	400/400

Each value is the median of available descriptive formula values. These are not saved component enclosures. Complete term quantiles and missing-value counts are in the accompanying table.

Cycle radius terms

Condition	N	Method	Edge	Tail bias	Centering	Square-root term	Linear term	Recorder	Total	Finite / all
null 262144	262144	Diagonal envelope	0-1	0.001062	0.0004864	0.09426	0.001257	1.615e-05	0.09708	400/400
null 262144	262144	Diagonal envelope	1-2	0.001062	0.0004864	0.09426	0.001257	1.603e-05	0.09708	400/400
null 262144	262144	Diagonal envelope	2-0	0.001062	0.0004864	0.09426	0.001257	1.609e-05	0.09708	400/400
null 32768	32768	Two frequencies	0-1	0.001658	0.003891	0.283	0.01132	1.615e-05	0.2999	400/400
null 32768	32768	Two frequencies	1-2	0.001658	0.003891	0.283	0.01132	1.603e-05	0.2999	400/400
null 32768	32768	Two frequencies	2-0	0.001658	0.003891	0.283	0.01132	1.609e-05	0.2999	400/400
null 32768	32768	Common envelope	0-1	0.001658	0.003891	0.2666	0.01005	1.615e-05	0.2822	400/400
null 32768	32768	Common envelope	1-2	0.001658	0.003891	0.2666	0.01005	1.603e-05	0.2822	400/400
null 32768	32768	Common envelope	2-0	0.001658	0.003891	0.2666	0.01005	1.609e-05	0.2822	400/400
null 32768	32768	Diagonal envelope	0-1	0.001658	0.003891	0.2666	0.01005	1.615e-05	0.2822	400/400
null 32768	32768	Diagonal envelope	1-2	0.001658	0.003891	0.2666	0.01005	1.603e-05	0.2822	400/400
null 32768	32768	Diagonal envelope	2-0	0.001658	0.003891	0.2666	0.01005	1.609e-05	0.2822	400/400

Each value is the median of available descriptive formula values. These are not saved component enclosures. Complete term quantiles and missing-value counts are in the accompanying table.

Cycle radius terms

Condition	N	Method	Edge	Tail bias	Centering	Square-root term	Linear term	Recorder	Total	Finite / all
null 524288	524288	Two frequencies	0-1	0.001019	0.0002432	0.07074	0.0007078	1.615e-05	0.07273	400/400
null 524288	524288	Two frequencies	1-2	0.001019	0.0002432	0.07074	0.0007078	1.603e-05	0.07273	400/400
null 524288	524288	Two frequencies	2-0	0.001019	0.0002432	0.07074	0.0007078	1.609e-05	0.07273	400/400
null 524288	524288	Common envelope	0-1	0.001019	0.0002432	0.06665	0.0006283	1.615e-05	0.06856	400/400
null 524288	524288	Common envelope	1-2	0.001019	0.0002432	0.06665	0.0006283	1.603e-05	0.06856	400/400
null 524288	524288	Common envelope	2-0	0.001019	0.0002432	0.06665	0.0006283	1.609e-05	0.06856	400/400
null 524288	524288	Diagonal envelope	0-1	0.001019	0.0002432	0.06665	0.0006283	1.615e-05	0.06856	400/400
null 524288	524288	Diagonal envelope	1-2	0.001019	0.0002432	0.06665	0.0006283	1.603e-05	0.06856	400/400
null 524288	524288	Diagonal envelope	2-0	0.001019	0.0002432	0.06665	0.0006283	1.609e-05	0.06856	400/400
null 65536	65536	Two frequencies	0-1	0.001317	0.001945	0.2001	0.005662	1.615e-05	0.209	400/400
null 65536	65536	Two frequencies	1-2	0.001317	0.001945	0.2001	0.005662	1.603e-05	0.209	400/400
null 65536	65536	Two frequencies	2-0	0.001317	0.001945	0.2001	0.005662	1.609e-05	0.209	400/400

Each value is the median of available descriptive formula values. These are not saved component enclosures. Complete term quantiles and missing-value counts are in the accompanying table.

Cycle radius terms

Condition	N	Method	Edge	Tail bias	Centering	Square-root term	Linear term	Recorder	Total	Finite / all
null 65536	65536	Common envelope	0-1	0.001317	0.001945	0.1885	0.005026	1.615e-05	0.1968	400/400
null 65536	65536	Common envelope	1-2	0.001317	0.001945	0.1885	0.005026	1.603e-05	0.1968	400/400
null 65536	65536	Common envelope	2-0	0.001317	0.001945	0.1885	0.005026	1.609e-05	0.1968	400/400
null 65536	65536	Diagonal envelope	0-1	0.001317	0.001945	0.1885	0.005026	1.615e-05	0.1968	400/400
null 65536	65536	Diagonal envelope	1-2	0.001317	0.001945	0.1885	0.005026	1.603e-05	0.1968	400/400
null 65536	65536	Diagonal envelope	2-0	0.001317	0.001945	0.1885	0.005026	1.609e-05	0.1968	400/400
null 8192	8192	Two frequencies	0-1	0.003702	0.01556	0.5659	0.0453	1.616e-05	0.6305	400/400
null 8192	8192	Two frequencies	1-2	0.003702	0.01556	0.5659	0.0453	1.603e-05	0.6305	400/400
null 8192	8192	Two frequencies	2-0	0.003702	0.01556	0.5659	0.0453	1.61e-05	0.6305	400/400
null 8192	8192	Common envelope	0-1	0.003702	0.01556	0.5332	0.04021	1.616e-05	0.5927	400/400
null 8192	8192	Common envelope	1-2	0.003702	0.01556	0.5332	0.04021	1.603e-05	0.5927	400/400
null 8192	8192	Common envelope	2-0	0.003702	0.01556	0.5332	0.04021	1.61e-05	0.5927	400/400

Each value is the median of available descriptive formula values. These are not saved component enclosures. Complete term quantiles and missing-value counts are in the accompanying table.

Cycle radius terms

Condition	N	Method	Edge	Tail bias	Centering	Square-root term	Linear term	Recorder	Total	Finite / all
null 8192	8192	Diagonal envelope	0-1	0.003702	0.01556	0.5332	0.04021	1.616e-05	0.5927	400/400
null 8192	8192	Diagonal envelope	1-2	0.003702	0.01556	0.5332	0.04021	1.603e-05	0.5927	400/400
null 8192	8192	Diagonal envelope	2-0	0.003702	0.01556	0.5332	0.04021	1.61e-05	0.5927	400/400
response zero	131072	Two frequencies	0-1	0.004176	0.0009727	0.1415	0.002831	1.621e-05	0.1495	200/200
response zero	131072	Two frequencies	1-2	0.004176	0.0009727	0.1415	0.002831	1.388e-05	0.1495	200/200
response zero	131072	Two frequencies	2-0	0.004176	0.0009727	0.1415	0.002831	1.388e-05	0.1495	200/200
response zero	131072	Common envelope	0-1	0.004176	0.0009727	0.1333	0.002513	1.621e-05	0.141	200/200
response zero	131072	Common envelope	1-2	0.004176	0.0009727	0.1333	0.002513	1.388e-05	0.141	200/200
response zero	131072	Common envelope	2-0	0.004176	0.0009727	0.1333	0.002513	1.388e-05	0.141	200/200
response zero	131072	Diagonal envelope	0-1	0.004176	0.0009727	0.1333	0.002513	1.621e-05	0.141	200/200
response zero	131072	Diagonal envelope	1-2	0.004176	0.0009727	0.1333	0.002513	1.388e-05	0.141	200/200
response zero	131072	Diagonal envelope	2-0	0.004176	0.0009727	0.1333	0.002513	1.388e-05	0.141	200/200

Each value is the median of available descriptive formula values. These are not saved component enclosures. Complete term quantiles and missing-value counts are in the accompanying table.

Cycle radius terms

Condition	N	Method	Edge	Tail bias	Centering	Square-root term	Linear term	Recorder	Total	Finite / all
rotating 1048576	1048576	Two frequencies	0-1	0.0009979	0.0001216	0.05002	0.0003539	1.614e-05	0.05151	200/200
rotating 1048576	1048576	Two frequencies	1-2	0.0009979	0.0001216	0.05002	0.0003539	1.599e-05	0.05151	200/200
rotating 1048576	1048576	Two frequencies	2-0	0.0009979	0.0001216	0.05002	0.0003539	1.606e-05	0.05151	200/200
rotating 1048576	1048576	Common envelope	0-1	0.0009979	0.0001216	0.04713	0.0003141	1.614e-05	0.04858	200/200
rotating 1048576	1048576	Common envelope	1-2	0.0009979	0.0001216	0.04713	0.0003141	1.599e-05	0.04858	200/200
rotating 1048576	1048576	Common envelope	2-0	0.0009979	0.0001216	0.04713	0.0003141	1.606e-05	0.04858	200/200
rotating 1048576	1048576	Diagonal envelope	0-1	0.0009979	0.0001216	0.04713	0.0003141	1.614e-05	0.04858	200/200
rotating 1048576	1048576	Diagonal envelope	1-2	0.0009979	0.0001216	0.04713	0.0003141	1.599e-05	0.04858	200/200
rotating 1048576	1048576	Diagonal envelope	2-0	0.0009979	0.0001216	0.04713	0.0003141	1.606e-05	0.04858	200/200
rotating 131072	131072	Two frequencies	0-1	0.001147	0.0009727	0.1415	0.002831	1.614e-05	0.1465	200/200
rotating 131072	131072	Two frequencies	1-2	0.001147	0.0009727	0.1415	0.002831	1.599e-05	0.1465	200/200
rotating 131072	131072	Two frequencies	2-0	0.001147	0.0009727	0.1415	0.002831	1.606e-05	0.1465	200/200

Each value is the median of available descriptive formula values. These are not saved component enclosures. Complete term quantiles and missing-value counts are in the accompanying table.

Cycle radius terms

Condition	N	Method	Edge	Tail bias	Centering	Square-root term	Linear term	Recorder	Total	Finite / all
rotating 131072	131072	Common envelope	0-1	0.001147	0.0009727	0.1333	0.002513	1.614e-05	0.138	200/200
rotating 131072	131072	Common envelope	1-2	0.001147	0.0009727	0.1333	0.002513	1.599e-05	0.138	200/200
rotating 131072	131072	Common envelope	2-0	0.001147	0.0009727	0.1333	0.002513	1.606e-05	0.138	200/200
rotating 131072	131072	Diagonal envelope	0-1	0.001147	0.0009727	0.1333	0.002513	1.614e-05	0.138	200/200
rotating 131072	131072	Diagonal envelope	1-2	0.001147	0.0009727	0.1333	0.002513	1.599e-05	0.138	200/200
rotating 131072	131072	Diagonal envelope	2-0	0.001147	0.0009727	0.1333	0.002513	1.606e-05	0.138	200/200
rotating 16384	16384	Two frequencies	0-1	0.002339	0.007782	0.4002	0.02265	1.614e-05	0.433	200/200
rotating 16384	16384	Two frequencies	1-2	0.002339	0.007782	0.4002	0.02265	1.599e-05	0.433	200/200
rotating 16384	16384	Two frequencies	2-0	0.002339	0.007782	0.4002	0.02265	1.606e-05	0.433	200/200
rotating 16384	16384	Common envelope	0-1	0.002339	0.007782	0.3771	0.02011	1.614e-05	0.4073	200/200
rotating 16384	16384	Common envelope	1-2	0.002339	0.007782	0.3771	0.02011	1.599e-05	0.4073	200/200
rotating 16384	16384	Common envelope	2-0	0.002339	0.007782	0.3771	0.02011	1.606e-05	0.4073	200/200

Each value is the median of available descriptive formula values. These are not saved component enclosures. Complete term quantiles and missing-value counts are in the accompanying table.

Cycle radius terms

Condition	N	Method	Edge	Tail bias	Centering	Square-root term	Linear term	Recorder	Total	Finite / all
rotating 16384	16384	Diagonal envelope	0-1	0.002339	0.007782	0.3771	0.02011	1.614e-05	0.4073	200/200
rotating 16384	16384	Diagonal envelope	1-2	0.002339	0.007782	0.3771	0.02011	1.599e-05	0.4073	200/200
rotating 16384	16384	Diagonal envelope	2-0	0.002339	0.007782	0.3771	0.02011	1.606e-05	0.4073	200/200
rotating 2097152	2097152	Two frequencies	0-1	0.0009872	6.08e-05	0.03537	0.0001769	1.614e-05	0.03661	200/200
rotating 2097152	2097152	Two frequencies	1-2	0.0009872	6.08e-05	0.03537	0.0001769	1.599e-05	0.03661	200/200
rotating 2097152	2097152	Two frequencies	2-0	0.0009872	6.08e-05	0.03537	0.0001769	1.606e-05	0.03661	200/200
rotating 2097152	2097152	Common envelope	0-1	0.0009872	6.08e-05	0.03333	0.0001571	1.614e-05	0.03455	200/200
rotating 2097152	2097152	Common envelope	1-2	0.0009872	6.08e-05	0.03333	0.0001571	1.599e-05	0.03455	200/200
rotating 2097152	2097152	Common envelope	2-0	0.0009872	6.08e-05	0.03333	0.0001571	1.606e-05	0.03455	200/200
rotating 2097152	2097152	Diagonal envelope	0-1	0.0009872	6.08e-05	0.03333	0.0001571	1.614e-05	0.03455	200/200
rotating 2097152	2097152	Diagonal envelope	1-2	0.0009872	6.08e-05	0.03333	0.0001571	1.599e-05	0.03455	200/200
rotating 2097152	2097152	Diagonal envelope	2-0	0.0009872	6.08e-05	0.03333	0.0001571	1.606e-05	0.03455	200/200

Each value is the median of available descriptive formula values. These are not saved component enclosures. Complete term quantiles and missing-value counts are in the accompanying table.

Cycle radius terms

Condition	N	Method	Edge	Tail bias	Centering	Square-root term	Linear term	Recorder	Total	Finite / all
rotating 262144	262144	Two frequencies	0-1	0.001062	0.0004864	0.1	0.001416	1.614e-05	0.103	200/200
rotating 262144	262144	Two frequencies	1-2	0.001062	0.0004864	0.1	0.001416	1.598e-05	0.103	200/200
rotating 262144	262144	Two frequencies	2-0	0.001062	0.0004864	0.1	0.001416	1.606e-05	0.103	200/200
rotating 262144	262144	Common envelope	0-1	0.001062	0.0004864	0.09426	0.001257	1.614e-05	0.09708	200/200
rotating 262144	262144	Common envelope	1-2	0.001062	0.0004864	0.09426	0.001257	1.598e-05	0.09708	200/200
rotating 262144	262144	Common envelope	2-0	0.001062	0.0004864	0.09426	0.001257	1.606e-05	0.09708	200/200
rotating 262144	262144	Diagonal envelope	0-1	0.001062	0.0004864	0.09426	0.001257	1.614e-05	0.09708	200/200
rotating 262144	262144	Diagonal envelope	1-2	0.001062	0.0004864	0.09426	0.001257	1.598e-05	0.09708	200/200
rotating 262144	262144	Diagonal envelope	2-0	0.001062	0.0004864	0.09426	0.001257	1.606e-05	0.09708	200/200
rotating 32768	32768	Two frequencies	0-1	0.001658	0.003891	0.283	0.01132	1.614e-05	0.2999	200/200
rotating 32768	32768	Two frequencies	1-2	0.001658	0.003891	0.283	0.01132	1.599e-05	0.2999	200/200
rotating 32768	32768	Two frequencies	2-0	0.001658	0.003891	0.283	0.01132	1.607e-05	0.2999	200/200

Each value is the median of available descriptive formula values. These are not saved component enclosures. Complete term quantiles and missing-value counts are in the accompanying table.

Cycle radius terms

Condition	N	Method	Edge	Tail bias	Centering	Square-root term	Linear term	Recorder	Total	Finite / all
rotating 32768	32768	Common envelope	0-1	0.001658	0.003891	0.2666	0.01005	1.614e-05	0.2822	200/200
rotating 32768	32768	Common envelope	1-2	0.001658	0.003891	0.2666	0.01005	1.599e-05	0.2822	200/200
rotating 32768	32768	Common envelope	2-0	0.001658	0.003891	0.2666	0.01005	1.607e-05	0.2822	200/200
rotating 32768	32768	Diagonal envelope	0-1	0.001658	0.003891	0.2666	0.01005	1.614e-05	0.2822	200/200
rotating 32768	32768	Diagonal envelope	1-2	0.001658	0.003891	0.2666	0.01005	1.599e-05	0.2822	200/200
rotating 32768	32768	Diagonal envelope	2-0	0.001658	0.003891	0.2666	0.01005	1.607e-05	0.2822	200/200
rotating 524288	524288	Two frequencies	0-1	0.001019	0.0002432	0.07074	0.0007078	1.614e-05	0.07273	200/200
rotating 524288	524288	Two frequencies	1-2	0.001019	0.0002432	0.07074	0.0007078	1.599e-05	0.07273	200/200
rotating 524288	524288	Two frequencies	2-0	0.001019	0.0002432	0.07074	0.0007078	1.606e-05	0.07273	200/200
rotating 524288	524288	Common envelope	0-1	0.001019	0.0002432	0.06665	0.0006283	1.614e-05	0.06856	200/200
rotating 524288	524288	Common envelope	1-2	0.001019	0.0002432	0.06665	0.0006283	1.599e-05	0.06856	200/200
rotating 524288	524288	Common envelope	2-0	0.001019	0.0002432	0.06665	0.0006283	1.606e-05	0.06856	200/200

Each value is the median of available descriptive formula values. These are not saved component enclosures. Complete term quantiles and missing-value counts are in the accompanying table.

Cycle radius terms

Condition	N	Method	Edge	Tail bias	Centering	Square-root term	Linear term	Recorder	Total	Finite / all
rotating 524288	524288	Diagonal envelope	0-1	0.001019	0.0002432	0.06665	0.0006283	1.614e-05	0.06856	200/200
rotating 524288	524288	Diagonal envelope	1-2	0.001019	0.0002432	0.06665	0.0006283	1.599e-05	0.06856	200/200
rotating 524288	524288	Diagonal envelope	2-0	0.001019	0.0002432	0.06665	0.0006283	1.606e-05	0.06856	200/200
rotating 65536	65536	Two frequencies	0-1	0.001317	0.001945	0.2001	0.005662	1.614e-05	0.209	200/200
rotating 65536	65536	Two frequencies	1-2	0.001317	0.001945	0.2001	0.005662	1.599e-05	0.209	200/200
rotating 65536	65536	Two frequencies	2-0	0.001317	0.001945	0.2001	0.005662	1.607e-05	0.209	200/200
rotating 65536	65536	Common envelope	0-1	0.001317	0.001945	0.1885	0.005026	1.614e-05	0.1968	200/200
rotating 65536	65536	Common envelope	1-2	0.001317	0.001945	0.1885	0.005026	1.599e-05	0.1968	200/200
rotating 65536	65536	Common envelope	2-0	0.001317	0.001945	0.1885	0.005026	1.607e-05	0.1968	200/200
rotating 65536	65536	Diagonal envelope	0-1	0.001317	0.001945	0.1885	0.005026	1.614e-05	0.1968	200/200
rotating 65536	65536	Diagonal envelope	1-2	0.001317	0.001945	0.1885	0.005026	1.599e-05	0.1968	200/200
rotating 65536	65536	Diagonal envelope	2-0	0.001317	0.001945	0.1885	0.005026	1.607e-05	0.1968	200/200

Each value is the median of available descriptive formula values. These are not saved component enclosures. Complete term quantiles and missing-value counts are in the accompanying table.

Cycle radius terms

Condition	N	Method	Edge	Tail bias	Centering	Square-root term	Linear term	Recorder	Total	Finite / all
rotating 8192	8192	Two frequencies	0-1	0.003702	0.01556	0.5659	0.0453	1.614e-05	0.6305	200/200
rotating 8192	8192	Two frequencies	1-2	0.003702	0.01556	0.5659	0.0453	1.598e-05	0.6305	200/200
rotating 8192	8192	Two frequencies	2-0	0.003702	0.01556	0.5659	0.0453	1.606e-05	0.6305	200/200
rotating 8192	8192	Common envelope	0-1	0.003702	0.01556	0.5332	0.04021	1.614e-05	0.5927	200/200
rotating 8192	8192	Common envelope	1-2	0.003702	0.01556	0.5332	0.04021	1.598e-05	0.5927	200/200
rotating 8192	8192	Common envelope	2-0	0.003702	0.01556	0.5332	0.04021	1.606e-05	0.5927	200/200
rotating 8192	8192	Diagonal envelope	0-1	0.003702	0.01556	0.5332	0.04021	1.614e-05	0.5927	200/200
rotating 8192	8192	Diagonal envelope	1-2	0.003702	0.01556	0.5332	0.04021	1.598e-05	0.5927	200/200
rotating 8192	8192	Diagonal envelope	2-0	0.003702	0.01556	0.5332	0.04021	1.606e-05	0.5927	200/200
small real cycle	131072	Two frequencies	0-1	0.001147	0.0009727	0.1415	0.002831	1.615e-05	0.1465	400/400
small real cycle	131072	Two frequencies	1-2	0.001147	0.0009727	0.1415	0.002831	1.603e-05	0.1465	400/400
small real cycle	131072	Two frequencies	2-0	0.001147	0.0009727	0.1415	0.002831	1.609e-05	0.1465	400/400

Each value is the median of available descriptive formula values. These are not saved component enclosures. Complete term quantiles and missing-value counts are in the accompanying table.

Cycle radius terms

Condition	N	Method	Edge	Tail bias	Centering	Square-root term	Linear term	Recorder	Total	Finite / all
small real cycle	131072	Common envelope	0-1	0.001147	0.0009727	0.1333	0.002513	1.615e-05	0.138	400/400
small real cycle	131072	Common envelope	1-2	0.001147	0.0009727	0.1333	0.002513	1.603e-05	0.138	400/400
small real cycle	131072	Common envelope	2-0	0.001147	0.0009727	0.1333	0.002513	1.609e-05	0.138	400/400
small real cycle	131072	Diagonal envelope	0-1	0.001147	0.0009727	0.1333	0.002513	1.615e-05	0.138	400/400
small real cycle	131072	Diagonal envelope	1-2	0.001147	0.0009727	0.1333	0.002513	1.603e-05	0.138	400/400
small real cycle	131072	Diagonal envelope	2-0	0.001147	0.0009727	0.1333	0.002513	1.609e-05	0.138	400/400

Each value is the median of available descriptive formula values. These are not saved component enclosures. Complete term quantiles and missing-value counts are in the accompanying table.