

Model boundaries

Condition	N	Method	R / NR / A	95% rejection interval	Nominal test target
Brownian temperature ratio 1	131073	Calibrated, shape factor 1/2, fractional grid bits 12	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
Brownian temperature ratio 1	131073	Calibrated, shape factor 2/3, fractional grid bits 12	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
Brownian temperature ratio 1	131073	Calibrated, shape factor 1/2, fractional grid bits 8	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
Brownian temperature ratio 1	131073	Calibrated, shape factor 2/3, fractional grid bits 8	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
Brownian temperature ratio 1	131073	Calibrated, shape factor 1/2, recorder bits 12	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
Brownian temperature ratio 1	131073	Calibrated, shape factor 2/3, recorder bits 12	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
Brownian temperature ratio 1	131073	Calibrated, shape factor 1/2, recorder bits 8	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
Brownian temperature ratio 1	131073	Calibrated, shape factor 2/3, recorder bits 8	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
Brownian temperature ratio 1	131073	Calibrated, shape factor 1/2	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
Brownian temperature ratio 1	131073	Calibrated, shape factor 2/3	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
Brownian temperature ratio 1	32769	Calibrated, shape factor 1/2	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions

R, rejection; NR, nonrejection; A, abstention. Intervals use all records. Displayed endpoints round outward to 0.001. The nominal target does not give a size guarantee. Violated source, covariance, response, or error assumptions remove that guarantee. The baseline comparators have no finite-record source-null guarantee here.

Model boundaries

Condition	N	Method	R / NR / A	95% rejection interval	Nominal test target
Brownian temperature ratio 1	32769	Calibrated, shape factor 2/3	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
Brownian temperature ratio 1	524289	Calibrated, shape factor 1/2	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
Brownian temperature ratio 1	524289	Calibrated, shape factor 2/3	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
Brownian temperature ratio 2	131073	Calibrated, shape factor 1/2, fractional grid bits 12	0/200/0	[0.000, 0.019]	Source reversibility under stated assumptions
Brownian temperature ratio 2	131073	Calibrated, shape factor 2/3, fractional grid bits 12	0/200/0	[0.000, 0.019]	Source reversibility under stated assumptions
Brownian temperature ratio 2	131073	Calibrated, shape factor 1/2, fractional grid bits 8	0/200/0	[0.000, 0.019]	Source reversibility under stated assumptions
Brownian temperature ratio 2	131073	Calibrated, shape factor 2/3, fractional grid bits 8	0/200/0	[0.000, 0.019]	Source reversibility under stated assumptions
Brownian temperature ratio 2	131073	Calibrated, shape factor 1/2, recorder bits 12	0/200/0	[0.000, 0.019]	Source reversibility under stated assumptions
Brownian temperature ratio 2	131073	Calibrated, shape factor 2/3, recorder bits 12	0/200/0	[0.000, 0.019]	Source reversibility under stated assumptions
Brownian temperature ratio 2	131073	Calibrated, shape factor 1/2, recorder bits 8	0/200/0	[0.000, 0.019]	Source reversibility under stated assumptions
Brownian temperature ratio 2	131073	Calibrated, shape factor 2/3, recorder bits 8	0/200/0	[0.000, 0.019]	Source reversibility under stated assumptions

R, rejection; NR, nonrejection; A, abstention. Intervals use all records. Displayed endpoints round outward to 0.001. The nominal target does not give a size guarantee. Violated source, covariance, response, or error assumptions remove that guarantee. The baseline comparators have no finite-record source-null guarantee here.

Model boundaries

Condition	N	Method	R / NR / A	95% rejection interval	Nominal test target
Brownian temperature ratio 2	131073	Calibrated, shape factor 1/2	0/200/0	[0.000, 0.019]	Source reversibility under stated assumptions
Brownian temperature ratio 2	131073	Calibrated, shape factor 2/3	0/200/0	[0.000, 0.019]	Source reversibility under stated assumptions
Brownian temperature ratio 2	32769	Calibrated, shape factor 1/2	0/200/0	[0.000, 0.019]	Source reversibility under stated assumptions
Brownian temperature ratio 2	32769	Calibrated, shape factor 2/3	0/200/0	[0.000, 0.019]	Source reversibility under stated assumptions
Brownian temperature ratio 2	524289	Calibrated, shape factor 1/2	0/200/0	[0.000, 0.019]	Source reversibility under stated assumptions
Brownian temperature ratio 2	524289	Calibrated, shape factor 2/3	0/200/0	[0.000, 0.019]	Source reversibility under stated assumptions
Brownian temperature ratio 4	131073	Calibrated, shape factor 1/2, fractional grid bits 12	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
Brownian temperature ratio 4	131073	Calibrated, shape factor 2/3, fractional grid bits 12	67/133/0	[0.269, 0.405]	Source reversibility under stated assumptions
Brownian temperature ratio 4	131073	Calibrated, shape factor 1/2, fractional grid bits 8	196/4/0	[0.949, 0.995]	Source reversibility under stated assumptions
Brownian temperature ratio 4	131073	Calibrated, shape factor 2/3, fractional grid bits 8	0/200/0	[0.000, 0.019]	Source reversibility under stated assumptions
Brownian temperature ratio 4	131073	Calibrated, shape factor 1/2, recorder bits 12	26/174/0	[0.086, 0.185]	Source reversibility under stated assumptions

R, rejection; NR, nonrejection; A, abstention. Intervals use all records. Displayed endpoints round outward to 0.001. The nominal target does not give a size guarantee. Violated source, covariance, response, or error assumptions remove that guarantee. The baseline comparators have no finite-record source-null guarantee here.

Model boundaries

Condition	N	Method	R / NR / A	95% rejection interval	Nominal test target
Brownian temperature ratio 4	131073	Calibrated, shape factor 2/3, recorder bits 12	0/200/0	[0.000, 0.019]	Source reversibility under stated assumptions
Brownian temperature ratio 4	131073	Calibrated, shape factor 1/2, recorder bits 8	0/200/0	[0.000, 0.019]	Source reversibility under stated assumptions
Brownian temperature ratio 4	131073	Calibrated, shape factor 2/3, recorder bits 8	0/200/0	[0.000, 0.019]	Source reversibility under stated assumptions
Brownian temperature ratio 4	131073	Calibrated, shape factor 1/2	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
Brownian temperature ratio 4	131073	Calibrated, shape factor 2/3	82/118/0	[0.341, 0.482]	Source reversibility under stated assumptions
Brownian temperature ratio 4	32769	Calibrated, shape factor 1/2	0/200/0	[0.000, 0.019]	Source reversibility under stated assumptions
Brownian temperature ratio 4	32769	Calibrated, shape factor 2/3	0/200/0	[0.000, 0.019]	Source reversibility under stated assumptions
Brownian temperature ratio 4	524289	Calibrated, shape factor 1/2	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
Brownian temperature ratio 4	524289	Calibrated, shape factor 2/3	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
correlated error null	131072	Imaginary coherency	400/0/0	[0.990, 1.000]	Zero observed imaginary coherency
correlated error null	131072	Independent windows	400/0/0	[0.990, 1.000]	Zero observed lag contrast

R, rejection; NR, nonrejection; A, abstention. Intervals use all records. Displayed endpoints round outward to 0.001. The nominal target does not give a size guarantee. Violated source, covariance, response, or error assumptions remove that guarantee. The baseline comparators have no finite-record source-null guarantee here.

Model boundaries

Condition	N	Method	R / NR / A	95% rejection interval	Nominal test target
correlated error null	131072	independent windows phase adjusted	0/0/400	[0.000, 0.010]	Observed lag contrast within plug-in phase tolerance
correlated error null	131072	Moving-block bootstrap	400/0/0	[0.990, 1.000]	Zero observed lag contrast
correlated error null	131072	moving block phase adjusted	0/0/400	[0.000, 0.010]	Observed lag contrast within plug-in phase tolerance
correlated error null	131072	Two frequencies	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
correlated error null	131072	Common envelope	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
correlated error null	131072	Diagonal envelope	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
correlated error rotating	131072	Imaginary coherency	195/5/0	[0.942, 0.992]	Zero observed imaginary coherency
correlated error rotating	131072	Independent windows	200/0/0	[0.981, 1.000]	Zero observed lag contrast
correlated error rotating	131072	independent windows phase adjusted	0/0/200	[0.000, 0.019]	Observed lag contrast within plug-in phase tolerance
correlated error rotating	131072	Moving-block bootstrap	200/0/0	[0.981, 1.000]	Zero observed lag contrast
correlated error rotating	131072	moving block phase adjusted	0/0/200	[0.000, 0.019]	Observed lag contrast within plug-in phase tolerance
correlated error rotating	131072	Two frequencies	0/200/0	[0.000, 0.019]	Source reversibility under stated assumptions

R, rejection; NR, nonrejection; A, abstention. Intervals use all records. Displayed endpoints round outward to 0.001. The nominal target does not give a size guarantee. Violated source, covariance, response, or error assumptions remove that guarantee. The baseline comparators have no finite-record source-null guarantee here.

Model boundaries

Condition	N	Method	R / NR / A	95% rejection interval	Nominal test target
correlated error rotating	131072	Common envelope	0/200/0	[0.000, 0.019]	Source reversibility under stated assumptions
correlated error rotating	131072	Diagonal envelope	0/200/0	[0.000, 0.019]	Source reversibility under stated assumptions
identity null	2097152	Diagonal envelope, bias factor 1/2	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
identity null	2097152	Diagonal envelope, bias factor 2/3	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
identity null	2097152	Diagonal envelope, covariance factor 1/2	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
identity null	2097152	Diagonal envelope, covariance factor 2/3	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
identity rotating	2097152	Diagonal envelope, bias factor 1/2	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
identity rotating	2097152	Diagonal envelope, bias factor 2/3	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
identity rotating	2097152	Diagonal envelope, covariance factor 1/2	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
identity rotating	2097152	Diagonal envelope, covariance factor 2/3	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
Phase-tolerance ratio 1/2	65537	Calibrated, shape factor 1/2	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions

R, rejection; NR, nonrejection; A, abstention. Intervals use all records. Displayed endpoints round outward to 0.001. The nominal target does not give a size guarantee. Violated source, covariance, response, or error assumptions remove that guarantee. The baseline comparators have no finite-record source-null guarantee here.

Model boundaries

Condition	N	Method	R / NR / A	95% rejection interval	Nominal test target
Phase-tolerance ratio 1/2	65537	Calibrated, shape factor 2/3	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
Phase-tolerance ratio 99/100	65537	Calibrated, shape factor 1/2, fractional grid bits 12	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
Phase-tolerance ratio 99/100	65537	Calibrated, shape factor 2/3, fractional grid bits 12	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
Phase-tolerance ratio 99/100	65537	Calibrated, shape factor 1/2, fractional grid bits 8	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
Phase-tolerance ratio 99/100	65537	Calibrated, shape factor 2/3, fractional grid bits 8	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
Phase-tolerance ratio 99/100	65537	Calibrated, shape factor 1/2, recorder bits 12	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
Phase-tolerance ratio 99/100	65537	Calibrated, shape factor 2/3, recorder bits 12	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
Phase-tolerance ratio 99/100	65537	Calibrated, shape factor 1/2, recorder bits 8	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
Phase-tolerance ratio 99/100	65537	Calibrated, shape factor 2/3, recorder bits 8	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
Phase-tolerance ratio 99/100	65537	Calibrated, shape factor 1/2	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
Phase-tolerance ratio 99/100	65537	Calibrated, shape factor 2/3	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions

R, rejection; NR, nonrejection; A, abstention. Intervals use all records. Displayed endpoints round outward to 0.001. The nominal target does not give a size guarantee. Violated source, covariance, response, or error assumptions remove that guarantee. The baseline comparators have no finite-record source-null guarantee here.

Model boundaries

Condition	N	Method	R / NR / A	95% rejection interval	Nominal test target
Phase-tolerance ratio 9/10	65537	Calibrated, shape factor 1/2	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
Phase-tolerance ratio 9/10	65537	Calibrated, shape factor 2/3	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 199/200, reversible, gaussian	16385	Two-sided set, shape factor 1/2	0/378/22	[0.000, 0.010]	Source reversibility under stated assumptions
phi 199/200, reversible, gaussian	16385	Two-sided set, shape factor 2/3	0/376/24	[0.000, 0.010]	Source reversibility under stated assumptions
phi 199/200, reversible, gaussian	65537	Two-sided set, shape factor 1/2	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 199/200, reversible, gaussian	65537	Two-sided set, shape factor 2/3	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 199/200, strong delay, gaussian	131073	Two-sided set, shape factor 1/2	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 199/200, strong delay, gaussian	131073	Two-sided set, shape factor 2/3	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 199/200, strong delay, gaussian	16385	Two-sided set, shape factor 1/2	174/11/15	[0.815, 0.914]	Source reversibility under stated assumptions
phi 199/200, strong delay, gaussian	16385	Two-sided set, shape factor 2/3	171/13/16	[0.798, 0.901]	Source reversibility under stated assumptions
phi 199/200, strong delay, gaussian	2049	Two-sided set, shape factor 1/2	0/2/198	[0.000, 0.019]	Source reversibility under stated assumptions

R, rejection; NR, nonrejection; A, abstention. Intervals use all records. Displayed endpoints round outward to 0.001. The nominal target does not give a size guarantee. Violated source, covariance, response, or error assumptions remove that guarantee. The baseline comparators have no finite-record source-null guarantee here.

Model boundaries

Condition	N	Method	R / NR / A	95% rejection interval	Nominal test target
phi 199/200, strong delay, gaussian	2049	Two-sided set, shape factor 2/3	0/2/198	[0.000, 0.019]	Source reversibility under stated assumptions
phi 199/200, strong delay, gaussian	262145	Two-sided set, shape factor 1/2	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 199/200, strong delay, gaussian	262145	Two-sided set, shape factor 2/3	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 199/200, strong delay, gaussian	32769	Two-sided set, shape factor 1/2	197/2/1	[0.956, 0.997]	Source reversibility under stated assumptions
phi 199/200, strong delay, gaussian	32769	Two-sided set, shape factor 2/3	197/2/1	[0.956, 0.997]	Source reversibility under stated assumptions
phi 199/200, strong delay, gaussian	4097	Two-sided set, shape factor 1/2	3/11/186	[0.003, 0.044]	Source reversibility under stated assumptions
phi 199/200, strong delay, gaussian	4097	Two-sided set, shape factor 2/3	1/13/186	[0.000, 0.028]	Source reversibility under stated assumptions
phi 199/200, strong delay, gaussian	524289	Two-sided set, shape factor 1/2	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 199/200, strong delay, gaussian	524289	Two-sided set, shape factor 2/3	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 199/200, strong delay, gaussian	65537	Two-sided set, shape factor 1/2	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 199/200, strong delay, gaussian	65537	Two-sided set, shape factor 2/3	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions

R, rejection; NR, nonrejection; A, abstention. Intervals use all records. Displayed endpoints round outward to 0.001. The nominal target does not give a size guarantee. Violated source, covariance, response, or error assumptions remove that guarantee. The baseline comparators have no finite-record source-null guarantee here.

Model boundaries

Condition	N	Method	R / NR / A	95% rejection interval	Nominal test target
phi 199/200, strong delay, gaussian	8193	Two-sided set, shape factor 1/2	82/27/91	[0.341, 0.482]	Source reversibility under stated assumptions
phi 199/200, strong delay, gaussian	8193	Two-sided set, shape factor 2/3	70/38/92	[0.284, 0.421]	Source reversibility under stated assumptions
phi 199/200, weak delay, gaussian	16385	Two-sided set, shape factor 1/2	127/54/19	[0.564, 0.702]	Source reversibility under stated assumptions
phi 199/200, weak delay, gaussian	16385	Two-sided set, shape factor 2/3	94/87/19	[0.399, 0.542]	Source reversibility under stated assumptions
phi 199/200, weak delay, gaussian	65537	Two-sided set, shape factor 1/2	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 199/200, weak delay, gaussian	65537	Two-sided set, shape factor 2/3	198/2/0	[0.964, 0.999]	Source reversibility under stated assumptions
phi 4/5, reversible, gaussian	16385	Two-sided set, shape factor 1/2	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 4/5, reversible, gaussian	16385	Two-sided set, shape factor 2/3	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 4/5, reversible, gaussian	65537	Two-sided set, shape factor 1/2	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 4/5, reversible, gaussian	65537	Two-sided set, shape factor 2/3	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 4/5, strong delay, gaussian	16385	Two-sided set, shape factor 1/2	184/16/0	[0.873, 0.954]	Source reversibility under stated assumptions

R, rejection; NR, nonrejection; A, abstention. Intervals use all records. Displayed endpoints round outward to 0.001. The nominal target does not give a size guarantee. Violated source, covariance, response, or error assumptions remove that guarantee. The baseline comparators have no finite-record source-null guarantee here.

Model boundaries

Condition	N	Method	R / NR / A	95% rejection interval	Nominal test target
phi 4/5, strong delay, gaussian	16385	Two-sided set, shape factor 2/3	151/49/0	[0.689, 0.813]	Source reversibility under stated assumptions
phi 4/5, strong delay, gaussian	65537	Two-sided set, shape factor 1/2	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 4/5, strong delay, gaussian	65537	Two-sided set, shape factor 2/3	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 4/5, weak delay, gaussian	16385	Two-sided set, shape factor 1/2	88/112/0	[0.370, 0.512]	Source reversibility under stated assumptions
phi 4/5, weak delay, gaussian	16385	Two-sided set, shape factor 2/3	79/121/0	[0.326, 0.467]	Source reversibility under stated assumptions
phi 4/5, weak delay, gaussian	65537	Two-sided set, shape factor 1/2	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 4/5, weak delay, gaussian	65537	Two-sided set, shape factor 2/3	173/27/0	[0.809, 0.910]	Source reversibility under stated assumptions
phi 97/100, reversible, gaussian	16385	Two-sided set, shape factor 1/2	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, gaussian	16385	Two-sided set, shape factor 2/3	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, gaussian	65537	Two-sided set, shape factor 1/2, fractional grid bits 12	0/1000/0	[0.000, 0.004]	Source reversibility under stated assumptions
phi 97/100, reversible, gaussian	65537	Two-sided set, shape factor 2/3, fractional grid bits 12	0/1000/0	[0.000, 0.004]	Source reversibility under stated assumptions

R, rejection; NR, nonrejection; A, abstention. Intervals use all records. Displayed endpoints round outward to 0.001. The nominal target does not give a size guarantee. Violated source, covariance, response, or error assumptions remove that guarantee. The baseline comparators have no finite-record source-null guarantee here.

Model boundaries

Condition	N	Method	R / NR / A	95% rejection interval	Nominal test target
phi 97/100, reversible, gaussian	65537	Two-sided set, shape factor 1/2, fractional grid bits 8	0/861/139	[0.000, 0.004]	Source reversibility under stated assumptions
phi 97/100, reversible, gaussian	65537	Two-sided set, shape factor 2/3, fractional grid bits 8	0/619/381	[0.000, 0.004]	Source reversibility under stated assumptions
phi 97/100, reversible, gaussian	65537	Two-sided set, shape factor 1/2, recorder bits 12	0/0/1000	[0.000, 0.004]	Source reversibility under stated assumptions
phi 97/100, reversible, gaussian	65537	Two-sided set, shape factor 2/3, recorder bits 12	0/0/1000	[0.000, 0.004]	Source reversibility under stated assumptions
phi 97/100, reversible, gaussian	65537	Two-sided set, shape factor 1/2, recorder bits 8	0/0/1000	[0.000, 0.004]	Source reversibility under stated assumptions
phi 97/100, reversible, gaussian	65537	Two-sided set, shape factor 2/3, recorder bits 8	0/0/1000	[0.000, 0.004]	Source reversibility under stated assumptions
phi 97/100, reversible, gaussian	65537	Two-sided set, shape factor 1/2	0/1000/0	[0.000, 0.004]	Source reversibility under stated assumptions
phi 97/100, reversible, gaussian	65537	Two-sided set, shape factor 2/3	0/1000/0	[0.000, 0.004]	Source reversibility under stated assumptions
phi 97/100, strong delay, gaussian	16385	Two-sided set, shape factor 1/2	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 97/100, strong delay, gaussian	16385	Two-sided set, shape factor 2/3	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 97/100, strong delay, gaussian	65537	Two-sided set, shape factor 1/2, fractional grid bits 12	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions

R, rejection; NR, nonrejection; A, abstention. Intervals use all records. Displayed endpoints round outward to 0.001. The nominal target does not give a size guarantee. Violated source, covariance, response, or error assumptions remove that guarantee. The baseline comparators have no finite-record source-null guarantee here.

Model boundaries

Condition	N	Method	R / NR / A	95% rejection interval	Nominal test target
phi 97/100, strong delay, gaussian	65537	Two-sided set, shape factor 2/3, fractional grid bits 12	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 97/100, strong delay, gaussian	65537	Two-sided set, shape factor 1/2, fractional grid bits 8	0/177/23	[0.000, 0.019]	Source reversibility under stated assumptions
phi 97/100, strong delay, gaussian	65537	Two-sided set, shape factor 2/3, fractional grid bits 8	0/123/77	[0.000, 0.019]	Source reversibility under stated assumptions
phi 97/100, strong delay, gaussian	65537	Two-sided set, shape factor 1/2, recorder bits 12	0/0/200	[0.000, 0.019]	Source reversibility under stated assumptions
phi 97/100, strong delay, gaussian	65537	Two-sided set, shape factor 2/3, recorder bits 12	0/0/200	[0.000, 0.019]	Source reversibility under stated assumptions
phi 97/100, strong delay, gaussian	65537	Two-sided set, shape factor 1/2, recorder bits 8	0/0/200	[0.000, 0.019]	Source reversibility under stated assumptions
phi 97/100, strong delay, gaussian	65537	Two-sided set, shape factor 2/3, recorder bits 8	0/0/200	[0.000, 0.019]	Source reversibility under stated assumptions
phi 97/100, strong delay, gaussian	65537	Two-sided set, shape factor 1/2	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 97/100, strong delay, gaussian	65537	Two-sided set, shape factor 2/3	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 97/100, weak delay, gaussian	16385	Two-sided set, shape factor 1/2	171/29/0	[0.798, 0.901]	Source reversibility under stated assumptions
phi 97/100, weak delay, gaussian	16385	Two-sided set, shape factor 2/3	138/62/0	[0.620, 0.754]	Source reversibility under stated assumptions

R, rejection; NR, nonrejection; A, abstention. Intervals use all records. Displayed endpoints round outward to 0.001. The nominal target does not give a size guarantee. Violated source, covariance, response, or error assumptions remove that guarantee. The baseline comparators have no finite-record source-null guarantee here.

Model boundaries

Condition	N	Method	R / NR / A	95% rejection interval	Nominal test target
phi 97/100, weak delay, gaussian	65537	Two-sided set, shape factor 1/2, fractional grid bits 12	199/1/0	[0.972, 1.000]	Source reversibility under stated assumptions
phi 97/100, weak delay, gaussian	65537	Two-sided set, shape factor 2/3, fractional grid bits 12	199/1/0	[0.972, 1.000]	Source reversibility under stated assumptions
phi 97/100, weak delay, gaussian	65537	Two-sided set, shape factor 1/2, fractional grid bits 8	0/163/37	[0.000, 0.019]	Source reversibility under stated assumptions
phi 97/100, weak delay, gaussian	65537	Two-sided set, shape factor 2/3, fractional grid bits 8	0/112/88	[0.000, 0.019]	Source reversibility under stated assumptions
phi 97/100, weak delay, gaussian	65537	Two-sided set, shape factor 1/2, recorder bits 12	0/0/200	[0.000, 0.019]	Source reversibility under stated assumptions
phi 97/100, weak delay, gaussian	65537	Two-sided set, shape factor 2/3, recorder bits 12	0/0/200	[0.000, 0.019]	Source reversibility under stated assumptions
phi 97/100, weak delay, gaussian	65537	Two-sided set, shape factor 1/2, recorder bits 8	0/0/200	[0.000, 0.019]	Source reversibility under stated assumptions
phi 97/100, weak delay, gaussian	65537	Two-sided set, shape factor 2/3, recorder bits 8	0/0/200	[0.000, 0.019]	Source reversibility under stated assumptions
phi 97/100, weak delay, gaussian	65537	Two-sided set, shape factor 1/2	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 97/100, weak delay, gaussian	65537	Two-sided set, shape factor 2/3	199/1/0	[0.972, 1.000]	Source reversibility under stated assumptions
phi 97/100, reversible, reference snr 100	65537	Imaginary coherency	23/377/0	[0.036, 0.086]	Zero observed imaginary coherency

R, rejection; NR, nonrejection; A, abstention. Intervals use all records. Displayed endpoints round outward to 0.001. The nominal target does not give a size guarantee. Violated source, covariance, response, or error assumptions remove that guarantee. The baseline comparators have no finite-record source-null guarantee here.

Model boundaries

Condition	N	Method	R / NR / A	95% rejection interval	Nominal test target
phi 97/100, reversible, reference snr 100	65537	Independent windows	0/400/0	[0.000, 0.010]	Zero observed lag contrast
phi 97/100, reversible, reference snr 100	65537	independent windows phase adjusted	0/400/0	[0.000, 0.010]	Observed lag contrast within plug-in phase tolerance
phi 97/100, reversible, reference snr 100	65537	Moving-block bootstrap	0/400/0	[0.000, 0.010]	Zero observed lag contrast
phi 97/100, reversible, reference snr 100	65537	moving block phase adjusted	0/400/0	[0.000, 0.010]	Observed lag contrast within plug-in phase tolerance
phi 97/100, reversible, reference snr 100	65537	Lag set	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, reference snr 100	65537	Lower-tail finite cutoff	0/46/354	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, reference snr 100	65537	Lower-tail analytic cutoff	0/0/400	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, reference snr 100	65537	Lower-tail intersection	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, reference snr 100	65537	Supplied persistence	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, reference snr 100	65537	Two-sided set	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, reference snr 100	65537	Two-sided set, length-dependent bank	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions

R, rejection; NR, nonrejection; A, abstention. Intervals use all records. Displayed endpoints round outward to 0.001. The nominal target does not give a size guarantee. Violated source, covariance, response, or error assumptions remove that guarantee. The baseline comparators have no finite-record source-null guarantee here.

Model boundaries

Condition	N	Method	R / NR / A	95% rejection interval	Nominal test target
phi 97/100, reversible, reference snr 100	65537	Two-sided intersection	0/286/114	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, reference snr 100	65537	Two-sided intersection, maximum variance ceiling	0/286/114	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, reference snr 100	65537	Two-sided intersection, factor-two operator allowance	0/286/114	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, reference snr 100	65537	Two-sided set, maximum variance ceiling	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, reference snr 100	65537	Two-sided set, factor-two operator allowance	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, reference snr 100	65537	Two-sided set, shape factor 1/2	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, reference snr 100	65537	Two-sided set, shape factor 2/3	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, strong delay, reference snr 100	65537	Imaginary coherency	200/0/0	[0.981, 1.000]	Zero observed imaginary coherency
phi 97/100, strong delay, reference snr 100	65537	Independent windows	200/0/0	[0.981, 1.000]	Zero observed lag contrast
phi 97/100, strong delay, reference snr 100	65537	independent windows phase adjusted	200/0/0	[0.981, 1.000]	Observed lag contrast within plug-in phase tolerance
phi 97/100, strong delay, reference snr 100	65537	Moving-block bootstrap	200/0/0	[0.981, 1.000]	Zero observed lag contrast

R, rejection; NR, nonrejection; A, abstention. Intervals use all records. Displayed endpoints round outward to 0.001. The nominal target does not give a size guarantee. Violated source, covariance, response, or error assumptions remove that guarantee. The baseline comparators have no finite-record source-null guarantee here.

Model boundaries

Condition	N	Method	R / NR / A	95% rejection interval	Nominal test target
phi 97/100, strong delay, reference snr 100	65537	moving block phase adjusted	200/0/0	[0.981, 1.000]	Observed lag contrast within plug-in phase tolerance
phi 97/100, strong delay, reference snr 100	65537	Lag set	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 97/100, strong delay, reference snr 100	65537	Lower-tail finite cutoff	0/15/185	[0.000, 0.019]	Source reversibility under stated assumptions
phi 97/100, strong delay, reference snr 100	65537	Lower-tail analytic cutoff	0/0/200	[0.000, 0.019]	Source reversibility under stated assumptions
phi 97/100, strong delay, reference snr 100	65537	Lower-tail intersection	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 97/100, strong delay, reference snr 100	65537	Supplied persistence	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 97/100, strong delay, reference snr 100	65537	Two-sided set	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 97/100, strong delay, reference snr 100	65537	Two-sided set, length-dependent bank	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 97/100, strong delay, reference snr 100	65537	Two-sided intersection	131/0/69	[0.584, 0.721]	Source reversibility under stated assumptions
phi 97/100, strong delay, reference snr 100	65537	Two-sided intersection, maximum variance ceiling	131/0/69	[0.584, 0.721]	Source reversibility under stated assumptions
phi 97/100, strong delay, reference snr 100	65537	Two-sided intersection, factor-two operator allowance	131/0/69	[0.584, 0.721]	Source reversibility under stated assumptions

R, rejection; NR, nonrejection; A, abstention. Intervals use all records. Displayed endpoints round outward to 0.001. The nominal target does not give a size guarantee. Violated source, covariance, response, or error assumptions remove that guarantee. The baseline comparators have no finite-record source-null guarantee here.

Model boundaries

Condition	N	Method	R / NR / A	95% rejection interval	Nominal test target
phi 97/100, strong delay, reference snr 100	65537	Two-sided set, maximum variance ceiling	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 97/100, strong delay, reference snr 100	65537	Two-sided set, factor-two operator allowance	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 97/100, strong delay, reference snr 100	65537	Two-sided set, shape factor 1/2	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 97/100, strong delay, reference snr 100	65537	Two-sided set, shape factor 2/3	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 97/100, reversible, reference snr 10	65537	Imaginary coherency	36/364/0	[0.063, 0.123]	Zero observed imaginary coherency
phi 97/100, reversible, reference snr 10	65537	Independent windows	0/400/0	[0.000, 0.010]	Zero observed lag contrast
phi 97/100, reversible, reference snr 10	65537	independent windows phase adjusted	0/400/0	[0.000, 0.010]	Observed lag contrast within plug-in phase tolerance
phi 97/100, reversible, reference snr 10	65537	Moving-block bootstrap	0/400/0	[0.000, 0.010]	Zero observed lag contrast
phi 97/100, reversible, reference snr 10	65537	moving block phase adjusted	0/400/0	[0.000, 0.010]	Observed lag contrast within plug-in phase tolerance
phi 97/100, reversible, reference snr 10	65537	Lag set	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, reference snr 10	65537	Lower-tail finite cutoff	0/280/120	[0.000, 0.010]	Source reversibility under stated assumptions

R, rejection; NR, nonrejection; A, abstention. Intervals use all records. Displayed endpoints round outward to 0.001. The nominal target does not give a size guarantee. Violated source, covariance, response, or error assumptions remove that guarantee. The baseline comparators have no finite-record source-null guarantee here.

Model boundaries

Condition	N	Method	R / NR / A	95% rejection interval	Nominal test target
phi 97/100, reversible, reference snr 10	65537	Lower-tail analytic cutoff	0/149/251	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, reference snr 10	65537	Lower-tail intersection	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, reference snr 10	65537	Supplied persistence	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, reference snr 10	65537	Two-sided set	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, reference snr 10	65537	Two-sided set, length-dependent bank	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, reference snr 10	65537	Two-sided intersection	0/73/327	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, reference snr 10	65537	Two-sided intersection, maximum variance ceiling	0/73/327	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, reference snr 10	65537	Two-sided intersection, factor-two operator allowance	0/73/327	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, reference snr 10	65537	Two-sided set, maximum variance ceiling	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, reference snr 10	65537	Two-sided set, factor-two operator allowance	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, reference snr 10	65537	Two-sided set, shape factor 1/2	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions

R, rejection; NR, nonrejection; A, abstention. Intervals use all records. Displayed endpoints round outward to 0.001. The nominal target does not give a size guarantee. Violated source, covariance, response, or error assumptions remove that guarantee. The baseline comparators have no finite-record source-null guarantee here.

Model boundaries

Condition	N	Method	R / NR / A	95% rejection interval	Nominal test target
phi 97/100, reversible, reference snr 10	65537	Two-sided set, shape factor 2/3	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, strong delay, reference snr 10	65537	Imaginary coherency	200/0/0	[0.981, 1.000]	Zero observed imaginary coherency
phi 97/100, strong delay, reference snr 10	65537	Independent windows	200/0/0	[0.981, 1.000]	Zero observed lag contrast
phi 97/100, strong delay, reference snr 10	65537	independent windows phase adjusted	200/0/0	[0.981, 1.000]	Observed lag contrast within plug-in phase tolerance
phi 97/100, strong delay, reference snr 10	65537	Moving-block bootstrap	200/0/0	[0.981, 1.000]	Zero observed lag contrast
phi 97/100, strong delay, reference snr 10	65537	moving block phase adjusted	200/0/0	[0.981, 1.000]	Observed lag contrast within plug-in phase tolerance
phi 97/100, strong delay, reference snr 10	65537	Lag set	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 97/100, strong delay, reference snr 10	65537	Lower-tail finite cutoff	0/146/54	[0.000, 0.019]	Source reversibility under stated assumptions
phi 97/100, strong delay, reference snr 10	65537	Lower-tail analytic cutoff	0/64/136	[0.000, 0.019]	Source reversibility under stated assumptions
phi 97/100, strong delay, reference snr 10	65537	Lower-tail intersection	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 97/100, strong delay, reference snr 10	65537	Supplied persistence	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions

R, rejection; NR, nonrejection; A, abstention. Intervals use all records. Displayed endpoints round outward to 0.001. The nominal target does not give a size guarantee. Violated source, covariance, response, or error assumptions remove that guarantee. The baseline comparators have no finite-record source-null guarantee here.

Model boundaries

Condition	N	Method	R / NR / A	95% rejection interval	Nominal test target
phi 97/100, strong delay, reference snr 10	65537	Two-sided set	199/1/0	[0.972, 1.000]	Source reversibility under stated assumptions
phi 97/100, strong delay, reference snr 10	65537	Two-sided set, length-dependent bank	199/1/0	[0.972, 1.000]	Source reversibility under stated assumptions
phi 97/100, strong delay, reference snr 10	65537	Two-sided intersection	36/0/164	[0.129, 0.241]	Source reversibility under stated assumptions
phi 97/100, strong delay, reference snr 10	65537	Two-sided intersection, maximum variance ceiling	36/0/164	[0.129, 0.241]	Source reversibility under stated assumptions
phi 97/100, strong delay, reference snr 10	65537	Two-sided intersection, factor-two operator allowance	36/0/164	[0.129, 0.241]	Source reversibility under stated assumptions
phi 97/100, strong delay, reference snr 10	65537	Two-sided set, maximum variance ceiling	131/69/0	[0.584, 0.721]	Source reversibility under stated assumptions
phi 97/100, strong delay, reference snr 10	65537	Two-sided set, factor-two operator allowance	137/63/0	[0.615, 0.749]	Source reversibility under stated assumptions
phi 97/100, strong delay, reference snr 10	65537	Two-sided set, shape factor 1/2	199/1/0	[0.972, 1.000]	Source reversibility under stated assumptions
phi 97/100, strong delay, reference snr 10	65537	Two-sided set, shape factor 2/3	199/1/0	[0.972, 1.000]	Source reversibility under stated assumptions
phi 97/100, reversible, student t 5	65537	Imaginary coherency	31/369/0	[0.053, 0.109]	Zero observed imaginary coherency
phi 97/100, reversible, student t 5	65537	Independent windows	0/400/0	[0.000, 0.010]	Zero observed lag contrast

R, rejection; NR, nonrejection; A, abstention. Intervals use all records. Displayed endpoints round outward to 0.001. The nominal target does not give a size guarantee. Violated source, covariance, response, or error assumptions remove that guarantee. The baseline comparators have no finite-record source-null guarantee here.

Model boundaries

Condition	N	Method	R / NR / A	95% rejection interval	Nominal test target
phi 97/100, reversible, student t 5	65537	independent windows phase adjusted	0/400/0	[0.000, 0.010]	Observed lag contrast within plug-in phase tolerance
phi 97/100, reversible, student t 5	65537	Moving-block bootstrap	0/400/0	[0.000, 0.010]	Zero observed lag contrast
phi 97/100, reversible, student t 5	65537	moving block phase adjusted	0/400/0	[0.000, 0.010]	Observed lag contrast within plug-in phase tolerance
phi 97/100, reversible, student t 5	65537	Lag set	0/221/179	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, student t 5	65537	Lower-tail finite cutoff	0/5/395	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, student t 5	65537	Lower-tail analytic cutoff	0/0/400	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, student t 5	65537	Lower-tail intersection	0/358/42	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, student t 5	65537	Supplied persistence	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, student t 5	65537	Two-sided set	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, student t 5	65537	Two-sided set, length-dependent bank	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, student t 5	65537	Two-sided intersection	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions

R, rejection; NR, nonrejection; A, abstention. Intervals use all records. Displayed endpoints round outward to 0.001. The nominal target does not give a size guarantee. Violated source, covariance, response, or error assumptions remove that guarantee. The baseline comparators have no finite-record source-null guarantee here.

Model boundaries

Condition	N	Method	R / NR / A	95% rejection interval	Nominal test target
phi 97/100, reversible, student t 5	65537	Two-sided intersection, maximum variance ceiling	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, student t 5	65537	Two-sided intersection, factor-two operator allowance	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, student t 5	65537	Two-sided set, maximum variance ceiling	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, student t 5	65537	Two-sided set, factor-two operator allowance	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, student t 5	65537	Two-sided set, shape factor 1/2	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, reversible, student t 5	65537	Two-sided set, shape factor 2/3	0/400/0	[0.000, 0.010]	Source reversibility under stated assumptions
phi 97/100, strong delay, student t 5	65537	Imaginary coherency	200/0/0	[0.981, 1.000]	Zero observed imaginary coherency
phi 97/100, strong delay, student t 5	65537	Independent windows	200/0/0	[0.981, 1.000]	Zero observed lag contrast
phi 97/100, strong delay, student t 5	65537	independent windows phase adjusted	200/0/0	[0.981, 1.000]	Observed lag contrast within plug-in phase tolerance
phi 97/100, strong delay, student t 5	65537	Moving-block bootstrap	200/0/0	[0.981, 1.000]	Zero observed lag contrast
phi 97/100, strong delay, student t 5	65537	moving block phase adjusted	200/0/0	[0.981, 1.000]	Observed lag contrast within plug-in phase tolerance

R, rejection; NR, nonrejection; A, abstention. Intervals use all records. Displayed endpoints round outward to 0.001. The nominal target does not give a size guarantee. Violated source, covariance, response, or error assumptions remove that guarantee. The baseline comparators have no finite-record source-null guarantee here.

Model boundaries

Condition	N	Method	R / NR / A	95% rejection interval	Nominal test target
phi 97/100, strong delay, student t 5	65537	Lag set	109/0/91	[0.473, 0.616]	Source reversibility under stated assumptions
phi 97/100, strong delay, student t 5	65537	Lower-tail finite cutoff	0/6/194	[0.000, 0.019]	Source reversibility under stated assumptions
phi 97/100, strong delay, student t 5	65537	Lower-tail analytic cutoff	0/0/200	[0.000, 0.019]	Source reversibility under stated assumptions
phi 97/100, strong delay, student t 5	65537	Lower-tail intersection	167/9/24	[0.776, 0.884]	Source reversibility under stated assumptions
phi 97/100, strong delay, student t 5	65537	Supplied persistence	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 97/100, strong delay, student t 5	65537	Two-sided set	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 97/100, strong delay, student t 5	65537	Two-sided set, length-dependent bank	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 97/100, strong delay, student t 5	65537	Two-sided intersection	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 97/100, strong delay, student t 5	65537	Two-sided intersection, maximum variance ceiling	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 97/100, strong delay, student t 5	65537	Two-sided intersection, factor-two operator allowance	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 97/100, strong delay, student t 5	65537	Two-sided set, maximum variance ceiling	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions

R, rejection; NR, nonrejection; A, abstention. Intervals use all records. Displayed endpoints round outward to 0.001. The nominal target does not give a size guarantee. Violated source, covariance, response, or error assumptions remove that guarantee. The baseline comparators have no finite-record source-null guarantee here.

Model boundaries

Condition	N	Method	R / NR / A	95% rejection interval	Nominal test target
phi 97/100, strong delay, student t 5	65537	Two-sided set, factor-two operator allowance	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 97/100, strong delay, student t 5	65537	Two-sided set, shape factor 1/2	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions
phi 97/100, strong delay, student t 5	65537	Two-sided set, shape factor 2/3	200/0/0	[0.981, 1.000]	Source reversibility under stated assumptions

R, rejection; NR, nonrejection; A, abstention. Intervals use all records. Displayed endpoints round outward to 0.001. The nominal target does not give a size guarantee. Violated source, covariance, response, or error assumptions remove that guarantee. The baseline comparators have no finite-record source-null guarantee here.