****		****		*****		****		** *** ***		
***	***	****	***	****	* * * *	***	* * * *	***	*****	***
* *	* *	* *	* *	* *	**	* *	* *	* *	**	* *
* *		* *	* *	* *			* *	* *	**	* *
***	***	****	****	****	* * *	***	****	* *	**	* *
***	***	****	***	***	***	****	****	* *	**	* *
	* *	* *			* *	**	* *	* *	**	* *
* *	* *	* *	* *	* *	**	* *	* *	* *	**	* *
***	***	****	***	****	***	***	****	* *	**	* *
***	* * *	***	***	***	* * *	***	*** **	* *	* *	**

*

* PREFRAME

*

*

Preprocessor for Frame Structures

*

Marketing and Support by DNV Software

Program id : 6.9-05 Computer : 586

Release date: 17-JUN-2003 Impl. update:

Access time : 07-OCT-2005 12:35:03 Operating system : Win NT 5.1

[2600]

User id : tavakoli CPU id : 0000200510

Installation : , IIMT-

TAVAKOLI-L

NODE COORDINATES

SUB PAGE: 1

SUPER ELEMENT TYPE: 1 LEVEL: 1

EXT.	INT.	C C	OORDINATE Y	S Z	BOU CON	ND
11	22	-37.500000	0.00000	0.000000	Х	6
12	19	-33.819782	28.000000	0.000000	X	6
13	16	-30.139566	56.000000	0.000000	X	6
14	13	-26.459349	84.000000	0.000000	X	6
15	10	-22.779133	112.000000	0.00000	X	6
16	7	-19.098915	140.000000	0.00000	X	6
17	4	-15.418698	168.000000	0.00000	X	6
18	1	-13.250000	184.500000	0.00000	X	6
21	23	0.00000	0.00000	0.00000	X	6
22	20	0.00000	28.000000	0.00000	X	6
23	17	0.000000	56.000000	0.000000	X	6
24	14	0.00000	84.00000	0.000000	X	6
25	12	0.00000	112.000000	0.00000	X	6
26	9	0.000000	140.000000	0.000000	X	6
27	6	0.000000	168.000000	0.000000	X	6
28	2	0.000000	184.500000	0.000000	X	6
31	24	37.500000	0.000000	0.000000	X	6

32	21	33.819782	28.00000	0.00000	X	6
33	18	30.139566	56.000000	0.00000	X	6
34	15	26.459349	84.000000	0.00000	X	6
35	11	22.779133	112.000000	0.000000	X	6
36	8	19.098915	140.000000	0.00000	X	6
37	5	15.418698	168.000000	0.00000	X	6
38	3	13.250000	184.500000	0.000000	X	6

DATE: 07-OCT-2005 TIME: 12:35:03 PROGRAM: SESAM PREFRAME 6.9-05

17-JUN-2003 PAGE: 3