


Five-pattern count vectors under three null models: null clouds vs observed vector
(Haflaga, Week-Dilug, Dilug-in-Dilug on the axes; Dilug as point size; Week as point shade. D_M and p refer to the exploratory 3-axis subspace test)

Global permutation (H_G) null $D_M = 4.50$, $p < .001$

Axes: Haflaga / Week-Dilug / Dilug-in-Dilug · Size: Dilug · Shade: Week


- Global permutation (H_G) null ($N = 3,000$ of 50,000 shown)
- Null mean (11.3, 16.6, 27.2)
- Displacement $D_E = 14.75$, $D_M = 4.50$
- Dilug = 38 (size)
- Dilug = 49 (size)
- Dilug = 60 (size)



Multinomial (H_{iid}) null $D_M = 4.39$, $p < .001$

Axes: Haflaga / Week-Dilug / Dilug-in-Dilug · Size: Dilug · Shade: Week

- Multinomial (H_{iid}) null ($N = 3,000$ of 50,000 shown)
- Null mean (11.5, 16.7, 27.3)
- Displacement $D_E = 14.58$, $D_M = 4.39$
- Dilug = 38 (size)
- Dilug = 49 (size)
- Dilug = 60 (size)



Within-woman (H_W) null $D_M = 2.72$, $p = 0.059$

Axes: Haflaga / Week-Dilug / Dilug-in-Dilug · Size: Dilug · Shade: Week

- Within-woman (H_W) null ($N = 3,000$ of 50,000 shown)
- Null mean (31.8, 21.5, 39.1)
- Displacement $D_E = 13.89$, $D_M = 2.72$
- Dilug = 55 (size)
- Dilug = 67 (size)
- Dilug = 79 (size)

