

Swap usage: 0%

* Strictly confined Kubernetes makes edge and IoT secure. Learn how MicroK8s just raised the bar for easy, resilient and secure K8s cluster deployment.

<https://ubuntu.com/engage/secure-kubernetes-at-the-edge>

This message is shown once a day. To disable it please create the

/home/daniel/.hushlogin file.

```
daniel@DMPC:~$ git config --global user.name "Tu nombre"
```

```
daniel@DMPC:~$ git config --global user.name "Daniel Medina"
```

```
daniel@DMPC:~$ git config --global user.email "dv.medina21@info.uas.edu.mx"
```

```
daniel@DMPC:~$ sudo apt-get install ruby-full
```

[sudo] password for daniel:

Reading package lists... Done

Building dependency tree... Done

Reading state information... Done

The following package was automatically installed and is no longer required:

libllvm19

Use 'sudo apt autoremove' to remove it.

The following additional packages will be installed:

fonts-lato libgmp-dev libgmpxx4ldbl libncurses6 libruby

libruby3.2 rake ri ruby ruby-dev ruby-net-telnet

ruby-rubygems ruby-sdbm ruby-webrick ruby-xmlrpc ruby3.2

ruby3.2-dev ruby3.2-doc rubygems-integration

Suggested packages:

gmp-doc libgmp10-doc libmpfr-dev bundler

```
Processing triggers for libc-bin (2.35-0ubuntu3.6) ...
Processing triggers for man-db (2.12.0-4build2) ...
daniel@DMPC:~$ ruby -v
ruby 3.2.3 (2024-01-18 revision 52bb2ac0a6) [x86_64-linux-gnu]
daniel@DMPC:~$ mkdir hola
daniel@DMPC:~$ cd hola
daniel@DMPC:~/hola$ hola.rb
hola.rb: command not found
daniel@DMPC:~/hola$ nano hola.rb
daniel@DMPC:~/hola$ git init
hint: Using 'master' as the name for the initial branch. This de
fault branch name
hint: is subject to change. To configure the initial branch name
to use in all
hint: of your new repositories, which will suppress this warning
, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'tru
nk' and
hint: 'development'. The just-created branch can be renamed via
this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /home/daniel/hola/.git/
daniel@DMPC:~/hola$ git add hola.rb
daniel@DMPC:~/hola$ git commit -m
```

```
hint:   git branch -m <name>
Initialized empty Git repository in /home/daniel/hola/.git/
daniel@DMPC:~/hola$ git add hola.rb
daniel@DMPC:~/hola$ git commit -m
error: switch `m' requires a value
daniel@DMPC:~/hola$ git commit -m "Primera confirmación"
[master (root-commit) c8292bf] Primera confirmación
1 file changed, 1 insertion(+)
create mode 100644 hola.rb
daniel@DMPC:~/hola$
```

```
daniel@DMPC:~/hola$ git status
On branch master
nothing to commit, working tree clean
daniel@DMPC:~/hola$ |
```

```
daniel@DMPC:~/hola$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   hola.rb

no changes added to commit (use "git add" and/or "git commit -a")
daniel@DMPC:~/hola$ |
```

```
daniel@DMPC:~/hola$ git add hola.rb
daniel@DMPC:~/hola$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   hola.rb
```

```
daniel@DMPC:~/hola$ git add a.rb
fatal: pathspec 'a.rb' did not match any files
daniel@DMPC:~/hola$ nano a.rb
daniel@DMPC:~/hola$ nano b.rb
daniel@DMPC:~/hola$ git commit -m "Cambios para a y b"
[master 4d25fcc] Cambios para a y b
1 file changed, 1 insertion(+), 1 deletion(-)
daniel@DMPC:~/hola$ git add a.rb
daniel@DMPC:~/hola$ git add b.rb
daniel@DMPC:~/hola$ git commit -m "Cambios para a y b"
[master 24f75c6] Cambios para a y b
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 a.rb
create mode 100644 b.rb
daniel@DMPC:~/hola$ nano c.rb
daniel@DMPC:~/hola$ git commit -m "Cambios no relacionado con c"
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
  c.rb

nothing added to commit but untracked files present (use "git add" to track)
daniel@DMPC:~/hola$ git add c.rb
daniel@DMPC:~/hola$ git commit -m "Cambios no relacionado con c"
[master e44fd3c] Cambios no relacionado con c
1 file changed, 1 insertion(+)
create mode 100644 c.rb
daniel@DMPC:~/hola$ |
```

```
daniel@DMPC:~/hola$ git add c.rb
daniel@DMPC:~/hola$ git commit -m "Cambios no relacionado con c"
[master e44fd3c] Cambios no relacionado con c
 1 file changed, 1 insertion(+)
 create mode 100644 c.rb
daniel@DMPC:~/hola$ git commit
On branch master
nothing to commit, working tree clean
daniel@DMPC:~/hola$ git commit "Primera confirmación"
error: pathspec 'Primera confirmación' did not match any file(s)
known to git
daniel@DMPC:~/hola$ git status
On branch master
nothing to commit, working tree clean
daniel@DMPC:~/hola$ git commit
On branch master
nothing to commit, working tree clean
daniel@DMPC:~/hola$ git commit - m
error: pathspec '-' did not match any file(s) known to git
error: pathspec 'm' did not match any file(s) known to git
daniel@DMPC:~/hola$ |
```

```
error: pathspec 'm' did not match any file(s) known to git
daniel@DMPC:~/hola$ nano hola.rb
daniel@DMPC:~/hola$ git add hola.rb
daniel@DMPC:~/hola$ nano hola.rb
daniel@DMPC:~/hola$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    modified:   hola.rb

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   hola.rb

daniel@DMPC:~/hola$ |
```

```
daniel@DMPC:~/hola$ git commit -m "Added a default value"
[master 26af838] Added a default value
 1 file changed, 3 insertions(+), 1 deletion(-)
daniel@DMPC:~/hola$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   hola.rb

no changes added to commit (use "git add" and/or "git commit -a"
)
daniel@DMPC:~/hola$ |
```

```
daniel@DMPC:~/hola$ git add.
git: 'add.' is not a git command. See 'git --help'.

The most similar command is
    add
daniel@DMPC:~/hola$ git add .
daniel@DMPC:~/hola$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   hola.rb
```

```
daniel@DMPC:~/hola$ git commit -m "Added a comment"
[master 645adae] Added a comment
 1 file changed, 1 insertion(+)
daniel@DMPC:~/hola$ |
```

```
daniel@DMPC:~/hola$ git log
commit 645adae22ab0a494cdd726f85b014cc15419e867 (HEAD -> master)
Author: Daniel Medina <dv.medina21@info.uas.edu.mx>
Date: Fri Feb 13 22:02:01 2026 -0600
```

Added a comment

```
commit 26af8389c0d8e055ded48b8fdb714069899d4dd4
Author: Daniel Medina <dv.medina21@info.uas.edu.mx>
Date: Fri Feb 13 21:59:21 2026 -0600
```

Added a default value

```
commit e44fd3cd901ccd4a2810ff76180e5e7c02f8fa86
Author: Daniel Medina <dv.medina21@info.uas.edu.mx>
Date: Fri Feb 13 21:51:13 2026 -0600
```

Cambios no relacionado con c

```
commit 24f75c669e326e6cbf4f5c6c4b32bd9703ae0e8c
Author: Daniel Medina <dv.medina21@info.uas.edu.mx>
Date: Fri Feb 13 21:50:10 2026 -0600
```

Cambios para a y b

```
commit 4d25fccfe529f1ae67a69b723ac6e86377fcb1
Author: Daniel Medina <dv.medina21@info.uas.edu.mx>
```

Cambios para a y b

```
commit 4d25fccfe529f1ae67a69b723ac6e86377fcb1
Author: Daniel Medina <dv.medina21@info.uas.edu.mx>
Date: Fri Feb 13 21:49:41 2026 -0600
```

Cambios para a y b

```
commit c8292bfdd46f663f60d9c8ecff72b9cd82cf742f
:|
```



```
daniel@DMPC:~/hola$ git log --pretty=oneline
645adae22ab0a494cdd726f85b014cc15419e867 (HEAD -> master) Added
a comment
26af8389c0d8e055ded48b8fdb714069899d4dd4 Added a default value
e44fd3cd901ccd4a2810ff76180e5e7c02f8fa86 Cambios no relacionado
con c
24f75c669e326e6cbf4f5c6c4b32bd9703ae0e8c Cambios para a y b
4d25fccfe529f1ae67a69b723ac6e86377fcb1 Cambios para a y b
c8292bfdd46f663f60d9c8ecff72b9cd82cf742f Primera confirmación
```

```
daniel@DMPC:~/hola$ git log --pretty=oneline --max-count=2
git log --pretty=oneline --since='5 minutes ago'
git log --pretty=oneline --until='5 minutes ago'
git log --pretty=oneline --author=<your name>
git log --pretty=oneline --all
645adae22ab0a494cdd726f85b014cc15419e867 (HEAD -> master) Added
a comment
26af8389c0d8e055ded48b8fdb714069899d4dd4 Added a default value
645adae22ab0a494cdd726f85b014cc15419e867 (HEAD -> master) Added
a comment
26af8389c0d8e055ded48b8fdb714069899d4dd4 Added a default value
e44fd3cd901ccd4a2810ff76180e5e7c02f8fa86 Cambios no relacionado
con c
24f75c669e326e6cbf4f5c6c4b32bd9703ae0e8c Cambios para a y b
4d25fccfe529f1ae67a69b723ac6e86377fcb1 Cambios para a y b
c8292bfdd46f663f60d9c8ecff72b9cd82cf742f Primera confirmación
-bash: syntax error near unexpected token `newline'
645adae22ab0a494cdd726f85b014cc15419e867 (HEAD -> master) Added
a comment
26af8389c0d8e055ded48b8fdb714069899d4dd4 Added a default value
e44fd3cd901ccd4a2810ff76180e5e7c02f8fa86 Cambios no relacionado
con c
24f75c669e326e6cbf4f5c6c4b32bd9703ae0e8c Cambios para a y b
```

```
c8292bfdd46f663f60d9c8ecff72b9cd82cf742f Primera confirmación
daniel@DMPC:~/hola$ git log --all --pretty=format:'%h %cd %s (%a
n)' --since='7 days ago'
645adae Fri Feb 13 22:02:01 2026 -0600 Added a comment (Daniel M
edina)
26af838 Fri Feb 13 21:59:21 2026 -0600 Added a default value (Da
niel Medina)
e44fd3c Fri Feb 13 21:51:13 2026 -0600 Cambios no relacionado co
n c (Daniel Medina)
24f75c6 Fri Feb 13 21:50:10 2026 -0600 Cambios para a y b (Danie
l Medina)
4d25fcc Fri Feb 13 21:49:41 2026 -0600 Cambios para a y b (Danie
l Medina)
c8292bf Fri Feb 13 21:41:05 2026 -0600 Primera confirmación (Dan
iel Medina)
daniel@DMPC:~/hola$ |
```

```
daniel@DMPC:~/hola$ git log --pretty=format:'%h %ad | %s%d [%an]' --graph --date=short
* 645adae 2026-02-13 | Added a comment (HEAD -> master) [Daniel Medina]
* 26af838 2026-02-13 | Added a default value [Daniel Medina]
* e44fd3c 2026-02-13 | Cambios no relacionado con c [Daniel Medina]
* 24f75c6 2026-02-13 | Cambios para a y b [Daniel Medina]
* 4d25fcc 2026-02-13 | Cambios para a y b [Daniel Medina]
* c8292bf 2026-02-13 | Primera confirmación [Daniel Medina]
daniel@DMPC:~/hola$
```

```
* c8292bf 2026-02-13 | Primera confirmación [Daniel Medina]
```

```
daniel@DMPC:~/hola$ .gitconfig
.gitconfig: command not found
daniel@DMPC:~/hola$ git hist
git: 'hist' is not a git command. See 'git --help'.
```

The most similar command is
bisect

```
daniel@DMPC:~/hola$ git config --global --edit
daniel@DMPC:~/hola$ git hist
git: 'hist' is not a git command. See 'git --help'.
```

The most similar command is
bisect

```
daniel@DMPC:~/hola$ git config --global alias.hist "log --oneline --graph --all --decorate"
```

```
daniel@DMPC:~/hola$ git hist
* 645adae (HEAD -> master) Added a comment
* 26af838 Added a default value
* e44fd3c Cambios no relacionado con c
* 24f75c6 Cambios para a y b
* 4d25fcc Cambios para a y b
* c8292bf Primera confirmación
```

```
daniel@DMPC:~/hola$ git checkout <hash>
-bash: syntax error near unexpected token `newline'
daniel@DMPC:~/hola$ git checkout f7c41d3
error: pathspec 'f7c41d3' did not match any file(s) known to git
daniel@DMPC:~/hola$ git checkout 645adae
Note: switching to '645adae'.
```

You are in 'detached HEAD' state. You can look around, make experimental

```
error: pathspec '645adae' did not match any file(s) known to git
daniel@DMPC:~/hola$ git checkout 645adae
Note: switching to '645adae'.
```

You are in 'detached HEAD' state. You can look around, make experimental changes and commit them, and you can discard any commits you make in this state without impacting any branches by switching back to a branch.

If you want to create a new branch to retain commits you create, you may do so (now or later) by using `-c` with the switch command. Example:

```
git switch -c <new-branch-name>
```

Or undo this operation with:

```
git switch -
```

Turn off this advice by setting config variable `advice.detachedHead` to false

HEAD is now at 645adae Added a comment

```
daniel@DMPC:~/hola$ cat hello.rb
```

```
cat: hello.rb: No such file or directory
```

```
daniel@DMPC:~/hola$ cat hola.rb
```

```
# Default is "World"
```

```
HEAD is now at 645adae Added a comment
daniel@DMPC:~/hola$ cat hello.rb
cat: hello.rb: No such file or directory
daniel@DMPC:~/hola$ cat hola.rb
# Default is "World"
name = ARGV.first || "World"

puts "Hello, #{name}!" "Hola, #{ARGV.first}!"
daniel@DMPC:~/hola$ git checkout main
error: pathspec 'main' did not match any file(s) known to git
daniel@DMPC:~/hola$
daniel@DMPC:~/hola$ git checkout c8292bf
Previous HEAD position was 645adae Added a comment
HEAD is now at c8292bf Primera confirmación
daniel@DMPC:~/hola$ cat hola.rb
"Hola, mundo"
daniel@DMPC:~/hola$ ls
hola.rb
daniel@DMPC:~/hola$ git checkout master
Previous HEAD position was c8292bf Primera confirmación
Switched to branch 'master'
daniel@DMPC:~/hola$ git checkout c8292bf
Note: switching to 'c8292bf'.

You are in 'detached HEAD' state. You can look around, make experimental
changes and commit them, and you can discard any commits you make in this
state without impacting any branches by switching back to a branch
```

```
daniel@DMPC:~/hola$ git checkout c8292bf
Note: switching to 'c8292bf'.
```

You are in 'detached HEAD' state. You can look around, make experimental changes and commit them, and you can discard any commits you make in this state without impacting any branches by switching back to a branch.

If you want to create a new branch to retain commits you create, you may do so (now or later) by using `-c` with the switch command. Example:

```
git switch -c <new-branch-name>
```

Or undo this operation with:

```
git switch -
```

Turn off this advice by setting config variable `advice.detachedHead` to false

HEAD is now at c8292bf Primera confirmación

```
daniel@DMPC:~/hola$ git tag v1
```

```
daniel@DMPC:~/hola$ git checkout v1^
```

```
error: pathspec 'v1^' did not match any file(s) known to git
```

```
daniel@DMPC:~/hola$ git tag
```

```
v1
```

```
daniel@DMPC:~/hola$ git checkout v1^
```

```
error: pathspec 'v1^' did not match any file(s) known to git
```

```
Deleted tag v1 (was 60292b1)  
daniel@DMPC:~/hola$ git checkout v1^  
Note: switching to 'v1^'.
```

You are in 'detached HEAD' state. You can look around, make experimental changes and commit them, and you can discard any commits you make in this state without impacting any branches by switching back to a branch.

If you want to create a new branch to retain commits you create, you may do so (now or later) by using `-c` with the switch command. Example:

```
git switch -c <new-branch-name>
```

Or undo this operation with:

HEAD is now at 26af838 Added a default value

```
HEAD is now at 26af838 Added a default value
```

```
daniel@DMPC:~/hola$ cat hola.rb
```

```
name = ARGV.first || "World"
```

```
puts "Hello, #{name}!" "Hola, #{ARGV.first}!"
```

```
daniel@DMPC:~/hola$
```

```
HEAD is now at 26af838 Added a default value
aniel@DMPC:~/hola$ cat hola.rb
name = ARGV.first || "World"

puts "Hello, #{name}!" "Hola, #{ARGV.first}!"
aniel@DMPC:~/hola$ git tag v1-beta
aniel@DMPC:~/hola$ git checkout v1
Previous HEAD position was 26af838 Added a default value
HEAD is now at 645adae Added a comment
aniel@DMPC:~/hola$ git checkout v1-beta
Previous HEAD position was 645adae Added a comment
HEAD is now at 26af838 Added a default value
aniel@DMPC:~/hola$ git tag
v1-beta
aniel@DMPC:~/hola$ git hist master --all
645adae (tag: v1, master) Added a comment
26af838 (HEAD, tag: v1-beta) Added a default value
e44fd3c Cambios no relacionado con c
24f75c6 Cambios para a y b
4d25fcc Cambios para a y b
c8292bf Primera confirmación
aniel@DMPC:~/hola$ |
```

```

Switched to branch master
daniel@DMPC:~/hola$ nano hola.rb
daniel@DMPC:~/hola$ git st
git: 'st' is not a git command. See 'git --help'.

The most similar commands are
    status
    hist
daniel@DMPC:~/hola$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working dir
ectory)
        modified:   hola.rb

no changes added to commit (use "git add" and/or "git commit -a"
)
daniel@DMPC:~/hola$ git checkout hello.rb
git status
cat hello.rb
error: pathspec 'hello.rb' did not match any file(s) known to gi
t
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working dir
ectory)
        modified:   hola.rb

no changes added to commit (use "git add" and/or "git commit -a"
)

```

```

ectory)
        modified:   hola.rb

no changes added to commit (use "git add" and/or "git commit -a"
)
cat: hello.rb: No such file or directory
daniel@DMPC:~/hola$ git checkout hola.rb
Updated 1 path from the index
daniel@DMPC:~/hola$ git status
On branch master
nothing to commit, working tree clean
daniel@DMPC:~/hola$ cat hola.rb
# Default is "World"
name = ARGV.first || "World"

puts "Hello, #{name}!" "Hola, #{ARGV.first}!"
daniel@DMPC:~/hola$

```



```
modified: hola.rb
daniel@DMPC:~/hola$ git reset HEAD hola.rb
Unstaged changes after reset:
M      hola.rb
daniel@DMPC:~/hola$ git checkout hola.rb
Updated 1 path from the index
daniel@DMPC:~/hola$ git status
On branch master
nothing to commit, working tree clean
daniel@DMPC:~/hola$ |
```

```
daniel@DMPC:~/hola$ git checkout hola.rb
Updated 1 path from the index
daniel@DMPC:~/hola$ git status
On branch master
nothing to commit, working tree clean
daniel@DMPC:~/hola$ cat hola.rb
# Default is "World"
name = ARGV.first || "World"

puts "Hello, #{name}!" "Hola, #{ARGV.first}!"
daniel@DMPC:~/hola$ git add hola.rb
daniel@DMPC:~/hola$ git status
On branch master
nothing to commit, working tree clean
daniel@DMPC:~/hola$ echo "prueba" >> hola.rb
git add hola.rb
git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   hola.rb
```

```
mit"
[master 13249d9] Oops, we didn't want this commit
 1 file changed, 2 insertions(+), 2 deletions(-)
daniel@DMPC:~/hola$ git revert HEAD
[master 7208759] Revert "Oops, we didn't want this commit"
 1 file changed, 2 insertions(+), 2 deletions(-)
daniel@DMPC:~/hola$ git hist
* 7208759 (HEAD -> master) Revert "Oops, we didn't want this com
mit"
* 13249d9 Oops, we didn't want this commit
* 645adae (tag: v1) Added a comment
* 26af838 (tag: v1-beta) Added a default value
* e44fd3c Cambios no relacionado con c
* 24f75c6 Cambios para a y b
* 4d25fcc Cambios para a y b
* c8292bf Primera confirmación
daniel@DMPC:~/hola$ |
```

```
nothing to commit, working tree clean
daniel@DMPC:~/hola$ nano hola.rb
daniel@DMPC:~/hola$ git add hola.rb
daniel@DMPC:~/hola$ git commit -m "Oops, we didn't want this co
mit"
[master 13249d9] Oops, we didn't want this commit
 1 file changed, 2 insertions(+), 2 deletions(-)
daniel@DMPC:~/hola$ git revert HEAD
[master 7208759] Revert "Oops, we didn't want this commit"
 1 file changed, 2 insertions(+), 2 deletions(-)
```

```
daniel@DMPC:~/hola$ git hist
* 7208759 (HEAD -> master) Revert "Oops, we didn't want this commit"
* 13249d9 Oops, we didn't want this commit
* 645adae (tag: v1) Added a comment
* 26af838 (tag: v1-beta) Added a default value
* e44fd3c Cambios no relacionado con c
* 24f75c6 Cambios para a y b
* 4d25fcc Cambios para a y b
* c8292bf Primera confirmación
daniel@DMPC:~/hola$ git tag oops
daniel@DMPC:~/hola$ git reset --hard v1
HEAD is now at 645adae Added a comment
daniel@DMPC:~/hola$ git hist
* 7208759 (tag: oops) Revert "Oops, we didn't want this commit"
* 13249d9 Oops, we didn't want this commit
* 645adae (HEAD -> master, tag: v1) Added a comment
* 26af838 (tag: v1-beta) Added a default value
* e44fd3c Cambios no relacionado con c
* 24f75c6 Cambios para a y b
* 4d25fcc Cambios para a y b
* c8292bf Primera confirmación
daniel@DMPC:~/hola$ git hist --all
* 7208759 (tag: oops) Revert "Oops, we didn't want this commit"
* 13249d9 Oops, we didn't want this commit
* 645adae (HEAD -> master, tag: v1) Added a comment
* 26af838 (tag: v1-beta) Added a default value
* e44fd3c Cambios no relacionado con c
* 24f75c6 Cambios para a y b
* 4d25fcc Cambios para a y b
* c8292bf Primera confirmación
daniel@DMPC:~/hola$
```