Private Access (ZPA)

Understanding App Connector Metrics Log Fields

The Log Streaming Service (LSS) can send App Connector Metrics log information to any third-party log analytics tool. By default, the App Connector Metrics log type includes the fields listed in the following table for each log template (i.e., CSV, JSON, TSV). While configuring your log receiver, you can edit the default log stream content to capture only specific fields, and create a custom log template.

View an example App Connector Metrics log.


```
{"LogTimestamp": "Thu Oct  7 10:40:00 2021","Connector":"USconnector-1633598427585","C
PUUtilization":"1","SystemMemoryUtilization":"9","ProcessMemoryUtilization":"4","AppCo
unt":"129","ServiceCount":"67","TargetCount":"67","AliveTargetCount":"62","ActiveConne
ctionsToPublicSE":"1","DisconnectedConnectionsToPublicSE":"0","ActiveConnectionsToPriv
ateSE":"0","DisconnectedConnectionsToPrivateSE":"0","TransmittedBytesToPublicSE":"1213
50","ReceivedBytesFromPublicSE":"27150","TransmittedBytesToPrivateSE":"0","ReceivedByt
esFromPrivateSE":"0","AppConnectionsCreated":"300","AppConnectionsCleared":"300","AppC
onnectionsActive":"0","UsedTCPPortsIPv4":"11","UsedUDPPortsIPv4":"4","UsedTCPPortsIPv
6":"1","UsedUDPPortsIPv6":"5","AvailablePorts":"28232","SystemMaximumFileDescriptor
s":"960344","SystemUsedFileDescriptors":"1280","ProcessMaximumFileDescriptors":"51200
0","ProcessUsedFileDescriptors":"152","AvailableDiskBytes":"261886394368", "MicroTenan
tID": "145257480799129312"}
```


The following table includes descriptions and supported field format specifications for each field within the template. To learn more about the format specifications listed for each field, including examples, see Understanding the Log Stream Content Format.

Field	Description	Supported Field Format Specifications
LogTimestamp	Timestamp when the log was generated	• %[OPT]s • %[OPT]j • %[OPT]J
Connector	The App Connector name	• %[OPT]s • %[OPT]j • %[OPT]J • %[OPT]o

©2026 Zscaler, Inc. All rights reserved.

Field	Description	Supported Field Format Specifications
CPUUtilization	The maximum CPU usage in the past 5 minutes	• %[OPT]s • %[OPT]j • %[OPT]J • %[OPT]d
SystemMemoryUtilization	The memory utilization of the entire VM	• %[OPT]s • %[OPT]j • %[OPT]J • %[OPT]d
ProcessMemoryUtilization	The memory utilization of the App Connector process	• %[OPT]s • %[OPT]j • %[OPT]J • %[OPT]d
AppCount	The number of applications configured for access via this App Connector	• %[OPT]s • %[OPT]j • %[OPT]J • %[OPT]d
ServiceCount	The number of services configured for access via this App Connector	• %[OPT]s • %[OPT]j • %[OPT]J • %[OPT]d
TargetCount	The number of targets configured for access via this App Connector	• %[OPT]s • %[OPT]j • %[OPT]J • %[OPT]d

©2026 Zscaler, Inc. All rights reserved.

Field	Description	Supported Field Format Specifications
AliveTargetCount	The number of targets alive for access via this App Connector	• %[OPT]s • %[OPT]j • %[OPT]J • %[OPT]d
ActiveConnectionsToPublicSE	The number of active Microtunnel (M-Tunnel) connections to the Public Service Edge for Private Access	• %[OPT]s • %[OPT]j • %[OPT]J • %[OPT]d
DisconnectedConnectionsToPublicSE	The number of disconnected Microtunnel (M-Tunnel) connections to the Public Service Edge	• %[OPT]s • %[OPT]j • %[OPT]J • %[OPT]d
ActiveConnectionsToPrivateSE	The number of active Microtunnel (M-Tunnel) connections to the Private Service Edge for Private Access	• %[OPT]s • %[OPT]j • %[OPT]J • %[OPT]d
DisconnectedConnectionsToPrivateSE	The number of disconnected Microtunnel (M-Tunnel) connections to the Private Service Edge	• %[OPT]s • %[OPT]j • %[OPT]J • %[OPT]d
TransmittedBytesToPublicSE	The number of bytes transmitted by the App Connector to the Public Service Edge	• %[OPT]s • %[OPT]j • %[OPT]J • %[OPT]d
ReceivedBytesFromPublicSE	The number of bytes received by the App Connector from the Public Service Edge	• %[OPT]s • %[OPT]j • %[OPT]J

©2026 Zscaler, Inc. All rights reserved.

Field	Description	Supported Field Format Specifications
		• %[OPT]d
TransmittedBytesToPrivateSE	The number of bytes transmitted by the App Connector to the Private Service Edge	• %[OPT]s • %[OPT]j • %[OPT]J • %[OPT]d
ReceivedBytesFromPrivateSE	The number of bytes received by the App Connector from the Private Service Edge	• %[OPT]s • %[OPT]j • %[OPT]J • %[OPT]d
AppConnectionsCreated	The number of created application Microtunnel (M-Tunnel) connections	• %[OPT]s • %[OPT]j • %[OPT]J • %[OPT]d
AppConnectionsCleared	The number of cleared application Microtunnel (M-Tunnel) connections	• %[OPT]s • %[OPT]j • %[OPT]J • %[OPT]d
AppConnectionsActive	The number of active application Microtunnel (M-Tunnel) connections	• %[OPT]s • %[OPT]j • %[OPT]J • %[OPT]d
UsedTCPPortsIPv4	The number of used TCP ports for an IPv4 connection	• %[OPT]s • %[OPT]j • %[OPT]J • %[OPT]d
UsedUDPPortsIPv4	The number used UDP ports for an IPv4 connection	• %[OPT]s • %[OPT]j

©2026 Zscaler, Inc. All rights reserved.

Field	Description	Supported Field Format Specifications
		• %[OPT]J • %[OPT]d
UsedTCPPortsIPv6	The number of used TCP ports for an IPv6 connection	• %[OPT]s • %[OPT]j • %[OPT]J • %[OPT]d
UsedUDPPortsIPv6	The number of used UDP ports for an IPv6 connection	• %[OPT]s • %[OPT]j • %[OPT]J • %[OPT]d
AvailablePorts	The number of usable ports	• %[OPT]s • %[OPT]j • %[OPT]J • %[OPT]d
SystemMaximumFileDescriptors	The number of total App Connector system file descriptors	• %[OPT]s • %[OPT]j • %[OPT]J • %[OPT]d
SystemUsedFileDescriptors	The number of used App Connector system file descriptors	• %[OPT]s • %[OPT]j • %[OPT]J • %[OPT]d
ProcessMaximumFileDescriptors	The number of total App Connector process file descriptors	• %[OPT]s • %[OPT]j • %[OPT]J • %[OPT]d

©2026 Zscaler, Inc. All rights reserved.

Field	Description	Supported Field Format Specifications
ProcessUsedFileDescriptors	The number of used App Connector process file descriptors	• %[OPT]s • %[OPT]j • %[OPT]J • %[OPT]d
AvailableDiskBytes	The number of free bytes available for an App Connector	• %[OPT]s • %[OPT]j • %[OPT]J • %[OPT]d
MicroTenantID	The Microtenant ID of the App Connector	• %[OPT]s • %[OPT]j

©2026 Zscaler, Inc. All rights reserved.