

Mergdown _exemple test _

DJONTSO V.

Contents

1	Warnings to users	4
2	Development Tasks	4
3	Formatting	5
4	Itemization	5
4.1	Bullet list	5
4.2	Enumerated list	5
4.3	Task list	5
5	Adding citations	5
6	Equations	6
6.1	Writing the equation	6
6.2	Referencing the equation	6
7	Figures	6
7.1	Adding figures	6
7.1.1	No subfigures	6
7.1.2	With subfigures	7
7.2	Referencing figures	7
8	Admonition blocks	7
9	Code blocks	7
10	Cross-reference of section	8
11	●Cross-reference of block	8
12	Emoji et caractere spaciaux test	8
13	Section 1 of embedded	9
13.1	subsection 1 of embedded	9
14	Hyperlinks	9
15	Tabl̃es	9
16	Latex commands	18
17	Inline code parameterization	19
18	Appendix	19
19	Bibliography Test	19
20	Nude Table Test	19
21	Graphs	19
21.1	3. Liens Externages (Système / Hors-Vault)	20
21.2	4. Liens Internet (Web, Embed & Data)	20
22	Bibliographie	22

List of Tables

1	Table	4
2	Table	8
3	Table	8
4	Table	8
5	Table	8
6	Caption of table written in Obsidian	9
7	Table with customized widths and row color formatting	9
8	A long table. Changed the package in the table file properties	9
9	A long table. Changed the package in the table file properties	14
10	Table	19

List of Figures

1.1	Pasted image 20240609012140	4
7.1	Pasted image 20240609012140	6
7.2	long caption	7
21.1	graph TD	20
21.2	diagram 1788864642723 0	20
21.3	data c414cd0e204de974	21

1 Warnings to users

1. Equations, tables, and figures should be written only inside the equation-block style ('README.md')
2. Any syntactic violation that happens inside the obsidian note will be passed into LaTeX. So far, I have not included any *diagnostic* routine.
3. When you have many embedded notes and linked notes in the note you want to convert, the algorithm searches within the vault to find them and save their paths in the 'DO NOT DELETE note paths.txt' file. This searching process will take a few seconds (if you have many notes in your vault, and many linked mentions and embedded notes in your note), however, since the paths are now saved into this text file, any conversions you perform afterwards will be very fast.

,

Table 1: Table

Type de Test	Statut	Commentaire
Pre-processing	OK	Extraction automatique fonctionnelle.
Compilation LaTeX ' sont gérés correctement.	OK	Les '
Workflow Hybride	Excellent	Saisie beaucoup plus rapide ("Flux Tendu").




Figure 1.1: Pasted image 20240609012140

Concernant la bibliographie, vérifiez que le YAML de votre note contient bien la directive bibliography pointant vers votre fichier .bib. La version Rust devrait maintenant correctement utiliser cette configuration.**

2 Development Tasks

- ☐ Allow user to create more complex configurations
- ☐ Tables
 - ☐ Fancy formatting ++
- ☐ Allow the user to change settings from Obsidian, instead of Python

3 Formatting

italic text

bold text

highlighted text

4 Itemization

4.1 Bullet list

- Item 1
 - item 1.1
 - item 1.2
 - * item 1.2.1
- Item 2
 - 1. Enumeration 1
 - (a) Enumeration 1.2
 - (b) Enumeration 2.2
 - 2. Enumeration 2
 - (a) Enumeration 2.1
 - Bullet 2.1.1
 - 3. Enumeration 3

4.2 Enumerated list

1. Item 1
2. Item 2
 - (a) Item 2.1
 - (b) Item 2.2

4.3 Task list

- ☐ Task 1
- ☐ Task 2
- ☐ Task 3
 - ☐ Task 3.1
- ☐ Task 4

5 Adding citations

↓
Command: just mention that link that pertains to the literature file. I use the "p"+"number" naming convention. For example, "p1" would be the first literature file in my vault.

Example: In [p1](#), we see that... ↓ citation type zoooteroo-integraion+ pandoc (**QuestCeQue**; **QuestCeQue**; **Plasma652025**) (**Plasma652025**)

In (Wilkinson, [2006](#)), we see that things work. Pandoc style: (Wilkinson, [2006](#); KDE, [2025](#); Foundation, [n.d.](#))

6 Equations

Both equations and subfigures are written in the form of embedded notes, since they are encoded as notes.

warning

If you write an equation outside of the designated template in an embedded note, then the conversion will be faulty!

6.1 Writing the equation

Steps:

1. Press ctrl+P, then Quickadd: equation_block_single

`eq block Einstein n [inexistent]`

It supports the aligned equations, as seen in `eq. (6-a)`.

$$\Delta W_{rg} = -\alpha \sum_s [R + \gamma V(s') - V(s)] \nabla_w [R + \gamma V(s') - V(s)] \quad (6-a)$$

6.2 Referencing the equation

$$\int_a^b f(x) dx = F(b) - F(a) \quad (6-b)$$

In `[eq:eq-block-Einstein]`, we see that...

7 Figures

7.1 Adding figures

7.1.1 No subfigures




Figure 7.1: Pasted image 20240609012140

7.1.2 With subfigures

See fig. 7.2.

- + Allow user to create more complex configurations





Figure 7.2: court caption

↑ ↓ ↓

7.2 Referencing figures

In [†]fig. 7.2, we can notice that...

8 Admonition blocks

If you write admonition blocks, they are translated into something similar in latex. **Example**

warning

This is a warning

note

This is a note

9 Code blocks

Python

```
print("this is a code block")
print("this is another code block")
```

Javascript

```
<script>
  document.write("Hello World");
</script>
```


10 Cross-reference of section

Check [↑this section](#) ([section 5](#)) about adding citations.

11 ●Cross-reference of block

[↑example](#)

```
Bash
ls -l ./texe.md
```

12 Emoji et caractere spaciaux test

● ✓ ● ● ● ● 🙄 🙄 | + 🔗 🙄

Table 2: Table

1	2	3	4	5	6	7	8	9	10	11
	✓	●	●	●	●	🙄	🙄	+	🔗	🙄

Table 3: Table

12	13	14	15	16	17	18	19	20	21	
implies	??		?	×	🙄	🙄	🙄	⚠	📖	📖

Table 4: Table

22	23	24	25	26	27	28	29	30	31	
🔗	👉	👉	👉	💬	🔗	🔗	🔗	★	💡	📖

Table 5: Table

32	33	34	35	36	37	38	39	40	41	42
🔗	📖	📖	📖	👤	👤	👤	📖	📖	📖	height=

Assume sections from embedded notes The sections from embedded notes can assume the hierarchy of the file wherein they are embedded. [↓](#)

note

Notice in the latex file that the section hierarchy has been modified to adhere to the hierarchy of the file that embeds the note.

[↑dddd](#)

13 Section 1 of embedded

13.1 subsection 1 of embedded

14 Hyperlinks

Click [here](#).

15 Tablþes

See [table 6](#), [table 7](#), and [table 8](#).

Table 6: Caption of table written in Obsidian

Col1	Col2	Col3	Col4
a11	a12	Some more text	even more text
a21	Equation: $E = mc^2$	Some more textSome more textSome more textSome more textSome more textSome more text	even more text even more text even more text even more text
Reference [†] eq. (6-a)	1	1	1

[†]fig. 7.2

Table 7: Table with customized widths and row color formatting

Col1	Col2	Col3	Col4
a11	a12	Some more text	even more text
a21	Equatio $E = mc^2$	Some more textSome more text- Some more textSome more text- Some more textSome more text	even more text even more text even more text even more text
Referencel [†] eq. (6-a)	1	1	1

[table 8](#)

Table 8: A long table. Changed the package in the table file properties

Col1	Col2	Col3	Col4
a11	a12	Some more text	even more text
a21	Equation: $E = mc^2$ ¹ ↓	Some more textSome more textSome more textSome more textSome more textSome more text	even more text even more text even more text even more text
Reference [†] eq. (6-a)	1	1	1

^{0†} Equation de légende

Some more textSome more textSome more textSome more text- Some more textSome more text	Some more textSome more textSome more textSome more text- Some more textSome more text	Some more textSome more textSome more textSome more text- Some more textSome more text	Some more textSome more textSome more textSome more text- Some more textSome more text	Some more textSome more textSome more textSome more text- Some more textSome more text
Some more textSome more textSome more textSome more text- Some more textSome more text	Some more textSome more textSome more textSome more text- Some more textSome more text	Some more textSome more textSome more textSome more text- Some more textSome more text	Some more textSome more textSome more textSome more text- Some more textSome more text	Some more textSome more textSome more textSome more text- Some more textSome more text
Some more textSome more textSome more textSome more text- Some more textSome more text	Some more textSome more textSome more textSome more text- Some more textSome more text	Some more textSome more textSome more textSome more text- Some more textSome more text	Some more textSome more textSome more textSome more text- Some more textSome more text	Some more textSome more textSome more textSome more text- Some more textSome more text
2	1	3	4	
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Some more textSome more textSome more textSome more text- Some more textSome more text	Some more textSome more textSome more textSome more text- Some more textSome more text	Some more textSome more textSome more textSome more text- Some more textSome more text	Some more textSome more textSome more textSome more text- Some more textSome more text	Some more textSome more textSome more textSome more text- Some more textSome more text
Some more textSome more textSome more textSome more text- Some more textSome more text	Some more textSome more textSome more textSome more text- Some more textSome more text	Some more textSome more textSome more textSome more text- Some more textSome more text	Some more textSome more textSome more textSome more text- Some more textSome more text	Some more textSome more textSome more textSome more text- Some more textSome more text

16 Latex commands

When there is something niche, or some translation functionality that hasn't been developed yet, you can write a latex command within the code-block functionality of Obsidian, and the translator will not touch it. Use the syntax according to the following example:

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris. Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent

euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

$$\Delta W_{rg} = -\alpha \sum_s \# [R + \gamma V(s') - V(s)]$$
$$\# [\nabla_w \gamma V(s') - \nabla_w V(s)]$$

(16-a)

17 Inline code parameterization

Open [this note \[inexistant\]](#) to modify the fields and add more. We used method_1. ‘=choice(fields_for_report [inexistant].argument 1[0], fields_for_report [inexistant].argument 1[1], "")‘ ‘=choice(fields_for_report [inexistant].idea 1[0], fields_for_report [inexistant].idea 1[1], "")‘

18 Appendix

[!example_writing-Appendix](#)

19 Bibliography Test

In (Wilkinson, 2006), we see that things work. Pandoc style: (Wilkinson, 2006; KDE, 2025; Foundation, n.d.)

20 Nude Table Test

Table 10: Table

Fast Table	Status	Note
Direct Markdown	OK	No block needed now!
No exception	Yes	Smooth conversion

21 Graphs

$$\Delta W_{rg} = -\alpha \sum_s \& [R + \gamma V(s') - V(s)]$$
$$\& [\nabla_w \gamma V(s') - \nabla_w V(s)]$$

(21-a)

[!Writing/.eq__block_eq_adadd5 \[inexistant\]](#)




Figure 21.1: graph TD

Figure 21.2: diagram 1788864642723 0

direc mmd

21.1 3. Liens Externages (Système / Hors-Vault)


- Script Python racine : [converter](#)
- Fichier dans dossier caché .vlatex : `../.vlatex/tmp_blocks/eq__block_2`
- Fichier système distant : [bashrc](#)

21.2 4. Liens Internet (Web, Embed & Data)

- Site Web : [Google](#)
- YouTube : [Vidéo](#)
- Image Internet : MISSING IMAGE: `/home/kd/Téléchargements/ziiptttt/embeddediimages/web377de5a857d89fb7.png`
- Site Interactif (Embed) :

[Page Web](#)

- Image Base64 (Test) :



embedded_images/data_c414cd0e204de974.png

Figure 21.3: data c414cd0e204de974

22 Bibliographie

- Foundation, Projet GNU - Free Software (n.d.). Qu'est-ce que le logiciel libre? Accessed: 2026-05-10. URL: <https://www.gnu.org/philosophy/free-sw.html>.
- KDE (Oct. 2025). Plasma 6.5. Accessed: 2026-05-10. URL: <https://kde.org/fr/announcements/plasma/6/6.5.0/>.
- Wilkinson, Darren J. (2006). "Stochastic Modelling for Systems Biology". In: URL: <https://api.semanticscholar.org/CorpusID:195595323>.