



Assignment -2

Working With EC2

Creating an EC2 Instance:



← → ↻ ap-south-1.console.aws.amazon.com/ec2/v2/home?region=ap-south-1#LaunchInstanceWizard: ☆ ⚙️ 👤 ⋮

aws Services ▾ 🔍 Search for services, features, marketplace products, and docs [Alt+S]

1. Choose AMI 2. Choose Instance Type 3. Configure Instance 4. Add Storage 5. Add Tags 6. Configure Security Group 7. Review

Step 2: Choose an Instance Type

Amazon EC2 provides a wide selection of instance types optimized to fit different use cases. Instances are virtual servers that can run applications. They have varying combinations of CPU, memory, storage, and networking capacity, and give you the flexibility to choose the appropriate mix of resources for your applications. [Learn more](#) about instance types and how they can meet your computing needs.

Filter by: All instance families ▾ Current generation ▾ [Show/Hide Columns](#)

Currently selected: t2.micro (- ECUs, 1 vCPUs, 2.5 GHz, -, 1 GiB memory, EBS only)

| | Family ▾ | Type ▾ | vCPUs ⓘ ▾ | Memory (GiB) ▾ | Instance Storage (GiB) ⓘ ▾ | EBS-Optimized Available ⓘ ▾ | Network Performance ⓘ ▾ | IPv6 Support ⓘ ▾ |
|-------------------------------------|----------|--------------------------------|-----------|----------------|----------------------------|-----------------------------|-------------------------|------------------|
| <input type="checkbox"/> | t2 | t2.nano | 1 | 0.5 | EBS only | - | Low to Moderate | Yes |
| <input checked="" type="checkbox"/> | t2 | t2.micro Free tier eligible | 1 | 1 | EBS only | - | Low to Moderate | Yes |
| <input type="checkbox"/> | t2 | t2.small | 1 | 2 | EBS only | - | Low to Moderate | Yes |
| <input type="checkbox"/> | t2 | t2.medium | 2 | 4 | EBS only | - | Low to Moderate | Yes |

[Cancel](#) [Previous](#) [Review and Launch](#) [Next: Configure Instance Details](#)

Feedback English (US) ▾ © 2008 - 2021, Amazon Internet Services Private Ltd. or its affiliates. All rights reserved. [Privacy Policy](#) [Terms of Use](#) [Cookie preferences](#)

Enabling termination protection:

⚡ AWS Cloud Computing ZERO TO x 📦 Launch instance wizard | EC2 Ma x +

← → ↻ ap-south-1.console.aws.amazon.com/ec2/v2/home?region=ap-south-1#LaunchInstanceWizard: ☆ ⚙️ 👤 ⋮

aws Services ▾ 🔍 Search for services, features, marketplace products, and docs [Alt+S]

1. Choose AMI 2. Choose Instance Type 3. Configure Instance 4. Add Storage 5. Add Tags 6. Configure Security Group 7. Review

Step 3: Configure Instance Details

Shutdown behavior ⓘ Stop ▾

Stop - Hibernate behavior ⓘ ☐ Enable hibernation as an additional stop behavior

Enable termination protection ⓘ ☒ Protect against accidental termination

Monitoring ⓘ ☐ Enable CloudWatch detailed monitoring
[Additional charges apply.](#)

Tenancy ⓘ Shared - Run a shared hardware instance ▾
[Additional charges will apply for dedicated tenancy.](#)

Credit specification ⓘ ☐ Unlimited
[Additional charges may apply](#)

File systems ⓘ [Add file system](#) [Create new file system](#)

[Advanced Details](#)

[Cancel](#) [Previous](#) [Review and Launch](#) [Next: Add Storage](#)

Feedback English (US) ▾ © 2008 - 2021, Amazon Internet Services Private Ltd. or its affiliates. All rights reserved. [Privacy Policy](#) [Terms of Use](#) [Cookie preferences](#)

← → ↻ ap-south-1.console.aws.amazon.com/ec2/v2/home?region=ap-south-1#LaunchInstanceWizard: ☆ ⚙️ 👤 ⋮

aws

Services ▾

🔍 Search for services, features, marketplace products, and docs [Alt+S]

📄 🔔 Saroja ▾ Mumbai ▾ Support ▾

1. Choose AMI2. Choose Instance Type3. Configure Instance4. Add Storage5. Add Tags6. Configure Security Group7. Review

Step 4: Add Storage

Your instance will be launched with the following storage device settings. You can attach additional EBS volumes and instance store volumes to your instance, or edit the settings of the root volume. You can also attach additional EBS volumes after launching an instance, but not instance store volumes. [Learn more](#) about storage options in Amazon EC2.

| Volume Type ⓘ | Device ⓘ | Snapshot ⓘ | Size (GiB) ⓘ | Volume Type ⓘ | IOPS ⓘ | Throughput (MB/s) ⓘ | Delete on Termination ⓘ | Encryption ⓘ |
|---------------|-----------|------------------------|--------------------------------|-----------------------------|------------|---------------------|-------------------------------------|---------------|
| Root | /dev/xvda | snap-0bdcc50b291983cea | <input type="text" value="8"/> | General Purpose SSD (gp2) ▾ | 100 / 3000 | N/A | <input checked="" type="checkbox"/> | Not Encrypt ▾ |

Add New Volume

Free tier eligible customers can get up to 30 GB of EBS General Purpose (SSD) or Magnetic storage. [Learn more](#) about free usage tier eligibility and usage restrictions.

CancelPreviousReview and LaunchNext: Add Tags

← → ↻ ap-south-1.console.aws.amazon.com/ec2/v2/home?region=ap-south-1#LaunchInstanceWizard: ☆ ⚙️ 👤 ⋮

aws

Services ▾

🔍 Search for services, features, marketplace products, and docs [Alt+S]

📄 🔔 Saroja ▾ Mumbai ▾ Support ▾

1. Choose AMI2. Choose Instance Type3. Configure Instance4. Add Storage5. Add Tags6. Configure Security Group7. Review

Step 5: Add Tags

A tag consists of a case-sensitive key-value pair. For example, you could define a tag with key = Name and value = Webserver. A copy of a tag can be applied to volumes, instances or both. Tags will be applied to all instances and volumes. [Learn more](#) about tagging your Amazon EC2 resources.

| Key (128 characters maximum) | Value (256 characters maximum) | Instances ⓘ | Volumes ⓘ | Network Interfaces ⓘ |
|-----------------------------------|--|-------------------------------------|-------------------------------------|-------------------------------------|
| <input type="text" value="Name"/> | <input type="text" value="Myfirstinstance"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |

Add another tag (Up to 50 tags maximum)

CancelPreviousReview and LaunchNext: Configure Security Group

Feedback English (US) ▾

© 2008 - 2021, Amazon Internet Services Private Ltd. or its affiliates. All rights reserved.

[Privacy Policy](#)

[Terms of Use](#)

[Cookie preferences](#)

← → ↻

ap-south-1.console.aws.amazon.com/ec2/v2/home?region=ap-south-1#LaunchInstanceWizard:

☆ ⚙️ 👤 ⋮

aws

Services ▾

🔍 Search for services, features, marketplace products, and docs

[Alt+S]

📄 🔔 Saroja ▾ Mumbai ▾ Support ▾

1. Choose AMI

2. Choose Instance Type

3. Configure Instance

4. Add Storage

5. Add Tags

6. Configure Security Group

7. Review

Step 6: Configure Security Group

A security group is a set of firewall rules that control the traffic for your instance. On this page, you can add rules to allow specific traffic to reach your instance. For example, if you want to set up a web server and allow Internet traffic to reach your instance, add rules that allow unrestricted access to the HTTP and HTTPS ports. You can create a new security group or select from an existing one below. [Learn more](#) about Amazon EC2 security groups.

Assign a security group: ☒ Create a **new** security group
☐ Select an **existing** security group

Security group name:

Description:

| Type ⓘ | Protocol ⓘ | Port Range ⓘ | Source ⓘ | Description ⓘ |
|---------------|------------|--------------|----------------------------|----------------------------|
| All traffic ▾ | All | 0 - 65535 | Anywhere ▾ 0.0.0.0/0, ::/0 | e.g. SSH for Admin Desktop |

Add Rule

⚠️ Warning

Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.

Cancel

Previous

Review and Launch

Feedback English (US) ▾

© 2008 - 2021, Amazon Internet Services Private Ltd. or its affiliates. All rights reserved. Privacy Policy Terms of Use Cookie preferences

← → ↻

ap-south-1.console.aws.amazon.com/ec2/v2/home?region=ap-south-1#LaunchInstanceWizard:

☆ ⚙️ 👤 ⋮

aws

Services ▾

🔍 Search for services, features, marketplace products, and docs

[Alt+S]

📄 🔔 Saroja ▾ Mumbai ▾ Support ▾

1. Choose AMI

2. Choose Instance Type

3. Configure Instance

4. Add Storage

5. Add Tags

6. Configure Security Group

7. Review

Step 7: Review Instance Launch

You can also open additional ports in your security group to facilitate access to the application or service you're running, e.g., HTTP (80) for web servers. [Edit security groups](#)

▼ AMI Details

Edit AMI

Free tier eligible

Amazon Linux 2 AMI (HVM), SSD Volume Type - ami-04db49c0fb2215364

Amazon Linux 2 comes with five years support. It provides Linux kernel 4.14 tuned for optimal performance on Amazon EC2, systemd 219, GCC 7.3, Glibc 2.26, Binutils 2.29.1, and the latest software packages through extras. This AMI is the successor of the Amazon Linux AMI that is a...

Root Device Type: ebs Virtualization type: hvm

▼ Instance Type

Edit instance type

| Instance Type | ECUs | vCPUs | Memory (GiB) | Instance Storage (GB) | EBS-Optimized Available | Network Performance |
|---------------|------|-------|--------------|-----------------------|-------------------------|---------------------|
| t2.micro | - | 1 | 1 | EBS only | - | Low to Moderate |

▼ Security Groups

Edit security groups

Cancel

Previous

Launch

← → ↺

ap-south-1.console.aws.amazon.com/ec2/v2/home?region=ap-south-1#LaunchInstanceWizard:

☆ ⚙️ 👤

aws

Services ▾

🔍

Search for services, features, marketplace products, and docs

[Alt+S]

📄 🔔 Saroja ▾ Mumbai ▾ Support ▾

1. Choose AMI

2. Choose Instance Type

3. Configure Instance

4. Add Storage

5. Add Tags

6. Configure Security Group

7. Review

Step 7: Review Instance Launch

▼ Security Groups

Edit security groups

Security group name

launch-wizard-2

Description

launch-wizard-2 created 2021-08-02T17:46:05.337+05:30

| Type ⓘ | Protocol ⓘ | Port Range ⓘ | Source ⓘ | Description ⓘ |
|-------------|------------|--------------|-----------|---------------|
| All traffic | All | All | 0.0.0.0/0 | |
| All traffic | All | All | :::/0 | |

▶ Instance Details

Edit instance details

▶ Storage

Edit storage

▶ Tags

Edit tags

Cancel

Previous

Launch

Feedback

English (US) ▾

© 2008 - 2021, Amazon Internet Services Private Ltd. or its affiliates. All rights reserved.

Privacy Policy

Terms of Use

Cookie preferences

Instance Launch

Linux 2 AMI (HVM), SSD Volume Type - ami-04db49c0fb2215364

< 2 comes with five years support. It provides Linux kernel 4.14 tuned for optimal performance on Amazon EC2, systemd 219, GCC 7.3, Glibc 2.28, Binutils 2.29.1, and the latest software packages through extras. This AMI is the 1 Linux AMI that is a...

ie: ebs Virtualization type: hvm

| ECUs | vCPUs | Memory (GiB) |
|------|-------|--------------|
| - | 1 | 1 |

launch-wizard-2

launch-wizard-2 created 2021-08-02T17:4

| Protocol ⓘ |
|------------|
| All |
| All |

Select an existing key pair or create a new key pair

×

A key pair consists of a public key that AWS stores, and a private key file that you store. Together, they allow you to connect to your instance securely. For Windows AMIs, the private key file is required to obtain the password used to log into your instance. For Linux AMIs, the private key file allows you to securely SSH into your instance.

Note: The selected key pair will be added to the set of keys authorized for this instance. Learn more about removing existing key pairs from a public AMI.

Create a new key pair

Key pair name

myfirstinstance

Download Key Pair

...

You have to download the private key file (*.pem file) before you can continue. Store it in a secure and accessible location. You will not be able to download the file again after it's created.

Cancel

Launch Instances

© 2008 - 2021, Amazon Internet Services Private Ltd. or its affiliates. All rights reserved.

Privacy Policy

Launch Status



Your instances are now launching

The following instance launches have been initiated: i-023d2487530cfcfb [View launch log](#)



Get notified of estimated charges

Create [billing alerts](#) to get an email notification when estimated charges on your AWS bill exceed an amount you define (for example, if you exceed the free usage tier).

How to connect to your instances

Your instances are launching, and it may take a few minutes until they are in the **running** state, when they will be ready for you to use. Usage hours on your new instances will start immediately and continue to accrue until you stop or terminate your instances.

Click **View Instances** to monitor your instances' status. Once your instances are in the **running** state, you can **connect** to them from the Instances screen. [Find out](#) how to connect to your instances.

▼ Here are some helpful resources to get you started

- [How to connect to your Linux instance](#)
- [Amazon EC2: User Guide](#)
- [Learn about AWS Free Usage Tier](#)
- [Amazon EC2: Discussion Forum](#)

Launch Status

How to connect to your instances

Your instances are launching, and it may take a few minutes until they are in the **running** state, when they will be ready for you to use. Usage hours on your new instances will start immediately and continue to accrue until you stop or terminate your instances.

Click **View Instances** to monitor your instances' status. Once your instances are in the **running** state, you can **connect** to them from the Instances screen. [Find out](#) how to connect to your instances.

▼ Here are some helpful resources to get you started

- [How to connect to your Linux instance](#)
- [Amazon EC2: User Guide](#)
- [Learn about AWS Free Usage Tier](#)
- [Amazon EC2: Discussion Forum](#)

While your instances are launching you can also

- [Create status check alarms](#) to be notified when these instances fail status checks. (Additional charges may apply)
- [Create and attach additional EBS volumes](#) (Additional charges may apply)
- [Manage security groups](#)

[View Instances](#)

ap-south-1.console.aws.amazon.com/ec2/v2/home?region=ap-south-1#ConnectToInstance:instanceId=i-023d2487530cfcfb

aws Services Search for services, features, marketplace products, and docs [Alt+S]

Saroja Mumbai Support

EC2 Instance Connect Session Manager SSH client

Instance ID
i-023d2487530cfcfb (Myfirstinstance)

Public IP address
13.232.240.57

User name
ec2-user

Connect using a custom user name, or use the default user name ec2-user for the AMI used to launch the instance.

Note: In most cases, the guessed user name is correct. However, read your AMI usage instructions to check if the AMI owner has changed the default AMI user name.

Cancel Connect

Feedback English (US) © 2008 - 2021, Amazon Internet Services Private Ltd. or its affiliates. All rights reserved. Privacy Policy Terms of Use Cookie preferences

Connect to instance | EC2 Mana x i-023d2487530cfcfb (Myfirstins: x

ap-south-1.console.aws.amazon.com/ec2/v2/connect/ec2-user/i-023d2487530cfcfb

```

  _ | ( _ | _ )
 _ | ( _ | _ ) /
 _ | \ _ | _ |

Amazon Linux 2 AMI

https://aws.amazon.com/amazon-linux-2/
[ec2-user@ip-172-31-47-32 ~]$
```

i-023d2487530cfcfb (Myfirstinstance)

Public IPs: 13.232.240.57 Private IPs: 172.31.47.32

Process of terminating instance after disabling “Termination protection”

Instances | EC2 Management Co

ap-south-1.console.aws.amazon.com/ec2/v2/home?region=ap-south-1#Instances:instanceState=running

Services

Search for services, features, marketplace products, and docs

Saroja

Mumbai

Support

New EC2 Experience

EC2 Dashboard

Events

Tags

Limits

Instances

Instances New

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances New

Dedicated Hosts

Capacity Reservations

Images

Failed to terminate an instance: The instance 'i-023d2487530cfcb' may not be terminated. Modify its 'disableApiTermination' instance attribute and try again.

Instances (1/1) Info

Filter instances

Instance state: running

Clear filters

Myfirstinstance i-023d2487530cfcb

Instance: i-023d2487530cfcb (Myfirstinstance)

Details Security Networking Storage State

Instance summary Info

Instance ID i-023d2487530cfcb (Myfirstinstance)

Public IPv4 address 13.232.172.31

IPv6 address

Instance state

Public IPv4 DNS

Attach to Auto Scaling Group

Change instance type

Change Nitro Enclaves

Change termination protection

Change shutdown behavior

Change credit specification

Modify instance placement

Modify Capacity Reservation settings

Edit user data

Manage tags

Connect

View details

Manage instance state

Instance settings

Networking

Security

Image and templates

Monitor and troubleshoot

Availability Zone ap-south-1a

Launch Instances

Connect

View details

Manage instance state

Instance settings

Networking

Security

Image and templates

Monitor and troubleshoot

Availability Zone ap-south-1a

Feedback

English (US)

© 2008 - 2021, Amazon Internet Services Private Ltd. or its affiliates. All rights reserved.

Privacy Policy

Terms of Use

Cookie preferences

ap-south-1.console.aws.amazon.com/ec2/v2/home?region=ap-south-1#ChangeTerminationProtection:instanceId=i-023d2487530cfcb

Services

Search for services, features, marketplace products, and docs

Saroja

Mumbai

Support

EC2 > Instances > i-023d2487530cfcb > Change termination protection

Change termination protection Info

Enable termination protection to prevent your instance from being accidentally terminated.

Instance ID i-023d2487530cfcb (Myfirstinstance)

Termination protection

Enable

Termination protection disabled.

The instance is no longer protected against accidental termination. If the instance is terminated, data stored on ephemeral storage is lost.

Cancel

Save

Feedback

English (US)

© 2008 - 2021, Amazon Internet Services Private Ltd. or its affiliates. All rights reserved.

Privacy Policy

Terms of Use

Cookie preferences

ap-south-1.console.aws.amazon.com/ec2/v2/home?region=ap-south-1#Instances:

Services Search for services, features, marketplace products, and docs [Alt+S]

New EC2 Experience Tell us what you think

EC2 Dashboard Events Tags Limits

Instances

Instances New

Instance Types Launch Templates Spot Requests Savings Plans Reserved Instances New Dedicated Hosts Capacity Reservations

Images

Disabled termination protection for i-023d2487530cfcfcb

Instances (1) Info

Filter instances

| <input type="checkbox"/> | Name | Instance ID | Instance state | Instance type | Status check | Alarm status | Availability Zone |
|--------------------------|-----------------|---------------------|----------------|---------------|-------------------|--------------|-------------------|
| <input type="checkbox"/> | Myfirstinstance | i-023d2487530cfcfcb | Running | t2.micro | 2/2 checks passed | No alarms | ap-south-1a |

Select an instance above

Feedback English (US) © 2008 - 2021, Amazon Internet Services Private Ltd. or its affiliates. All rights reserved. Privacy Policy Terms of Use Cookie preferences

firstkey.pem WhatsApp Image...jpeg AWS Content.txt Show all

ap-south-1.console.aws.amazon.com/ec2/v2/home?region=ap-south-1#Instances:

Services Search for services, features, marketplace products, and docs [Alt+S]

New EC2 Experience Tell us what you think

EC2 Dashboard Events Tags Limits

Instances

Instances New

Instance Types Launch Templates Spot Requests Savings Plans Reserved Instances New Dedicated Hosts Capacity Reservations

Images

Disabled termination protection for i-023d2487530cfcfcb

Instances (1/1) Info

Filter instances

| <input checked="" type="checkbox"/> | Name | Instance ID | Instance state | Instance type | Status check | Alarm status | Availability Zone |
|-------------------------------------|-----------------|---------------------|----------------|---------------|-------------------|--------------|-------------------|
| <input checked="" type="checkbox"/> | Myfirstinstance | i-023d2487530cfcfcb | Running | t2.micro | 2/2 checks passed | No alarms | ap-south-1a |

Stop instance
Start instance
Reboot instance
Hibernate instance
Terminate instance

Instance: i-023d2487530cfcfcb (Myfirstinstance)

Details Security Networking Storage Status checks Monitoring Tags

Instance summary Info

| | | |
|---------------------------------------|------------------------------|------------------------|
| Instance ID | Public IPv4 address | Private IPv4 addresses |
| i-023d2487530cfcfcb (Myfirstinstance) | 13.232.240.57 open address | 172.31.47.32 |
| IPv6 address | Instance state | Public IPv4 DNS |

Feedback English (US) © 2008 - 2021, Amazon Internet Services Private Ltd. or its affiliates. All rights reserved. Privacy Policy Terms of Use Cookie preferences

← → ↻ ap-south-1.console.aws.amazon.com/ec2/v2/home?region=ap-south-1#Instances: ☆ ⚙️ 👤

aws Services 🔻 🔍 Search for services, features, marketplace products, and docs [Alt+S] 📄 🔔 Saroja ▾ Mumbai ▾ Support ▾

🔵 New EC2 Experience Tell us what you think ✕

EC2 Dashboard
Events
Tags
Limits

▼ Instances
Instances **New**
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances **New**
Dedicated Hosts
Capacity Reservations

▼ Images

Feedback English (US) ▾ © 2008 - 2021, Amazon Internet Services Private Ltd. or its affiliates. All rights reserved. Privacy Policy Terms of Use Cookie preferences

Disabled termination protection for i-023d2487530cfcfb ✕

Instances (1/1) Info 🔍 Filter instances

| <input checked="" type="checkbox"/> | Name | Instance ID | Instance state | Instance type | Status check | Alarm status | Availability Zone |
|-------------------------------------|-----------------|--------------------|----------------|---------------|-------------------|--------------|-------------------|
| <input checked="" type="checkbox"/> | Myfirstinstance | i-023d2487530cfcfb | Shutting-down | t2.micro | 2/2 checks passed | No alarms | ap-south-1a |

Instance: i-023d2487530cfcfb (Myfirstinstance)

Details Security Networking Storage Status checks Monitoring Tags

▼ Instance summary Info

| | | |
|--|--|--|
| Instance ID | Public IPv4 address | Private IPv4 addresses |
| <input checked="" type="checkbox"/> i-023d2487530cfcfb (Myfirstinstance) | <input checked="" type="checkbox"/> 13.232.240.57 open address 🔗 | <input checked="" type="checkbox"/> 172.31.47.32 |
| IPv6 address | Instance state | Public IPv4 DNS |

Cancel Terminate

Terminate instance?

⚠️ On an EBS-backed instance, the default action is for the root EBS volume to be deleted when the instance is terminated. Storage on any local drives will be lost.

Are you sure you want to terminate these instances?

☒ i-023d2487530cfcfb (Myfirstinstance)

To confirm that you want to terminate the instances, choose the terminate button below. Terminating the instance cannot be undone.

← → ↻ ap-south-1.console.aws.amazon.com/ec2/v2/home?region=ap-south-1#Instances: ☆ ⚙️ 👤

aws Services 🔻 🔍 Search for services, features, marketplace products, and docs [Alt+S] 📄 🔔 Saroja ▾ Mumbai ▾ Support ▾

🔵 New EC2 Experience Tell us what you think ✕

EC2 Dashboard
Events
Tags
Limits

▼ Instances
Instances **New**
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances **New**
Dedicated Hosts
Capacity Reservations

▼ Images

Feedback English (US) ▾ © 2008 - 2021, Amazon Internet Services Private Ltd. or its affiliates. All rights reserved. Privacy Policy Terms of Use Cookie preferences

Successfully terminated i-023d2487530cfcfb ✕

Instances (1/1) Info 🔍 Filter instances

| <input checked="" type="checkbox"/> | Name | Instance ID | Instance state | Instance type | Status check | Alarm status | Availability Zone |
|-------------------------------------|-----------------|--------------------|----------------|---------------|-------------------|--------------|-------------------|
| <input checked="" type="checkbox"/> | Myfirstinstance | i-023d2487530cfcfb | Shutting-down | t2.micro | 2/2 checks passed | No alarms | ap-south-1a |

Instance: i-023d2487530cfcfb (Myfirstinstance)

Details Security Networking Storage Status checks Monitoring Tags

▼ Instance summary Info

| | | |
|--|--|--|
| Instance ID | Public IPv4 address | Private IPv4 addresses |
| <input checked="" type="checkbox"/> i-023d2487530cfcfb (Myfirstinstance) | <input checked="" type="checkbox"/> 13.232.240.57 open address 🔗 | <input checked="" type="checkbox"/> 172.31.47.32 |
| IPv6 address | Instance state | Public IPv4 DNS |

← → ↻ ap-south-1.console.aws.amazon.com/ec2/v2/home?region=ap-south-1#Instances: ☆ ⚙️ 👤

aws Services 🔻 🔍 Search for services, features, marketplace products, and docs [Alt+S] 📄 🔔 Saroja ▾ Mumbai ▾ Support ▾

🔵 New EC2 Experience Tell us what you think ✕

EC2 Dashboard
Events
Tags
Limits

▼ Instances
Instances **New**
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances **New**
Dedicated Hosts
Capacity Reservations

▼ Images

Feedback English (US) ▾ © 2008 - 2021, Amazon Internet Services Private Ltd. or its affiliates. All rights reserved. Privacy Policy Terms of Use Cookie preferences

Instances (1/1) Info 🔍 Filter instances

| <input checked="" type="checkbox"/> | Name | Instance ID | Instance state | Instance type | Status check | Alarm status | Availability Zone |
|-------------------------------------|-----------------|--------------------|----------------|---------------|--------------|--------------|-------------------|
| <input checked="" type="checkbox"/> | Myfirstinstance | i-023d2487530cfcfb | Terminated | t2.micro | - | No alarms | ap-south-1a |

Instance: i-023d2487530cfcfb (Myfirstinstance)

Details Security Networking Storage Status checks Monitoring Tags

▼ Instance summary Info

| | | |
|--|---------------------|------------------------|
| Instance ID | Public IPv4 address | Private IPv4 addresses |
| <input checked="" type="checkbox"/> i-023d2487530cfcfb (Myfirstinstance) | - | - |
| IPv6 address | Instance state | Public IPv4 DNS |