```
1
    <?php
    session start();
3
    //if username is not found, then redirect to login
    if(!isset($ SESSION['username'])) {
4
5
        header("Location:./PHP/Login/login.php");
6
        exit();
7
8
    else {
9
        // echo $ SESSION['username'];
        if ($ SESSION['isTmpPwd'] == "1") {
10
11
    //redirect to set perm password
12
13
            if ($ SESSION['isTmpPwd'] == "1") {
14
                   $var = "TRUE";
15
            } else {
16
                   $var = "FALSE";
17
18
19
   die($var); */
20
21
22
   header("Location:./PHP/Login/Password reset.php");
    exit();
23
24
25
26
    }
27
28
29
   if (!isset($ SESSION['name'])) {
30
        header("Location:./PHP/logout.php");
31
        exit();
32
33
34
    if(isset($ SESSION['access'])) {
35
36
        $accessVar = $ SESSION['access'];
37
38
39
    else {
40
        die ( "ERROR DETECED: <br > No Access please click <a
41
        href='./php/logout.php'>here</a> to reload.");
42
    }
43
44
    if(!isset($ SESSION['staffid'])) {
45
46
        47
48
    }
49
50
51
52
   ?>
53
   <!DOCTYPE html>
54
    <html lang="en">
55
   <head>
56
    <!-- <html xmlns="http://www.w3.org/1999/xhtml" xmlns:fb="http://opq.me/ns/fb#"> -->
57
        <meta charset="utf-8">
        <meta http-equiv="X-UA-Compatible" content="IE=EmulateIE10"/>
58
59
        <meta name="viewport" content="width=device-width, shrink-to-fit=no,</pre>
        initial-scale=1">
60
        <meta name="description" content="Analytics for PMHC.">
61
        <meta name="author" content="Dillon Wallace">
62
        <meta property="og:image" content="logo.png" />
63
        <title>Analytics</title>
        <!-- Bootstrap Core CSS -->
65
       <!-- <li>href="css/bootstrap.min.css" rel="stylesheet">
```

```
66
 67
          <link href="css/simple-sidebar.css" rel="stylesheet"> -->
 68
            <script src="https://code.jquery.com/jquery-1.12.4.js"></script>
 69
        <link rel="stylesheet" href="./JS/UI/semantic.css">
       <script src="./JS/UI/semantic.js"></script>
 71
       <script src="https://code.jquery.com/ui/1.12.0/jquery-ui.js"></script>
 72
         <link rel="stylesheet" href="//code.jquery.com/ui/1.12.0/themes/base/jquery-ui.css">
 73
          <!-- HTML5 Shim and Respond.js IE8 support of HTML5 elements and media queries -->
 74
          <!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
 75
          <!--[if lt IE 9]>
 76
              <script src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></script>
 77
              <script
              src="https://oss.maxcdn.com/libs/respond.js/1.4.2/respond.min.js"></script>
 78
          <![endif]-->
 79
          <style>
 80
          body {
 81
              margin-left: 10px;
 82
          }
 83
              #NoMargin {
 84
                  margin-bottom: 0;
 85
 86
              .dashboard-container {
 87
                  width: 320px;
 88
                  padding: 20px;
 89
                  border: 5px solid gray;
 90
                  margin: 30px;
 91
                  background: #e7e7e7;
 92
                  transition: box-shadow .25s;
 93
 94
              .dashboard-container:hover {
 95
                  box-shadow: 10px 10px 5px gray;
 96
 97
              fieldset {
 98
 99
                  margin-top: 5px;
100
                  margin-bottom: 5px;
101
                  border: 0;
102
103
              .Header {
104
                  text-align: center;
105
              }
106
107
          </style>
108
109
          <script>
110
111
      function getDateRange(year, monthSerial) {
112
     NewMonth = monthSerial - 1;
113
        var date = new Date(year, NewMonth, 01), y = date.getFullYear(), m = date.getMonth();
114
115
      var firstDay = new Date(y, m, 1);
116
      var lastDay = new Date(y, m + 1, 0);
117
118
      firstDay = firstDay.toISOString().substring(0,10);
119
      lastDay = lastDay.toISOString().substring(0,10);
120
      return {
121
        "firstDay" : firstDay,
122
        "lastDay" : lastDay};
123
124
      }
125
126
      $ (document).ready(function() {
      $("#userbox").dropdown();
127
128
      var username = '<?php echo $ SESSION['username']?>'
129
130
131
          $(".dashboard-container").click(function() {
```

```
132
              $title = $(this).find("#title").text();
133
              \ slink = (this).attr("id");
134
135
              if($(this).data("additional").indexOf("NoCust") >= 0) {
136
                  $("#CustomLabel").hide();
137
              } else {
138
                  $("#CustomLabel").show();
139
              }
140
141
142
      document.getElementById("dashboard header").textContent = "Dashboard Selected: " +
143
      $("#myForm").attr("action", $link);
144
145
         //
             alert($link);
146
         //
            alert($title);
147
         //
              alert("Click Detected.");
148
     //Date Collect information
149
150
         $("#fromD" ).datepicker({
151
              changeMonth: true,
152
              changeYear: true,
153
              dateFormat: "yy-mm-dd",
154
                    altField: "#FromD",
155
                      altFormat: "yy-mm-dd"
156
              });
157
          $("#thruD").datepicker({
158
              changeMonth: true,
159
              changeYear: true,
160
              dateFormat: "yy-mm-dd",
161
              altField: "#ThruD",
                      altFormat: "yy-mm-dd"
162
163
          });
164
165
          $("#CustomP").hide();
166
          $("#MonthP1").hide();
          $("#Quarter").hide();
167
          $('#CustomP').prop('disabled', true);
168
          $('#MonthP1').prop('disabled', true);
169
170
          $("#Quarter").prop("disabled", true);
171
172
      $("#Custom").click(function(){
173
          $('#CustomP').prop('disabled', false);
          $("#MonthP1").prop('disabled', true);
174
175
          $("#Quarter").prop("disabled", true);
176
      $("#CustomP").show();
      $("#MonthP1").hide();
177
178
      $("#Quarter").hide();
179
180
181
      });
182
183
      $("#Month").click(function(){
184
          $('#CustomP').prop('disabled', true);
185
          $("#MonthP1").prop('disabled', false);
186
      $("#MonthP1").show();
187
      $("#CustomP").hide();
188
      $("#Quarter").hide();
189
190
      });
191
192
      $("#QuarterSel").click(function(){
193
      $("#MonthP1").hide();
      $("#CustomP").hide();
194
195
      $("#Quarter").show();
196
197
          $('#CustomP').prop('disabled', true);
```

```
198
          $('#MonthP1').prop('disabled', true);
199
          $("#Quarter").prop("disabled", false);
200
201
      });
202
203
204
      $("#Submit").click(function(){
205
     //Disable all other parts so it only sends the date
206
      $("#radioButtons").prop('disabled', true);
207
          $('#CustomP').prop('disabled', true);
208
        $('#MonthP1').prop('disabled', true);
209
        $("#Quarter").prop('disabled', true);
210
211
        //Month detected, retreve dates from script
212
      if ($('input[name=inlineRadioOptions]:checked', '#myForm').val() == "Month") {
      //
213
              alert("Month Deteced!");
      //
              alert("YEAR: " + $("year").val() + " MONTH: " + $("month").val());
214
215
216
217
      var Year = document.getElementById('YearP').value;
218
      var Month = document.getElementById('MonthP').value;
219
220
      DateObject = getDateRange(Year, Month);
221
222
      document.getElementById('FromD').value = DateObject.firstDay;
      document.getElementById('ThruD').value = DateObject.lastDay;
223
224
225
      }
226
227
228
229
      if ($('input[name=inlineRadioOptions]:checked', '#myForm').val() == "Quarter") {
230
231
232
233
      var Year = document.getElementById('QuarterYear').value;
234
235 var Period = $("#Period").val();
236
     var MonthStart;
237
     var MonthEnd;
238
     if (Period == 1) {
239
          MonthStart = 01;
240
          MonthEnd = 03;
241
     }
242
     if (Period == 2) {
243
         MonthStart = 04;
244
          MonthEnd = 06;
245
     }
246
     if (Period == 3) {
247
          MonthStart = 07;
248
          MonthEnd = 09;
249
250
     if (Period == 4) {
251
          MonthStart = 10;
252
          MonthEnd = 12;
253
      }
254
255
256
257
      DateObjectStart = getDateRange(Year, MonthStart);
258
      DateObjectEnd = getDateRange(Year, MonthEnd);
259
      document.getElementById('FromD').value = DateObjectStart.firstDay;
260
      document.getElementById('ThruD').value = DateObjectEnd.lastDay;
261
262
263
264
      });
```

```
266
267
268
269
270
      if ($(this).data("additional").indexOf("NoModal") >= 0) {
271
          //alert("HELLO");
272
           window.location.href = $link;
273
      } else {
274
          //alert($(this).data("additional"));
275
           $(".ui.modal").modal("show");
276
      }
277
278
279
280
281
          });
282
          });
283
284
      // function DashboardClicked(link, description)
285
286
287
      //});
288
289
290
291
          </script>
292
     </head>
293
     <body>
294
295
     <!-- Module -->
296
      <div class="ui modal">
297
     <div class="header" id="dashboard header"></div>
298
     <div class="content">
299
     <form id="myForm" action="">
300
     <h2> Date Collection </h2>
301
     <fieldset id="radioButtons">
302
      <div id = "typeDate" class="form-group">
303
      <label id = "CustomLabel" class="radio-inline">
304
        <input type="radio" name="inlineRadioOptions" id="Custom" value="Custom"> Custom Date
305
      </label>
306
     <label id= "MonthLabel" class="radio-inline">
307
        <input type="radio" name="inlineRadioOptions" id="Month" value="Month"> Month
308
309
     <label id="QuarterSelLabel" class="radio-inline">
310
        <input type="radio" name="inlineRadioOptions" id="QuarterSel" value="Quarter"> Quarter
311
     </label>
312
     </div>
     </fieldset>
313
314
315
316
     <fieldset id="CustomP">
317
      <div id="CustomP">
318
           <div class="form-group">
              From Date: <input type="text" id="fromD">
319
320
              Thru Date: <input type="text" id="thruD">
321
322
323
           </div>
324
     </div>
325
      </fieldset>
326
327
     <fieldset id = "MonthP1">
328
     <div id="MonthP1">
329
          <div class="form-group">
330
               <label for="Year">Year</label>
331
          <select name="year" id="YearP">
```

265

```
332
            <option>2018</option>
333
            <option>2017</option>
334
            <option>2016</option>
335
            <option>2015</option>
336
         </select>
337
338
          <label for="MonthP2">Month</label>
339
          <select name="month" id="MonthP">
340
            <option>01</option>
341
            <option>02</option>
342
            <option>03</option>
343
            <option>04</option>
344
            <option>05</option>
345
            <option>06</option>
346
            <option>07</option>
347
            <option>08</option>
348
            <option>09</option>
349
            <option>10</option>
350
            <option>11
351
            <option>12</option>
352
          </select>
353
354
355
356
     </div>
357
     </div>
358
     </fieldset>
359
360 <fieldset id="Quarter">
361
          <div class="form-group">
362
              <label for="Year">Year</label>
363
          <select name="yearQuarter" id="QuarterYear">
364
            <option>2018</option>
365
            <option>2017</option>
366
           <option>2016</option>
367
            <option>2015</option>
         </select>
368
369
370
          <select name="quarter" id="Period">
371
              <option value="1">Q1 (January-March) </option>
372
              <option value="2">Q2 (April-June) </option>
              <option value="3">Q3 (July-September)</option>
373
374
              <option value="4">Q4 (October-December) </option>
375
          </select>
376
          </div>
377
378
      </fieldset>
379
380
     <fieldset id="submitData" style="display:none;">
381
              <input style="display: none;" type="text" id="FromD" name="from"></input>
382
              <input style="display: none;" type="text" id="ThruD" name="thru"></input>
383
      </fieldset>
384
385
386
387
388
389
              <button class="ui primary button" id="Submit">Submit/button>
390
    </form>
391
      </div>
392
      </div>
393
     <!-- create header -->
394
395
     <!-- <?php
396
    //Includes the header
397
     //require "../header.php";
398
      ?> --> <!-- COmmenting out until can get it working -->
```

```
399
    <!--
400
    <div class="ui top fixed menu">
401
       <div class="header item">
402
        <a href="#">Pennyroyal Analytics</a>
403
       </div>
404
      <a class="item">
405
        About Us
406
      </a>
407
      <a class="item">
408
        Jobs
409
       </a>
410
      <a class="item">
411
        Locations
412
      </a>
413 </div>
414 </div> -->
415
416
417
        <!-- <div id="wrapper"> -->
418
             <!-- Sidebar -->
419
420
                 <div class="ui top fixed menu">
421
                    <!-- PHP TO TAKE THE STUFF -->
422
    <?php
423
     // MySQLi Object-oreitned
424
     // SELECT
425
    $servername = "192.0.1.9";
426  $username = "UserFunctions";
427
    $password = "PMHC01";
428 $dbname = "Analytics";
    $port = "3309";
429
    $start = FALSE;
430
431
     // Create connection
432
     $conn = new mysqli($servername, $username, $password, $dbname, $port);
433
434
    // Check connection
435
436
    if ($conn->connect error) {
         die("Connection failed: " . $conn->connect error);
437
438
439
     440
     ($accessVar) GROUP BY catagory";
441
    //echo "<br>" . $sql . "<br>" . $ session['username'];
442
443
     // echo "Select Statement: " . $sql;
444
     $result = $conn->query($sql);
445
    echo('<div class="header item">
446
        <a href="#">Pennyroyal Analytics</a>
447
       </div>');
448
449
    if ($result && $result->num rows > 0) {
450
         // output data of each row
451
                 while ($row = $result->fetch assoc()) {
452
             $cata = $row['catagory'];
453
         // $Dist = $row['number'];
454
                 echo (
455
                     "<a href=#$cata class='item'>$cata</a>"
456
457
                 );
458
459
460
461
462
         //e nd the while $result
463
464
         // echo print r($rows);
```

```
465
      // end if $result
466
467
      else {
468
                  echo "0 results";
469
470
      // echo "No access granted. Please contact .";
471
      // echo "<script type='text/javascript'> $('#wrapper').toggleClass('toggled');
      </script>";
472
      // FULL END OF $RESULT
473
474
475
      $conn->close();
476
477
      if ($ SESSION['isadmin'] == 1) {
478
          echo ("
479
                          <a href='./PHP/ADMIN TOOLS/Manager/' class='item'>Admin Console</a>
                      "');
480
481
482
483
      if ($ SESSION['username'] == "flener1" || $ SESSION['username'] == "wallace4" ||
      $ SESSION['username'] == "auflick1") {
484
          echo ("
485
                          <a href='./PHP/Enhance Manager/' class='item'>Enhancement Manager</a>
                      ");
486
487
488
489
490
491
      if (isset($_SESSION['username'])) {
492
          echo '
493
                           <div id="userbox" class="ui right dropdown item">' .
          $_SESSION['name'] . '
494
495
          <i class="dropdown icon"></i>
496
          <div class="menu">
497
            <a href="./php/logout.php" class="item">Logout</a>
498
            <a href="./php/login/Password Reset.php" class="item">Change Password</a>
499
          </div>
500
        </div>
501
                     ١;
502
503
      ?>
504
                  </div>
505
      <!--
                  </div> -->
506
              <!-- /#sidebar-wrapper -->
507
              <!-- Page Content -->
508
              <div id="page-content-wrapper" style="margin-top: 5em;">
509
                  <div class="container-fluid">
510
     <!-- PHP TO TAKE THE STUFF -->
511
     <?php
512
     // MySQLi Object-oreitned
513
     // SELECT
      $servername = "SERVER";
514
      $username = "USERNAME";
515
516
      $password = "PASSWORD";
      $dbname = "DB";
517
518
      $port = "PORT";
519
      $start = FALSE;
520
      // Create connection
      $conn = new mysqli($servername, $username, $password, $dbname, $port);
521
522
      $conn1 = new mysqli($servername, $username, $password, $dbname, $port);
523
      // Check connection
524
525
     if ($conn->connect error) {
526
          die("Connection failed: " . $conn->connect error);
527
528
529
      $sql = "SELECT DISTINCT catagory, count(ID) as `number` FROM dashboards WHERE ID IN
```

```
($accessVar) GROUP BY catagory";
530
      //echo "<br>" . $sql . "<br>" . $_session['username'];
// echo "Select Statement: " . $sql;
531
532
533
     $result = $conn->query($sql);
534
     Total = 0;
535
     rowNum = 0;
536
      if ($result && $result->num rows > 0) {
537
         $totRows = $result->num rows;
          // output data of each row
538
539
                  while($row = $result->fetch assoc()) {
540
              $cata = $row['catagory'];
541
              $Dist = $row['number'];
542
              counter = 2;
543
              counter1 = 0;
544
              $Total = $Total + $Dist;
545
              rowNum = rowNum + 1;
546
547
                       snows[] = snow;
              //
548
              echo (
549
                               "<div class='ui one column grid'>
550
          <div class='column' id='" . $row['catagory'] . "'>
              <h3 class='Header'>" . $row['catagory'] . " Dashboards " . " </h3>
551
552
          </div>
553
          </div>");
554
              //E
                     nter secound SOL
555
556
              $sql1 = "SELECT Name, description, catagory, link, additional FROM dashboards
              WHERE (id IN ($accessVar) AND catagory = '$cata')";
557
              //e
                      cho $sql1;
558
              $result1 = $conn1->query($sql1);
559
              if (\$result1->num rows > 0) {
560
                   $NumberRows = $result1->num rows;
                              output data of each row
561
562
                           while($row1 = $result1->fetch assoc()) {
563
                       $counter = $counter + 1;
564
565
566
                       $counter1 = $counter1 + 1;
567
568
                       //
                                       $counter1 = $counter1 + 1;
569
570
                       if ($counter % 3 == 0 && $start) {
571
                           echo ("</div>");
572
573
                        if ($counter1 == $Dist) {
574
                           echo ("$Dist -- $counter1 </div>");
575
                       } * /
576
577
                       if ($counter % 3 == 0) {
578
                           echo "<div class='ui three column grid'>";
579
                           //
                                                \$ended = 0;
580
                           $start = TRUE;
581
                       }
582
                       echo("<div class='column' id='$counter1'>
583
                  <div class='dashboard-container' id='./dashboards/" . $row1['catagory'] .</pre>
584
                  "/" . $row1['link'] . "' data-additional='" . $row1['additional'] . "'>
                       <a id='./dashboards/" . $row1['catagory'] . "/" . $row1['link'] . "'>
585
586
                           <span style='text-align: center;' id='title'> <h3>"
                           $row1['Name'] . "</h3> </span>
                           <small style='text-align: center;'>" . $row1['description'] .
587
                           "</small>
588
                       </a>
589
                  </div>
590
              </div>");
591
```

```
592
                      if ($counter1 == $Dist) {
593
                          echo ("</div>");
594
595
596
597
598
                  //e
599
                              nd the while $result1
600
601
                      end the if $result1
602
           // $conn1->close();
603
604
605
606
607
608
609
610
611
612
613
614
          //e nd the while $result
615
          $conn1->close();
616
          // echo print r($rows);
617
618
      // end if $result
619
      else {
620
                  echo "0 results";
621
      if ($_SESSION['username'] == "flener1" || $_SESSION['username'] == "wallace4") {
622
623
      } else {
624
          echo "No access granted. Please contact Rebecca Auflick.";
625
626
627
          //echo "<script type='text/javascript'> $('#wrapper').toggleClass('toggled');
          </script>";
628
629
      // FULL END OF $RESULT
630
631
      $conn->close();
632
633 ?>
634
              </div>
635
              <!-- /#page-content-wrapper -->
636
      <!-- Commentnig out temporarly </div> -->
637
      </div>
638
          <!-- /#wrapper -->
639
          <!-- jQuery -->
640
     <script>
641
642
      sessionObject = <?php// print json encode($ SESSION); ?>
       if (sessionObject.username == "flener1") {
643
644
           $(".ui .top .fixed .menu").
       } * /
645
646
647
648
     </script>
649 </body>
650
      </html>
```