

```

1  <?php
2
3
4
5
6  if(!isset($_GET['QuarterID'])) {
7      die("No Quarter Parameter");
8  } else {
9      $QuarterID = $_GET['QuarterID'];
10 }
11
12
13
14
15
16
17
18 session_start();
19
20
21 // MySQLi Object-oriented
22 // SELECT
23
24 $servername = "SERVER";
25 $username = "USERNAME";
26 $password = "PASSWORD";
27 $dbname = "DB";
28 $port = "PORT";
29
30 // Create connection
31 $conn = new mysqli($servername, $username, $password, $dbname, $port);
32 // Check connection
33
34 if ($conn->connect_error) {
35     die("Connection failed: " . $conn->connect_error);
36 }
37
38
39
40
41
42
43
44     $sql = "call analytics.Enhancement_Report(" . $QuarterID . ", '" . $_SESSION['name']
45         . "')";
46 //echo $sql;
47
48
49 //echo $sql;
50 //          echo "Select Statement: " . $sql;
51 // $data = array();
52 $number = 0;
53 if (!$conn->multi_query($sql)) {
54     echo "CALL failed: (" . $conn->errno . ") " . $conn->error;
55 }
56 do {
57     if ($result = $conn->store_result()) {
58         while ($row = $result->fetch_row()) {
59             $data[] = $row;
60             $number = $number + 1;
61             // printf("%s\n", $row[0]);
62
63             // $row_convert = array("result" => $row[0]);
64             // $data[] = $row_convert;
65
66

```

```

67
68
69         } $result->free();
70     }
71     // var_dump($data);
72
73     if (isset($data[0][11]) && $data[0][11] == "Summary") {
74         $Summary = $data;
75         //$data = array();
76         //unset($data);
77         $data = null;
78         // echo "Summary";
79         // var_dump($Summary);
80     } else if (isset($data[0][13]) && $data[0][13] == "Quarter") {
81         $QuarterData = $data;
82         //$data = array();
83         unset($data);
84         // echo "Quarter";
85         // var_dump($QuarterData);
86     } else if (isset($data[0][4]) && $data[0][4] == "Payroll") {
87         $Payroll = $data;
88         //$data = array();
89         $data = null;
90         // echo "Payroll";
91         // var_dump($Payroll);
92     } else if (isset($data[0][3]) && $data[0][3] == "Ineligible") {
93         $Elig = $data;
94         //$data = array();
95         $data = null;
96         // echo "Ineligible";
97         // var_dump($Elig);
98     } else if (isset($data[0][13]) && $data[0][13] == "QDetail") {
99         $QuarterDetail = $data;
100        //$data = array();
101        $data = null;
102        // echo "Ineligible";
103        // var_dump($Elig);
104    } else {
105        var_dump($data);
106        $data = null;
107    }
108
109 } while ($conn->next_result() && $conn->more_results());
110
111 //header('Content-type:application/json;charset=utf-8');
112 //echo json_encode($row_convert);
113
114
115 //echo($number);
116 $conn->close();
117
118
119
120
121 //Process all data
122 // create XML file to process
123
124 //Creates XML string and XML document using the DOM
125 $dom = new DomDocument('1.0');
126
127 //add root - <books>
128 $Module = $dom->appendChild($dom->createElement('Module'));
129
130 //add <book> element to <books>
131 $Quarter = $Module->appendChild($dom->createElement('Quarter'));
132
133 //add <title> element to <book>

```

```

134     $Generated_On = $Quarter->appendChild($dom->createElement('Generated_On'));
135
136     //add <title> text node element to <title>
137     $Generated_On->appendChild($dom->createTextNode($Summary [0] [0]));
138
139     $Generated_By = $Quarter->appendChild($dom->createElement('Generated_By'));
140     $Generated_By->appendChild($dom->createTextNode($Summary [0] [1]));
141
142     $Quarter_Value = $Quarter->appendChild($dom->createElement('Quarter_Value'));
143     $Quarter_Value->appendChild($dom->createTextNode($Summary [0] [2]));
144
145     $Year = $Quarter->appendChild($dom->createElement('Year'));
146     $Year->appendChild($dom->createTextNode($Summary [0] [3]));
147
148     $Tot_Staff = $Quarter->appendChild($dom->createElement('Total_Staff'));
149     $Tot_Staff->appendChild($dom->createTextNode($Summary [0] [4]));
150
151     $XMLRow = $Quarter->appendChild($dom->createElement('Eligible_Staff'));
152     $XMLRow->appendChild($dom->createTextNode($Summary [0] [5]));
153
154     $XMLRow = $Quarter->appendChild($dom->createElement('Ineligible_Staff'));
155     $XMLRow->appendChild($dom->createTextNode($Summary [0] [6]));
156
157     $XMLRow = $Quarter->appendChild($dom->createElement('Total_Paid'));
158     $XMLRow->appendChild($dom->createTextNode($Summary [0] [7]));
159
160     $XMLRow = $Quarter->appendChild($dom->createElement('Total_Units'));
161     $XMLRow->appendChild($dom->createTextNode($Summary [0] [8]));
162
163     $XMLRow = $Quarter->appendChild($dom->createElement('Possible_Paid'));
164     $XMLRow->appendChild($dom->createTextNode($Summary [0] [9]));
165
166     $XMLRow = $Quarter->appendChild($dom->createElement('Possible_Units'));
167     $XMLRow->appendChild($dom->createTextNode($Summary [0] [10]));
168
169
170     //add <book> element to <books>
171     $XMLHeader = $Module->appendChild($dom->createElement('Periods_Summary'));
172     $XMLRow = $XMLHeader->appendChild($dom->createElement('Poss_P1'));
173     $XMLRow->appendChild($dom->createTextNode($QuarterData [0] [1]));
174     $XMLRow = $XMLHeader->appendChild($dom->createElement('Poss_U1'));
175     $XMLRow->appendChild($dom->createTextNode($QuarterData [0] [2]));
176     $XMLRow = $XMLHeader->appendChild($dom->createElement('Poss_P2'));
177     $XMLRow->appendChild($dom->createTextNode($QuarterData [0] [3]));
178     $XMLRow = $XMLHeader->appendChild($dom->createElement('Poss_U2'));
179     $XMLRow->appendChild($dom->createTextNode($QuarterData [0] [4]));
180     $XMLRow = $XMLHeader->appendChild($dom->createElement('Poss_P3'));
181     $XMLRow->appendChild($dom->createTextNode($QuarterData [0] [5]));
182     $XMLRow = $XMLHeader->appendChild($dom->createElement('Poss_U3'));
183     $XMLRow->appendChild($dom->createTextNode($QuarterData [0] [6]));
184     $XMLRow = $XMLHeader->appendChild($dom->createElement('Total_P1'));
185     $XMLRow->appendChild($dom->createTextNode($QuarterData [0] [7]));
186     $XMLRow = $XMLHeader->appendChild($dom->createElement('Total_U1'));
187     $XMLRow->appendChild($dom->createTextNode($QuarterData [0] [8]));
188     $XMLRow = $XMLHeader->appendChild($dom->createElement('Total_P2'));
189     $XMLRow->appendChild($dom->createTextNode($QuarterData [0] [9]));
190     $XMLRow = $XMLHeader->appendChild($dom->createElement('Total_U2'));
191     $XMLRow->appendChild($dom->createTextNode($QuarterData [0] [10]));
192     $XMLRow = $XMLHeader->appendChild($dom->createElement('Total_P3'));
193     $XMLRow->appendChild($dom->createTextNode($QuarterData [0] [11]));
194     $XMLRow = $XMLHeader->appendChild($dom->createElement('Total_U3'));
195     $XMLRow->appendChild($dom->createTextNode($QuarterData [0] [12]));
196     $XMLRow = $XMLHeader->appendChild($dom->createElement('Month1'));
197     $XMLRow->appendChild($dom->createTextNode($QuarterData [0] [14]));
198     $XMLRow = $XMLHeader->appendChild($dom->createElement('Month2'));
199     $XMLRow->appendChild($dom->createTextNode($QuarterData [0] [15]));
200     $XMLRow = $XMLHeader->appendChild($dom->createElement('Month3'));

```

```

201 $XMLRow->appendChild($dom->createTextNode($QuarterData [0] [16]));
202
203 $XMLHeader = $Module->appendChild($dom->createElement('Payroll_Records'));
204 foreach($Payroll as $staff) {
205     $PayrollRow = $XMLHeader->appendChild($dom->createElement('Payroll_Record'));
206     $XMLRow = $PayrollRow->appendChild($dom->createElement('Staff_ID'));
207     $XMLRow->appendChild($dom->createTextNode($staff[0]));
208     $XMLRow = $PayrollRow->appendChild($dom->createElement('Staff_Name'));
209     $XMLRow->appendChild($dom->createTextNode($staff[1]));
210     $XMLRow = $PayrollRow->appendChild($dom->createElement('Total_Paid'));
211     $XMLRow->appendChild($dom->createTextNode($staff[2]));
212     $XMLRow = $PayrollRow->appendChild($dom->createElement('Total_Units'));
213     $XMLRow->appendChild($dom->createTextNode($staff[3]));
214 }
215 //Quarters
216
217 $XMLHeader = $Module->appendChild($dom->createElement('Quarter_Records'));
218 foreach($QuarterDetail as $staff) {
219     $PayrollRow = $XMLHeader->appendChild($dom->createElement('Quarter_Record'));
220     $XMLRow = $PayrollRow->appendChild($dom->createElement('Staff_ID'));
221     $XMLRow->appendChild($dom->createTextNode($staff[0]));
222     $XMLRow = $PayrollRow->appendChild($dom->createElement('Staff_Name'));
223     $XMLRow->appendChild($dom->createTextNode($staff[1]));
224     $XMLRow = $PayrollRow->appendChild($dom->createElement('P1_Name'));
225     $XMLRow->appendChild($dom->createTextNode($staff[2]));
226     $XMLRow = $PayrollRow->appendChild($dom->createElement('P1_Amt'));
227     $XMLRow->appendChild($dom->createTextNode($staff[3]));
228     $XMLRow = $PayrollRow->appendChild($dom->createElement('P1_Units'));
229     $XMLRow->appendChild($dom->createTextNode($staff[4]));
230     $XMLRow = $PayrollRow->appendChild($dom->createElement('P2_Name'));
231     $XMLRow->appendChild($dom->createTextNode($staff[5]));
232     $XMLRow = $PayrollRow->appendChild($dom->createElement('P2_Amt'));
233     $XMLRow->appendChild($dom->createTextNode($staff[6]));
234     $XMLRow = $PayrollRow->appendChild($dom->createElement('P2_Units'));
235     $XMLRow->appendChild($dom->createTextNode($staff[7]));
236     $XMLRow = $PayrollRow->appendChild($dom->createElement('P3_Name'));
237     $XMLRow->appendChild($dom->createTextNode($staff[8]));
238     $XMLRow = $PayrollRow->appendChild($dom->createElement('P3_Amt'));
239     $XMLRow->appendChild($dom->createTextNode($staff[9]));
240     $XMLRow = $PayrollRow->appendChild($dom->createElement('P3_Units'));
241     $XMLRow->appendChild($dom->createTextNode($staff[10]));
242
243     $XMLRow = $PayrollRow->appendChild($dom->createElement('Total_Paid'));
244     $XMLRow->appendChild($dom->createTextNode($staff[11]));
245     $XMLRow = $PayrollRow->appendChild($dom->createElement('Total_Units'));
246     $XMLRow->appendChild($dom->createTextNode($staff[12]));
247     $XMLRow = $PayrollRow->appendChild($dom->createElement('Rate'));
248     $XMLRow->appendChild($dom->createTextNode($staff[14]));
249
250 }
251
252 $XMLHeader = $Module->appendChild($dom->createElement('Ineligible_Records'));
253 foreach($Elig as $staff) {
254     $PayrollRow = $XMLHeader->appendChild($dom->createElement('Ineligible_Record'));
255     $XMLRow = $PayrollRow->appendChild($dom->createElement('Staff_ID'));
256     $XMLRow->appendChild($dom->createTextNode($staff[0]));
257     $XMLRow = $PayrollRow->appendChild($dom->createElement('Staff_Name'));
258     $XMLRow->appendChild($dom->createTextNode($staff[1]));
259     $XMLRow = $PayrollRow->appendChild($dom->createElement('Reason'));
260     $XMLRow->appendChild($dom->createTextNode($staff[2]));
261
262 }
263
264
265
266
267

```

```
268
269 //generate xml
270 $dom->formatOutput = true; // set the formatOutput attribute of
271                               // domDocument to true
272 // save XML as string or file
273 $test1 = $dom->saveXML(); // put string in test1
274 $dom->save('Files\\QuarterReport.xml'); // save as file
275
276 //Redirect because file is ok
277 header('Location: Create_PDF.php');
278
279
280 ?>
```