

Appendix

<u>Expectations of Men</u>	2
<u>STIs</u>	16
<u>Angels & Demons</u>	38
<u>Help-seeking Behaviour</u>	39
<u>Drug Land</u>	56
<u>Marijuana</u>	99
<u>Homophobia</u>	112
<u>The Sex Game</u>	146
<u>Body Image</u>	1...
<u>Relationships</u>	154
<u>Drawing the line</u>	163
<u>Online & Offline</u>	184
<u>Superpowers</u>	207
<u>Mood</u>	248
<u>Masculinity Creep</u>	259
<u>Man Up!</u>	279
<u>Closing</u>	283
<u>Step into the circle</u>	284
<u>Privilege</u>	287
<u>Mindfulness</u>	310
<u>Pornography</u>	3...
<u>Healthy Sexuality</u>	3...

Don't be gay.

**Don't
say
sorry.**

**Have limited
affection with
the same sex.**

**Be cool around
women.**

Be a jock.

Eat lots.

Drink lots.

**Like action
movies, not
chick flicks.**

**Talk loud and
be aggressive.**

**Fix your own
problems.
Don't ask for
help.**

**Have a big
body (tall,
muscular and
ripped).**

**Be really good
at sex and have
lots of it. Be a
player.**

**Violence is
normal.
Violence solves
stuff.**

Other?

Hepatitis B

HSV

(Herpes Simplex Virus)

Syphilis

HPV

(Human
Papillomavirus)

Gonorrhea

HIV

**(Human immunodeficiency
Virus)**

Crabs

Chlamydia

Flu-like
Symptoms

Darkene
d urine

yellowed
skin

Blisters
or sores

on face or
genitals
Pain during
urination/

inability to
urinate

Rash

Genital growths

Genital
discharge

Pain in
abdomen
or testes

Itching

Fatigue

No
symptoms

STI	Transmission	Symptoms	Treatment
Hepatitis B	- unprotected sex - sharing needles, razors, eating utensils, or tooth brushes - mother to infant at birth	- flu-like symptoms - darkened urine - yellowed skin	- preventative vaccine - most recover on their own but some need medication that can last up to 6 months
Hepatitis A	- feces - unprotected mouth to anus sex - consuming fecal matter contaminated food	- flu-like symptoms - darkened urine - yellowed skin	most recover without treatment
Hepatitis C	- blood - needle sharing/drug paraphernalia	- flu-like symptoms - darkened urine - yellowed skin	80% require treatment with medications. This can last up to one year and have significant side effects.
HSV (Herpes Simplex Virus)	- unprotected sex - direct contact with facial or genital sores - mother to infant at birth	- usually no symptoms - facial or genital sores or blisters	- there is no cure but there are treatments that can relieve symptoms - outbreaks become fewer and weaker over time
Trichomoniasis	unprotected sex	- pain during urination or intercourse - irritation of the genitals - strong smelling frothy yellow/green discharge	antibiotics
Syphilis	- unprotected sex, including oral sex - direct contact with sores/kissing - mother to infant before birth	- stage 1: small red bumps, liquid in genital area - stage 2: rash, flu-like symptoms, hair loss, genital growths	- antibiotics if it is caught early - if not treated early medication cannot repair the damage done

Human Papilloma Virus (HPV)	• unprotected sex, including oral sex • skin-to-skin contact	• usually no symptoms • genital warts • linked to cervical (vaginal sex) and throat (oral sex) cancer	• there is no cure but there is a vaccine for some forms of HPV • warts can be removed but the virus stays in the body
Gonorrhea (“the clap”)	• unprotected sex • mother to infant at birth	• often no symptoms for women • cloudy yellow genital discharge • pain, especially in men, during urination and/or intercourse • pain in genitals or	• antibiotics prescribed by a doctor (usually treated for chlamydia at the same time)
Human Immunodeficiency Virus (HIV)	• unprotected sex, including oral sex when menstrual blood is involved. • exchange of bodily fluids (blood/semen/vaginal fluids/breast milk) • sharing needles • mother to infant at birth	• often none • weight loss, fatigue, flu-like symptoms	• no cure but medication can slow the progress from HIV to AIDS (Acquired Immune Deficiency Syndrome)
Pubic Lice (“crabs”)	• sexual contact • contact with infected items (linens, towels, clothes)	• itching or irritation around genitals • grey-ish coloured rash	• lice killed with special shampoo • eggs must be removed by shaving pubic hair or with a fine comb
Chlamydia	• unprotected sex • mother to infant at birth • hand-to-eye contact • most common in youth populations	• majority have no symptoms • abnormal discharge or burning • pain during urination and/or intercourse • pain in testicles	• antibiotics prescribed by a doctor

Temertzoglou, T. (2009). *My Health: Talking Openly About Healthy Living*. Toronto, ON: Thompson Educational Publishing Inc.

Angels and Demons

A large oceanfront cottage one hour from downtown Halifax is going to be the site of an anti-grad party the Sunday after prom.

About a hundred people are planning on coming, and most have prepared stories for parents. There are more people going than there are seats in cars, so many cars will be overloaded, and it's known that a few cars will be taking teens in the trunk for the hour-long trip.

The property has a wharf and shed with two kayaks, two canoes, two jet skis and an oil drum full of inflatable tubes and water toys. There's also a plastic crate full of fireworks.

Everyone is supposed to bring sleeping bags, and a bunch of tents are being rounded up. No one has organized food. Everyone is just bringing whatever they might want to cook on barbecues or snack on through the night. The two hosts have a new drinking game planned that they found on YouTube.

There's already talk about who wants to hook up with who before the summer starts and people go their separate ways after high school.

There's a swimming pool and a seven-person Jacuzzi, with a large trampoline a few metres away. The shoreline has a wharf, but the closest beach is a sandy cove a five-minute boat ride away

A local DJ named FEEDING FRENZY who works weekends spinning at illegal after-hours parties has agreed to work the night for one of the guys who is graduating and co-hosting the event. The DJ gets to bring friends and use the cottage for a couple days after, as well as payment in steaks, beer, vodka and weed.

One of the friends tagging along will be Goldilocks – a popular drug dealer in Halifax. He'll have an assortment of drugs to sell or give away for free - depending on his mood and motives. Another friend of the DJ is bringing an HD video camera and is hoping to get some of the same kind of sketchy footage he taped during an off-campus party last winter.

A large oceanfront cottage one hour from downtown Halifax is going to be the site of an anti-grad party the Sunday after prom.

About a hundred people are planning on coming, and most have prepared stories for parents. There are more people going than there are seats in cars, so many cars will be overloaded, and it's known that a few cars will be taking teens in the trunk for the hour-long trip.

The property has a wharf and shed with two kayaks, two canoes, two jet skis and an oil drum full of inflatable tubes and water toys. There's also a plastic crate full of fireworks.

Everyone is supposed to bring sleeping bags, and a bunch of tents are being rounded up.

No one has organized food. Everyone is just bringing whatever they might want to cook on barbecues or snack on through the night. The two hosts have a new drinking game planned that they found on YouTube.

There's already talk about who wants to hook up with who before the summer starts and people go their separate ways after high school.

There's a swimming pool and a seven-person Jacuzzi, with a large trampoline a few metres away. The shoreline has a wharf, but the closest beach is a sandy cove a five-minute boat ride away

A local DJ named FEEDING FRENZY who works weekends spinning at illegal after-hours parties has agreed to work the night for one of the guys who is graduating and co-hosting the event. The DJ gets to bring friends and use the cottage for a couple days after, as well as payment in steaks, beer, vodka and weed.

One of the friends tagging along will be Goldilocks – a popular drug dealer in Halifax. He'll have an assortment of drugs to sell or give away for free - depending on his mood and motives. Another friend of the DJ is bringing an HD video camera and is hoping to get some of the same kind of sketchy footage he taped during an off-campus party last winter.

SMALL

MEDIUM

LARGE

**I cut my finger. It's
bleeding.**

**I cut my finger off. The
stump is bleeding.**

**Something bit my finger
and now my hand is
swelling up.**

**I get so stressed before
tests that I want to throw
up.**

**It sometimes takes me
hours to fall asleep at
night.**

**I'm so stressed that I can't
do anything, it's like I'm
frozen.**

**I was feeling sad
yesterday.**

I felt sad all weekend.

**I've been sad for the past
two weeks.**

**I'm pretty much sad all the
time.**

**I had trouble getting an
erection last night.
I'm having regular trouble
getting an erection.
I have an erection all the
time.**

**Sometimes I have fights
with family and friends.
I regularly have fights with
family and friends.
I'm always fighting with
family and friends.**

**I started smoking a little
weed once in a while.**

**I'm smoking weed most
weekends.**

**I'm smoking weed every
day.**

**I can't get through the day
without smoking weed.**

**I've started to drink a little
bit.**

**I'm getting smashed every
weekend now.**

I'm drinking every day.

Sometimes I look in the mirror and think I need to get in better shape. Every day I look at my body and think it's not where I want it to be. I can't look at myself in the mirror anymore, I'm so disgusted with my body.

I'm depressed

I'm being bullied

**I'm having a problem with
my girlfriend or boyfriend**

**I think I have a sexually
transmitted infection**

**I don't have a
problem (but
everyone else knows
you do – you're in
denial).**

**I don't know that I
have a problem (No
denial...they really
don't know).**

**I think I have a
problem, but I don't
want to tell anyone.**

**I think I have a
problem, but I don't
know who to talk to.**

**I have a problem, I
know who to go see,
but I don't know
how to talk about it.**

**I have a problem, I
know who to go, but
no one's going to
listen or understand.**

**I have too many
problems and no
one will ever be able
to help.**

**I have a problem,
but I can help
myself.**

**I have a problem and
I'd seek help, but
only if no one will
know.**

**I have a problem,
and I am willing to
ask for help.**

Parent

Family Member

Friend

Family Doctor

Youth Health Centre

Teacher or Guidance Counselor

**Coach or
Other
Trusted
Adult**

**Help-line
(811)**

Walk-In Clinic

Other

Alcohol Dependent

You feel like you require alcohol to function. You may show signs of withdrawal if you don't drink.

Regularly Trashed

**You drink to get drunk most
weekends and/or through
the week.**

Regular Drinker

**You have at least one drink
on most days, but you rarely
have more than a few at a
time and never trashed.**

Weekend Drinker

You'll have a few drinks on the weekend, but you rarely get drunk.

Social Drinker

You'll have a drink on special occasions, no more than a handful of times per year.

Non-Drinker

You don't drink.

Occasionally Trashed

**You drink to get drunk once
in a while.**

injuries

**other
drug use**

the hangover

brain development problems

unplanned pregnancy

**gf or bf
violence**

prenatal probs

alcohol poisoning

violence

**child
porn**

**effed up
relationship**

**down in the
dumps**

I'm hooked

self harm

work & school

other

**unprotected
sex**

car accidents

**you're
under
arrest**

sexual assault

**It's all over
Facebook**

**You pissed
in my
flower pot?**

Injuries – alcohol increases the chances of injury. Many drownings, car crashes and falls happen when alcohol is involved.

Other drug use – regular use of alcohol increases the chances of experimentation of other drugs

The hangover – the headache, nausea and fatigue that a person feels after being drunk

Brain development problems – regular drinking among children and younger youth can impact brain development

Unplanned pregnancy – like the STIs example, alcohol can increase the chances of an unplanned pregnancy

gf or bf violence – when alcohol is part of an intimate relationship (girl/guy, guy/guy or girl/girl) there is an increased risk of violence in the relationship

Prenatal probs – when a woman drinks during pregnancy there is an increased chance of the baby being born with a fetal alcohol spectrum disorder...it's like a type of brain injury

Isolation – sometimes youth become more withdrawn if alcohol becomes a regular part of their life

Alcohol poisoning – when someone drinks too much the alcohol can poison the body (throwing up and passing out). In severe cases the person can die.

Violence – alcohol is often a factor in violent acts

Child Porn – there are cases of children and youth taking pictures of videos of themselves naked while they're drunk and sending them to friends...that's child pornography. If a person passes along the image or video it's also child porn

Effed up relationships – there is often more drama among friends and family when alcohol is being used

Down in the dumps – alcohol is a depressant. A person may feel happy while impaired, but often feels sad when sober

Disease – years of drinking can increase the chances of a serious chronic disease, like heart disease and some forms of cancer

I'm hooked – regular drinking increases the chances of developing an addiction

Self harm – many cases of suicide and attempted suicide happen when alcohol is involved

Work & school – regular drinking can sometimes impact performance in school and at work

**Unprotected
sex – like STIs and unplanned pregnancy, drinking can increase the chances of
unprotected sex**

**You're under arrest – many crimes are committed when someone is impaired by
alcohol**

Sexual assault – alcohol is very often a factor in sexual assaults

**It's all over Facebook – it's common for pictures and videos of drunk youth to be
posted on Facebook which sometimes leads to regret**

**You pissed in my flower pot? – vandalism and public mischief often increases when
alcohol is involved**

Alcohol Marketing

ADBEERTISING – Beer ads are everywhere. Sometimes it can feel like they're the
only thing on during a commercial break.

ALCOHOL AND APPLES – What is an apple? Healthy. Some drinks are
marketed as natural, wholesome and good for you.

IN THE FAMILY – What more bonding moment could there be in movies or on TV
than a dad giving his son a beer for the first time while they work on a car? Or a
mom pouring her heart out to her daughter over a glass of wine? Careful not to
think of alcohol as necessary to a family gathering just because it is marketed that
way.

**ROCKSTAR ULTIMATE NEON-COLORED LO-CAL GRAPE INFUSED VODKA
SQUISHY** – All these words are so exciting! It sounds like such a good time!

IT'S TUESDAY... LET'S DRINK! – Tuesday is cheap, Wednesday is trivia, Thursday
and it's almost the weekend, Friday and it is, Saturday is the main drinking night
and Sunday you have to because it is your last chance before the week starts again.
There is a reason almost every day!

I AM SO BORED – It's something to do. What ELSE would you be doing anyway?

YOU DON'T WANT TO DRINK WITH US?! – Well you must not be our friend if you
don't want to drink with us.

POP CULTURE – Celebrity endorsements and stars with their own alcohol brands.

FML – Drinking to make you feel better when you're down. Self-medicating.

LIFE IS GOOD. NO.BETTER! – Drink when things are good too though. It will make a great day better!

NEW YEARS EVE!!ST. PATRICK'S DAY!! CANADA DAY!! HALLOWEEN!! – Holidays all seem to be reasons to drink, if you pay attention to the media.

ORGASM – Often alcohol is related to sex, but what message does that give us around consent?

AD **BEER** TISING

ALCOHOL AND APPLES

IN THE FAMILY

ROCKSTAR
ULTIMATE NEON-
COLORED LO-CAL
GRAPE INFUSED
VODKA SQUISHY

**IT'S
TUESDAY...**

**LET'S
DRINK!**

**I AM SO
BORED**

YOU *DON'T*
WANT TO
DRINK
WITH US?!

POP CULTURE

FML

NEW YEARS EVE!!

**ST. PATRICK'S
DAY!!**

CANADA DAY!!

HALLOWEEN!!

LIFE IS
GOOD. NO.
BETTER!

oRGASm

Non-smoker
(Never smoked
or smoked but
stopped)

Occasional smoker

(the odd puff now
and then, but
essentially a non-
smoker)

Weekend smoker

(Will puff now
and then, but it's
only a weekend
thing and not
every weekend)

Regular smoker

(routinely have a
puff after work or
school ends)

Pot Head

(Getting really
baked most days,
need a high to
have real fun)

Stoned 24/7

(All day, every
day. Morning,
noon and night)

Someone passed me a
joint, I can't say no in
front of everyone
(Peer Pressure)

Seth Rogan and
Snoop get high, and it
seems pretty harmless
(Pop culture)

There are smoke
shops all over. I am
always around people
who smoke
(Social Norm)

Authority and my
parents don't like it,
so I do
(Rebel)

It feels good and
makes things so much
more fun (Sensation-
seeking)

When I'm high, I can
escape all of the
things that are
normally on my mind
(Self-medicating)

All of my friends get
high together and I
like being a part of
our group
(Community, identity)

**What would
you do to
show him/her
that
everything's
cool?**

**What would
you fear?**

What would change?

**How would
you act
around
him/her?**

**What would
you be
thinking?**

**If you were
thinking
about his/her
health, what
would you be
worried
about?**

William's Doll

Williams wanted a doll
He wanted to hug it
And cradle it in his arms
And give it a bottle
And take it to the park
And push it in the swing
And bring it back home
And undress it
And put it to bed...
...and start all over again
Just as though he were its father
And it were his child
His brother and the boy next door did not approve
"A doll!" said his brother,
"don't be a creep!"
"sissy, sissy sissy!" said the boy next door.
William's father bought home a basketball instead.
He practiced a lot
And got good at it
But it had nothing to do
with a doll.
William still wanted one.
So his father brought home an electric train, with tunnels and bridges and William played with
the train a lot.
One day his grandmother visited. William proudly showed her the basketball and his new train.
He also expressed his desire for a doll, explaining, "My brother says it will make me a creep
and the boy next door says I am a sissy and my father brings me other things instead".
His grandmother listened.
"Nonsense," she said.
She brought him a doll. The doll had blue eyes

And when they closed
They made a clicking sound
And William loved it right away.
William's father was upset. "He's a boy!" he said.
And so his grandmother must patiently explain to her son:
"He needs it," she said,
"To hug and to cradle
And to take to the park
So that when he's a father
Like you,
He'll know how to take care of his baby
And feed him
And love him
And bring him what he wants
Like a doll
So that he can practice being a father".

Situations

Award a point for every option/idea that groups come up with.

1. Going into grade 10, summer is here. You know you will probably be going to some parties and you are thinking this may be the summer you have sex for the first time. What can you do to make sure you are having safe sex?

Talk about: Being ready, types of birth control, how you can get birth control, whose responsibility is it?

2. Feelin good, lookin good, have a good buzz on. Making serious eye contact with the person you have been eyeing at school. They come over and ask you to go upstairs with them. What are you thinking about?

Talk about: Consent, setting boundaries, protection.

3. It has been one month from a male-female sexual encounter and the female has not had her period. She is usually pretty regular and is stressed. What would you be worried about? What could you do?

Talk about: Going to a doctor/clinic, irregularities in the menstrual cycle, pregnancy testing.

4. You are female and take a pregnancy test; it is positive. What would you be afraid of? What are the options?

Talk about: Talking to family and friends, abortion, adoption, miscarriage.

1. Going into grade 10, summer is here. You know you will probably be going to some parties and you are thinking this may be the summer you have sex for the first time. What can you do to make sure you are having safe sex?

2. Feelin' good, lookin' good, have a good buzz on. Making serious eye contact with the person you have been eyeing at school. They come over and ask you to go upstairs with them. What are you thinking about?

3. It has been one month since a male-female sexual encounter and the female has not had her period. She is usually pretty regular and is stressed. What would you be worried about? What could you do?

4. You are female and take a pregnancy test; it is positive. What would you be afraid of? What are the options?

Fact or Fiction

- If I use birth control, I don't have to worry about STIs - FICTION
- Only vaginal sex comes with the risk of STIs- oral and anal sex are safer options. – FICTION
- Oysters and chocolate are aphrodisiacs - FICTION
- Two condoms are better than one- FICTION
- sex standing up, jumping up and down or douching after sex will not prevent pregnancy- FACT
- Pulling out will stop a girl from getting pregnant- FICTION
- You can tell if someone has an STI by looking at their genitals- FICTION
- You can get pregnant on your period – FACT
- You can tell if a girl is a virgin by her hymen (sometimes called 'cherry') - FICTION
- Some STI's can actually be cured with antibiotics - FACT
- A girls must take birth control pills daily, for three months before they are effective -FACT
- The average penis size is 5.5 inches – FACT
- You can break your penis- FACT
- 5% of girls experience sexual pain (30%) – FICTION
- You can still get pregnant if you have sex in a pool – FACT

Condom Play #1

Opening a condom and putting it on correctly.

Materials: 1 condom, 1 banana (or similar)

1. Before you use a condom check the package – why? Expiry date and air (no holes in packaging)
2. Open the package.
3. Locate the correct side of the condom, the one with the lubricant on it and that the reservoir tip is on.
4. Pinch the tip on that side (don't turn it inside out!) with three fingers (leaving space for ejaculate) and roll the condom on from head all the way to base.
5. After ejaculation and while the penis is still hard, grasp the base to prevent spillage, and remove the condom carefully.

Note: Usually you would throw away the condom here. Never use it more than once!

Condom Play #2

But I can't feel anything with a condom on!

1. With the help of a friend put a condom on your fist.
2. Close your eyes and ask a friend to touch your fist with their finger. Can you feel the person's finger touching you?

Note: Beware sharp fingernails.

Condom Play #3

It doesn't fit me. I need to buy extra-large!

1. Stretch the condom as wide as you can and measure or take a guess at how wide it gets.
2. How much of your arm can fit in the condom? Your leg?

Condom Play #4

I don't need protection for oral sex. Where would I find that anyway?

1. Cut the condom in half from the base up to the tip. If you don't have scissors you can make a tear in it with fingernails or teeth and then rip it.
2. Lay this, now an oral dam, on your hand (or a classmate's!) and lick it. Can you still feel it?

Note: Some condoms might be ripped from the previous activity. These can still be used as oral dams but be careful that they have not touch the floor/had shoes in them if students are going to try to lick them.

1. Facial Hair

1. Long and Straight Hair

2. Perfect Teeth (white and straight)

2. Perfect Teeth (white and straight)

3. Tanned Skin (if white)

3. Tanned Skin (if white)

4. Six Pack

4. Big Breasts

5. Big Penis

5. Big Butt

6. No Body Hair

6. No Body Hair

7. No Disabilities

7. No Disabilities

8. Tall and Muscular

**8. Skinny
(big
breasts
and butt,
tiny waist)**

9. No Fat

9. Not Much Fat

10. Clear Skin

10. Clear Skin

11.Other

11. Other

12. Perfect Face (nose, ears, lips)

12. Perfect Face (nose, ears, lips)

Relationships Scenarios – Part 1

He starts drinking. You don't.

He starts pressuring you to drink.

You start smoking weed. He doesn't.

You start pressuring him to smoke weed.

You both start relationships.

He comes out as gay or bi or transgender.

You have a serious family issue and are upset. Your friend knows about it.

You start hanging out with his girlfriend or boyfriend.

He starts dating your sister or brother.

One of you pisses the other guy off, but you talk it out and everything's good afterward.

You're in an unhealthy relationship and he takes you aside and tells you that you should end it.

You both play football. One of you makes the team, and the other doesn't.

You go watch your friend play football and cheer him on even though you didn't make the team.

You go to a movie with some friends and don't bother inviting him.

You're heading camping or to a cottage for the weekend with your family and you invite him along.

You both check in to see how each other is feeling every day.

You don't mind telling each other when you've done something stupid, or wrong.

You tell him when he's done something that has hurt your feelings.

He trusts you with a big secret.

The secret he trusts you with may mean your friend is in danger of hurting himself or others, so you need to tell someone about it.

You start a house-painting business together.

Both of you take the time to listen to each other.

One of you is really dependable, but the other keeps forgetting the plans that you've made.

You tease your friend for the clothes they wear, or the way they look.

You stick up for each other, even though it might cause problems.

You lie to your friend sometimes so that you won't hurt his feelings.

You've made fun of your friend in front of other friends?

You're not uncomfortable to sometimes tell the other how much their friendship means to you.

Both of you are a bit scared of trying something new - like skydiving - but you do it together.

You ask for money once to cover a meal or a movie. It becomes a bit of a habit. You feel awkward talking about it.

Relationships Questions – Part 2

- A) If you're in a relationship and you made plans with your partner to do something, and they ask to change plans at the last minute are you cool with that or not cool with that?
B) What if this is something that happens almost all the time?
- How would you feel if your partner regularly criticizes the way you look or dress, or says something that makes you feel bad about yourself?
- Would you be okay with your partner doing their own thing sometimes, and having some different interests than you, even if it means you spend less time together?
- A) Would you be okay with your partner talking to other girls/guys/women/men? B) Do you support them having other friendships, including keeping old friends and making new friends?
- How would you feel if you had to hide things from your partner because you fear they'll get pissed off at you?
- Would you be okay if your partner doesn't always want to have sex?
- How would you feel if your partner sometimes threatens you, or gets physically angry with you?
- Would you be okay to leave a relationship if things were not working out?
- Would you be supportive of having regular conversations with your partner about how the relationship is going?
- Would you want to be able to express your opinion without being made fun of by your partner?
- Would you want to have an equal say in what happens in your relationship?

Relationships Questions and Step-into-the-circle Statements – Part 3

1. Is there anything that makes you nervous about dating?
2. Do you think guys are expected to act a certain way or be a certain type of man in a relationship?
3. Lots of guys think it is okay to hook up a lot in high school. Do you think it is okay, or do you think it helps feed the stereotype of masculinity where guys are just interested in lots of sex with no interest in any emotional attachment?
4. How comfortable do you feel talking to a friend when they're in an unhealthy relationship? Is your opinion in or out of bounds?

5. In an ideal relationship should things be equal, or do you think it is okay that the guy may be more dominant or powerful? If you think it should be equal is that the reality in relationships you see?
 6. Who teaches you how to have a healthy relationship?
- Step into the circle if you think it's tougher to have a healthy relationship these days.
 - Step into the circle if you think junior high school is too early for a serious relationship.
 - Step into the circle if you think porn is impacting the health of relationships these days.

Holding hands

Oral sex (on guy
or girl)

Touching genitals
inside clothing

Lengthy kiss with
open mouth

Hand on butt

Lying down
kissing

Sleeping together
(no sex)

Vaginal Sex
(protected)

Anal sex
(protected)

Dating/relationsh
ip

Sexting (text
only)

Exchanging nude
photos

Hickeys

12

13

14

15

16

18

< 2

Years

< 5

Years

Sending nudes

**Posting a gory
image
(crash, injuries)**

**Tagging a
friend in an
unflattering
picture or
video**

**"I love my baby
so much"** 

**"Going to bed,
good night
facebook"**

LMS for a rate/inbox for a rate

**"Feeling down, a
lot going through
my mind... a lot to
think about"**

“TBH?”

**Talking about
relationship...
"why can't I get
support from
you, I'm done.
Can't handle this
shit alone".**

**Posting things
without others
knowing/witho
ut their
permission**

**"Comment
your name, if I
don't like it I
don't like you"**

Sharing your phone number

**Posting sexy
profile pictures
(shirtless,
cleavage, butt,
etc.)**

**Chatting with
someone you
don't know**

**Promising
you'll do
something if
you get a
certain amount
of likes**

**"Liking"
someone's
status when
you don't
mean it**

**Adding
someone you
don't know**

**Asking for a
nude**

**Following
people who
post
pornographic
pictures**

**Making a fake
account to
start rumors or
cause shit**

**Following
people you
don't like to
make fun of
them**

Creeping people

**Posting ugly
pictures of
yourself**

Sexual Health

Pressure to Have Sex

Bullying

Unhealthy Eating

Mental & Emotional Health Body Image

Gambling

Mental & Emotional Health Stress

Injury

Mental & Emotional Health Anxiety

Mental & Emotional Health Depression

Sexual Health

Risk of STIs

Substance Abuse

Prescription

Drugs

Mental & Emotional Health Eating Disorder

Inactivity

Sexual Health Porn

Substance Abuse

Tobacco

Substance Abuse

Alcohol

Substance Abuse

Marijuana

Relaxation Techniques

Other

Dealing with Anger

Dealing with Depression

Dealing with Stress

Dealing with Anxiety

**(Connecting with
your Culture)**

Knowing How to Stay Active

**Seeing things
from another
point of view**

Asking for Help

Knowing Your Values

Setting Goals

Being Yourself

How to Listen

Knowing How to Protect Yourself

How to Say No When There's Pressure to Say Yes

How to Have Tough Conversations

Knowing How to Cook

Dealing with Uncomfortable Situations

Having Good Relationships with Friends

Having Good Relationships with Family

How to Deal With Difficult People

Knowing How to Eat Healthy

Understanding Advertising and Marketing

Signs and symptoms of mood disorders (depression and anxiety)

Signs: tearful or frequent crying, looks agitated, trembling, withdrawal from friends and activities, avoidance of stressful situations, drop in grades or attendance at school, increased drug and alcohol use, increased risky behaviours,

Symptoms: Feeling sad for a long time, low energy, change in appetite (eating more or less), headaches or stomach aches, lost feelings of pleasure or enjoyment, feeling worthless, hopelessness, thoughts of death or suicide , trouble concentrating or making decisions, irritable or angry, nervous or scared, problems sleeping, fearful or panicked

**Tearful or
frequent crying**

Low energy

Irritable or angry

**Fearful or
panicked**

Looks agitated

**Feeling sad for a
long time**

Trembling

Trouble concentrating or making decisions

Withdrawal from friends and activities

**Feeling
worthless**

Avoidance of stressful situations

**Nervous or
scared**

Hopelessness

**Drop in grades or
attendance at
school**

**Change in
appetite (eating
more or less)**

Increased drug and alcohol use

Increased risky behaviours

**Lost feelings of
pleasure or
enjoyment**

Thoughts of death or suicide

Headaches or stomach aches

Problems sleeping

Deep Breathing Exercise

When people feel anxious, they tend to take short, shallow breaths, which causes more anxiety after a while. Deep breathing is a way of lowering anxiety by taking slow, controlled breaths.

Sitting upright and relaxed, take a slow 5-second breath in through your nose, breathing into your lower belly. Hold your breath there for 1 or 2 seconds. Slowly exhale through your mouth over 5 seconds. Wait 1 or 2 seconds before repeating. Aim to continue breathing this way for 8-12 breaths.

Progressive Muscle Relaxation

Inform students that progressive muscle relaxation involves tensing muscles and then releasing tension in a controlled way. The idea is to tense each muscle group for 5 seconds each and letting go as you exhale. Students should be careful not to tense so hard that they strain themselves. Parts of this activity can feel silly; assure students that the activity will be performed as a group and that silliness can be therapeutic too.

Begin by sitting comfortably and taking a few slow, deep breaths. Notice how your body is feeling and whether there is any tension in it.

Tighten the muscles in your forehead by raising your eyebrows as high as you can. Hold for about five seconds, then quickly release that tension as you exhale.

Now smile widely, feeling your mouth and cheeks tense. Hold for about 5 seconds, and release, appreciating the softness in your face.

(Pause for a few seconds)

Next, tighten your eye muscles by squinting your eyelids tightly shut. Hold for about 5 seconds, and release.

Gently pull your head back as if to look at the ceiling. Hold for about 5 seconds, and release, feeling the tension melting away.

Take another slow, deep breath in and out.

Now, tightly, but without straining, clench your fists and hold this position until I say stop. Hold for about 5 seconds, and release.

Now, flex your biceps. Feel that buildup of tension. You may even visualize that muscle tightening. Hold for about 5 seconds, and release, enjoying that feeling of limpness.

Now tighten your triceps by extending your arms out and locking your elbows. Hold for about 5 seconds, and release.

(Pause for a few seconds)

Now lift your shoulders up as if they could touch your ears. Hold for about 5 seconds, and quickly release, feeling their heaviness.

Tense your upper back by pulling your shoulders back trying to make your shoulder blades touch. Hold for about 5 seconds, and release.

(Pause for a few seconds)

Tighten your chest by taking a deep breath in, hold for about 5 seconds, and exhale, blowing out all the tension.

Now tighten the muscles in your stomach by sucking in. Hold for about 5 seconds, and release.

Gently arch your lower back. Hold for about 5 seconds, then release and relax.

Feel the limpness in your upper body letting go of the tension. Take a slow deep breath in and out.

Tighten your upper legs by pressing your knees together, as if you were holding a penny between them. Hold for about 5 seconds and release.

Now flex your feet, pulling your toes towards you and feeling the tension in your calves. Hold for about 5 seconds, and relax, feel the weight of your legs sinking down.

Curl your toes under tensing your feet. Hold for about 5 seconds, release.

(Pause for a few seconds)

Feel the weight of your relaxed body. Take a few slow, deep breaths in and out. Try to hold onto this feeling of relaxation as you go about your day.

Grounding: 3-2-1

Grounding is a technique that helps people stay in the present, and to focus more on sensations than thoughts. It can help people who feel like they are overthinking things or feeling overwhelmed. Modifications can be made to this activity depending on level of hearing, sightedness, etc.

Going around the circle, each person states 3 things they can see in the room, 2 things they feel (physically), and 1 thing they hear. On the second round, each student states something they like about themselves.

Mental Vacation Visualization

The mental vacation activity helps students to relax and go to a safe place in their mind. It incorporates deep breathing, guided relaxation, and visualization. The script is meant to be read slowly, with pauses around instructions to breathe. Students should not be required to report on anything they have imagined, but should feel free to discuss the feeling of visualizing afterwards.

This is called a mental vacation script—a way of imagining your own peaceful, safe place. The hope is that, in times when you feel like you need to be calmer or more relaxed, you can visualize this imagined place and de-stress.

To begin, find a comfortable seating position and take a couple slow, deep breaths. You can keep your eyes opened and unfocused, or you can close them if it helps you to visualize. Try to focus on your own experience, allowing others to do the same.

For the next few moments, allow your mind to settle by focusing on your breathing, your lungs slowly filling with cool air, your chest and belly rising on the in-breath, and falling as you breathe out warm air.

Continue to breathe slowly and deeply. Notice any tension you might have in your body and try to let it go as you breathe out. If your muscles are stiff or engaged, try to make them loose and comfortable.

Continue focusing on your breath, holding it for a moment when your lungs are full and then exhaling slowly.

Let the rate of your breathing slow down even more as your body relaxes.

Now begin to create a picture in your mind of a place where you can completely relax. Imagine what this place needs to be like in order for you to feel calm and relaxed.

Start with the physical layout of the place you are imagining: Where is this peaceful place? You might envision somewhere outdoors or indoors. It may be a small place or large one. Create an image of this place.

(Pause)

Now picture some more details about your peaceful place. Who is in this place? Are you alone? Or perhaps you are with someone else? Are there other people present? Animals? Birds? Imagine who is at your place, whether it is you only, or if you have company.

(Pause)

Imagine even more detail about your surroundings. Focus now on the relaxing sounds around you in your peaceful place. What kinds of sounds are they? Are they sounds from nature? Are they of someone else? Is there music?

Now imagine any tastes and smells your place has to offer.

Imagine the sensations of touch, including the temperature, any breeze that may be present, and the surface you are on. Imagine the details of this calming place in your mind.

Focus now on the sights of your place: Colors, shapes, objects, plants, water—all of the things that make your place enjoyable.

To add further detail to this relaxing scene, imagine yourself there. What would you be doing in this calming place? Perhaps you are just sitting, enjoying this place, relaxing. Maybe you imagine walking around or doing any other variety of activities.

Picture yourself in this peaceful place. Imagine a feeling of calm, of peace—a place where you have no worries, cares, or concerns; a place where you can simply relax and enjoy yourself.

(Pause)

Enjoy your peaceful place for a few moments more. Memorize the sights, sounds, and sensations around you. Know that you can return to this place in your mind whenever you need a break. You can take a mental vacation to allow yourself to relax and regroup before returning to your daily routine.

In these last few moments of relaxation, create a picture in your mind that you will return to the next time you need a quick relaxation break. Picture yourself in your peaceful place. This moment you are imagining now, you can picture again the next time you need to relax.

When you are ready to return to your day, file away the imaginary place in your mind where you can recall it the next time it's needed.

Slowly, as you become aware of your current surroundings, turn your attention back to the present. Allow your body and mind return to their usual level of alertness and wakefulness.

Keep with you the feeling of calm from your peaceful place as you return to your everyday life.

**Have you ever
thought that
what a girl has to
say is not as
important as
what a guy has to
say?**

**Have you ever
interrupted a girl
by talking loudly?**

**Have you ever
found yourself
looking at a girl's
breasts while
talking to her?**

**Have you ever
stopped what you
were doing to
check out the
body of a girl
going past you?**

**Have you ever
put down a girl
you were with
because she
wasn't as hot as
other girls?**

**Have you ever
whistled at or
yelled at a girl in
public?**

**Have you ever
talked about or
ranked a girl's
body with
another guy?**

**Have you ever
talked about
whether a girl
was easy or good
in bed?**

**Have you ever
called a girl a
bitch, slut or
whore?**

**Has anyone ever
said to you that it
seemed like all
you wanted from
someone was to
fool around?**

**Have you ever
been told by a
girl that you were
being sexist?**

**Have you ever
lied about getting
with a girl?**

**Have you ever
left protection up
to a girl when
you'd had sex?**

**Have you ever
downplayed a
girl's fear of male
violence?**

**Have you ever
used your voice
or body to scare
a girl into doing
what you
wanted?**

**Have you ever
tried to control
where a girl
could go or what
she could wear?**

**Have you ever
hit, slapped or
pushed a girl?**

**Have you ever
had sex with a
girl when you
knew she didn't
want to?**

Step into the circle if you:

- ...think guys get louder in larger groups.
- ...have ever been alone and made a comment about a woman walking by.
- ...have ever been in a group that made a comment about a woman walking by.
- ...eat more when you're in a larger group.
- ...drink more when you're in a larger group.
- ...dress differently when you're going out with a larger group.
- ...lift heavier weights or run faster when people are watching.
- ...have ever done something risky or stupid in a group that you wouldn't do alone.
- ...are more likely to call someone 'bro' in a group of guys.
- ...are more likely to call someone 'dude' in a group of guys.
- ...are more likely to call someone a 'fag' in a group of guys.
- ...have been in a group where someone was being mean.
- ...are more likely to say that you aren't hurt by something when you are in a group of guys.
- ...are more likely to watch a chick flick alone than in a group of guys.
- ...have seen guys act differently around their girlfriends than around you.
- ...are less likely to say "I love you" in a group of guys.
- ...are more likely to apologize for something if you're not in a group.
- ...are more likely to get into a fight if you're in a group of guys.
- ...have yelled at your parents with a group around.
- ...there is more 'player' talk in a larger group of guys than with just your closest friend(s).
- ...you talk about sex more with a group of guys than with your closest friend(s).
- ...you think there are differences between how people act in a group and how they act when they're alone.
- ...you think you're more yourself when you're alone than when you're in large group of guys.

Stand up if you're willing to:

- ...protect a friend who people just found out was gay.
- ...help stop the sharing of a nude picture of a girl at school. Stay standing if you would do it for a girl you don't know.
- ...try to stop a fight that is planned after school.
- ...stand up for the friend in your group who is always the butt of the jokes.
- ...stand up for a friend who chooses not to drink at a party but is being pressured.
- ...support a friend who has decided to get help for a mental health issues.

Man Up! By Dwayne Morgan

There is no manual for manhood,

No manuscript,

With carefully crafted characters

And scripts to be manipulated

By mankind.

Consider this, my Manifesto,

For men from Mandeville to Manchester,

Mannheim to Manhattan,

Who are told to man up

When faced with human emotions.

This is for the lost boys,

Frozen like mannequin,

In the bodies of men,

Who suffer in silence,

Innocence manhandled,

Abused at church or hockey practice,

Unable to let go of things that aren't their fault.

Man up!

Stop being so soft!

This is for those mangled spirits,

Seeking the freedom to be vulnerable,

Fearing failure,

Managing the shame of defeat in private;

Man up!

Never let them see you break!

This is for those men,

Who aren't men,

Because they love men;

On a man hunt for acceptance,

And their masculinity,

Going manic,

Trying to fit into his,

And this, box.

Sissy, Man Up!

This is for those manufactured real men,

With tear ducts sealed like manhole covers,

Because real men don't cry,

And I am constantly questioning myself,

Wondering about my own identity,

Because tears manifest within,

And flow out of me regularly.

I am not one who believes that it is mandatory for men to be hard,

Devoid of emotion.

Look at the world that men have built;

We've got to become for female,
If we ever hope to truly be human.
Man hood is as individual as raindrops,
And who can stop the rain from falling?
Put old notions on the mantle,
Because even a softy like me
Feels manly when holding my daughter to my chest
While she sleeps,
Playing princesses, dress up,
And having tea parties.
Who gets to decide if a guy like me,
Is man enough to be a man?
Whose standard are we using?
What's the criteria and mandate?
Dude, are you gay?
Man Up!
Forget that chick!
Man Up!
Your back really hurts that bad?
Man Up!
Why are you being so soft?
Man Up!

That was years ago! Let it go!

Man Up!

Why do you even care?

Man Up!

When everything that makes us human,

Is followed by **man up,**

I wonder if there'll ever be a time,

When I can be man enough.

**Let the other
person take
control in a
relationship**

**Be attractive
and
take/post/send
sexy pictures.**

**Be concerned
with how much
I eat, and who I
eat in front of.**

**Be quiet, don't
speak up in
class**

**Have a thin
body, big
breasts and a
big booty.**

**Whoever you
are, you are
not good
enough.**

**It is important
to attract and
be flirtatious
(be noticed by
certain
people).**

**You should
always want
sex.**

**Prove yourself
in sports and
school. Do
everything and
do it the best.**

**Shopping and
being in style is
important.**

Step into the circle if...

Light

- you have brothers or sisters
- you are active in sports
- you're good at those sports
- you play video games
- you like music
- you've thrown up on someone as a teen or adult
- you've ever had a conversation with a pet
- you've dreamed about flying
- you've dreamed about falling
- you like to walk in the rain
- you've farted in an elevator
- you ate fast food in the last week
- you did something good for your mental or physical health last weekend
- you've broken a bone
- you have a scar
- you're looking forward to getting your driver's license
- you help care for someone
- you think summer is the best season
- you are ticklish
- you've ever spied on anyone
- you like your laugh

Step into the circle if...


Medium


- you have ever felt awkward or out of place
- you are a risk taker
- you've ever shoplifted
- you've told a parent/guardian you were going somewhere and went somewhere else
- you check out your poop before flushing (if it floats it is a good sign of proper fibre intake!)
- you check your urine to see if it is clear or pale yellow (a good sign of proper hydration!)
- you've assaulted an inanimate object
- your parents are separated/divorced/unmarried
- you think guys your age are having a tough time in our society
- you feel comfortable talking about sex to your family
- you feel comfortable telling a parent/guardian about personal problems
- you feel weird or self-conscious right now
- you feel uncomfortable around this group
- you think schools could do a better job
- you are nervous about high school
- you are excited about high school
- you've gotten so angry you hit another person
- you're worried about someone in your life
- you think you'll ever be powerful
- you think you're a role model
- you treat people the way you want them to treat you
- you want to change something about your personality

Step into the circle if...

Deeper

- you have cried about something, for any reason, in the past year
- you are in a relationship
- you've thought about or used condoms
- you're comfortable hugging someone of the same gender
- you are happy most of the time
- you have been bullied
- you have bullied someone
- you have had sex while drunk
- you sometimes call things/people you don't like "gay"
- you have ever stood up for someone against something unfair
- you wish you were closer with a parent/guardian
- your life is going pretty much how you want it to go
- you think you're in control of who you are as a man
- you believe you can help a friend become healthier
- you think you're trying to live up to someone else's reputation
- you think you're trying to live up to something a family member wants for you
- you've ever influenced someone to use alcohol or drugs
- you're worried about your future
- you think you'll be a good father
- you think the world will be better in the future
- you think you can change the world.









Relationships

Access to Education

Income

Access to Healthcare

Physical Environment

Gender

Sexual Identity

Race & Culture

'The Line' Questions

1. If your parents work, or have ever worked, nights and weekends to support your family take one step back.
2. If you have never been afraid of sexual assault take one step forward.
3. If you can show affection for your romantic partner in public without fear of someone calling you out, or even violence, take one step forward.
4. If you have ever been diagnosed with a physical or mental disability take one step back.
5. If the language you speak at home is not English take one step back.
6. If your family is very supportive of you take one step forward.
7. If you have ever tried to change the way you speak or act to be accepted take one step back.
8. If you can go to any store and find hair products or makeup that work for you take one step forward.
9. If you have ever been embarrassed about your clothes or your home take one step back.
10. If you can make mistakes and have no one blame it on your race/gender take one step forward.
11. If you were born in Canada take one step forward.
12. If your parents have ever been involved in a divorce take one step back.
13. If you have a family doctor take a step forward.
14. If you have all the food you ever need take one step forward.
15. If you don't worry about not being hired for a job because of how you look or talk take one step forward.
16. If you would never think twice about calling the police when trouble occurs take one step forward.
17. If you feel comfortable expressing your emotions take a step forward.
18. If you have ever been the only person of your race/gender/sexual orientation in a room take a step back.
19. If you get time off of school for all of your religious holidays take a step forward.
20. If you feel comfortable walking around your neighbourhood at night take one step forward.
21. If you feel comfortable that your parents could support you through a financial hard time take one step forward.
22. If you went to pre-school before you were in primary take one step forward.
23. If you rarely see someone like you on TV or in movies take a step back.
24. If you've been bullied or made fun of for something you can't change take a step back.
25. If there were more than 50 books in your house when you were a child take a step forward.
26. If you've ever studied the history of your ancestors in social studies take a step forward.
27. If your parents or guardians went to college or university take a step forward.
28. If you've been on a family vacation take a step forward.
29. If it's been more than two years since you had your eyes tested take a step back.
30. If you could get a job with a friend or family member pretty easily take a step forward.
31. If your parents have ever been laid off or unemployed take a step back.
32. If your parents were born in Canada take a step forward.
33. If you were ever uncomfortable about a joke you heard because it felt like it was about your race/gender/sexual orientation/appearance but didn't feel you could confront the situation take a step back.

Mindfulness

Word Search (Feeling Words)

F R U S T R A T E D Q F B U C A L N H M
D B U G K H C J U B E L T O N H V U Q Q
V A Y A J K R C D C L B V C H T J D P T
S W S E Z M K I S E D O Y H S M D M G S
H W U B H B C T L U N Q D A Z Q P N C Z
R D Y T Z N A X W L U W E P X Z H I A G
Z C K M K T M L S T E T T P R P L N D F
A G S I I I Y M Y Z N D I Y S A Z H V P
H T L C L U F R E E H C C F P N M L A C
S D B W A Z O Z T X I Q X G G I O R E S
T J E N O O K N F T V D E D W C L S G J
P J G S F R O V S J V T R V Z K C U J Q
J R G J S C R A N X I O U S V E O S B W
Y L N R C E I I S X W R U L H D R I R N
I H E H T S R H E Q R P C L W H H H D F
L E V M U E P T S D N Y Y Y I O I M T H
L Q B H D T H T S L Z M R K W K I L B M
M B T G V X T U V N L F Z T U K F B E O
B N T K V M E M X P W M C Z G X I Y M F
E W F J O T V Y W Y F X X M T I C W D Y

ANGRY
ANXIOUS
CALM
CHEERFUL
CONTENT
ECSTATIC
ENTHUSIASTIC
EXCITED
FRUSTRATED
HAPPY
PANICKED
SAD
STRESSED
THRILLED
WORRIED

Raisin Exercise:

Holding

First, take a raisin and hold it in the palm of your hand or between your finger and thumb.

Focusing on it, imagine that you've just dropped in from Mars and have never seen an object like this before in your life. You might like raisins, you might dislike raisins. For now, just let go of any ideas you might already have about raisins and imagine that this is the first time you've ever encountered one.

Seeing

Take time to really see it; gaze at the raisin with care and full attention.

Let your eyes explore every part of it, examining the highlights where the light shines, the darker hollows, the folds and ridges, and any unevenness or unique features.

Touching

Turn the raisin over between your fingers, exploring its texture, maybe with your eyes closed if that enhances your sense of touch.

Smelling

Holding the raisin beneath your nose, with each inhalation drink in any smell, aroma, or fragrance that may arise, noticing as you do this anything interesting that may be happening in your mouth or stomach.

Placing

Now slowly bring the raisin up to your lips, noticing how your hand and arm know exactly how and where to position it. Gently place the object in your mouth, without chewing, noticing how it gets into the mouth in the first place. Spend a few moments exploring the sensations of having it in your mouth, exploring it with your tongue.

Tasting

When you are ready, prepare to chew the raisin slowly, noticing how and where it needs to be for chewing. Then, very consciously, take one or two bites into it and notice what happens in the aftermath, experiencing any waves of taste as you continue chewing. Without swallowing yet, notice the sensations of taste and texture in your mouth and how these may change over time, moment by moment, as well as any changes in the raisin itself.

Swallowing

When you feel ready to swallow the raisin, see if you can first detect the intention to swallow as it comes up, so that even this is experienced consciously before you actually swallow the raisin.

Following

Finally, see if you can feel what is left of the raisin moving down into your stomach, and sense how the body as a whole is feeling after completing this exercise in mindful eating.

Attitudes of mindfulness:

1. Non-Judging

- Trying to look at your experiences from the outside, as if you were a witness to them.
- Noticing the habit of judging your experiences as good, bad, or neutral—not trying to stop it but just being aware of it.

2. Patience

- Letting things unfold in their own time
- A child may try to help a butterfly emerge by breaking open a cocoon but chances are the butterfly won't benefit from this help.

- Practising patience with ourselves: “Why rush through some moments in order to get to other ‘better’ ones?”
- Being completely open to each moment, accepting its fullness, knowing that like the butterfly, things will emerge in their own time.

3. Beginner’s Mind

- Too often we let our thinking and our beliefs about what we ‘know’ stop us from seeing things as they really are.
- Being willing to see everything as if for the first time.
- Being open to new possibilities
- Each moment is unique and contains unique possibilities.
- Try it with someone you know – next time, ask yourself if you are seeing this person with fresh eyes, as they really are? Try it with problems, with the sky, with a pet, with strangers, etc.

4. Trust

- Developing a basic trust in yourself and your feelings.
- Trusting in your own authority and intuition, even if you make some mistakes along the way.
- Honour your feelings. Taking responsibility for yourself and your own wellbeing.

5. Non-Striving

- Meditation has no goal other than for you to be yourself. The irony is you already are.
- Paying attention to how you are right now, however that it is.

6. Acceptance

- Seeing things as they actually are in the present. If you have a headache, accept you have a headache. If you’re feeling down, accept that you’re feeling that way.
- Now is the only time we have for anything. You have to accept yourself as you are before you can really change.
- Acceptance is not passive; it does not mean you have to like everything and abandon your principles and values. It does not mean you have to tolerate everything that happens. It does not mean that you should stop trying to grow as a person.
- Acceptance is a willingness to see things as they are. You are much more likely to know what to do and have the courage to act when you have a clear picture of what is actually happening.

7. Letting Go

- Letting go is a way of letting things be, of accepting things as they are.
- If we find it difficult to let go of something because it has such a strong hold on our mind, we can direct our attention to what ‘holding on’ feels like during meditation.
- You already know how to let go, even if it’s not easy: Every night when we go to sleep we let go.

Non-judging

Patience

Beginner's mind

Trust

Non-striving

Acceptance

Letting go

Guided sitting meditation:

Note: This meditation should be read slowly, with half-minute pauses between paragraphs.

This is a *guided* meditation, which means I will be reading from a script. This sitting meditation will help you learn to be present with your thoughts and feelings. First, find a seating position that is comfortable and allow your body to become still. Place your hands on your lap, if it's comfortable, and make sure your feet are making contact with the floor. Feel free to close your eyes or keep them opened. As you become still, bring your attention to the fact that you are breathing. And become aware of the movement of your breath as it comes into your body and as it leaves your body. Not trying to change the way you breathe in any way. Simply being aware of it and of the feelings associated with breathing. And observing the breath deep down in your belly. Feeling your belly as it expands gently on the in-breath, and as it falls back towards your spine on the outbreath. Being totally here in each moment with each breath. Not trying to do anything, not trying to get any place, simply being with your breath.

You will find that from time to time your mind will wander off into thoughts, daydreams, plans for the future, reflections on the past, worries, memories... When you notice that your attention is no longer here and no longer with your breathing, and without judging yourself, bring your attention back to your breathing and ride the waves of your breathing, fully aware of how long each breath in and out is taking. Every time you find your mind wandering off the breath, gently bring it back to the present moment. Using your breath to help you tune into a state of relaxed awareness and stillness.

Being here with whatever feelings and sensations come up in any moment without judging them, without reacting to them, just being fully here, fully aware of whatever you're experiencing. And again, whenever you notice that your mind has wandered off, just bring it back to your breathing and your body as you sit here not going anywhere, not doing anything, just simply being, simply sitting. Moment to moment, being fully present, and fully with yourself.

Now, without focusing on your breathing or any sensations in your body, try to observe thoughts and feelings as they come up. Instead of trying to figure out what they are about, simply look at each thought or feeling as it comes up in your mind, and let it drift away.

If you find yourself at any point focusing on one particular thought, instead of just observing it, just try to use your breathing and any feelings in your body to bring you back to the present moment.

As the meditation ends, you might give yourself credit for having spent this time nourishing yourself in a deep way by dwelling in this state of being present. For having intentionally made time for yourself to simply be who you are. And as you move back into the world, allow any positive feelings that may have been gained during the exercise follow you.

No Porn

**Almost No
Porn**

A Little Bit Of Porn Now And Then

**Some Porn
Regularly**

**Lots Of
Porn Now
And Then**

**Lots of
Porn
Regularly**

Porn Dependent

Making Porn

Violence

Alcohol And Other Drugs

Safer Sex

Healthy Sexuality

Body Image

Consent

Porn Creep

1. Do all vaginas look alike?

2. What does a clitoris do?

3. Do other parts of the body become aroused?

4. What's the average size for a penis?

5. Do all penises look alike?

6. How much masturbation is normal?

**7. What's in semen
and where does it
come from?**

**8. Can sexual
intercourse hurt?**

9. Is pulling out of the vagina or anus and ejaculating a safe form of birth control or safer sex?

10. What is pre cum?

11. If you masturbate too much will you run out of sperm?

12. If I'm attracted to someone of the same gender does it mean I'm gay or bi?

13. What's an orgasm?

14. Is a male orgasm different from a female orgasm?

15. Can alcohol and other drugs, and tobacco impact your sexual health?

16. Do females masturbate?

**17. Should I shave
my pubic hair?**

**18. What does
circumcision mean
and does it impact
our health?**

19. What's a wet dream?

20. What are blue balls?

**21. What if I'm
having trouble
getting an erection
and ejaculating?**

**22. How many
erections each day
are normal?**

**23. When does
puberty start and
stop?**

**24. How much cum is
normal?**

25. What is birth control?

26. What does horny mean and what's normal?

27. What's lube all about?

28. What are periods and are they gross?