Synergy - Responsive & Interactive HTML Portfolio

by Mediacreed – www.mediacreed.com

A how-to guide and general information to help you get the most out of your new theme.

Thank you for purchasing this theme! Your feedback is appreciated!

This documentation covers aspects regarding installation process and the various customization scenarios. We strongly advise to read this documentation thoroughly.
If you experience difficulties in some areas or if you have questions that are beyond of the scope of this documentation please send us an email from our profile page.

---

1. GETTING STARTED **4**

Unzip the archive on your computer. **4**

1.1 Installation (localhost – offline mode) *4*

1.2 Installation (live server) *10*

2. TEMPLATE FEATURES **10**

2.1.1 - First we have to set the absolute URL (templateBaseURL) *11*

2.1.2 – Setting up a custom start page *11*

2.2.2 – Changing theme color: *12*

2.3 Menu Options *13*

2.3.1 - **Adding menu or submenu options**: 13

2.3.2 - **Removing menu or submenu options**: 15

2.3.3 – **Adding External Links**: 15

2.4 Footer Options 16

3. PAGE LAYOUTS **17**

3.1 HOME + *17*

3.1.1 - Home Layout 1 17

3.1.2 - Home Layout 2 19

3.2 ABOUT US + *20*

3.3 NEWS *22*

3.4 PORTFOLIO *22*

3.5 OUR PROJECTS + *26*

3.6 SHOWREEL *30*

3.7 GALLERIES + *30*

3.8 FEATURES + *33*

3.8.1 - Fullwidth Text + Image 33

3.8.2 - Fullwidth Text + Video 33

3.8.3 - Fullscreen Video 33

3.8.4 - Pricing Table 34

3.9 CONTACT *35*

*3.10 CUSTOM DEEPLINKING CHARACTER(**#!** SEO GOOGLE)* *37*

4. THEME FILES **40**

4.1 Cascading Style Sheets *40*

4.2 JavaScript Files *41*

The javascript files used in this project can be found inside the folder "js". *41*

4.3 Photoshop Files *41*

1. GETTING STARTED

Unzip the archive on your computer.

1.1 Installation (localhost – offline mode)

- **Install WAMP Server**:

  (For MAC google MAMP
  https://www.youtube.com/watch?v=WAZ5SmJd1To)

  Go to http://www.wampserver.com/en/ and download the WAMP Server application.

  Follow the tutorial screens bellow:

Step 1:



Step 2:


MAKE SURE THAT THE WAMP SERVER ICON
IS GREEN(THIS MEANS IT IS STARTED)
12:33 AM

Step 3:


GO TO YOUR WAMP FOLDER INSIDE WWW FOLDER
CREATE A NEW FOLDER CALLED synergy
SELECT ALL FILES AND COPY THEM INSIDE THE synergy FOLDER

Step 4:


INSIDE THE FOLDE synergy you now have all the template files

Step 5:


Go inside js folder and open mc.modules.animation.js with any text editor(we use Notepad++)

Step 6:



Step 7:



!!! IMPORTANT: DON'T CHANGE LINE

templateBaseURL == "http://www.your_domain.com/" ||
templateBaseURL == "null"

ONLY LINE var templateBaseURL

Step 8:



1.2 Installation (live server)

- **FTP Upload**: Using your FTP program you upload all files to your root folder of your domain(www.example.com). The root folder is "**public_html**" folder.

!!! IMPORTANT: Before you open your website please make sure that var templateBaseURL = ~~"null";~~ was changed(see bellow on this page - 2.1 General Settings)

---

2. TEMPLATE FEATURES

This template features and how to setup the functionalities. In order to edit the files you can use any text editor(we use Notepad++) or other editors.(ie: Adobe Dreamweaver)

2.1 General Settings

Open the JavaScript file ("**mc.modules.animation.js"** from "**js**" folder) with your text editor:

2.1.1 - First we have to set the absolute URL (templateBaseURL) , and for this scroll to line 9 where you see and change 'null' with your domain name:

var templateBaseURL = ~~"null";~~

var templateBaseURL = "http://www.your_domain.com/" ;

!!! IMPORTANT don't miss the "/" at the end of your URL

2.1.2 – Setting up a custom start page (lines 16-20)

The template has a feature called custom page start. This means that your first page that users will see when opening your website can be custom. To disable this feature just set "**customPageStart = false;** " and your website will open the page specified on the menu(for this see section 2.3 called "Menu Options" on page 6)

- *Set this value to 'true' or 'false'*

var customPageStart = true;

- Set the HTML page name and also include the '#' (open index.html file and see how we defined the **'<a href...**' for each menu option)

var customPageStartURL = "#portfolio.html";

- The same, check the index.html file, and see that each menu or submenu option has an attribute called '**data-side**'. This is required so we can know how to position and update the module.

var customPageStartSide = "none";

- The same, check the index.html file, and see that each menu or submenu option has an attribute called '**data-module-type**'. This is required so we can know the type of module that will be showing.

var customPageStartType = "full_width_gallery";

2.2 Styling Options

For styling you can edit the "**style.css**" file found on "css" folder. Along the css there are some JavaScript predefined properties that you need to set up:

2.2.2 – Changing theme color:

To change it open the ("**mc.modules.animation.js"** from "**js**" folder) and on line 10 there is the '**themeColor**' property:

var themeColor = "#d00355"; Change it to the color you want.

IMPORTANT: (Also, you need to change the same color in the "**style.css**" file. Use search on the css file and replace all 4 places where this color is present)

IMPORTANT: If you use **WHITE COLOR** as theme color you have to adjust the following properties on lines 27, 28, 29 and 30:

```
var menuTextOverColor       = "#FFFFFF"; /*change it when you use WHITE as theme color */
var filterButtonsOverColor  = "#FFFFFF"; /*change it when you use WHITE as theme color */
var newsMoreBtnOverColor    = "#D00355"; /*change it when you use WHITE as theme color */
var newsTitleOverColor      = "#D00355"; /*change it when you use WHITE as theme color */
```

2.3 Menu Options

Open 'index.html' file with your text editor. Find bellow the description for the menu:

```
<div class="template-menu" data-current-module-type="full_width_gallery" data-side="none" data-href="#portfolio.html">
```

The menu main holder has 3 attribtues that are used to identify some special properties that the template needs when running:

data-current-module-type - *is the type of the module so we know what module we have to process and animate*
data-side - *tell us how to arrange the module and also how to update it.*
data-href - *the HTML page name (please use the same standard: '#' + 'page_name.html')*

Each HTML page must have this properties set up.
Each menu or submenu option have this 3 properties. You can change the data-href HTML page name if you have a new page or you want to just rename it.
The **data-current-module-type** and **data-side** must be the same as we provided in our example.

2.3.1 - **Adding menu or submenu options**:

To add a menu or submenu options just copy one menu options already provided and added at the position you want it.

Example menu options:
Let's say we have this "NEWS" and "PORTFOLIO" **menu options** and we want to add another **menu option** called "SERVICES" in the middle of these two(SERVICES is the same module like PORTFOLIO):

```
<div class="menu-option-holder" data-module-type="news" data-side="height">
      <div class="menu-option-background"> </div>
      <div class="menu-option-text"><a href="#news.html" data-path-href="html/news/">NEWS</a></div>
</div>

<div class="menu-option-holder" data-module-type="full_width_gallery" data-side="none">
      <div class="menu-option-background"> </div>
      <div class="menu-option-text"><a href="#portfolio.html" data-path-href="html/portfolio/">PORTFOLIO</a></div>
</div>
```

We copy "PORTFOLIO" menu option and paste it in the middle of the other two menu options:

```
<div class="menu-option-holder" data-module-type="news" data-side="height">
      <div class="menu-option-background"> </div>
      <div class="menu-option-text"><a href="#news.html" data-path-
href="html/news/">NEWS</a></div>
</div>

<div class="menu-option-holder" data-module-type="full_width_gallery" data-
side="none">
      <div class="menu-option-background"> </div>
      <div class="menu-option-text"><a href="#services.html" data-path-
href="html/services/">SERVICES</a></div>
</div>

<div class="menu-option-holder" data-module-type="full_width_gallery" data-
side="none">
      <div class="menu-option-background"> </div>
      <div class="menu-option-text"><a href="#portfolio.html" data-path-
href="html/portfolio/">PORTFOLIO</a></div>
</div>
```

We can see the **GREEN** highlighted text, this is what we have changed for our new "SERVICES" module.

!!! Make sure you create the HTML file called **services.html**
(**duplicate the file 'portfolio.html' and rename it to 'services.html'**)
!!! Make sure you create the 'services' folder **html/services/**

Example submenu options:
Let's say we have this "4 Columns Project" and "3 Columns Project" **submenu options** and we want to add another **submenu option** called "My Projects" in the middle of these two(My Projects is the same module like 3 Columns Project):

```
<div class="sub-menu-option-holder" data-module-type="page_columns" data-
side="custom">
       <div class="sub-menu-option-background"> </div>
       <div class="sub-menu-option-text"><a href="#4_columns_projects.html" data-path-
href="html/our_projects/">4 Columns Projects</a></div>
</div>

<div class="sub-menu-option-holder" data-module-type="page_columns" data-
side="custom">
       <div class="sub-menu-option-background"> </div>
```

```
        <div class="sub-menu-option-text"><a href="#my_projects.html" data-path-
href="html/our_projects/">My Projects</a></div>
</div>


<div class="sub-menu-option-holder" data-module-type="page_columns" data-
side="custom">
        <div class="sub-menu-option-background"> </div>
        <div class="sub-menu-option-text"><a href="#3_columns_projects.html" data-path-
href="html/our_projects/">3 Columns Projects</a></div>
</div>
```

We can see the **GREEN** highlighted text, this is what we have changed for our new "My Projects" module.

!!! Make sure you create the HTML file called **my_projects.html**

(**duplicate the file "3_columns_projects.html' and rename it to 'my_projects.html'**)

2.3.2 - **Removing menu or submenu options**:

To remove a menu or submenu options select the specific option and delete it.

2.3.3 – **Adding External Links**:

To add an external link you just need to add or modify a menu or submenu option and also edit 2 properties for that option(see the red selections):

```
        </div>
    </div>
    <div class="menu-option-holder" data-module-type="external" data-side="height">
        <div class="menu-option-background"> </div>
        <div  class="menu-option-text"><a href="http://www.google.com" data-path-href="html/n
    </div>
    <div class="menu-option-holder" data-module-type="full_width_gallery" data-side="none">
        <div class="menu-option-background"> </div>
        <div  class="menu-option-text"><a href="#portfolio.html" data-path-href="html/portfol
    </div>
    <div class="menu-option-holder">
        <div class="menu-option-background"> </div>
        <div  class="menu-option-text"><a href="#">OUR PROJECTS</a><div class="menu-option-si
        <div class="sub-menu-holder">
            <div class="sub-menu-option-holder" data-module-type="page_columns" data-side="cu
                <div class="sub-menu-option-background"> </div>
                <div class="sub-menu-option-text"><a href="#4_columns_projects.html" data-pat
            </div>
            <div class="sub-menu-option-holder" data-module-type="page_columns" data-side="cu
                <div class="sub-menu-option-background"> </div>
```

2.4 Footer Options

To modify the footer copyright and social icons you have to edit all HTML pages including 'index.html' and the HTML from the 'html' folder.

MUSIC PLAYER:

To remove the player just delete the:

** **
…..
** **

data-auto-play **= false** to not use auto play or **true** to use it
data-player-opened **= false** for the player to be closed
true for the player to be opened
data-player-volume **=** the current volume values from 0 to 1

3. PAGE LAYOUTS

3.1 HOME +

3.1.1 - Home Layout 1

FIRST SLIDE IMAGE needs to have the <img> tag. The others will use 'data-src' attribute. We use this method so we only load 1 image on startup and after the page has been shown we load the other images in background resulting in faster page load.

To add a slide you just duplicate one of the slides in 'home_layout_1.html' file:

```
<div class="slideshow-slide">
        ……..
</div>
```

To change the image just edit the 'data-src' attribute:

```
<div id="slide-src" data-
src="assets/media/slideshow/images/image4.jpg"></div>
```

To add a slide without caption text you just have to duplicate one of the slides that has no caption text.

To use auto play on slide just set **data-auto-play** to **true** or set it to **false**(like in the image bellow):

```
    </div>
</div><!-- end #menu-container -->

<div id="module-container"><!-- start #module-container -->
    <div id="slideshow" data-auto-play="false" data-time="4">
        <div class="slideshow-slide">
            <img src="assets/media/home/home_layout1/images/image1.jpg" onload="onFirstMediaLoaded()"  id
            <div id="slideshow-captions">
                <div id="slideshow-captions-text">
                    <p>WE CREATE! YOU DELIVER!</p>
                </div>
                <div id="slideshow-captions-text">
                    <p>SYNERGY INTERACTIVE &amp;amp; RESPONSIVE TEMPLATE</p>
                </div>
            </div>
        </div>
        <div class="slideshow-slide">
            <div id="slide-src" data-src="assets/media/home/home_layout1/images/image2.jpg"></div>
            <div id="slideshow-captions">
                <div id="slideshow-captions-text">
```

data-auto-play = false to not use auto play or true to use it
data-time = the number of seconds until the images change

3.1.2 - Home Layout 2

FIRST BANNER IMAGE needs to have the <img> tag. The others will use 'data-src' attribute. We use this method so we only load 1 image on startup and after the page has been shown we load the other images in background resulting in faster page load.

To add a banner image you just duplicate one of the slides in 'home_layout_2.html' file and change the 'data-src':

```
<a href="#" target="_blank">
    <div id="dataSrc" data-
src="assets/media/home/home_layout2/banner/image2.jpg"></div>
    <div class="banner-desc box-sizing banner-desc-cr">
        <div class="desc-background opacity_6"></div>
        <span>
            <h1>DECRIPTION TITLE 2</h1>
            <p>Aenean diam urna, suscipit tempor consectetur sed, mattis quis libero. Suspendisse porta, dolor ac egestas pulvinar, orci ante viverra ligula, in convallis nisl orci euismod felis.</p>
        </span>
    </div>
</a>
```

To remove the banner image you just select the image <a>…..</a> and delete it.

Also for the "pin buttons" to remove or add one 'pin button' you add or remove the following code line

```
<div id="control-pin" class=""><div class="control-pin-hover opacity_0"></div></div>
```

```
iv>
v id="module-container-holder" class="module-position-cc"  data-id="module-position-cc">
 <div id="module-home-layout2"  class="module-home-layout2" ><!-- .shadow-side-all -->
    <div id="module-home-layout2-holder">
        <div id="home-layout2-banner" data-auto-play="false" data-time="4">
            <div id='standard-banner'  class="shadow-side-all">
                <a href="#" target="_blank" class="selected">
                    <img src='assets/media/home/home_layout2/banner/image1.jpg' onload="animateThumb(this)" class="opaci
                    <div class="banner-desc box-sizing banner-desc-cl">
                        <div class="desc-background opacity_6"></div>
                        <span>
                            <h1>DECRIPTION TITLE 1</h1>
                            <p>Aenean diam urna, suscipit tempor consectetur sed, mattis quis libero. Suspendisse porta,
```

data-auto-play = false to not use auto play or true to use it

data-time = the number of seconds until the images change

3.1.3 - Home Layout 3

Inside the tag ** ** there are 3 examples of adding video(normal, Vime and Youtube).

Use the one you want(only one) the rest you can comment, remove them or leave them commented as they are.

To change the URL you have to update 'data-url' for Vimeo or Youtube and 'data-url1', 'data-url2', 'data-url3' for normal video.

The 'Our Clients' images can be edited by opening "synergy_sprite.psd" file with Adobe Photoshop and replace them with the ones you want. Also if the width or height are bigger or smaller than the ones used as example you have to edit the CSS classes used for them.

3.2 ABOUT US +

All the modules provided here just need simple editing of the text and changing the image were need it. You just have to replace the text and/or the images.

To use **GIF** image read the comment on the media holder HTML tag inside the about_us.html page

To use multiple backgrounds(rotating backgrounds) please see the description bellow:

```
    </div>
</div><!-- end #menu-container -->

<div id="module-container"><!-- start #module-container -->
    <div id="module-background-holder" data-time="3">
        <img src="assets/media/about_us/about_us/backgroundAboutUs.jpg" onload="animateModuleBackground(
        <div data-src="assets/media/about_us/about_us/backgroundAboutUs3.jpg"></div>
        <div data-src="assets/media/about_us/about_us/backgroundAboutUs2.jpg"></div>
    </div>
    <div id="module-container-holder" class="module-position-lc"  data-id="module-position-lc">
        <div id="module-text-page" class="module-about-us">
            <div id="module-wrapper">
                <div id="module-text-page-holder-about-us">
                    <div class="title-holder">
                        <span class="title-text_normal">ABOUT US</span>
                    </div>
                    <div class="custom-separator"></div>
                    <div class="media-holder">
                        <img src="assets/media/about_us/about_us/about_image.jpg" width="100%" class="op
                    </div>
```

MAKE SURE YOU ADD THIS TOO

Open your html file(the one where you want to use multiple backgrounds) and add the "**data-time**" and also the selected div tags. The **data-time** is the number of seconds you want to pass until the backgrounds rotate.
Repeat the process for all modules where you want multiple backgrounds.

3.3 NEWS

To add or remove a news item you just duplicate or remove one of the news items provided.

The same thing applies for the news preview(image) and news preview(video)

To change the video to Youtube, just change the:

data-video-type="youtube"
data-url=https://www.youtube.com/embed/4x6Ff-YD3jc

- and also leave the normal video inside so it can be an alternative for touch devices
- to use normal video open “showreel.html” and see how the normal video was added and replace the all vimeo or youtube tag with the normal video.

Each news preview image can be changed by modifying the ‘data-src’ attribute. Again, we used this solution because we don’t need to load each preview image before the news preview is open. Each image loads only one time. From the moment it was loaded the image will remain available until you change to another page.

3.4 PORTFOLIO

To add or remove a portfolio item you just need to duplicate or remove the:

```
<div class="full-width-item">
                .....
</div>
```

The preview image and description are declared on separate tags so they are clean. For the preview media check how we have added images and video under the tag:

** **

…….

…..

As for the video, in our presentation we use Vimeo. If you want to add Youtube or Normal video, please use the same tags as we used in "showreel.html" page.

For the preview media description check how we have added it under the tag:

** **

…….

…..

SETTING AN EXTERNAL LINK TO A PORTFOLIO THUMB:

```
<div class="full-width-preview-media-loader"></div>
<div id="preview-media-holder">
    <!--<div id="link" data-url="http://www.google.com" data-target="_blank"></div>-->
    <div id="preview-media-image" data-url="assets/media/portfolio/images/image1.jpg" data-title="Custom Tit
    <div id="video-wrapper" data-video-type="vimeo" data-width="640" data-height="390"
        data-url="http://player.vimeo.com/video/31423544?portrait=0&color=ffffff">
    </div>
    <div id="preview-media-image" data-url="assets/media/portfolio/images/image2.jpg" data-title="Custom Tit
    <div id="video-wrapper" data-video-type="vimeo" data-width="640" data-height="390"
        data-url="http://player.vimeo.com/video/32487239?portrait=0&color=ffffff">
    </div>
```

Remove the <!—and --> from the link div and comment the image 1 preview(see the image bellow):

```
</div>

<div id="full-width-preview"><!-- start .full-width-preview" -->
    <div class="full-width-preview-background opacity_9_7"></div>
    <div id="full-width-preview-media-holder">
        <div class="full-width-preview-media-holder-background opacity_0"></div>
        <div class="full-width-preview-media-loader"></div>
        <div id="preview-media-holder">
            <div id="link" data-url="http://www.google.com" data-target="_blank"></div>
            <!--<div id="preview-media-image" data-url="assets/media/portfolio/images/image1.jpg"
            <div id="video-wrapper" data-video-type="vimeo" data-width="640" data-height="390"
                 data-url="http://player.vimeo.com/video/31423544?portrait=0&color=ffffff">
            </div>
            <div id="preview-media-image" data-url="assets/media/portfolio/images/image2.jpg" dat
            <div id="video-wrapper" data-video-type="vimeo" data-width="640" data-height="390"
                 data-url="http://player.vimeo.com/video/32487239?portrait=0&color=ffffff">
            </div>
            <div id="preview-media-image" data-url="assets/media/portfolio/images/image3.jpg" dat
            <div id="video-wrapper" data-video-type="vimeo" data-width="640" data-height="390"
                 data-url="http://player.vimeo.com/video/23106251?portrait=0&color=ffffff">
            </div>
            <div id="preview-media-image" data-url="assets/media/portfolio/images/image4.jpg" dat

            <div id="preview-media-image" data-url="assets/media/portfolio/images/image5.jpg" dat
            <div id="preview-media-image" data-url="assets/media/portfolio/images/image6.jpg" dat
```

Now you should have the first thumb of the Portfolio clickable with an external link(**data-url** and **data-target** on how the page will open)

ATTENTION!!!!: EVEN IF YOU SET A THUMB TO BE A LINK THE DESCRIPTION TEXT MUST BE THERE IN ORDER FOR THE OTHERS TO COUNT CORRECTLY(36 THUMBS 36 DESCRIPTIONS TEXT)

THE 1st THUMB DESCRIPTION WILL BE IGNORED BUT IT MUST BE THERE IN ORDER FOR THE COUNTER TO FUNCTION CORRECTLY

SOCIAL INTEGRATION ON PORTFOLIO PREVIEW DESCRIPTION:

Each social(Facebook, Twitter and Pinterest) has the details included there:

Facebook:

src="//www.facebook.com/plugins/like.php?**href=http%3A%2F%2Fthemes.mediacreed.com%2F%23portfolio**&send=false&layout=button_count&width=85&show_faces=false&font=verdana&colorscheme=light&action=like&height=21"

Twitter:

src="https://platform.twitter.com/widgets/tweet_button.html?url=**http://themes.mediacreed.com/html/synergy/#portfolio**&text=**Synergy - Awesome HTML Portfolio Template**&via=**mediacreed**"

Pinterest:

href="http://pinterest.com/pin/create/button/?url=**http%3A%2F%2Fthemes.mediacreed.com%2Fhtml%2Fsynergy%2F**&media=**http%3A%2F%2Fthemes.mediacreed.com%2Fdesc_images%2Fprofile_preview_synergy.jpg**&description=**Synergy%20is%20a%20responsive%20%26%20interactive%20fullscreen%20portfolio%20for%20artists%2C%20photographers%2C%20media%20agencies%2C%**

20restaurants%20and%20for%20everyone%20that%20wants%20to%20showcase%20their%20portfolio%20in%20a%20professional%20way."

HIGHLIGHTED IN LIGHT GREEN are the properties that you can change for each social type(More advanced users can play with this and change it as they please)

3.5 OUR PROJECTS +

All columns pages are the same in terms of editing.

To add or remove a column item you just have to duplicate or remove one item with the tag:

```
<div class="half-thumb-holder" data-id="animation">
                .....
                .....
</div>
```

data-id="animation" – here we define on what filter category will this item be.

To change the filter names, add or remove you have to edit the following tag:

```
<div class="columns-filter-holder">
    <div id="filter-buttons-holder">
        <div class="filter-button" data-filter="photography">Photography</div>
        <div class="filter-button" data-filter="illustration">Illustration</div>
        <div class="filter-button" data-filter="design">Design</div>
        <div class="filter-button" data-filter="animation">Animation</div>
        <div class="filter-button selected" data-filter="*">Show All</div>
```

```
    </div>
</div>
```

Each column preview is the same on editing. Just edit the 'data-src' attribute for the image and the text.
The same procedure applies regarding adding or removing a column preview as for the column items, except the tags have a different name:

<li>

……

Edit the text that is here

……

</li>

The use column video, just duplicate our video example.
To change the video to Youtube, just change the:

data-video-type="youtube"
data-url=https://www.youtube.com/embed/4x6Ff-YD3jc

- and also leave the normal video inside so it can be an alternative for touch devices
- to use normal video open "showreel.html" and see how the normal video was added and replace the all vimeo or youtube tag with the normal video.

USING IMAGES SLIDES:

```
                <div class="columns-preview-media" data-src="assets/media/our_projects/2_columns/images/image1.jpg"><
                <div class="columns-preview-description">
                    <p>Giuseppe</p>
                    <span>Etiam viverra, sem sit amet convallis posuere, ante velit congue dolor, vitae semper tortor
                    <span>Sed sit amet leo sit amet nisl dignissim sagittis. Donec semper arcu augue. In eget erat ni
                    <span>Suspendisse mollis feugiat consectetur. Suspendisse arcu nisl, vulputate ut laoreet ut, lac
                </div>
            </li>
            <li>
                <div class="columns-preview-media" data-src="slides">
                    <div data-src="assets/media/our_projects/2_columns/images/image2.jpg"></div>
                    <div data-src="assets/media/our_projects/2_columns/images/image2_1.jpg"></div>
                    <div data-src="assets/media/our_projects/2_columns/images/image2_2.jpg"></div>
                </div>
                <div class="columns-preview-description">
                    <p>Baseball Illustration</p>
                    <span>Etiam viverra, sem sit amet convallis posuere, ante velit congue dolor, vitae semper tortor
                    <span>Sed sit amet leo sit amet nisl dignissim sagittis. Donec semper arcu augue. In eget erat ni
                    <span>Suspendisse mollis feugiat consectetur. Suspendisse arcu nisl, vulputate ut laoreet ut, lac
                </div>
            </li>
            <li>
```

!!!! IMPORTANT ONLY WORKS WITH IMAGES

SOCIAL INTEGRATION ON C PREVIEW DESCRIPTION:

(WORKS THE SAME FOR 4, 3 and 2 COLUMNS)

```
<ul>
    <li>
        <div class="columns-preview-media" data-src="assets/media/our_projects/4_columns/images/image1.jpg"></
        <div class="columns-preview-description">
            <p>Giuseppe</p>
            <span>Etiam viverra, sem sit amet convallis posuere, ante velit congue dolor, vitae semper tortor
            <span>Sed sit amet leo sit amet nisl dignissim sagittis. Donec semper arcu augue. In eget erat nibl
            <span>Suspendisse mollis feugiat consectetur. Suspendisse arcu nisl, vulputate ut laoreet ut, laci
            <div id="social-holder">
                <div id="social-holder-back" class="opacity_2"></div>
                <iframe src="//www.facebook.com/plugins/like.php?href=http%3A%2F%2Fthemes.mediacreed.com%2F%23
                <iframe allowtransparency="true" frameborder="0" scrolling="no"src="https://platform.twitter.c
                <a href="http://pinterest.com/pin/create/button/?url=http%3A%2F%2Fthemes.mediacreed.com%2Fhtml
            </div>
        </div>
    </li>
    <li>
        <div class="columns-preview-media" data-src="slides">
```

Each social(Facebook, Twitter and Pinterest) has the details included there:

Facebook:

src="//www.facebook.com/plugins/like.php?**href=http%3A%2F%2Fthemes.mediacreed.com%2F%23portfolio**&send=false&layout=button_count&width=85&show_faces=false&font=verdana&colorscheme=light&action=like&height=21"

Twitter:

src="https://platform.twitter.com/widgets/tweet_button.html?url=**http://themes.mediacreed.com/html/synergy/#portfolio**&text=**Synergy - Awesome HTML Portfolio Template**&via=**mediacreed**"

Pinterest:

href="http://pinterest.com/pin/create/button/?url=**http%3A%2F%2Fthemes.mediacreed.com%2Fhtml%2Fsynergy%2F**&media=**http%3A%2F%2Fthemes.mediacreed.com%2Fdesc_images%2Fprofile_preview_synergy.jpg**&description=**Synergy%20is%20a%20responsive%20%26%20interactive%20fullscreen%20portfolio%20for%20artists%2C%20photographers%2C%20media%20agencies%2C%20restaurants%20and%20for%20everyone%20that%20wants%20to%20showcase%20their%20portfolio%20in%20a%20professional%20way.**"

HIGHLIGHTED IN LIGHT GREEN are the properties that you can change for each social type(More advanced users can play with this and change it as they please)

3.6 SHOWREEL

Inside the 'showreel.html' page there are already 3 examples of video: normal, Vimeo and Youtube.

Use the one you want(only one) the rest you can comment, remove them or leave them commented as they are.

To change the URL you have to update 'data-url' for Vimeo or Youtube and 'data-url1', 'data-url2', 'data-url3' for normal video.

3.7 GALLERIES +

Image and Mixed Galleries are the same in terms of HTML tags with the exception that for images we have "zoom-gallery" class used for the '+' sign and for the mixed we use both "zoom-gallery" class and "play-gallery" class for the videos.

The same procedure of adding and removing applies. Duplicate or delete the following tag:

```
<div class="thumb-holder">
                .....
                .....
 </div>
```

As for the preview, here each preview image has also the description. To add or remove duplicate or delete the following tag:

```
<div id="preview-media-image" data-
url="assets/media/galleries/image_gallery/images/image1.jpg" data-
title="Custom Title 1" data-alt="Custom Alt 1">
```

……..

Text to be edited

……..

** **

As for the video, in our presentation we use Vimeo. If you want to add Youtube or Normal video, please use the same tags as we used in "showreel.html" page.

SETTING AN EXTERNAL LINK TO A GALLERY THUMB:

```
<div id="module-galleries-preview">
    <div id="module-galleries-preview-background" class="opacity_9"></div>
    <div class="gallery-preview-media-loader"></div>
    <div id="preview-media-holder">
        <!--<div id="link" data-url="http://www.google.com" data-target="_blank"></div>-->
        <div id="preview-media-image" data-url="assets/media/galleries/image_gallery/images/image1.jpg" data-title="
            <div class="module-galleries-preview-description-text">1. Aliquam sed nibh congue ipsum lobortis ferment
        </div>
        <div id="preview-media-image" data-url="assets/media/galleries/image_gallery/images/image2.jpg" data-title="
            <div class="module-galleries-preview-description-text">2. Aliquam sed nibh congue ipsum lobortis ferment
        </div>
```

Remove the <!—and --> from the link div and comment the image 1 preview(see the image bellow):

```
<div id="module-scrollbar-holder_v2">
    <div id="module-scrollbar-background" class="opacity_8"></div>
    <div id="module-scrollbar-dragger"></div>
</div>
<div id="module-galleries-preview">
    <div id="module-galleries-preview-background" class="opacity_9"></div>
    <div class="gallery-preview-media-loader"></div>
    <div id="preview-media-holder">
        <div id="link" data-url="http://www.google.com" data-target="_blank"></div>
        <!--<div id="preview-media-image" data-url="assets/media/galleries/image_gallery/images/i
            <div class="module-galleries-preview-description-text">1. Aliquam sed nibh congue ips
        </div>-->
        <div id="preview-media-image" data-url="assets/media/galleries/image_gallery/images/image
            <div class="module-galleries-preview-description-text">2. Aliquam sed nibh congue ips
        </div>
        <div id="preview-media-image" data-url="assets/media/galleries/image_gallery/images/image
            <div class="module-galleries-preview-description-text">3. Aliquam sed nibh congue ips
        </div>
        <div id="preview-media-image" data-url="assets/media/galleries/image_gallery/images/image
            <div class="module-galleries-preview-description-text">4. Aliquam sed nibh congue ips
        </div>
        <div id="preview-media-image" data-url="assets/media/galleries/image_gallery/images/image
            <div class="module-galleries-preview-description-text">5. Aliquam sed nibh congue ips
        </div>
        <div id="preview-media-image" data-url="assets/media/galleries/image_gallery/images/image
            <div class="module-galleries-preview-description-text">6. Aliquam sed nibh congue ips
```

Now you should have the first thumb of the Portfolio clickable with an external link(**data-url** and **data-target** on how the page will open)

ATTENTION!!!!: EVEN IF YOU SET A THUMB TO BE A LINK THE DESCRIPTION TEXT MUST BE THERE IN ORDER FOR THE OTHERS TO COUNT CORRECTLY(36 THUMBS 36 DESCRIPTIONS TEXT)

THE 1st THUMB DESCRIPTION WILL BE IGNORED BUT IT MUST BE THERE IN ORDER FOR THE COUNTER TO FUNCTION CORRECTLY

3.8 FEATURES +

3.8.1 - Fullwidth Text + Image

Editing this module is really simple. Just change the sample text with the one you want and also change the image or remove it if you don't want to use a image.

3.8.2 - Fullwidth Text + Video

Change the sample text with the one you want and also inside the page there are already 3 examples of video: normal, Vimeo and Youtube.

Use the one you want(only one) the rest you can comment, remove them or leave them commented as they are.

To change the URL you have to update 'data-url' for Vimeo or Youtube and 'data-url1', 'data-url2', 'data-url3' for normal video.

3.8.3 - Fullscreen Video

Inside the 'fullscreen_video.html' page there are already 3 examples of video: normal, Vimeo and Youtube.
Use the one you want(only one) the rest you can comment, remove them or leave them commented as they are.

To change the URL you have to update 'data-url' for Vimeo or Youtube and 'data-url1', 'data-url2', 'data-url3' for normal video.

3.8.4 - Pricing Table

Editing this module is really simple. You just need to replace the text that is used as demo with your own.

To add or remove a table line, you just need to duplicate or delete 4 lines corresponding for each column.

3.9 CONTACT

For the contact form to work you need to configure the :
var contactFormDemo = true;
Open the JavaScript file ("**mc.modules.animation.js"** from "**js**" folder) with your text editor and change the **'contactFormDemo'** to '**false**' (line 22):
var contactFormDemo = false;

Also make sure that the: **var phpUrlPath = "php/contact_synergy.php";**
has the correct URL path to the PHP file(line 21)

Now we need to set up the PHP file. Open it with your text editor and modify the following properties:

$siteName = "your_site_name.com";
$to = "your_email@provider.com";

Now the contact module should work.

To change the text that appears inside the Input Fields(only change the values that have an *) or the text specified for the address you just replace the dummy text inside "contact.html" with your own.

USING IMAGE (NO MAPS)

Remove the **<!--** and **-->** from **media-holder-contact**

** **

Also delete the

<div id="map-holder" …….

** **

And the last thing you need to delete the line bellow from index.file and all the other html pages the line that loads the GOOGLE MAPS

<script type="text/javascript" src="http://maps.googleapis.com/maps/api/js?key=YOUR_API_KEY&sensor=true"></script>

USING GOOGLE MAPS

Also you need to get an API Key for the Google Maps to work, see the link bellow in obtaining the API Key:

https://developers.google.com/maps/documentation/javascript/tutorial?hl=en-US#api_key

After you have the API Key you need to replace the JS API KEY in all HTML pages. You will find it in the head section:

<script type="text/javascript" src="http://maps.googleapis.com/maps/api/js?key=YOUR_API_KEY&sensor=true"></script>

To change the map pin, latitude and longitutde you need to open the file 'contact.html' and edit the following tag:

<div id="map-holder" data-address="Oxford Circus, London, United Kingdom" data-latitude="51.515259" data-longitude="-0.141882" data-icon="assets/media/contact/contact_map_pin.png" data-size="60, 44" data-anchor="30,44">

** **

3.10 CUSTOM DEEPLINKING CHARACTER(#! SEO GOOGLE)

As default the deeplinking character is set to "**#**" this by default is not readable by the Google SEO crawlers.

To change it to the default Google SEO compatible crawl you have to change the # to #! value:

```
15
16  var customPageStart          = true;
17  var customPageStartURL       = "#portfolio.html";
18  var customPageStartSide      = "none";
19  var customPageStartType      = "full_width_gallery";
20
21  var phpUrlPath              = "php/contact_synergy.php";
22  var contactFormDemo          = true; /* SET IT TO FALSE FOR CONTACT FORM
23   /* end   GENERAL CUSTOMIZATION PROPERTIES */
24
25
26  /* start ready function */
27  var urlCharDeeplink          = "#"
28  $(document).ready(function(){
29      readyAndLoad++;
30      $(window).error(function(msg, url, line){
31          console.log("error: ", msg, " url: ", url, " line: ", line  );
32      });
33      if( readyAndLoad == 2 ){ checkIfTouchDevice(); }
34  });
35  /* end ready function */
36
37  /* start load function */
38  $(window).load(function(){
39      readyAndLoad++;
40      if(templateBaseURL == "http://www.your_domain.com/" || templateBaseU
```

1)Change the **urlCharDeeplink** from # to **#!**

2)Also change **customPageStartURL** from #portfolio.html(or the default page start you set) to **#!portfolio.html**

3)Open the **index.html** file and change all # to #! Check the screen bellow:

```
<div class="menu-content-holder"><!-- start .menu-content-holder -->
    <div class="menu-background"></div>
    <div id="template-logo" class="template-logo" data-href="#!portfolio.html"></div>
    <div id="template-menu" class="template-menu" data-current-module-type="full_width_gallery" data-side="none" data-href="#!portfolio.html"><!-
        <div class="menu-option-holder">
            <div id="menu-option-background" class="menu-option-background"> </div>
            <div id="menu-option-text" class="menu-option-text">
                <a href="#!">HOME</a>
                <div class="menu-option-sign">+</div>
            </div>
            <div class="sub-menu-holder">
                <div class="sub-menu-option-holder" data-module-type="slideshow" data-side="none">
                    <div class="sub-menu-option-background"></div>
                    <div class="sub-menu-option-text"><a href="#!home_layout_1.html" data-path-href="html/home/">Home Layout 1</a></div>
                </div>
                <div class="sub-menu-option-holder" data-module-type="home2" data-side="none">
                    <div class="sub-menu-option-background"></div>
                    <div class="sub-menu-option-text"><a href="#!home_layout_2.html" data-path-href="html/home/">Home Layout 2</a></div>
                </div>
                <div class="sub-menu-option-holder" data-module-type="home3" data-side="none">
                    <div class="sub-menu-option-background"> </div>
                    <div class="sub-menu-option-text"><a href="#!home_layout_3.html" data-path-href="html/home/">Home Layout 3</a></div>
                </div>

            </div>
        </div>
        <div class="menu-option-holder">
            <div id="menu-option-background" class="menu-option-background"> </div>
            <div id="menu-option-text" class="menu-option-text">
                <a href="#!">ABOUT US</a>
                <div class="menu-option-sign">+</div>
            </div>
```

Also make sure you uncomment the meta tag for the special character “!” :

```
<!--<meta name="fragment" content="!">-->
```

The uncomment text should look like this (line 17 on index.html file):

```
<meta name="fragment" content="!">
```

4) CHECK THE URL's bellow for some other tips on how to improve the SEO(Create an account on Google Webmaster Tool and start adding your sitemap, pages and other things for a better google search engine indexing):

http://coding.smashingmagazine.com/2011/09/27/searchable-dynamic-content-with-ajax-crawling/

https://developers.google.com/webmasters/ajax-crawling/docs/getting-started

http://www.sitemaps.org/protocol.html#sitemapXMLExample

---

4. THEME FILES

4.1 Cascading Style Sheets

The theme includes two CSS files that are used at various times depending on user-controlled options. All CSS files can be found in 'css' folder .

style.css - The template main stylesheet and has all the styling for all the modules.

video-js.min.css- The video player stylesheet file when using normal video

4.2 JavaScript Files

The javascript files used in this project can be found inside the folder "js".

4.3 Photoshop Files

The PSD files used in this project can be found inside the folder "psd".

Thank you once again for purchasing our template!

If you have any kind of issues or problems don't hesitate to send us an email from our profile page on themeforest.net