

NAME

mbm_phins2fnav – Macro to translate processed Phins INS navigation data to an fnav file for use in MB-System processing.

VERSION

Version 5.0

SYNOPSIS

mbm_phins2fnav *-iinputfile -ooutputfile [-v -h]*

DESCRIPTION

mbm_phins2fnav is a macro intended to translate processed navigation data from an iXblue Phins inertial navigation system (INS) into an "fnav" format navigation file of the kind used elsewhere in **MB-System** processing (see, e.g., the **-N** option of **mbnavlist** and the merge-navigation options of **mbprocess**).

In the current version of this macro, the input file (specified with **-i/--input**) is read using whitespace as a field delimiter, with lines beginning with a "#" character treated as comments, and the resulting table of columns is printed to the shell. The subsequent step of selecting the columns needed for an fnav file and writing the file named with **-o/--output** has not yet been implemented in this version of the macro; running it currently reports the parsed input data rather than producing an fnav output file.

Both an input and an output filename must be supplied on the command line; if either is missing the macro prints a diagnostic message and exits without processing.

MB-SYSTEM AUTHORSHIP

David W. Caress
Monterey Bay Aquarium Research Institute
Dale N. Chayes
Center for Coastal and Ocean Mapping
University of New Hampshire
Christian do Santos Ferreira
MARUM - Center for Marine Environmental Sciences
University of Bremen

OPTIONS

-h, --help

This "help" flag causes the macro to print out a description of its command line options and then exit immediately.

-iinputfile, --input=inputfile

Sets the pathname of the input file containing processed Phins INS data. This is a required argument; if it is not supplied the macro prints a message and exits without doing anything further.

-ooutputfile, --output=outputfile

Sets the pathname of the output fnav navigation file. This is a required argument; if it is not supplied the macro prints a message and exits without doing anything further. (As noted above, the current version of the macro does not yet write this file.)

-v, --verbose

Sets a verbose flag. In the current implementation this flag is parsed and stored but does not change the macro's output.

SEE ALSO

mbsystem(1), **mbnavlist(1)**, **mbprocess(1)**

BUGS

Maybe. Maybe not.