Code in Place 2024

Stanford CS106A

Section - Week 2

Deeper Dive Into Decomposition

David Tsai, Code in Place

Today's Agenda



1. Check-In

How are we all doing?

2. Concepts Review

Decomposition,
Pre/Postconditions

3. Practice Problem

"Spread Beeper"

4. Bonus Problem

If we have time

Before We Start

How are you all doing?
Hopefully your first week of CIP went well!

- What's one thing you have enjoyed or found fun about CIP so far?
- What has been your favorite problem to work on so far?
- Is there anything blocking you from completing Week 1 assignments?
- Any major questions?

Concepts Review

Decomposition

Break down a problem into more manageable sub-problems.

A good function should:

- Do one "conceptual thing"
- Know what the function does, by looking at its name
- Less than 10 lines, and less than 3 levels of indentation
- Reusable and easy to modify
- Well commented (brief description, precondition, postcondition)





```
def main():
        climb_mountain()
        put_beeper()
        descend_mountain()
```

Pre and Postconditions

The **precondition** and **postcondition** are a guarantee to anyone who uses the function that the conditions stated will hold true.

Precondition:

- A condition that must always be true just prior to the execution of a function.

Postcondition

- A condition that must always be true after the execution of a function.

Pre and Postconditions

Questions to ask before a function runs and after it ends:

"Before" a function runs:

- Where is Karel now?
- What direction is Karel facing?
- What is clear? What is blocked?
- Are there beepers present?

"After" a function runs:

- Is Karel in the same position as it was before?
- Is Karel facing the same direction?
- Is its front/left/right clear or blocked?
- Is it sitting on beeper(s)?
- Will the function *always* finish this way?

Consistency is important:

- Try to define a situation that will be consistent for every iteration through the function
- Look out for edge cases
  - "fencepost" ("off-by-one") errors
  - Typically come up at the beginning or at the end of a run

Pick a Strategy That Has Simple Pre/Postconditions



Roomba Karel:
Pick up all the beepers in the world.

Which possible algorithm would you choose?

Algorithm 1



Algorithm 2



Algorithm 3



Algorithm 4



Section Exercise: “Spread Beeper”

Let’s do something a bit more algorithmically interesting and challenging

- This problem is intended to be harder than last week’s section problem!

- Outline problem logic
- Apply control flow to execute outline (while loops + conditionals)
- Multiple decompositions
- Think about the postcondition of loops, and if you are ready to repeat
    - Look for possible “fencepost errors” (aka “off-by-one”), such as a special case for the final step



Bonus Challenge: Multiple Rows!

What if you want to extend your code from one row to a world with an unknown number of rows?