

Placement Service

version 0.11

Dirk Wenzel, Michael Kasten

2014-08-09 08:08

Contents

| | |
|---|----------|
| Placements Service | 1 |
| Project Information | 1 |
| Releases | 1 |
| Bugs and Known Issues | 1 |
| To Do | 1 |
| Configuration | 1 |
| Reference | 1 |
| General properties | 2 |
| Security settings | 2 |
| Plugin position | 3 |
| Placements Service: Manage job offers. | 4 |
| What does it do? | 4 |
| Manage Positions | 4 |
| Manage Organizations | 4 |
| Map View | 4 |
| Access Control | 5 |
| Clients | 5 |
| Outlook | 5 |

Placements Service

Extension name: Placement Service

Author: Dirk Wenzel

Extension key: placements

Version: 0.11.0

Description: manuals covering TYPO3 extension "Placement Service"

Project Information

The development of this extension has begun at [Agentur Webfox](#) in Berlin, Germany as a [customer project](#). We do appreciate any feedback or suggestions for further development and would like to encourage developers to join the team.

Please be aware that this software is still under development and currently in beta status. We will announce any breaking changes on release though. The documentation is still fragmentary and will be completed step by step.

Releases

Stable releases are published to the [TYPO3 extension repository](#). New releases will be published as necessary.

The most recent development version is available from the [repository](#) on github. Upcoming features are drafted in the [milestones section](#).

Bugs and Known Issues

Please lookup and report bugs or suggestions on the [issue tracker](#).

To Do

- manage user profiles of registred users
- manage applications and resume (for registred users)
- configure and send messages about new positions and applications
- match positions and applicants

Configuration

- Technical information; Installation, Reference of TypoScript, configuration options on system level, how to extend it, the technical details, how to debug it.
- language should be technical, assuming developer knowledge of TYPO3. Small examples/visuals are always encouraged.
- Target group: Developers

Reference

This chapter describes the settings which are available in placements. Except of setting the template paths and overriding labels of the locallang-file, the settings are defined by using `plugin.tx_placements.settings.<property>`.

A simple way to get to know the default settings is to look at the file
EXT:placements/Configuration/TypoScript/setup.txt

General properties

| Property: | Data type: | Description: | Default: |
|-----------------------|------------|--|-----------------|
| view.templateRootPath | string | Path to the templates. The default setting is EXT:placements/Resources/Private/Templates/ | Extbase default |
| view.partialRootPath | string | Path to the partials. The default setting is EXT:placements/Resources/Private/Templates/ | Extbase default |
| view.layoutRootPath | string | Path to the layouts. The default setting is EXT:placements/Resources/Private/Templates/ | Extbase default |
| maxFileSize | string | The maximum file size allowed for uploads in frontend. This value may be overridden by your PHP or TYPO3 settings. | 2 MB |
| listPid | integer | Default page id for list views. This value can be overridden by any plugin. | (empty) |
| detailPid | integer | Default page id for detail views. This value can be overridden by any plugin. | (empty) |
| orderBy | string | Field which is used to sort placements records | (empty) |
| orderDirection | string | Field which is used to set sorting direction. This can either be desc or asc. | desc |

[tsref:plugin.tx_placements.settings]

Security settings

The following table describes the settings concerning the security settings. They are only important if using the frontend editing features. Currently positions and organizations can be created, edited and deleted in frontend.

Important: Those are set by using plugin.tx_placements.settings.security.<Record Type>.

| Property: | Data type: | Description: | Default: |
|-----------|------------|--------------|----------|
|-----------|------------|--------------|----------|

| | | | |
|--------------|--------|--|---------|
| editorGroup | string | A comma separated list of frontend user group uids. Member of this groups are allowed to edit records (i.e. positions or organizations) in frontend. | (empty) |
| creatorGroup | string | A comma separated list of frontend user group uids. Members of this groups are allowed to create records in frontend. | (empty) |
| deleteGroup | string | A comma separated list of frontend user group ids. Members of this groups are allowed to delete records in frontend. | (empty) |
| adminGroup | string | A comma separated list of frontend user group ids. Members of this groups are allowed to perform all actions in frontend (create, edit, delete) | (empty) |

Plugin position

The following table describes the settings concerning positions.

1. List view

Important: Those are set by using `plugin.tx_placements.settings.position.list`

| Property: | Data type: | Description: | Default: |
|------------------|------------|--|----------|
| summary.crop | integer | Number of letters for cropping the content of the summary field in list view. | 35 |
| entryDate.format | string | Format of the field entryDate in list view. Use a string accepted by <code><f.format.date></code> viewhelper | d. F Y |

2. Detail View

Important: Those are set by using `plugin.tx_placements.settings.position.detail`

| Property: | Data type: | Description: | Default: |
|-----------|------------|--------------|----------|
|-----------|------------|--------------|----------|

| | | | |
|---------------|--------|---|---------|
| errorHandling | string | <p>If the requested entry is not found, it is possible to use various types of error handling.</p> <ul style="list-style-type: none">• redirectToListView: This will redirect to the list view on the same page.• redirectToPage: Redirect to any page by using the syntax redirectToPage,<pageid>,<status>. This means e.g. redirectToPage,123,404 to redirect to the page with UID 123 and error code 404.• pageNotFoundHandler: The default page not found handler will be called. If not set, the current TYPO3 error handling is used. | (empty) |
|---------------|--------|---|---------|

Placements Service: Manage job offers.

What does it do?

Placements Service aims to be a complete and comfortable tool for managing job offers and applications. It suitable for small and medium sized companies as well as for bigger organizations or employment service provider.

Manage Positions

Positions are job offers. Jobs offers can be managed through the TYPO3 backend or the frontend. They are displayed in list and single view. Positions can be categorized by many criteria like position type, fixed term, sector, working hours and so on. They also feature a category field which allows to set arbitrary system wide catgories.

A configurable quick menu allows filtering the list view by any of the above criteria. It also features a radius search for a given location.

Manage Organizations

Organizations offer jobs. Users can list, show, add, edit and delete organizations both in frontend and backend.

Map View

List and single view of information can be configured to show a (Google) map view. Information about the geographic location is automatically retrieved from any record on creating or editing a position.

Access Control

There is a access control for frontend editing based on user groups. Administrators can grant access for creating, editing and deleting organizations and positions in frontend. Admin user are allowed to perform all of these tasks.

Clients

A service provider can grant access to its clients. Each client is allowed to edit its own organizations and positions. Display of records in frontend can be restricted to show only records of the currently logged in client.

Outlook

Future releases of these extension will include messaging about new jobs and applications, match making and editable user profiles.