
Fountain View Hall

Release 0.2.0

Derek R. Neilson

Jun 09, 2026

CONTENTS:

1	User Guide	3
1.1	Installation	3
1.1.1	User Prerequisites	3
1.1.2	Minimal Getting Started	3
1.1.3	Activate Completion by Operating System and Shell	4
1.2	Developer Installation	4
2	References	5
3	Design	7
3.1	Fountain View Hall Pseudocode and User Journeys	7
3.1.1	Problem Statement	7
3.2	Overview for Fountain View Hall	7
3.2.1	Overview	7
3.2.1.1	Program Requirements	7
3.2.1.2	Business Rules	7
3.2.2	Planned Technology Usage	8
3.2.2.1	Editing/Developer Tools	8
3.2.2.2	Python Packages	8
3.3	Sources	8
3.3.1	Quick Reference	8
3.3.2	reStructuredText and Sphinx	8
3.3.3	OpenTelemetry and Observability	9
3.3.4	Python Libraries and Tooling	9
3.3.5	Other	9
3.3.6	Detailed Source Cards	9
3.3.7	Compact Works Cited	13
3.4	Style Guide	14
3.4.1	Scope of Guide	14
	Python Module Index	15
	Index	17

Fountain View Hall's management tool, `fvh-manager` is used to manage reservations at Fountain View Hall.

USER GUIDE

This guide will walk you through `fvh-manager` and covers topics such as how to install and use `fvh-manager`.

1.1 Installation

1.1.1 User Prerequisites

To verify you meet all prerequisites, run:

```
uv --version
```

Expected output:

```
uv 0.x.x
```

Not:

```
command not found: uv
```

Important

Make sure the `uv` command runs before running the program.

If `uv --version` fails, use [this guide](#) to install `uv`.

1.1.2 Minimal Getting Started

Make sure you run these commands from the project directory

Run this once:

```
uv sync
```

Then run this to start on every subsequent run:

```
uv run fvh-manager
```

1.1.3 Activate Completion by Operating System and Shell

If desired, you can activate shell completions by running one of the following commands, depending on your operating system and shell:

Operating system	Shell	Activation command
Linux/macOS	Bash	<code>source completions/fvh-manager.bash</code>
Linux/macOS	Zsh	<code>source completions/_fvh-manager</code>
Linux/macOS	Fish	<code>source completions/fvh-manager.fish</code>
Windows	PowerShell	<code>. .\completions\fvh-manager.ps1</code>

Once shell completions are activated, make sure your virtual environment is active. You can then run the program with:

```
fvh-manager
```

To view available completions, type:

```
fvh-manager <tab>
```

1.2 Developer Installation

Meet all previous *prerequisites* and additional ones as specified bellow.

Install developer dependencies for python:

```
uv sync --all-groups
```

Verify that `pdflatex` is installed:

```
pdflatex -v
```

Verify that `git` is installed:

```
git -v
```

Verify that `lefthook` is installed:

```
lefthook -v
```


REFERENCES

Command-line entry point for the project.

author

Derek R. Neilson

This module defines the project's Typer application and should remain lightweight by design.

Typer is a command-line interface (CLI) framework used throughout this project. It provides decorators such as `typer.command()` for registering CLI commands.

See also

[Typer documentation](#)

`src.main.create_engine(in_memory)`

Create a SQLite database engine.

Creates either an in-memory SQLite database or, by default, a persistent database at `DB_PATH`, which points to `database/data.db`.

Parameters

`in_memory` (bool) – If `True`, create an in-memory database. If `False`, create a persistent database at `DB_PATH`.

Returns

A SQLAlchemy engine representing the configured database connection.

Return type

Engine

The SQLAlchemy database URL has the general form:

```
dialect[+driver]://user:password@host/dbname[?key=value...]
```

The default project database URL has the form:

```
sqlite+pysqlite:///database/data.db
```

If `in_memory` is `True`, the database URL has the form:

```
sqlite+pysqlite:///memory:
```

See also

[SQLAlchemy Engine documentation](#) [Typer documentation](#)

```
src.main.start_app(in_memory=False)
```

Start the CLI app.

Parameters

in_memory (bool) – If True, use an in-memory SQLite database.

Return type

None

The design process has been documented quite thoroughly, but not all decisions are documented.

3.1 Fountain View Hall Pseudocode and User Journeys

3.1.1 Problem Statement

The project must meet all *requirements*. Besides those requirements I have set some personal goals as well:

1. Achieve 100% test coverage
- 1.

3.2 Overview for Fountain View Hall

3.2.1 Overview

Fountain View Hall wants a program that tracks event attendance and projected revenue for multiple bookings.

3.2.1.1 Program Requirements

- Repeatedly prompt for event name, guest count, and estimated revenue
- Continue until the user enters “done”
- Track total events processed
- Track total guests
- Track total projected revenue
- Calculate the average guests per event
- Determine the largest event

3.2.1.2 Business Rules

- Pricing Rules
 - Large events receive a discount
- Operational Rules
 - Every booking must include a guest count
 - Booking total must be calculated before the discount is applied
 - Revenue totals should be tracked

3.2.2 Planned Technology Usage

I intended to use various technologies throughout this project; some are very necessary, and others save time. Each technology will be categorized and described below:

3.2.2.1 Editing/Developer Tools

- *Git* and *GitHub* as a VCS (version control system).¹
- *uv* for package, project, and environment management.
- *lefthook* as a Git hook manager.
- *pre-commit* to run pre-commit scripts.²
 - *ruff* for Python linting and formatting running as a pre-commit script.
- *Sphinx* to help build this beautiful documentation.
- *pytest* as a testing suite.
- *Open Telemetry Protocol* for observability and log management.⁴

3.2.2.2 Python Packages

- *typer* for command line interface completions and argument parsing.
 - *SQLite3* as a database³
 - *SQLAlchemy* for object-relational mapping (ORM)
-

3.3 Sources

A curated source list for reStructuredText, OpenTelemetry, SQLAlchemy, and Python tooling.

3.3.1 Quick Reference

3.3.2 reStructuredText and Sphinx

#	Source	Creator	Date	Link
1	reStructuredText Markup Specification	Goodger, David	2026	Open source
2	Restructuredtext Primer - Material for Sphinx	Sheppard, Kevin	8 June 2026	Open source
3	reStructuredText Primer - Sphinx Documentation	Sphinx Documenta-tion	8 June 2026	Open source
4	Welcome to the reStructuredText Primer!	reStructuredText Primer 0.0.1 Docu-mentation	8 June 2026	Open source

¹ Go to the [project repo](#) to see commit history.

² All scripts (in the scripts directory) are written for Unix systems and use the bash language.

⁴ You can visit their [web page](#) for more details, but essentially it is a web interface that helps you view logs and trends in data. Probably unnecessary, but I was eager to learn how to use this.

³ See SQLite's [home page](#) for more details.

3.3.3 OpenTelemetry and Observability

#	Source	Creator	Date	Link
5	How to Set Up a Complete Observability Stack with OpenTelemetry	OneUptime One Complete Observability Platform	6 Feb. 2026	Open source
6	OpenTelemetry	OpenTelemetry	8 June 2026	Open source
7	open-telemetry/opentelemetry-proto	OpenTelemetry - CNCF	22 May 2019	Open source
8	Python OpenTelemetry	OpenTelemetry	8 June 2026	Open source
9	Prometheus Docs	The Linux Foundation	9 June 2026	Open source

3.3.4 Python Libraries and Tooling

#	Source	Creator	Date	Link
10	SQLAlchemy	SQLAlchemy	8 June 2026	Open source
11	SQLAlchemy ORM - SQLAlchemy 2.0 Documentation	SQLAlchemy Documentation	8 June 2026	Open source
12	Typer	Typer	8 June 2026	Open source
13	SQLAlchemy Crash Course - Master Databases in Python	Tim Ruscica	Mar 17, 2025	Open source

3.3.5 Other

#	Source	Creator	Date	Link
14	100% Test Coverage is a LIE, Here's Why...	Sam Newman	8 June 2026	Open source

3.3.6 Detailed Source Cards

1. reStructuredText Markup Specification

Type

Specification

Author

Goodger, David

Organization

Docutils

Date

2026

URL

<https://docutils.sourceforge.io/docs/ref/rst/restructuredtext.html>

2. How to Set Up a Complete Observability Stack with OpenTelemetry

Type

Article

Organization

OneUptime | One Complete Observability Platform

Date

6 Feb. 2026

URL

<https://oneuptime.com/blog/post/2026-02-06-complete-observability-stack-opentelemetry-open-source/view>

3. Restructuredtext Primer - Material for Sphinx

Type

Documentation

Author

Sheppard, Kevin

Accessed

8 June 2026

URL

<https://bashtage.github.io/sphinx-material/basics.html>

4. OpenTelemetry

Type

Website

Organization

OpenTelemetry

Accessed

8 June 2026

URL

<https://opentelemetry.io/>

5. open-telemetry/opentelemetry-proto

Type

GitHub Repository

Organization

OpenTelemetry - CNCF

Date

22 May 2019

Accessed

8 June 2026

URL<https://github.com/open-telemetry/opentelemetry-proto>**Note**

Makefile referenced.

6. Python OpenTelemetry**Type**

Documentation

Organization

OpenTelemetry

Accessed

8 June 2026

URL<https://opentelemetry.io/docs/languages/python/>**7. reStructuredText Primer - Sphinx Documentation****Type**

Documentation

Organization

Sphinx Documentation

Accessed

8 June 2026

URL<https://www.sphinx-doc.org/en/master/usage/restructuredtext/basics.html>**8. SQLAlchemy****Type**

Website

Organization

SQLAlchemy

Accessed

8 June 2026

URL<https://www.sqlalchemy.org>

9. SQLAlchemy ORM - SQLAlchemy 2.0 Documentation

Type
Documentation

Organization
SQLAlchemy Documentation

Accessed
8 June 2026

URL
<https://docs.sqlalchemy.org/en/20/orm/index.html>

10. Typer

Type
Documentation

Organization
Typer

Accessed
8 June 2026

URL
<https://typer.tiangolo.com/>

11. Welcome to the reStructuredText Primer!

Type
Documentation

Organization
reStructuredText Primer 0.0.1 Documentation

Accessed
8 June 2026

URL
<https://djdeangelis.github.io/reST-primer/index.html>

12. 100% Test Coverage is a LIE, Here's Why...

Type
Video

Author
Sam Newman

Organization
Modern Software Engineering

Accessed

8 June 2026

URL<https://www.youtube.com/watch?v=p1xZ-Ni2t8Q>**13. SQLAlchemy Crash Course - Master Databases in Python****Type**

Video

Author

Tim Ruscica

Organization

NeuralNine

Date

Mar 17, 2025

Accessed

9 June 2026

URL<https://www.youtube.com/watch?v=529LYDgRTgQ&t>**14. Prometheus Docs****Type**

Documentation

Organization

The Linux Foundation

Accessed

9 June 2026

URL<https://prometheus.io/docs/introduction/overview/>**3.3.7 Compact Works Cited**

1. Goodger, David. *reStructuredText Markup Specification*. Docutils. 2026. <https://docutils.sourceforge.io/docs/ref/rst/restructuredtext.html>
2. OneUptime | One Complete Observability Platform. *How to Set Up a Complete Observability Stack with OpenTelemetry*. 6 Feb. 2026. <https://oneuptime.com/blog/post/2026-02-06-complete-observability-stack-opentelemetry-open-source/view>
3. Sheppard, Kevin. *Restructuredtext Primer - Material for Sphinx*. Accessed 8 June 2026. <https://bashtage.github.io/sphinx-material/basics.html>
4. OpenTelemetry. *OpenTelemetry*. Accessed 8 June 2026. <https://opentelemetry.io/>
5. OpenTelemetry - CNCF. *open-telemetry/opentelemetry-proto*. 22 May 2019. Accessed 8 June 2026. <https://github.com/open-telemetry/opentelemetry-proto>

6. OpenTelemetry. *Python OpenTelemetry*. Accessed 8 June 2026. <https://opentelemetry.io/docs/languages/python/>
7. Sphinx Documentation. *reStructuredText Primer - Sphinx Documentation*. Accessed 8 June 2026. <https://www.sphinx-doc.org/en/master/usage/restructuredtext/basics.html>
8. SQLAlchemy. *SQLAlchemy*. Accessed 8 June 2026. <https://www.sqlalchemy.org>
9. SQLAlchemy Documentation. *SQLAlchemy ORM - SQLAlchemy 2.0 Documentation*. Accessed 8 June 2026. <https://docs.sqlalchemy.org/en/20/orm/index.html>
10. Typer. *Typer*. Accessed 8 June 2026. <https://typer.tiangolo.com/>
11. reStructuredText Primer 0.0.1 Documentation. *Welcome to the reStructuredText Primer!*. Accessed 8 June 2026. <https://djdeangelis.github.io/reST-primer/index.html>
12. Sam Newman. *100% Test Coverage is a LIE, Here's Why...*. Modern Software Engineering. Accessed 8 June 2026. <https://www.youtube.com/watch?v=p1xZ-Ni2t8Q>
13. Tim Ruscica. *SQLAlchemy Crash Course - Master Databases in Python*. NeuralNine. Mar 17, 2025. Accessed 9 June 2026. <https://www.youtube.com/watch?v=529LYDgRTgQ&t>
14. The Linux Foundation. *Prometheus Docs*. Accessed 9 June 2026. <https://prometheus.io/docs/introduction/overview/>

3.4 Style Guide

This style guide is for me and serves as a reminder to me.

3.4.1 Scope of Guide

Seeing as I am the sole developer of this project, I don't think it is necessary to define all stylings. That being said, I will define some style choices.

PYTHON MODULE INDEX

S

`src.main`, 5

INDEX

C

`create_engine()` (*in module `src.main`*), 5

M

`module`

`src.main`, 5

S

`src.main`

`module`, 5

`start_app()` (*in module `src.main`*), 6