

In this example, you're creating button fields with a label and an icon. You can use an Image ^① PdfTemplate ^③ (in this case, you're using an n a real-world project ^② create online at allowed the student ^④ get a hint. If ade visible and a hidden field was set.

The value of this hidden field was posted together with the answers, so that the tutor could see for which questions a hint was used.

Some very simple JavaScript is used ^⑤ ide (or reveal) the fields (or annotations) ^⑥. You get a field instance with the getField() JavaScript method for interactive fields, or with getAnnot() for ordinary annotations. Then you change the properties of these objects as explained in the JavaScript reference. In this example, clicking the upper button (named click) hides both buttons. Clicking the lower button (named advertisement) opens the web page dedicated ^⑦ this book at Manning.com.

Pushbuttons aren't always meant ^⑧ be pushed (or clicked). In the next example, we'll use pushbuttons as "hot areas" that trigger an action when the mouse moves over them.

7.4.3 A popup triggered by a button that doesn't need ^⑨ be pushed

A popup annotation has no appearance stream or associated actions of its own. It's always associated with a parent annotation. Figure 7.14 shows a text annotation as a popup. If you take a close look at the image, you'll also see a widget annotation on top of the *Donnie Darko* poster. If you move the mouse inside the borders of this widget annotation, the popup with the text annotation will appear; if you move the mouse pointer outside the widget annotation, the popup will disappear.




Figure 7.15 Text annotation in a popup using a button and its events