

# WxCC API coverage

Cisco's OpenAPI spec (`webex-contact-center.json`) diffed against this project's entity registry.

Upstream commit `2a282a07cede` (2026-07-22T15:06:57Z) · registry has **22 entities**.

**The spec maps what EXISTS, not what WORKS.** It declares `application/json` as an accepted body for POST / PUT on `audio-file` ; live probing shows every JSON shape returns 500 and only multipart succeeds. Schema quality is uneven too - PATCH `user/{id}` documents its body as `JsonValue` with one field. **Where the spec and a live probe disagree, the probe wins**, and the probe's finding belongs in the registry note.

## Totals

|                                          | count      |
|------------------------------------------|------------|
| Operations in spec                       | 448        |
| Org-scoped config operations             | 288        |
| Non-org-scoped (Tasks/Flows/Journey/...) | 160        |
| Config path roots — registered           | 22         |
| Config path roots — not registered       | 7          |
| Ops on registered entities               | 236        |
| — reachable by a tool                    | <b>194</b> |
| — gaps                                   | <b>42</b>  |

## Registered entities

`GAP` means nothing reaches it. **decided** means it is deliberately unexposed, with the reason.

| Method | Path                                    | Summary                                  | Tool / status                                                                                                  |
|--------|-----------------------------------------|------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| GET    | address-book                            | List Address Book(s)                     | wxcc_list                                                                                                      |
| GET    | v2/address-book                         | List Address Book(s)                     | wxcc_list                                                                                                      |
| GET    | v3/address-book                         | List Address Book(s)                     | wxcc_list                                                                                                      |
| POST   | address-book                            | Create a new Address Book                | wxcc_create                                                                                                    |
| POST   | v3/address-book                         | Create a new Address Book                | wxcc_create                                                                                                    |
| GET    | address-book/bulk-export                | Bulk export Address Book(s)              | <b>decided</b> — Bulk export is out of scope for these tools.                                                  |
| GET    | v2/address-book/{addressBookId}/entry   | List Address Book Entry(s)               | wxcc_add_entry / wxcc_list_entries                                                                             |
| POST   | address-book/{addressBookId}/entry      | Create a new Address Book Entry          | wxcc_add_entry / wxcc_list_entries                                                                             |
| POST   | address-book/{addressBookId}/entry/bulk | Bulk save Address Book Entry(s)          | <b>decided</b> — Route confirmed (207 + items) but its accepted ops are UNPROBED, so the bulk tools refuse it. |
| DELETE | address-book/{addressBookId}/entry/{id} | Delete specific Address Book Entry by ID | wxcc_update_entry / wxcc_remove_entry                                                                          |
| GET    | address-book/{addressBookId}/entry/{id} | Get specific Address Book Entry by ID    | wxcc_update_entry / wxcc_remove_entry                                                                          |
| PUT    | address-book/{addressBookId}/entry/{id} | Update specific Address Book Entry by ID | wxcc_update_entry / wxcc_remove_entry                                                                          |
| DELETE | address-book/{id}                       | Delete specific Address Book by ID       | wxcc_delete                                                                                                    |
| DELETE | v3/address-book/{id}                    | Delete specific Address Book by ID       | wxcc_delete                                                                                                    |
| GET    | address-book/{id}                       | Get specific Address Book by ID          | wxcc_get                                                                                                       |
| GET    | v3/address-book/{id}                    | Get specific Address Book by ID          | wxcc_get                                                                                                       |
| PUT    | address-book/{id}                       | Update specific Address Book by ID       | wxcc_update                                                                                                    |

| Method | Path                                  | Summary                                     | Tool / status   |
|--------|---------------------------------------|---------------------------------------------|-----------------|
| PUT    | v3/address-book/{id}                  | Update specific Address Book by ID          | wxcc_update     |
| GET    | address-book/{id}/incoming-references | List references for a specific Address Book | wxcc_references |

## agent-profile — 8/9 reachable

| Method | Path                                   | Summary                                        | Tool / status                                                                                                                                                               |
|--------|----------------------------------------|------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GET    | agent-profile                          | List Desktop Profiles                          | wxcc_list                                                                                                                                                                   |
| GET    | v2/agent-profile                       | List Desktop Profiles                          | wxcc_list                                                                                                                                                                   |
| POST   | agent-profile                          | Create a new Desktop Profile                   | wxcc_create                                                                                                                                                                 |
| POST   | agent-profile/bulk                     | Bulk save Desktop Profiles                     | wxcc_bulk_create/delete                                                                                                                                                     |
| POST   | agent-profile/purge-inactive-entities  | Purge inactive Desktop Profiles                | <b>decided</b> — 403 tenant-wide for a full-rights admin (confirmed on auxiliary-code, desktop-layout and agent-profile 2026-07-22). Use wxcc_bulk_delete on ids you chose. |
| DELETE | agent-profile/{id}                     | Delete specific Desktop Profile by ID          | wxcc_delete                                                                                                                                                                 |
| GET    | agent-profile/{id}                     | Get specific Desktop Profile by ID             | wxcc_get                                                                                                                                                                    |
| PUT    | agent-profile/{id}                     | Update specific Desktop Profile by ID          | wxcc_update                                                                                                                                                                 |
| GET    | agent-profile/{id}/incoming-references | List references for a specific Desktop Profile | wxcc_references                                                                                                                                                             |

## audio-file — 7/7 reachable

| Method | Path                                | Summary                                   | Tool / status       |
|--------|-------------------------------------|-------------------------------------------|---------------------|
| GET    | v2/audio-file                       | List Audio File(s)                        | wxcc_list           |
| POST   | audio-file                          | Create a new Audio File                   | wxcc_create         |
| DELETE | audio-file/{id}                     | Delete specific Audio File by ID          | wxcc_delete         |
| GET    | audio-file/{id}                     | Get specific Audio File by ID             | wxcc_get            |
| PATCH  | audio-file/{id}                     | Partially update Audio File by ID         | wxcc_update (PATCH) |
| PUT    | audio-file/{id}                     | Update specific Audio File by ID          | wxcc_update         |
| GET    | audio-file/{id}/incoming-references | List references for a specific Audio File | wxcc_references     |

| Method | Path                                    | Summary                                       | Tool / status                                                                                                                                                               |
|--------|-----------------------------------------|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GET    | auxiliary-code                          | List Auxiliary Code(s)                        | wxcc_list                                                                                                                                                                   |
| GET    | v2/auxiliary-code                       | List Auxiliary Code(s)                        | wxcc_list                                                                                                                                                                   |
| POST   | auxiliary-code                          | Create a new Auxiliary Code                   | wxcc_create                                                                                                                                                                 |
| PATCH  | auxiliary-code/bulk                     | Bulk partial update Auxiliary Code(s)         | wxcc_bulk_update                                                                                                                                                            |
| POST   | auxiliary-code/bulk                     | Bulk save Auxiliary Code(s)                   | wxcc_bulk_create/delete                                                                                                                                                     |
| GET    | auxiliary-code/bulk-export              | Bulk export Auxiliary Code(s)                 | <b>decided</b> — Bulk export is out of scope for these tools.                                                                                                               |
| POST   | auxiliary-code/purge-inactive-entities  | Purge inactive Auxiliary Code(s)              | <b>decided</b> — 403 tenant-wide for a full-rights admin (confirmed on auxiliary-code, desktop-layout and agent-profile 2026-07-22). Use wxcc_bulk_delete on ids you chose. |
| DELETE | auxiliary-code/{id}                     | Delete specific Auxiliary Code by ID          | wxcc_delete                                                                                                                                                                 |
| GET    | auxiliary-code/{id}                     | Get specific Auxiliary Code by ID             | wxcc_get                                                                                                                                                                    |
| PUT    | auxiliary-code/{id}                     | Update specific Auxiliary Code by ID          | wxcc_update                                                                                                                                                                 |
| GET    | auxiliary-code/{id}/incoming-references | List references for a specific Auxiliary Code | wxcc_references                                                                                                                                                             |

| Method | Path                                    | Summary                                                | Tool / status           |
|--------|-----------------------------------------|--------------------------------------------------------|-------------------------|
| GET    | business-hours                          | List Business Hours resources                          | wxcc_list               |
| GET    | v2/business-hours                       | List Business Hours resources                          | wxcc_list               |
| POST   | business-hours                          | Create a new Business Hours resource                   | wxcc_create             |
| POST   | business-hours/bulk                     | Bulk save Business Hours resources                     | wxcc_bulk_create/delete |
| DELETE | business-hours/{id}                     | Delete specific Business Hours resource by ID          | wxcc_delete             |
| GET    | business-hours/{id}                     | Get specific Business Hours resource by ID             | wxcc_get                |
| PUT    | business-hours/{id}                     | Update specific Business Hours resource by ID          | wxcc_update             |
| GET    | business-hours/{id}/incoming-references | List references for a specific Business Hours resource | wxcc_references         |

## cad-variable — 7/10 reachable

| Method | Path                                  | Summary                                        | Tool / status                                                                                                                                                               |
|--------|---------------------------------------|------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GET    | v2/cad-variable                       | List Global Variable(s)                        | wxcc_list                                                                                                                                                                   |
| POST   | cad-variable                          | Create a new Global Variable                   | wxcc_create                                                                                                                                                                 |
| POST   | cad-variable/bulk                     | Bulk save Global Variable(s)                   | wxcc_bulk_create/delete/update                                                                                                                                              |
| GET    | cad-variable/bulk-export              | Bulk export Global Variable(s)                 | <b>decided</b> — Bulk export is out of scope for these tools.                                                                                                               |
| POST   | cad-variable/purge-inactive-entities  | Purge inactive Global Variable(s)              | <b>decided</b> — 403 tenant-wide for a full-rights admin (confirmed on auxiliary-code, desktop-layout and agent-profile 2026-07-22). Use wxcc_bulk_delete on ids you chose. |
| GET    | cad-variable/reportable-count         | Get reportable count for Global Variable(s)    | <b>GAP</b>                                                                                                                                                                  |
| DELETE | cad-variable/{id}                     | Delete specific Global Variable by ID          | wxcc_delete                                                                                                                                                                 |
| GET    | cad-variable/{id}                     | Get specific Global Variable by ID             | wxcc_get                                                                                                                                                                    |
| PUT    | cad-variable/{id}                     | Update specific Global Variable by ID          | wxcc_update                                                                                                                                                                 |
| GET    | cad-variable/{id}/incoming-references | List references for a specific Global Variable | wxcc_references                                                                                                                                                             |

| Method | Path                       | Summary                                     | Tool / status                                                                                                                  |
|--------|----------------------------|---------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| GET    | v2/contact-number          | List Contact Number(s)                      | wxcc_list                                                                                                                      |
| POST   | contact-number             | Create a new Contact Number                 | wxcc_create                                                                                                                    |
| GET    | contact-number/all-numbers | List all contact numbers(property - number) | <b>decided</b> — Returns bare strings with no ids, so it cannot drive an update or delete. v2/contact-number is the list path. |
| POST   | contact-number/bulk        | Bulk save Contact Number(s)                 | wxcc_bulk_create/delete                                                                                                        |
| GET    | contact-number/bulk-export | Bulk export Contact Number(s)               | <b>decided</b> — Bulk export is out of scope for these tools.                                                                  |
| DELETE | contact-number/{id}        | Delete specific Contact Number by ID        | wxcc_delete                                                                                                                    |
| GET    | contact-number/{id}        | Get specific Contact Number by ID           | wxcc_get                                                                                                                       |
| PUT    | contact-number/{id}        | Update specific Contact Number by ID        | wxcc_update                                                                                                                    |



contact-service-queue — 12/23 reachable

| Method | Path                                                            | Summary                                                                     | Tool / status           |
|--------|-----------------------------------------------------------------|-----------------------------------------------------------------------------|-------------------------|
| GET    | contact-service-queue                                           | List Contact Service Queues                                                 | wxcc_list               |
| GET    | v2/contact-service-queue                                        | List Contact Service Queues                                                 | wxcc_list               |
| GET    | v3/contact-service-queue                                        | List Contact Service Queues                                                 | wxcc_list               |
| POST   | v2/contact-service-queue                                        | Create a new Contact Service Queue                                          | wxcc_create             |
| PATCH  | contact-service-queue/bulk                                      | Bulk partial update Contact Service Queues                                  | wxcc_bulk_update        |
| POST   | contact-service-queue/bulk                                      | Bulk save Contact Service Queues                                            | wxcc_bulk_create/delete |
| GET    | contact-service-queue/by-skill-profile-id/{id}                  | List skill-based Contact Service Queues by skill profile ID (public)        | <b>GAP</b>              |
| GET    | v2/contact-service-queue/by-user-id/{userid}/agent-based-queues | List agent-based Contact Service Queues by user ID                          | <b>GAP</b>              |
| GET    | v2/contact-service-queue/by-user-id/{userid}/skill-based-queues | List skill-based Contact Service Queues by user ID                          | <b>GAP</b>              |
| GET    | v2/contact-service-queue/by-user-id/{userid}/team-based-queues  | List team-based Contact Service Queues by user ID                           | <b>GAP</b>              |
| POST   | contact-service-queue/delete-reference                          | Delete references from Contact Service Queues                               | <b>GAP</b>              |
| POST   | contact-service-queue/fetch-by-dynamic-skills-and-skillProfile  | List skill-based Contact Service Queues by dynamic skills and skill profile | <b>GAP</b>              |
| POST   | v2/contact-service-queue/fetch-by-grouped-assistant-skill       | List queue mapping summary grouped by Assistant Skill                       | <b>GAP</b>              |

| Method | Path                                                   | Summary                                                                 | Tool / status                                                                                                                                                               |
|--------|--------------------------------------------------------|-------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| POST   | contact-service-queue/fetch-by-userId-skillProfileId   | List skill-based Contact Service Queues by skill profile ID and user ID | <b>GAP</b>                                                                                                                                                                  |
| POST   | contact-service-queue/fetch-manually-assignable-queues | List manually assignable Contact Service Queues                         | <b>GAP</b>                                                                                                                                                                  |
| POST   | contact-service-queue/purge-inactive-entities          | Purge inactive Contact Service Queues                                   | <b>decided</b> — 403 tenant-wide for a full-rights admin (confirmed on auxiliary-code, desktop-layout and agent-profile 2026-07-22). Use wxcc_bulk_delete on ids you chose. |
| POST   | contact-service-queue/v2/bulk                          | Bulk save Contact Service Queues                                        | wxcc_bulk_create/delete                                                                                                                                                     |
| DELETE | contact-service-queue/{id}                             | Delete specific Contact Service Queue by ID                             | wxcc_delete                                                                                                                                                                 |
| GET    | contact-service-queue/{id}                             | Get specific Contact Service Queue by ID                                | wxcc_get                                                                                                                                                                    |
| GET    | v2/contact-service-queue/{id}                          | Get specific Contact Service Queue by ID                                | wxcc_get                                                                                                                                                                    |
| PUT    | v2/contact-service-queue/{id}                          | Update specific Contact Service Queue by ID                             | wxcc_update                                                                                                                                                                 |
| GET    | contact-service-queue/{id}/incoming-references         | List references for a specific Contact Service Queue                    | wxcc_references                                                                                                                                                             |
| POST   | v2/contact-service-queue/{id}/reassign-agents          | Add or remove agents/users to/from an agent based queue                 | <b>GAP</b>                                                                                                                                                                  |

| Method | Path                                    | Summary                                       | Tool / status                                                                                                                                                               |
|--------|-----------------------------------------|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GET    | v2/desktop-layout                       | List Desktop Layout(s)                        | wxcc_list                                                                                                                                                                   |
| POST   | desktop-layout                          | Create a new Desktop Layout                   | wxcc_create                                                                                                                                                                 |
| POST   | desktop-layout/bulk                     | Bulk save Desktop Layout(s)                   | wxcc_bulk_create/delete                                                                                                                                                     |
| POST   | desktop-layout/purge-inactive-entities  | Purge inactive Desktop Layout(s)              | <b>decided</b> — 403 tenant-wide for a full-rights admin (confirmed on auxiliary-code, desktop-layout and agent-profile 2026-07-22). Use wxcc_bulk_delete on ids you chose. |
| DELETE | desktop-layout/{id}                     | Delete specific Desktop Layout by ID          | wxcc_delete                                                                                                                                                                 |
| GET    | desktop-layout/{id}                     | Get specific Desktop Layout by ID             | wxcc_get                                                                                                                                                                    |
| PUT    | desktop-layout/{id}                     | Update specific Desktop Layout by ID          | wxcc_update                                                                                                                                                                 |
| GET    | desktop-layout/{id}/incoming-references | List references for a specific Desktop Layout | wxcc_references                                                                                                                                                             |

| Method | Path                                 | Summary                                                                          | Tool / status                                                                             |
|--------|--------------------------------------|----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| DELETE | dial-number                          | Delete all Dialed Number Mapping(s)                                              | <b>decided</b> — DELETE would unmap a live number; unprobed and deliberately not exposed. |
| GET    | dial-number                          | List Dialed Number Mapping(s)                                                    | wxcc_list                                                                                 |
| GET    | v2/dial-number                       | List Dialed Number Mapping(s)                                                    | wxcc_list                                                                                 |
| GET    | v3/dial-number                       | List Dialed Number Mapping(s)                                                    | wxcc_list                                                                                 |
| POST   | dial-number                          | Create a new Dialed Number Mapping                                               | wxcc_create                                                                               |
| POST   | dial-number/bulk                     | Bulk save Dialed Number Mapping(s)                                               | wxcc_bulk_create/update                                                                   |
| GET    | dial-number/bulk-export              | Bulk export Dialed Number Mapping(s)                                             | <b>decided</b> — Bulk export is out of scope for these tools.                             |
| GET    | dial-number/numbers-only             | List only dialed numbers(property - dialledNumber) from Dialed Number Mapping(s) | <b>GAP</b>                                                                                |
| DELETE | dial-number/{id}                     | Delete specific Dialed Number Mapping by ID                                      | <b>decided</b> — DELETE would unmap a live number; unprobed and deliberately not exposed. |
| GET    | dial-number/{id}                     | Get specific Dialed Number Mapping by ID                                         | wxcc_get                                                                                  |
| PUT    | dial-number/{id}                     | Update specific Dialed Number Mapping by ID                                      | wxcc_update                                                                               |
| GET    | dial-number/{id}/incoming-references | List references for a specific Dialed Number Mapping                             | wxcc_references                                                                           |

## entry-point — 8/10 reachable

| Method | Path                                 | Summary                                    | Tool / status                                                                                                                                                               |
|--------|--------------------------------------|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GET    | entry-point                          | List Entry Point(s)                        | wxcc_list                                                                                                                                                                   |
| GET    | v2/entry-point                       | List Entry Point(s)                        | wxcc_list                                                                                                                                                                   |
| POST   | entry-point                          | Create a new Entry Point                   | wxcc_create                                                                                                                                                                 |
| POST   | entry-point/bulk                     | Bulk save Entry Point(s)                   | wxcc_bulk_create/delete/update                                                                                                                                              |
| GET    | entry-point/bulk-export              | Bulk export Entry Point(s)                 | <b>decided</b> — Bulk export is out of scope for these tools.                                                                                                               |
| POST   | entry-point/purge-inactive-entities  | Purge inactive Entry Point(s)              | <b>decided</b> — 403 tenant-wide for a full-rights admin (confirmed on auxiliary-code, desktop-layout and agent-profile 2026-07-22). Use wxcc_bulk_delete on ids you chose. |
| DELETE | entry-point/{id}                     | Delete specific Entry Point by ID          | wxcc_delete                                                                                                                                                                 |
| GET    | entry-point/{id}                     | Get specific Entry Point by ID             | wxcc_get                                                                                                                                                                    |
| PUT    | entry-point/{id}                     | Update specific Entry Point by ID          | wxcc_update                                                                                                                                                                 |
| GET    | entry-point/{id}/incoming-references | List references for a specific Entry Point | wxcc_references                                                                                                                                                             |

| Method | Path                                  | Summary                                     | Tool / status           |
|--------|---------------------------------------|---------------------------------------------|-------------------------|
| GET    | holiday-list                          | List Holiday Lists                          | wxcc_list               |
| GET    | v2/holiday-list                       | List Holiday Lists                          | wxcc_list               |
| POST   | holiday-list                          | Create a new Holiday List                   | wxcc_create             |
| POST   | holiday-list/bulk                     | Bulk save Holiday Lists                     | wxcc_bulk_create/delete |
| DELETE | holiday-list/{id}                     | Delete specific Holiday List by ID          | wxcc_delete             |
| GET    | holiday-list/{id}                     | Get specific Holiday List by ID             | wxcc_get                |
| PUT    | holiday-list/{id}                     | Update specific Holiday List by ID          | wxcc_update             |
| GET    | holiday-list/{id}/incoming-references | List references for a specific Holiday List | wxcc_references         |

## multimedia-profile — 8/10 reachable

| Method | Path                                        | Summary                                           | Tool / status                                                                                                                                                               |
|--------|---------------------------------------------|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GET    | multimedia-profile                          | List Multimedia Profile(s)                        | wxcc_list                                                                                                                                                                   |
| GET    | v2/multimedia-profile                       | List Multimedia Profile(s)                        | wxcc_list                                                                                                                                                                   |
| POST   | multimedia-profile                          | Create a new Multimedia Profile                   | wxcc_create                                                                                                                                                                 |
| POST   | multimedia-profile/bulk                     | Bulk save Multimedia Profile(s)                   | wxcc_bulk_create/delete                                                                                                                                                     |
| GET    | multimedia-profile/bulk-export              | Bulk export Multimedia Profile(s)                 | <b>decided</b> — Bulk export is out of scope for these tools.                                                                                                               |
| POST   | multimedia-profile/purge-inactive-entities  | Purge inactive Multimedia Profile(s)              | <b>decided</b> — 403 tenant-wide for a full-rights admin (confirmed on auxiliary-code, desktop-layout and agent-profile 2026-07-22). Use wxcc_bulk_delete on ids you chose. |
| DELETE | multimedia-profile/{id}                     | Delete specific Multimedia Profile by ID          | wxcc_delete                                                                                                                                                                 |
| GET    | multimedia-profile/{id}                     | Get specific Multimedia Profile by ID             | wxcc_get                                                                                                                                                                    |
| PUT    | multimedia-profile/{id}                     | Update specific Multimedia Profile by ID          | wxcc_update                                                                                                                                                                 |
| GET    | multimedia-profile/{id}/incoming-references | List references for a specific Multimedia Profile | wxcc_references                                                                                                                                                             |

outdial-ani — 13/15 reachable

| Method | Path                                  | Summary                                    | Tool / status                                                                                                  |
|--------|---------------------------------------|--------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| GET    | outdial-ani                           | List Outdial ANIs                          | wxcc_list                                                                                                      |
| GET    | v2/outdial-ani                        | List Outdial ANIs                          | wxcc_list                                                                                                      |
| POST   | outdial-ani                           | Create a new Outdial ANI                   | wxcc_create                                                                                                    |
| POST   | outdial-ani/bulk                      | Bulk save Outdial ANIs                     | wxcc_bulk_create/delete                                                                                        |
| GET    | outdial-ani/entry                     | List Outdial ANI Entries                   | <b>GAP</b>                                                                                                     |
| DELETE | outdial-ani/{id}                      | Delete specific Outdial ANI by ID          | wxcc_delete                                                                                                    |
| GET    | outdial-ani/{id}                      | Get specific Outdial ANI by ID             | wxcc_get                                                                                                       |
| PUT    | outdial-ani/{id}                      | Update specific Outdial ANI by ID          | wxcc_update                                                                                                    |
| GET    | outdial-ani/{id}/incoming-references  | List references for a specific Outdial ANI | wxcc_references                                                                                                |
| GET    | v2/outdial-ani/{outDialAniId}/entry   | List Outdial ANI Entries                   | wxcc_add_entry / wxcc_list_entries                                                                             |
| POST   | outdial-ani/{outDialAniId}/entry      | Create a new Outdial ANI Entry             | wxcc_add_entry / wxcc_list_entries                                                                             |
| POST   | outdial-ani/{outDialAniId}/entry/bulk | Bulk save Outdial ANI Entries              | <b>decided</b> — Route confirmed (207 + items) but its accepted ops are UNPROBED, so the bulk tools refuse it. |
| DELETE | outdial-ani/{outDialAniId}/entry/{id} | Delete specific Outdial ANI Entry by ID    | wxcc_update_entry / wxcc_remove_entry                                                                          |
| GET    | outdial-ani/{outDialAniId}/entry/{id} | Get specific Outdial ANI Entry by ID       | wxcc_update_entry / wxcc_remove_entry                                                                          |
| PUT    | outdial-ani/{outDialAniId}/entry/{id} | Update specific Outdial ANI Entry by ID    | wxcc_update_entry / wxcc_remove_entry                                                                          |



## overrides — 8/8 reachable

| Method | Path                               | Summary                                           | Tool / status           |
|--------|------------------------------------|---------------------------------------------------|-------------------------|
| GET    | overrides                          | List Overrides resource(s)                        | wxcc_list               |
| GET    | v2/overrides                       | List Overrides resource(s)                        | wxcc_list               |
| POST   | overrides                          | Create a new Overrides resource                   | wxcc_create             |
| POST   | overrides/bulk                     | Bulk save Overrides resource(s)                   | wxcc_bulk_create/delete |
| DELETE | overrides/{id}                     | Delete specific Overrides resource by ID          | wxcc_delete             |
| GET    | overrides/{id}                     | Get specific Overrides resource by ID             | wxcc_get                |
| PUT    | overrides/{id}                     | Update specific Overrides resource by ID          | wxcc_update             |
| GET    | overrides/{id}/incoming-references | List references for a specific Overrides resource | wxcc_references         |

## resource-collection — 7/8 reachable

| Method | Path                                         | Summary                                            | Tool / status    |
|--------|----------------------------------------------|----------------------------------------------------|------------------|
| GET    | v2/resource-collection                       | List Resource Collections                          | wxcc_list        |
| POST   | resource-collection                          | Create a new Resource Collection                   | wxcc_create      |
| PATCH  | resource-collection/bulk                     | Bulk partial update Resource Collections           | wxcc_bulk_update |
| POST   | resource-collection/update-resource          | Update resource with default resource collection   | <b>GAP</b>       |
| DELETE | resource-collection/{id}                     | Delete specific Resource Collection by ID          | wxcc_delete      |
| GET    | resource-collection/{id}                     | Get specific Resource Collection by ID             | wxcc_get         |
| PUT    | resource-collection/{id}                     | Update specific Resource Collection by ID          | wxcc_update      |
| GET    | resource-collection/{id}/incoming-references | List references for a specific Resource Collection | wxcc_references  |

## site — 8/10 reachable

| Method | Path                          | Summary                             | Tool / status                                                                                                                                                               |
|--------|-------------------------------|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GET    | site                          | List Site(s)                        | wxcc_list                                                                                                                                                                   |
| GET    | v2/site                       | List Site(s)                        | wxcc_list                                                                                                                                                                   |
| POST   | site                          | Create a new Site                   | wxcc_create                                                                                                                                                                 |
| POST   | site/bulk                     | Bulk save Site(s)                   | wxcc_bulk_create/delete                                                                                                                                                     |
| GET    | site/bulk-export              | Bulk export Site(s)                 | <b>decided</b> — Bulk export is out of scope for these tools.                                                                                                               |
| POST   | site/purge-inactive-entities  | Purge inactive Site(s)              | <b>decided</b> — 403 tenant-wide for a full-rights admin (confirmed on auxiliary-code, desktop-layout and agent-profile 2026-07-22). Use wxcc_bulk_delete on ids you chose. |
| DELETE | site/{id}                     | Delete specific Site by ID          | wxcc_delete                                                                                                                                                                 |
| GET    | site/{id}                     | Get specific Site by ID             | wxcc_get                                                                                                                                                                    |
| PUT    | site/{id}                     | Update specific Site by ID          | wxcc_update                                                                                                                                                                 |
| GET    | site/{id}/incoming-references | List references for a specific Site | wxcc_references                                                                                                                                                             |

## skill — 8/10 reachable

| Method | Path                           | Summary                                                                | Tool / status                                                                                                                                                               |
|--------|--------------------------------|------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GET    | skill                          | List Skill(s)                                                          | wxcc_list                                                                                                                                                                   |
| GET    | v2/skill                       | List Skill(s)                                                          | wxcc_list                                                                                                                                                                   |
| POST   | skill                          | Create a new Skill                                                     | wxcc_create                                                                                                                                                                 |
| POST   | skill/bulk                     | Bulk save Skill(s)                                                     | wxcc_bulk_create/delete                                                                                                                                                     |
| POST   | skill/populate-json-attr/{id}  | Populate json-attributes field for a given skill-id of an organization | <b>GAP</b>                                                                                                                                                                  |
| POST   | skill/purge-inactive-entities  | Purge inactive Skill(s)                                                | <b>decided</b> — 403 tenant-wide for a full-rights admin (confirmed on auxiliary-code, desktop-layout and agent-profile 2026-07-22). Use wxcc_bulk_delete on ids you chose. |
| DELETE | skill/{id}                     | Delete specific Skill by ID                                            | wxcc_delete                                                                                                                                                                 |
| GET    | skill/{id}                     | Get specific Skill by ID                                               | wxcc_get                                                                                                                                                                    |
| PUT    | skill/{id}                     | Update specific Skill by ID                                            | wxcc_update                                                                                                                                                                 |
| GET    | skill/{id}/incoming-references | List references for a specific Skill                                   | wxcc_references                                                                                                                                                             |

## skill-profile — 8/8 reachable

| Method | Path                                   | Summary                                      | Tool / status           |
|--------|----------------------------------------|----------------------------------------------|-------------------------|
| GET    | skill-profile                          | List Skill Profile(s)                        | wxcc_list               |
| GET    | v2/skill-profile                       | List Skill Profile(s)                        | wxcc_list               |
| POST   | skill-profile                          | Create a new Skill Profile                   | wxcc_create             |
| POST   | skill-profile/bulk                     | Bulk save Skill Profile(s)                   | wxcc_bulk_create/delete |
| DELETE | skill-profile/{id}                     | Delete specific Skill Profile by ID          | wxcc_delete             |
| GET    | skill-profile/{id}                     | Get specific Skill Profile by ID             | wxcc_get                |
| PUT    | skill-profile/{id}                     | Update specific Skill Profile by ID          | wxcc_update             |
| GET    | skill-profile/{id}/incoming-references | List references for a specific Skill Profile | wxcc_references         |

| Method | Path                          | Summary                             | Tool / status                                                                                                                                                               |
|--------|-------------------------------|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GET    | team                          | List Teams                          | wxcc_list                                                                                                                                                                   |
| GET    | v2/team                       | List Teams                          | wxcc_list                                                                                                                                                                   |
| POST   | team                          | Create a new Team                   | wxcc_create                                                                                                                                                                 |
| POST   | team/bulk                     | Bulk save Teams                     | wxcc_bulk_create/delete                                                                                                                                                     |
| POST   | team/purge-inactive-entities  | Purge inactive Teams                | <b>decided</b> — 403 tenant-wide for a full-rights admin (confirmed on auxiliary-code, desktop-layout and agent-profile 2026-07-22). Use wxcc_bulk_delete on ids you chose. |
| DELETE | team/{id}                     | Delete specific Team by ID          | wxcc_delete                                                                                                                                                                 |
| GET    | team/{id}                     | Get specific Team by ID             | wxcc_get                                                                                                                                                                    |
| PUT    | team/{id}                     | Update specific Team by ID          | wxcc_update                                                                                                                                                                 |
| GET    | team/{id}/incoming-references | List references for a specific Team | wxcc_references                                                                                                                                                             |

## user — 14/17 reachable

| Method | Path                                     | Summary                                             | Tool / status                                                                           |
|--------|------------------------------------------|-----------------------------------------------------|-----------------------------------------------------------------------------------------|
| GET    | user                                     | List Users                                          | wxcc_list                                                                               |
| GET    | v2/user                                  | List Users                                          | wxcc_list                                                                               |
| PATCH  | user/bulk                                | Bulk partial update Users                           | wxcc_bulk_update                                                                        |
| PATCH  | user/bulk/update-dynamic-skill/{skillId} | Bulk partial update Users with dynamic skills       | <b>GAP</b>                                                                              |
| GET    | user/by-call-monitoring-id/{id}          | List users by call monitoring id                    | wxcc_find_users(by='call_monitoring_id')                                                |
| GET    | user/by-ci-user-id/{id}                  | Get specific User by CI User ID                     | wxcc_find_users(by='ci_user_id')                                                        |
| GET    | v2/user/by-ci-user-id/{id}               | Get specific User by CI User ID                     | <b>decided</b> — Duplicate of the non-v2 route, which is the one wxcc_find_users calls. |
| GET    | user/by-dynamic-skill-id/{skillId}       | Get users by dynamic skill ID                       | wxcc_find_users(by='dynamic_skill')                                                     |
| POST   | user/fetch-by-skill-requirements         | Get the agents matching skill requirements criteria | wxcc_find_users(by='skill_requirements')                                                |
| POST   | user/fetch-user-details-by-ids           | List Users with details                             | wxcc_find_users(by='ids')                                                               |
| GET    | user/with-user-profile                   | List Users along with profile                       | wxcc_find_users(by='with_profile')                                                      |
| GET    | user/with-user-profile/{id}              | Get specific User along with profile by ID          | wxcc_find_users(by='with_profile_by_id')                                                |
| GET    | user/{id}                                | Get specific User by ID                             | wxcc_get                                                                                |
| PATCH  | user/{id}                                | Partially update User by ID                         | wxcc_update (PATCH)                                                                     |
| PUT    | user/{id}                                | Update specific User by ID                          | wxcc_update                                                                             |
| GET    | user/{id}/incoming-references            | List references for a specific User                 | wxcc_references                                                                         |

| Method | Path                           | Summary        | Tool / status                                                                                                                                                               |
|--------|--------------------------------|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PATCH  | <code>user/{id}/reskill</code> | Reskill Agents | <b>decided</b> — 403 'User must have a supervisor profile to reskill agents' - a Supervisor Desktop endpoint. Reachable instead by PATCHing skillProfileId via wxcc_update. |

### user-profile — 7/8 reachable

| Method | Path                                               | Summary                                     | Tool / status                               |
|--------|----------------------------------------------------|---------------------------------------------|---------------------------------------------|
| GET    | <code>v3/user-profile</code>                       | List user profiles                          | <code>wxcc_list</code>                      |
| POST   | <code>v3/user-profile</code>                       | Create a new User Profile                   | <code>wxcc_create</code>                    |
| POST   | <code>v3/user-profile/bulk</code>                  | Bulk save User Profiles                     | <code>wxcc_bulk_create/delete/update</code> |
| DELETE | <code>v3/user-profile/{id}</code>                  | Delete specific User Profile by ID          | <code>wxcc_delete</code>                    |
| GET    | <code>v3/user-profile/{id}</code>                  | Get specific User Profile by ID             | <code>wxcc_get</code>                       |
| PUT    | <code>v3/user-profile/{id}</code>                  | Update specific User Profile by ID          | <code>wxcc_update</code>                    |
| GET    | <code>v3/user-profile/{id}/acl</code>              | Get specific User Profile ACL by ID         | <b>GAP</b>                                  |
| GET    | <code>user-profile/{id}/incoming-references</code> | List references for a specific User Profile | <code>wxcc_references</code>                |

## Config roots not in the registry

### agent-burnout — 3 operations (Agent Wellbeing)

| Method | Path                            | Summary                                      |
|--------|---------------------------------|----------------------------------------------|
| GET    | <code>v2/agent-burnout</code>   | List Agent Burnout resource(s)               |
| GET    | <code>agent-burnout/{id}</code> | Get specific Agent Burnout resource by ID    |
| PUT    | <code>agent-burnout/{id}</code> | Update specific Agent Burnout resource by ID |

## agent-personal-greeting — 13 operations (Agent Personal Greeting Files)

| Method | Path                                     | Summary                                           |
|--------|------------------------------------------|---------------------------------------------------|
| GET    | v2/agent-personal-greeting               | List Greeting Files                               |
| GET    | v3/agent-personal-greeting               | List Greeting Files                               |
| POST   | agent-personal-greeting                  | Create a new Greeting File                        |
| POST   | v2/agent-personal-greeting               | Create a new Greeting File                        |
| POST   | agent-personal-greeting/delete-reference | Delete references of an agent from greeting files |
| DELETE | agent-personal-greeting/{id}             | Delete specific Greeting File by ID               |
| DELETE | v2/agent-personal-greeting/{id}          | Delete specific Greeting File by ID               |
| GET    | agent-personal-greeting/{id}             | Get specific Greeting File by ID                  |
| GET    | v2/agent-personal-greeting/{id}          | Get specific Greeting File by ID                  |
| PATCH  | agent-personal-greeting/{id}             | Partially update Greeting File by ID              |
| PATCH  | v2/agent-personal-greeting/{id}          | Partially update Greeting File by ID              |
| PUT    | agent-personal-greeting/{id}             | Update specific Greeting File by ID               |
| PUT    | v2/agent-personal-greeting/{id}          | Update specific Greeting File by ID               |

## ai-feature — 8 operations (AI Feature)

| Method | Path                               | Summary                                           |
|--------|------------------------------------|---------------------------------------------------|
| GET    | v2/ai-feature                      | List AI Feature resource(s)                       |
| GET    | v2/ai-feature/auto-csat/question   | List Question mapped to AutoCSAT(s)               |
| POST   | ai-feature/auto-csat/question      | Create a new Question mapped to AutoCSAT          |
| POST   | ai-feature/auto-csat/question/bulk | Bulk save Question mapped to AutoCSAT             |
| DELETE | ai-feature/auto-csat/question/{id} | Delete specific Question mapped to AutoCSAT by ID |
| GET    | ai-feature/auto-csat/question/{id} | Get specific Question mapped to AutoCSAT by ID    |
| GET    | ai-feature/{id}                    | Get specific AI Feature resource by ID            |
| PATCH  | ai-feature/{id}                    | Partially update AI Feature resource by ID        |

## auto-csat — 8 operations (Auto CSAT)

| Method | Path                                 | Summary                                         |
|--------|--------------------------------------|-------------------------------------------------|
| GET    | v2/auto-csat                         | List Auto CSAT resource(s)                      |
| GET    | v2/auto-csat/{autoCsatId}/question   | List Auto CSAT mapped Question(s)               |
| POST   | auto-csat/{autoCsatId}/question      | Create a new Auto CSAT mapped Question          |
| POST   | auto-csat/{autoCsatId}/question/bulk | Bulk save Auto CSAT mapped Question(s)          |
| DELETE | auto-csat/{autoCsatId}/question/{id} | Delete specific Auto CSAT mapped Question by ID |
| GET    | auto-csat/{autoCsatId}/question/{id} | Get specific Auto CSAT mapped Question by ID    |
| GET    | auto-csat/{id}                       | Get specific Auto CSAT resource by ID           |
| PUT    | auto-csat/{id}                       | Update specific Auto CSAT resource by ID        |

## dial-plan — 8 operations (Dial Plan)

| Method | Path                               | Summary                                  |
|--------|------------------------------------|------------------------------------------|
| GET    | dial-plan                          | List Dial Plans                          |
| GET    | v2/dial-plan                       | List Dial Plans                          |
| POST   | dial-plan                          | Create a new Dial Plan                   |
| POST   | dial-plan/bulk                     | Bulk save Dial Plans                     |
| DELETE | dial-plan/{id}                     | Delete specific Dial Plan by ID          |
| GET    | dial-plan/{id}                     | Get specific Dial Plan by ID             |
| PUT    | dial-plan/{id}                     | Update specific Dial Plan by ID          |
| GET    | dial-plan/{id}/incoming-references | List references for a specific Dial Plan |

## generated-summaries — 3 operations (Generated Summaries)

| Method | Path                     | Summary                                            |
|--------|--------------------------|----------------------------------------------------|
| GET    | v2/generated-summaries   | List Generated Summaries resource(s)               |
| GET    | generated-summaries/{id} | Get specific Generated Summaries resource by ID    |
| PUT    | generated-summaries/{id} | Update specific Generated Summaries resource by ID |



## work-type — 9 operations (Work Types)

| Method | Path                               | Summary                                  |
|--------|------------------------------------|------------------------------------------|
| GET    | v2/work-type                       | List Work Type(s)                        |
| POST   | work-type                          | Create a new Work Type                   |
| POST   | work-type/bulk                     | Bulk save Work Type(s)                   |
| GET    | work-type/bulk-export              | Bulk export Work Type(s)                 |
| POST   | work-type/purge-inactive-entities  | Purge inactive Work Type(s)              |
| DELETE | work-type/{id}                     | Delete specific Work Type by ID          |
| GET    | work-type/{id}                     | Get specific Work Type by ID             |
| PUT    | work-type/{id}                     | Update specific Work Type by ID          |
| GET    | work-type/{id}/incoming-references | List references for a specific Work Type |

## Non-org-scoped operations

Different API families - reporting, flows, journey, campaigns. Listed for completeness; this project's tools do not cover them.

## Tasks — 24 operations

| Method | Path                                                          | Summary                 |
|--------|---------------------------------------------------------------|-------------------------|
| POST   | /v1/dialer/campaign/{campaignId}/preview-task/{taskId}/accept | Accept Preview Task     |
| POST   | /v1/dialer/campaign/{campaignId}/preview-task/{taskId}/remove | Remove Preview Task     |
| POST   | /v1/dialer/campaign/{campaignId}/preview-task/{taskId}/skip   | Skip Preview Task       |
| GET    | /v1/tasks                                                     | Get Tasks               |
| POST   | /v1/tasks                                                     | Create Task             |
| PATCH  | /v1/tasks/{taskId}                                            | Update Task             |
| POST   | /v1/tasks/{taskId}/accept                                     | Accept Task             |
| POST   | /v1/tasks/{taskId}/assign                                     | Assign Task             |
| POST   | /v1/tasks/{taskId}/conference/exit                            | Exit Conference Task    |
| POST   | /v1/tasks/{taskId}/consult                                    | Consult Task            |
| POST   | /v1/tasks/{taskId}/consult/accept                             | Consult Accept Task     |
| POST   | /v1/tasks/{taskId}/consult/conference                         | Consult Conference Task |
| POST   | /v1/tasks/{taskId}/consult/end                                | Consult End Task        |
| POST   | /v1/tasks/{taskId}/consult/transfer                           | Consult Transfer Task   |
| POST   | /v1/tasks/{taskId}/end                                        | End Task                |
| POST   | /v1/tasks/{taskId}/hold                                       | Hold Task               |
| POST   | /v1/tasks/{taskId}/record/pause                               | Pause Recording Task    |
| POST   | /v1/tasks/{taskId}/record/resume                              | Resume Recording Task   |
| POST   | /v1/tasks/{taskId}/reject                                     | Reject Task             |
| POST   | /v1/tasks/{taskId}/transfer                                   | Transfer Task           |
| POST   | /v1/tasks/{taskId}/unhold                                     | Resume Task             |
| POST   | /v1/tasks/{taskId}/wrapup                                     | Wrap Up Task            |
| POST   | /v2/tasks                                                     | Create Task             |
| POST   | /v2/tasks/{taskId}/messages                                   | Append Task Message     |

## Journey - Profile Creation & Insights API — 14 operations

| Method | Path                                                                                                                | Summary                                            |
|--------|---------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|
| GET    | /admin/v1/api/profile-view-template/workspace-id/{workspaceId}                                                      | Get All Template Details                           |
| POST   | /admin/v1/api/profile-view-template/workspace-id/{workspaceId}                                                      | Create Template                                    |
| DELETE | /admin/v1/api/profile-view-template/workspace-id/{workspaceId}/template-id/{templateId}                             | Delete Template by template Id                     |
| GET    | /admin/v1/api/profile-view-template/workspace-id/{workspaceId}/template-id/{templateId}                             | Get A specific Template searched by template id    |
| PUT    | /admin/v1/api/profile-view-template/workspace-id/{workspaceId}/template-id/{templateId}                             | Update existing ProfileViewTemplate                |
| GET    | /admin/v1/api/profile-view-template/workspace-id/{workspaceId}/template-name/{templateName}                         | Get A specific Template searched by template name  |
| GET    | /v1/api/events/stream/workspace-id/{workspaceId}/identity/{identity}                                                | Stream Events By Identity                          |
| GET    | /v1/api/events/workspace-id/{workspaceId}                                                                           | Historic Journey Events                            |
| GET    | /v1/api/progressive-profile-view/stream/workspace-id/{workspaceId}/identity/{identity}/template-id/{templateId}     | Stream Progressive profile Views By Template Id    |
| GET    | /v1/api/progressive-profile-view/stream/workspace-id/{workspaceId}/identity/{identity}/template-name/{templateName} | Stream Progressive profile Views By Template Name  |
| GET    | /v1/api/progressive-profile-view/workspace-id/{workspaceId}/identity/{identity}/template-id/{templateId}            | Historic Progressive Profile View By Template Id   |
| GET    | /v1/api/progressive-profile-view/workspace-id/{workspaceId}/identity/{identity}/template-name/{templateName}        | Historic Progressive Profile View By Template Name |
| GET    | /v1/api/progressive-profile-view/workspace-id/{workspaceId}/person-id/{personId}/template-id/{templateId}           | Historic Progressive Profile View                  |
| GET    | /v1/api/progressive-profile-view/workspace-id/{workspaceId}/person-id/{personId}/template-name/{templateName}       | Historic Progressive Profile View by Template Name |

## Flows — 13 operations

| Method | Path                                                           | Summary                         |
|--------|----------------------------------------------------------------|---------------------------------|
| GET    | <code>/orgId/project/projectId/flows</code>                    | List Flows or Subflows          |
| DELETE | <code>/orgId/project/projectId/flows/flowId</code>             | Delete a Flow or Subflow        |
| POST   | <code>/orgId/project/projectId/flows/flowId:lock</code>        | Lock a Flow or Subflow          |
| POST   | <code>/orgId/project/projectId/flows/flowId:publish</code>     | Publish a Flow or Subflow       |
| POST   | <code>/orgId/project/projectId/flows/flowId:unlock</code>      | Unlock a Flow or Subflow        |
| GET    | <code>/orgId/project/projectId/flows:search</code>             | Search Flows                    |
| GET    | <code>/orgId/project/projectId/v2/flows/flowId</code>          | Get a Flow                      |
| PATCH  | <code>/orgId/project/projectId/v2/flows/flowId</code>          | Patch a Flow Draft              |
| POST   | <code>/orgId/project/projectId/v2/flows/flowId</code>          | Save a Flow Draft               |
| GET    | <code>/orgId/project/projectId/v2/flows/flowId:export</code>   | Export a Flow                   |
| GET    | <code>/orgId/project/projectId/v2/flows/flowId:validate</code> | Validate an Existing Flow Draft |
| POST   | <code>/orgId/project/projectId/v2/flows:import</code>          | Import a Flow                   |
| POST   | <code>/orgId/project/projectId/v2/flows:validate</code>        | Validate a Flow                 |

## Subscriptions — 12 operations

| Method | Path                                | Summary               |
|--------|-------------------------------------|-----------------------|
| GET    | <code>/v1/event-types</code>        | List Event Types      |
| GET    | <code>/v1/subscriptions</code>      | List Subscriptions    |
| POST   | <code>/v1/subscriptions</code>      | Register Subscription |
| DELETE | <code>/v1/subscriptions/{id}</code> | Delete Subscription   |
| GET    | <code>/v1/subscriptions/{id}</code> | Get Subscription      |
| PATCH  | <code>/v1/subscriptions/{id}</code> | Update Subscription   |
| GET    | <code>/v2/event-types</code>        | List Event Types      |
| GET    | <code>/v2/subscriptions</code>      | List Subscriptions    |
| POST   | <code>/v2/subscriptions</code>      | Register Subscription |
| DELETE | <code>/v2/subscriptions/{id}</code> | Delete Subscription   |
| GET    | <code>/v2/subscriptions/{id}</code> | Get Subscription      |
| PATCH  | <code>/v2/subscriptions/{id}</code> | Update Subscription   |

## Agents — 11 operations

| Method | Path                     | Summary              |
|--------|--------------------------|----------------------|
| GET    | /v1/agents/activities    | Get Agent Activities |
| POST   | /v1/agents/buddyList     | Buddy Agents List    |
| POST   | /v1/agents/login         | Login                |
| PUT    | /v1/agents/logout        | Logout               |
| POST   | /v1/agents/reload        | Reload               |
| PUT    | /v1/agents/session/state | State Change         |
| GET    | /v1/agents/statistics    | Get Agent Statistics |
| POST   | /v2/agents/login         | Login                |
| PUT    | /v2/agents/logout        | Logout               |
| POST   | /v2/agents/reload        | Reload               |
| PUT    | /v2/agents/session/state | State Change         |

## Functions — 10 operations

| Method | Path                               | Summary                   |
|--------|------------------------------------|---------------------------|
| GET    | /v1/{orgId}/functions              | List Custom Functions     |
| POST   | /v1/{orgId}/functions              | Create a Custom Function  |
| DELETE | /v1/{orgId}/functions/{id}         | Delete a Custom Function  |
| GET    | /v1/{orgId}/functions/{id}         | Get a Custom Function     |
| PUT    | /v1/{orgId}/functions/{id}         | Update a Custom Function  |
| POST   | /v1/{orgId}/functions/{id}:export  | Export a Custom Function  |
| POST   | /v1/{orgId}/functions/{id}:lock    | Lock a Custom Function    |
| POST   | /v1/{orgId}/functions/{id}:publish | Publish a Custom Function |
| POST   | /v1/{orgId}/functions/{id}:unlock  | Unlock a Custom Function  |
| POST   | /v1/{orgId}/functions:import       | Import a Custom Function  |

## Journey - Customer Identification API — 9 operations

| Method | Path                                                                                      | Summary                                           |
|--------|-------------------------------------------------------------------------------------------|---------------------------------------------------|
| PATCH  | /admin/v1/api/person/add-identities/workspace-id/{workspaceId}/person-id/{personId}       | Add one/more Identities to a person               |
| POST   | /admin/v1/api/person/merge-identities/workspace-id/{workspaceId}                          | Creates or merges aliases to an Individual in JDS |
| POST   | /admin/v1/api/person/merge/workspace-id/{workspaceId}/primary-person-id/{primaryPersonId} | Merges Identities to a Primary Identity           |
| PATCH  | /admin/v1/api/person/remove-identities/workspace-id/{workspaceId}/person-id/{personId}    | Remove one/more Identities from a person          |
| GET    | /admin/v1/api/person/workspace-id/{workspaceId}                                           | Get all or a specific Person Details              |
| POST   | /admin/v1/api/person/workspace-id/{workspaceId}                                           | Create a Person                                   |
| GET    | /admin/v1/api/person/workspace-id/{workspaceId}/aliases/{aliases}                         | Search for an Identity via aliases                |
| DELETE | /admin/v1/api/person/workspace-id/{workspaceId}/person-id/{personId}                      | Delete specific Person by id                      |
| PATCH  | /admin/v1/api/person/workspace-id/{workspaceId}/person-id/{personId}                      | Add/Remove/Replace details of a Person            |

## Call Monitoring — 7 operations

| Method | Path                         | Summary                   |
|--------|------------------------------|---------------------------|
| POST   | /v1/monitor                  | Create Monitoring Request |
| GET    | /v1/monitor/sessions         | Fetch Monitoring Sessions |
| DELETE | /v1/monitor/{requestId}      | Delete Monitoring Request |
| POST   | /v1/monitor/{taskId}/bargain | Bargain Request           |
| POST   | /v1/monitor/{taskId}/end     | End Monitoring Request    |
| POST   | /v1/monitor/{taskId}/hold    | Hold Monitoring Request   |
| POST   | /v1/monitor/{taskId}/unhold  | Unhold Monitoring Request |

### Contact List Management — 7 operations

| Method | Path                                                                                             | Summary                                         |
|--------|--------------------------------------------------------------------------------------------------|-------------------------------------------------|
| POST   | /v3/campaign-management/campaigns/{campaignId}/contact-list                                      | Create contact list                             |
| POST   | /v3/campaign-management/campaigns/{campaignId}/contact-list/{contactListId}/contacts             | Create contacts within a contact list           |
| PATCH  | /v3/campaign-management/campaigns/{campaignId}/contact-list/{contactListId}/contacts/{contactId} | Update a contact's status within a contact list |
| PATCH  | /v3/campaign-management/campaigns/{campaignId}/contact-list/{contactListId}/status               | Update contact list status                      |
| GET    | /v3/campaign-management/campaigns/{campaignId}/contact-lists                                     | Get Contact Lists within a Campaign             |
| PATCH  | /v3/campaign-management/campaigns/{campaignId}/contacts/{contactId}                              | Update contact status across the campaign chain |
| GET    | /v4/campaign-management/campaigns/{campaignId}/contact-lists                                     | Get Contact Lists within a Campaign             |

### Data Sources — 7 operations

| Method | Path                            | Summary                                           |
|--------|---------------------------------|---------------------------------------------------|
| POST   | /dataSources                    | Register a Data Source                            |
| GET    | /dataSources/                   | Retrieve All Data Sources                         |
| GET    | /dataSources/schemas            | Retrieve Data Source Schemas                      |
| GET    | /dataSources/schemas/{schemaId} | Retrieve Details of a Specific Data Source Schema |
| DELETE | /dataSources/{dataSourceId}     | Delete a Data Source                              |
| GET    | /dataSources/{dataSourceId}     | Retrieve Data Source Details                      |
| PUT    | /dataSources/{dataSourceId}     | Update a Data Source                              |

## Journey - Trigger Actions API — 7 operations

| Method | Path                                                                                                       | Summary                                         |
|--------|------------------------------------------------------------------------------------------------------------|-------------------------------------------------|
| GET    | /admin/v1/api/journey-actions/workspace-id/{workspaceId}                                                   | Get all Journey Actions                         |
| GET    | /admin/v1/api/journey-actions/workspace-id/{workspaceId}/template-id/{templateId}                          | Get all Journey Actions for a template          |
| POST   | /admin/v1/api/journey-actions/workspace-id/{workspaceId}/template-id/{templateId}                          | Create a new Journey Action                     |
| DELETE | /admin/v1/api/journey-actions/workspace-id/{workspaceId}/template-id/{templateId}/action-id/{actionId}     | Delete Journey Action configuration By ActionId |
| GET    | /admin/v1/api/journey-actions/workspace-id/{workspaceId}/template-id/{templateId}/action-id/{actionId}     | Get specific Journey Action By ActionId         |
| PUT    | /admin/v1/api/journey-actions/workspace-id/{workspaceId}/template-id/{templateId}/action-id/{actionId}     | Update existing Journey Action                  |
| GET    | /admin/v1/api/journey-actions/workspace-id/{workspaceId}/template-id/{templateId}/action-name/{actionName} | Get specific Journey Action By Name             |

## Callbacks — 5 operations

| Method | Path                                                       | Summary                         |
|--------|------------------------------------------------------------|---------------------------------|
| GET    | /v1/callbacks/organization/{orgId}/scheduled-callback      | Get scheduled callbacks         |
| POST   | /v1/callbacks/organization/{orgId}/scheduled-callback      | Schedule a Callback             |
| DELETE | /v1/callbacks/organization/{orgId}/scheduled-callback/{id} | Delete scheduled callback by Id |
| GET    | /v1/callbacks/organization/{orgId}/scheduled-callback/{id} | Get scheduled callback by Id    |
| PUT    | /v1/callbacks/organization/{orgId}/scheduled-callback/{id} | Update scheduled callback by Id |

## Journey - Workspace management API — 5 operations

| Method | Path                                               | Summary            |
|--------|----------------------------------------------------|--------------------|
| GET    | /admin/v1/api/workspace                            | Get All Workspaces |
| POST   | /admin/v1/api/workspace                            | Create Workspace   |
| DELETE | /admin/v1/api/workspace/workspace-id/{workspaceId} | Delete Workspace   |
| GET    | /admin/v1/api/workspace/workspace-id/{workspaceId} | Get Workspace      |
| PUT    | /admin/v1/api/workspace/workspace-id/{workspaceId} | Update Workspace   |



## Campaign Manager — 4 operations

| Method | Path                                           | Summary                  |
|--------|------------------------------------------------|--------------------------|
| POST   | /v1/dialer/campaign                            | Start Campaign Request   |
| DELETE | /v1/dialer/campaign/{campaignId}               | Stop Campaign Request    |
| PUT    | /v1/dialer/campaign/{campaignId}               | Update Campaign Request  |
| GET    | /v1/organization/{orgId}/getValidCampaignTimes | Get Valid Campaign Times |

## Activities — 3 operations

| Method | Path                                                                                                 | Summary                    |
|--------|------------------------------------------------------------------------------------------------------|----------------------------|
| GET    | /v1/organization/{orgId}/project/{projectId}/v2/activities                                           | List Activity Definitions  |
| GET    | /v1/organization/{orgId}/project/{projectId}/v2/activities/{activityName}                            | Describe an Activity       |
| GET    | /v1/organization/{orgId}/project/{projectId}/v2/activities/{activityName}/inputs/{inputName}/choices | Get Activity Input Choices |

## DNC Management — 3 operations

| Method | Path                                                                    | Summary                           |
|--------|-------------------------------------------------------------------------|-----------------------------------|
| POST   | /v3/campaign-management/dncList/{dncListName}/phoneNumber               | Add Phone Number to DNC List      |
| DELETE | /v3/campaign-management/dncList/{dncListName}/phoneNumber/{phoneNumber} | Remove Phone Number from DNC List |
| GET    | /v3/campaign-management/dncList/{dncListName}/phoneNumber/{phoneNumber} | Get Phone Number from DNC List    |

## Journey - Subscription API — 3 operations

| Method | Path                                                       | Summary                  |
|--------|------------------------------------------------------------|--------------------------|
| DELETE | /admin/v1/api/wxcc-subscription/workspace-id/{workspaceId} | Delete WXCC Subscription |
| GET    | /admin/v1/api/wxcc-subscription/workspace-id/{workspaceId} | Get WXCC Subscription    |
| POST   | /admin/v1/api/wxcc-subscription/workspace-id/{workspaceId} | Create WXCC Subscription |

## Agent Wellbeing — 2 operations

| Method | Path                       | Summary                               |
|--------|----------------------------|---------------------------------------|
| POST   | /v1/agentburnout/action    | Record the realtime burnout events    |
| POST   | /v1/agentburnout/subscribe | Subscribe for realtime burnout events |

## Legacy Flows — 2 operations

| Method | Path                                                          | Summary                  |
|--------|---------------------------------------------------------------|--------------------------|
| GET    | /flow-store/{orgId}/project/{projectId}/flows/{flowId}:export | Export a Flow or Subflow |
| POST   | /flow-store/{orgId}/project/{projectId}/flows:import          | Import a Flow or Subflow |

## Templates — 2 operations

| Method | Path            | Summary             |
|--------|-----------------|---------------------|
| GET    | /templates      | List Flow Templates |
| GET    | /templates/{id} | Get a Flow Template |

## Agent Summaries — 1 operations

| Method | Path                        | Summary        |
|--------|-----------------------------|----------------|
| POST   | /generated-summaries/search | List summaries |

## Campaign Group — 1 operations

| Method | Path                                                                  | Summary                          |
|--------|-----------------------------------------------------------------------|----------------------------------|
| GET    | /v3/campaign-management/campaign-groups/{campaignGroupName}/campaigns | List Campaigns by Campaign Group |

## Captures — 1 operations

| Method | Path               | Summary       |
|--------|--------------------|---------------|
| POST   | /v1/captures/query | List Captures |

## Estimated Wait Time — 1 operations

| Method | Path    | Summary                 |
|--------|---------|-------------------------|
| GET    | /v1/ewt | Get Estimated Wait Time |

Events — 1 operations

| Method | Path                                                             | Summary                   |
|--------|------------------------------------------------------------------|---------------------------|
| GET    | <code>/orgId}/project/{projectId}/v2/event-specifications</code> | List Event Specifications |

Journey - Data Ingestion API — 1 operations

| Method | Path                               | Summary               |
|--------|------------------------------------|-----------------------|
| POST   | <code>/publish/v1/api/event</code> | Journey Event Posting |

Notification — 1 operations

| Method | Path                                    | Summary                |
|--------|-----------------------------------------|------------------------|
| POST   | <code>/v1/notification/subscribe</code> | Subscribe Notification |

Queues — 1 operations

| Method | Path                               | Summary              |
|--------|------------------------------------|----------------------|
| GET    | <code>/v1/queues/statistics</code> | Get Queue Statistics |

Realtime — 1 operations

| Method | Path                                | Summary                         |
|--------|-------------------------------------|---------------------------------|
| POST   | <code>/v1/realtime/subscribe</code> | Subscribe Realtime Notification |

Search — 1 operations

| Method | Path                 | Summary      |
|--------|----------------------|--------------|
| POST   | <code>/search</code> | Search tasks |