

WxCC API coverage

Cisco's OpenAPI spec (`webex-contact-center.json`) diffed against this project's entity registry.

Upstream commit `804abb1e4e39` (2026-07-24T21:13:31Z) · registry has **23 entities**.

The spec maps what EXISTS, not what WORKS. It declares `application/json` as an accepted body for POST / PUT on `audio-file` ; live probing shows every JSON shape returns 500 and only multipart succeeds. Schema quality is uneven too - PATCH `user/{id}` documents its body as `JsonValue` with one field. **Where the spec and a live probe disagree, the probe wins**, and the probe's finding belongs in the registry note.

Totals

	count
Operations in spec	448
Org-scoped config operations	288
Non-org-scoped (Tasks/Flows/Journey/...)	160
Config path roots — registered	23
Config path roots — not registered	6
Ops on registered entities	249
— reachable by a tool	210
— gaps	39

Registered entities

`GAP` means nothing reaches it. **decided** means it is deliberately unexposed, with the reason.

Method	Path	Summary	Tool / status
GET	address-book	List Address Book(s)	wxcc_list
GET	v2/address-book	List Address Book(s)	wxcc_list
GET	v3/address-book	List Address Book(s)	wxcc_list
POST	address-book	Create a new Address Book	wxcc_create
POST	v3/address-book	Create a new Address Book	wxcc_create
GET	address-book/bulk-export	Bulk export Address Book(s)	decided — Bulk export is out of scope for these tools.
GET	v2/address-book/{addressBookId}/entry	List Address Book Entry(s)	wxcc_add_entry / wxcc_list_entries
POST	address-book/{addressBookId}/entry	Create a new Address Book Entry	wxcc_add_entry / wxcc_list_entries
POST	address-book/{addressBookId}/entry/bulk	Bulk save Address Book Entry(s)	decided — Route confirmed (207 + items) but its accepted ops are UNPROBED, so the bulk tools refuse it.
DELETE	address-book/{addressBookId}/entry/{id}	Delete specific Address Book Entry by ID	wxcc_update_entry / wxcc_remove_entry
GET	address-book/{addressBookId}/entry/{id}	Get specific Address Book Entry by ID	wxcc_update_entry / wxcc_remove_entry
PUT	address-book/{addressBookId}/entry/{id}	Update specific Address Book Entry by ID	wxcc_update_entry / wxcc_remove_entry
DELETE	address-book/{id}	Delete specific Address Book by ID	wxcc_delete
DELETE	v3/address-book/{id}	Delete specific Address Book by ID	wxcc_delete
GET	address-book/{id}	Get specific Address Book by ID	wxcc_get
GET	v3/address-book/{id}	Get specific Address Book by ID	wxcc_get
PUT	address-book/{id}	Update specific Address Book by ID	wxcc_update

Method	Path	Summary	Tool / status
PUT	v3/address-book/{id}	Update specific Address Book by ID	wxcc_update
GET	address-book/{id}/incoming-references	List references for a specific Address Book	wxcc_references

agent-personal-greeting — 10/13 reachable

Method	Path	Summary	Tool / status
GET	v2/agent-personal-greeting	List Greeting Files	wxcc_list
GET	v3/agent-personal-greeting	List Greeting Files	wxcc_list
POST	agent-personal-greeting	Create a new Greeting File	wxcc_create
POST	v2/agent-personal-greeting	Create a new Greeting File	wxcc_create
POST	agent-personal-greeting/delete-reference	Delete references of an agent from greeting files	GAP
DELETE	agent-personal-greeting/{id}	Delete specific Greeting File by ID	wxcc_delete
DELETE	v2/agent-personal-greeting/{id}	Delete specific Greeting File by ID	wxcc_delete
GET	agent-personal-greeting/{id}	Get specific Greeting File by ID	wxcc_get
GET	v2/agent-personal-greeting/{id}	Get specific Greeting File by ID	wxcc_get
PATCH	agent-personal-greeting/{id}	Partially update Greeting File by ID	GAP
PATCH	v2/agent-personal-greeting/{id}	Partially update Greeting File by ID	GAP
PUT	agent-personal-greeting/{id}	Update specific Greeting File by ID	wxcc_update
PUT	v2/agent-personal-greeting/{id}	Update specific Greeting File by ID	wxcc_update

agent-profile — 8/9 reachable

Method	Path	Summary	Tool / status
GET	agent-profile	List Desktop Profiles	wxcc_list
GET	v2/agent-profile	List Desktop Profiles	wxcc_list
POST	agent-profile	Create a new Desktop Profile	wxcc_create
POST	agent-profile/bulk	Bulk save Desktop Profiles	wxcc_bulk_create/delete
POST	agent-profile/purge-inactive-entities	Purge inactive Desktop Profiles	decided — 403 tenant-wide for a full-rights admin (confirmed on auxiliary-code, desktop-layout and agent-profile 2026-07-22). Use wxcc_bulk_delete on ids you chose.
DELETE	agent-profile/{id}	Delete specific Desktop Profile by ID	wxcc_delete
GET	agent-profile/{id}	Get specific Desktop Profile by ID	wxcc_get
PUT	agent-profile/{id}	Update specific Desktop Profile by ID	wxcc_update
GET	agent-profile/{id}/incoming-references	List references for a specific Desktop Profile	wxcc_references

audio-file — 7/7 reachable

Method	Path	Summary	Tool / status
GET	v2/audio-file	List Audio File(s)	wxcc_list
POST	audio-file	Create a new Audio File	wxcc_create
DELETE	audio-file/{id}	Delete specific Audio File by ID	wxcc_delete
GET	audio-file/{id}	Get specific Audio File by ID	wxcc_get
PATCH	audio-file/{id}	Partially update Audio File by ID	wxcc_update (PATCH)
PUT	audio-file/{id}	Update specific Audio File by ID	wxcc_update
GET	audio-file/{id}/incoming-references	List references for a specific Audio File	wxcc_references

Method	Path	Summary	Tool / status
GET	auxiliary-code	List Auxiliary Code(s)	wxcc_list
GET	v2/auxiliary-code	List Auxiliary Code(s)	wxcc_list
POST	auxiliary-code	Create a new Auxiliary Code	wxcc_create
PATCH	auxiliary-code/bulk	Bulk partial update Auxiliary Code(s)	wxcc_bulk_update
POST	auxiliary-code/bulk	Bulk save Auxiliary Code(s)	wxcc_bulk_create/delete
GET	auxiliary-code/bulk-export	Bulk export Auxiliary Code(s)	decided — Bulk export is out of scope for these tools.
POST	auxiliary-code/purge-inactive-entities	Purge inactive Auxiliary Code(s)	decided — 403 tenant-wide for a full-rights admin (confirmed on auxiliary-code, desktop-layout and agent-profile 2026-07-22). Use wxcc_bulk_delete on ids you chose.
DELETE	auxiliary-code/{id}	Delete specific Auxiliary Code by ID	wxcc_delete
GET	auxiliary-code/{id}	Get specific Auxiliary Code by ID	wxcc_get
PUT	auxiliary-code/{id}	Update specific Auxiliary Code by ID	wxcc_update
GET	auxiliary-code/{id}/incoming-references	List references for a specific Auxiliary Code	wxcc_references

Method	Path	Summary	Tool / status
GET	business-hours	List Business Hours resources	wxcc_list
GET	v2/business-hours	List Business Hours resources	wxcc_list
POST	business-hours	Create a new Business Hours resource	wxcc_create
POST	business-hours/bulk	Bulk save Business Hours resources	wxcc_bulk_create/delete
DELETE	business-hours/{id}	Delete specific Business Hours resource by ID	wxcc_delete
GET	business-hours/{id}	Get specific Business Hours resource by ID	wxcc_get
PUT	business-hours/{id}	Update specific Business Hours resource by ID	wxcc_update
GET	business-hours/{id}/incoming-references	List references for a specific Business Hours resource	wxcc_references

cad-variable — 7/10 reachable

Method	Path	Summary	Tool / status
GET	v2/cad-variable	List Global Variable(s)	wxcc_list
POST	cad-variable	Create a new Global Variable	wxcc_create
POST	cad-variable/bulk	Bulk save Global Variable(s)	wxcc_bulk_create/delete/update
GET	cad-variable/bulk-export	Bulk export Global Variable(s)	decided — Bulk export is out of scope for these tools.
POST	cad-variable/purge-inactive-entities	Purge inactive Global Variable(s)	decided — 403 tenant-wide for a full-rights admin (confirmed on auxiliary-code, desktop-layout and agent-profile 2026-07-22). Use wxcc_bulk_delete on ids you chose.
GET	cad-variable/reportable-count	Get reportable count for Global Variable(s)	GAP
DELETE	cad-variable/{id}	Delete specific Global Variable by ID	wxcc_delete
GET	cad-variable/{id}	Get specific Global Variable by ID	wxcc_get
PUT	cad-variable/{id}	Update specific Global Variable by ID	wxcc_update
GET	cad-variable/{id}/incoming-references	List references for a specific Global Variable	wxcc_references

Method	Path	Summary	Tool / status
GET	v2/contact-number	List Contact Number(s)	wxcc_list
POST	contact-number	Create a new Contact Number	wxcc_create
GET	contact-number/all-numbers	List all contact numbers(property - number)	decided — Returns bare strings with no ids, so it cannot drive an update or delete. v2/contact-number is the list path.
POST	contact-number/bulk	Bulk save Contact Number(s)	wxcc_bulk_create/delete
GET	contact-number/bulk-export	Bulk export Contact Number(s)	decided — Bulk export is out of scope for these tools.
DELETE	contact-number/{id}	Delete specific Contact Number by ID	wxcc_delete
GET	contact-number/{id}	Get specific Contact Number by ID	wxcc_get
PUT	contact-number/{id}	Update specific Contact Number by ID	wxcc_update

Method	Path	Summary	Tool / status
GET	contact-service-queue	List Contact Service Queues	wxcc_list
GET	v2/contact-service-queue	List Contact Service Queues	wxcc_list
GET	v3/contact-service-queue	List Contact Service Queues	wxcc_list
POST	v2/contact-service-queue	Create a new Contact Service Queue	wxcc_create
PATCH	contact-service-queue/bulk	Bulk partial update Contact Service Queues	wxcc_bulk_update
POST	contact-service-queue/bulk	Bulk save Contact Service Queues	wxcc_bulk_create/delete
GET	contact-service-queue/by-skill-profile-id/{id}	List skill-based Contact Service Queues by skill profile ID (public)	wxcc_find_queues(by='for_skill_profile')
GET	v2/contact-service-queue/by-user-id/{userid}/agent-based-queues	List agent-based Contact Service Queues by user ID	wxcc_find_queues(by='agent_based_for_user')
GET	v2/contact-service-queue/by-user-id/{userid}/skill-based-queues	List skill-based Contact Service Queues by user ID	wxcc_find_queues(by='skill_based_for_user')
GET	v2/contact-service-queue/by-user-id/{userid}/team-based-queues	List team-based Contact Service Queues by user ID	wxcc_find_queues(by='team_based_for_user')
POST	contact-service-queue/delete-reference	Delete references from Contact Service Queues	GAP

Method	Path	Summary	Tool / status
POST	contact-service-queue/fetch-by-dynamic-skills-and-skillProfile	List skill-based Contact Service Queues by dynamic skills and skill profile	wxcc_find_queues(by='for_dynamic_skills')
POST	v2/contact-service-queue/fetch-by-grouped-assistant-skill	List queue mapping summary grouped by Assistant Skill	decided — 412 'License check failed for Suggested responses' - entitlement-gated.
POST	contact-service-queue/fetch-by-userId-skillProfileId	List skill-based Contact Service Queues by skill profile ID and user ID	wxcc_find_queues(by='for_user_and_skill_profile')
POST	contact-service-queue/fetch-manually-assignable-queues	List manually assignable Contact Service Queues	decided — 404 for all six users tried, each with a valid ciUserId from their own record (2026-07-22). Unexplained, so refused rather than shipped flaky.
POST	contact-service-queue/purge-inactive-entities	Purge inactive Contact Service Queues	decided — 403 tenant-wide for a full-rights admin (confirmed on auxiliary-code, desktop-layout and agent-profile 2026-07-22). Use wxcc_bulk_delete on ids you chose.
POST	contact-service-queue/v2/bulk	Bulk save Contact Service Queues	wxcc_bulk_create/delete
DELETE	contact-service-queue/{id}	Delete specific Contact Service Queue by ID	wxcc_delete
GET	contact-service-queue/{id}	Get specific Contact Service Queue by ID	wxcc_get
GET	v2/contact-service-queue/{id}	Get specific Contact Service Queue by ID	wxcc_get
PUT	v2/contact-service-queue/{id}	Update specific Contact Service Queue by ID	wxcc_update
GET	contact-service-queue/{id}/incoming-references	List references for a specific Contact Service Queue	wxcc_references

Method	Path	Summary	Tool / status
POST	v2/contact-service-queue/{id}/reassign-agents	Add or remove agents/users to/from an agent based queue	decided — Operates on AGENT-BASED queues; this tenant has none (all INBOUND/OUTBOUND), so it cannot be verified. Refused rather than shipped untested.

desktop-layout — 7/8 reachable

Method	Path	Summary	Tool / status
GET	v2/desktop-layout	List Desktop Layout(s)	wxcc_list
POST	desktop-layout	Create a new Desktop Layout	wxcc_create
POST	desktop-layout/bulk	Bulk save Desktop Layout(s)	wxcc_bulk_create/delete
POST	desktop-layout/purge-inactive-entities	Purge inactive Desktop Layout(s)	decided — 403 tenant-wide for a full-rights admin (confirmed on auxiliary-code, desktop-layout and agent-profile 2026-07-22). Use wxcc_bulk_delete on ids you chose.
DELETE	desktop-layout/{id}	Delete specific Desktop Layout by ID	wxcc_delete
GET	desktop-layout/{id}	Get specific Desktop Layout by ID	wxcc_get
PUT	desktop-layout/{id}	Update specific Desktop Layout by ID	wxcc_update
GET	desktop-layout/{id}/incoming-references	List references for a specific Desktop Layout	wxcc_references

Method	Path	Summary	Tool / status
DELETE	dial-number	Delete all Dialed Number Mapping(s)	decided — DELETE would unmap a live number; unprobed and deliberately not exposed.
GET	dial-number	List Dialed Number Mapping(s)	wxcc_list
GET	v2/dial-number	List Dialed Number Mapping(s)	wxcc_list
GET	v3/dial-number	List Dialed Number Mapping(s)	wxcc_list
POST	dial-number	Create a new Dialed Number Mapping	wxcc_create
POST	dial-number/bulk	Bulk save Dialed Number Mapping(s)	wxcc_bulk_create/update
GET	dial-number/bulk-export	Bulk export Dialed Number Mapping(s)	decided — Bulk export is out of scope for these tools.
GET	dial-number/numbers-only	List only dialed numbers(property - dialledNumber) from Dialed Number Mapping(s)	GAP
DELETE	dial-number/{id}	Delete specific Dialed Number Mapping by ID	decided — DELETE would unmap a live number; unprobed and deliberately not exposed.
GET	dial-number/{id}	Get specific Dialed Number Mapping by ID	wxcc_get
PUT	dial-number/{id}	Update specific Dialed Number Mapping by ID	wxcc_update
GET	dial-number/{id}/incoming-references	List references for a specific Dialed Number Mapping	wxcc_references

entry-point — 8/10 reachable

Method	Path	Summary	Tool / status
GET	entry-point	List Entry Point(s)	wxcc_list
GET	v2/entry-point	List Entry Point(s)	wxcc_list
POST	entry-point	Create a new Entry Point	wxcc_create
POST	entry-point/bulk	Bulk save Entry Point(s)	wxcc_bulk_create/delete/update
GET	entry-point/bulk-export	Bulk export Entry Point(s)	decided — Bulk export is out of scope for these tools.
POST	entry-point/purge-inactive-entities	Purge inactive Entry Point(s)	decided — 403 tenant-wide for a full-rights admin (confirmed on auxiliary-code, desktop-layout and agent-profile 2026-07-22). Use wxcc_bulk_delete on ids you chose.
DELETE	entry-point/{id}	Delete specific Entry Point by ID	wxcc_delete
GET	entry-point/{id}	Get specific Entry Point by ID	wxcc_get
PUT	entry-point/{id}	Update specific Entry Point by ID	wxcc_update
GET	entry-point/{id}/incoming-references	List references for a specific Entry Point	wxcc_references

holiday-list — 8/8 reachable

Method	Path	Summary	Tool / status
GET	holiday-list	List Holiday Lists	wxcc_list
GET	v2/holiday-list	List Holiday Lists	wxcc_list
POST	holiday-list	Create a new Holiday List	wxcc_create
POST	holiday-list/bulk	Bulk save Holiday Lists	wxcc_bulk_create/delete
DELETE	holiday-list/{id}	Delete specific Holiday List by ID	wxcc_delete
GET	holiday-list/{id}	Get specific Holiday List by ID	wxcc_get
PUT	holiday-list/{id}	Update specific Holiday List by ID	wxcc_update
GET	holiday-list/{id}/incoming-references	List references for a specific Holiday List	wxcc_references

multimedia-profile — 8/10 reachable

Method	Path	Summary	Tool / status
GET	multimedia-profile	List Multimedia Profile(s)	wxcc_list
GET	v2/multimedia-profile	List Multimedia Profile(s)	wxcc_list
POST	multimedia-profile	Create a new Multimedia Profile	wxcc_create
POST	multimedia-profile/bulk	Bulk save Multimedia Profile(s)	wxcc_bulk_create/delete
GET	multimedia-profile/bulk-export	Bulk export Multimedia Profile(s)	decided — Bulk export is out of scope for these tools.
POST	multimedia-profile/purge-inactive-entities	Purge inactive Multimedia Profile(s)	decided — 403 tenant-wide for a full-rights admin (confirmed on auxiliary-code, desktop-layout and agent-profile 2026-07-22). Use wxcc_bulk_delete on ids you chose.
DELETE	multimedia-profile/{id}	Delete specific Multimedia Profile by ID	wxcc_delete
GET	multimedia-profile/{id}	Get specific Multimedia Profile by ID	wxcc_get
PUT	multimedia-profile/{id}	Update specific Multimedia Profile by ID	wxcc_update
GET	multimedia-profile/{id}/incoming-references	List references for a specific Multimedia Profile	wxcc_references

outdial-ani — 13/15 reachable

Method	Path	Summary	Tool / status
GET	outdial-ani	List Outdial ANIs	wxcc_list
GET	v2/outdial-ani	List Outdial ANIs	wxcc_list
POST	outdial-ani	Create a new Outdial ANI	wxcc_create
POST	outdial-ani/bulk	Bulk save Outdial ANIs	wxcc_bulk_create/delete
GET	outdial-ani/entry	List Outdial ANI Entries	GAP
DELETE	outdial-ani/{id}	Delete specific Outdial ANI by ID	wxcc_delete
GET	outdial-ani/{id}	Get specific Outdial ANI by ID	wxcc_get
PUT	outdial-ani/{id}	Update specific Outdial ANI by ID	wxcc_update
GET	outdial-ani/{id}/incoming-references	List references for a specific Outdial ANI	wxcc_references
GET	v2/outdial-ani/{outDialAniId}/entry	List Outdial ANI Entries	wxcc_add_entry / wxcc_list_entries
POST	outdial-ani/{outDialAniId}/entry	Create a new Outdial ANI Entry	wxcc_add_entry / wxcc_list_entries
POST	outdial-ani/{outDialAniId}/entry/bulk	Bulk save Outdial ANI Entries	decided — Route confirmed (207 + items) but its accepted ops are UNPROBED, so the bulk tools refuse it.
DELETE	outdial-ani/{outDialAniId}/entry/{id}	Delete specific Outdial ANI Entry by ID	wxcc_update_entry / wxcc_remove_entry
GET	outdial-ani/{outDialAniId}/entry/{id}	Get specific Outdial ANI Entry by ID	wxcc_update_entry / wxcc_remove_entry
PUT	outdial-ani/{outDialAniId}/entry/{id}	Update specific Outdial ANI Entry by ID	wxcc_update_entry / wxcc_remove_entry

overrides — 8/8 reachable

Method	Path	Summary	Tool / status
GET	overrides	List Overrides resource(s)	wxcc_list
GET	v2/overrides	List Overrides resource(s)	wxcc_list
POST	overrides	Create a new Overrides resource	wxcc_create
POST	overrides/bulk	Bulk save Overrides resource(s)	wxcc_bulk_create/delete
DELETE	overrides/{id}	Delete specific Overrides resource by ID	wxcc_delete
GET	overrides/{id}	Get specific Overrides resource by ID	wxcc_get
PUT	overrides/{id}	Update specific Overrides resource by ID	wxcc_update
GET	overrides/{id}/incoming-references	List references for a specific Overrides resource	wxcc_references

resource-collection — 7/8 reachable

Method	Path	Summary	Tool / status
GET	v2/resource-collection	List Resource Collections	wxcc_list
POST	resource-collection	Create a new Resource Collection	wxcc_create
PATCH	resource-collection/bulk	Bulk partial update Resource Collections	wxcc_bulk_update
POST	resource-collection/update-resource	Update resource with default resource collection	GAP
DELETE	resource-collection/{id}	Delete specific Resource Collection by ID	wxcc_delete
GET	resource-collection/{id}	Get specific Resource Collection by ID	wxcc_get
PUT	resource-collection/{id}	Update specific Resource Collection by ID	wxcc_update
GET	resource-collection/{id}/incoming-references	List references for a specific Resource Collection	wxcc_references

site — 8/10 reachable

Method	Path	Summary	Tool / status
GET	site	List Site(s)	wxcc_list
GET	v2/site	List Site(s)	wxcc_list
POST	site	Create a new Site	wxcc_create
POST	site/bulk	Bulk save Site(s)	wxcc_bulk_create/delete
GET	site/bulk-export	Bulk export Site(s)	decided — Bulk export is out of scope for these tools.
POST	site/purge-inactive-entities	Purge inactive Site(s)	decided — 403 tenant-wide for a full-rights admin (confirmed on auxiliary-code, desktop-layout and agent-profile 2026-07-22). Use wxcc_bulk_delete on ids you chose.
DELETE	site/{id}	Delete specific Site by ID	wxcc_delete
GET	site/{id}	Get specific Site by ID	wxcc_get
PUT	site/{id}	Update specific Site by ID	wxcc_update
GET	site/{id}/incoming-references	List references for a specific Site	wxcc_references

skill — 8/10 reachable

Method	Path	Summary	Tool / status
GET	skill	List Skill(s)	wxcc_list
GET	v2/skill	List Skill(s)	wxcc_list
POST	skill	Create a new Skill	wxcc_create
POST	skill/bulk	Bulk save Skill(s)	wxcc_bulk_create/delete
POST	skill/populate-json-attr/{id}	Populate json-attributes field for a given skill-id of an organization	GAP
POST	skill/purge-inactive-entities	Purge inactive Skill(s)	decided — 403 tenant-wide for a full-rights admin (confirmed on auxiliary-code, desktop-layout and agent-profile 2026-07-22). Use wxcc_bulk_delete on ids you chose.
DELETE	skill/{id}	Delete specific Skill by ID	wxcc_delete
GET	skill/{id}	Get specific Skill by ID	wxcc_get
PUT	skill/{id}	Update specific Skill by ID	wxcc_update
GET	skill/{id}/incoming-references	List references for a specific Skill	wxcc_references

skill-profile — 8/8 reachable

Method	Path	Summary	Tool / status
GET	skill-profile	List Skill Profile(s)	wxcc_list
GET	v2/skill-profile	List Skill Profile(s)	wxcc_list
POST	skill-profile	Create a new Skill Profile	wxcc_create
POST	skill-profile/bulk	Bulk save Skill Profile(s)	wxcc_bulk_create/delete
DELETE	skill-profile/{id}	Delete specific Skill Profile by ID	wxcc_delete
GET	skill-profile/{id}	Get specific Skill Profile by ID	wxcc_get
PUT	skill-profile/{id}	Update specific Skill Profile by ID	wxcc_update
GET	skill-profile/{id}/incoming-references	List references for a specific Skill Profile	wxcc_references

Method	Path	Summary	Tool / status
GET	team	List Teams	wxcc_list
GET	v2/team	List Teams	wxcc_list
POST	team	Create a new Team	wxcc_create
POST	team/bulk	Bulk save Teams	wxcc_bulk_create/delete
POST	team/purge-inactive-entities	Purge inactive Teams	decided — 403 tenant-wide for a full-rights admin (confirmed on auxiliary-code, desktop-layout and agent-profile 2026-07-22). Use wxcc_bulk_delete on ids you chose.
DELETE	team/{id}	Delete specific Team by ID	wxcc_delete
GET	team/{id}	Get specific Team by ID	wxcc_get
PUT	team/{id}	Update specific Team by ID	wxcc_update
GET	team/{id}/incoming-references	List references for a specific Team	wxcc_references

user — 14/17 reachable

Method	Path	Summary	Tool / status
GET	user	List Users	wxcc_list
GET	v2/user	List Users	wxcc_list
PATCH	user/bulk	Bulk partial update Users	wxcc_bulk_update
PATCH	user/bulk/update-dynamic-skill/{skillId}	Bulk partial update Users with dynamic skills	GAP
GET	user/by-call-monitoring-id/{id}	List users by call monitoring id	wxcc_find_users(by='call_monitoring_id')
GET	user/by-ci-user-id/{id}	Get specific User by CI User ID	wxcc_find_users(by='ci_user_id')
GET	v2/user/by-ci-user-id/{id}	Get specific User by CI User ID	decided — Duplicate of the non-v2 route, which is the one wxcc_find_users calls.
GET	user/by-dynamic-skill-id/{skillId}	Get users by dynamic skill ID	wxcc_find_users(by='dynamic_skill')
POST	user/fetch-by-skill-requirements	Get the agents matching skill requirements criteria	wxcc_find_users(by='skill_requirements')
POST	user/fetch-user-details-by-ids	List Users with details	wxcc_find_users(by='ids')
GET	user/with-user-profile	List Users along with profile	wxcc_find_users(by='with_profile')
GET	user/with-user-profile/{id}	Get specific User along with profile by ID	wxcc_find_users(by='with_profile_by_id')
GET	user/{id}	Get specific User by ID	wxcc_get
PATCH	user/{id}	Partially update User by ID	wxcc_update (PATCH)
PUT	user/{id}	Update specific User by ID	wxcc_update
GET	user/{id}/incoming-references	List references for a specific User	wxcc_references

Method	Path	Summary	Tool / status
PATCH	<code>user/{id}/reskill</code>	Reskill Agents	decided — 403 'User must have a supervisor profile to reskill agents' - a Supervisor Desktop endpoint. Reachable instead by PATCHing skillProfileId via wxcc_update.

user-profile — 7/8 reachable

Method	Path	Summary	Tool / status
GET	<code>v3/user-profile</code>	List user profiles	<code>wxcc_list</code>
POST	<code>v3/user-profile</code>	Create a new User Profile	<code>wxcc_create</code>
POST	<code>v3/user-profile/bulk</code>	Bulk save User Profiles	<code>wxcc_bulk_create/delete/update</code>
DELETE	<code>v3/user-profile/{id}</code>	Delete specific User Profile by ID	<code>wxcc_delete</code>
GET	<code>v3/user-profile/{id}</code>	Get specific User Profile by ID	<code>wxcc_get</code>
PUT	<code>v3/user-profile/{id}</code>	Update specific User Profile by ID	<code>wxcc_update</code>
GET	<code>v3/user-profile/{id}/acl</code>	Get specific User Profile ACL by ID	GAP
GET	<code>user-profile/{id}/incoming-references</code>	List references for a specific User Profile	<code>wxcc_references</code>

Config roots not in the registry

agent-burnout — 3 operations (Agent Wellbeing)

Method	Path	Summary
GET	<code>v2/agent-burnout</code>	List Agent Burnout resource(s)
GET	<code>agent-burnout/{id}</code>	Get specific Agent Burnout resource by ID
PUT	<code>agent-burnout/{id}</code>	Update specific Agent Burnout resource by ID

ai-feature — 8 operations (AI Feature)

Method	Path	Summary
GET	v2/ai-feature	List AI Feature resource(s)
GET	v2/ai-feature/auto-csat/question	List Question mapped to AutoCSAT(s)
POST	ai-feature/auto-csat/question	Create a new Question mapped to AutoCSAT
POST	ai-feature/auto-csat/question/bulk	Bulk save Question mapped to AutoCSAT
DELETE	ai-feature/auto-csat/question/{id}	Delete specific Question mapped to AutoCSAT by ID
GET	ai-feature/auto-csat/question/{id}	Get specific Question mapped to AutoCSAT by ID
GET	ai-feature/{id}	Get specific AI Feature resource by ID
PATCH	ai-feature/{id}	Partially update AI Feature resource by ID

auto-csat — 8 operations (Auto CSAT)

Method	Path	Summary
GET	v2/auto-csat	List Auto CSAT resource(s)
GET	v2/auto-csat/{autoCsatId}/question	List Auto CSAT mapped Question(s)
POST	auto-csat/{autoCsatId}/question	Create a new Auto CSAT mapped Question
POST	auto-csat/{autoCsatId}/question/bulk	Bulk save Auto CSAT mapped Question(s)
DELETE	auto-csat/{autoCsatId}/question/{id}	Delete specific Auto CSAT mapped Question by ID
GET	auto-csat/{autoCsatId}/question/{id}	Get specific Auto CSAT mapped Question by ID
GET	auto-csat/{id}	Get specific Auto CSAT resource by ID
PUT	auto-csat/{id}	Update specific Auto CSAT resource by ID

dial-plan — 8 operations (Dial Plan)

Method	Path	Summary
GET	dial-plan	List Dial Plans
GET	v2/dial-plan	List Dial Plans
POST	dial-plan	Create a new Dial Plan
POST	dial-plan/bulk	Bulk save Dial Plans
DELETE	dial-plan/{id}	Delete specific Dial Plan by ID
GET	dial-plan/{id}	Get specific Dial Plan by ID
PUT	dial-plan/{id}	Update specific Dial Plan by ID
GET	dial-plan/{id}/incoming-references	List references for a specific Dial Plan

generated-summaries — 3 operations (Generated Summaries)

Method	Path	Summary
GET	v2/generated-summaries	List Generated Summaries resource(s)
GET	generated-summaries/{id}	Get specific Generated Summaries resource by ID
PUT	generated-summaries/{id}	Update specific Generated Summaries resource by ID

work-type — 9 operations (Work Types)

Method	Path	Summary
GET	v2/work-type	List Work Type(s)
POST	work-type	Create a new Work Type
POST	work-type/bulk	Bulk save Work Type(s)
GET	work-type/bulk-export	Bulk export Work Type(s)
POST	work-type/purge-inactive-entities	Purge inactive Work Type(s)
DELETE	work-type/{id}	Delete specific Work Type by ID
GET	work-type/{id}	Get specific Work Type by ID
PUT	work-type/{id}	Update specific Work Type by ID
GET	work-type/{id}/incoming-references	List references for a specific Work Type

Non-org-scoped operations

Different API families - reporting, flows, journey, campaigns. Listed for completeness; this project's tools do not cover them.

Tasks — 24 operations

Method	Path	Summary
POST	/v1/dialer/campaign/{campaignId}/preview-task/{taskId}/accept	Accept Preview Task
POST	/v1/dialer/campaign/{campaignId}/preview-task/{taskId}/remove	Remove Preview Task
POST	/v1/dialer/campaign/{campaignId}/preview-task/{taskId}/skip	Skip Preview Task
GET	/v1/tasks	Get Tasks
POST	/v1/tasks	Create Task
PATCH	/v1/tasks/{taskId}	Update Task
POST	/v1/tasks/{taskId}/accept	Accept Task
POST	/v1/tasks/{taskId}/assign	Assign Task
POST	/v1/tasks/{taskId}/conference/exit	Exit Conference Task
POST	/v1/tasks/{taskId}/consult	Consult Task
POST	/v1/tasks/{taskId}/consult/accept	Consult Accept Task
POST	/v1/tasks/{taskId}/consult/conference	Consult Conference Task
POST	/v1/tasks/{taskId}/consult/end	Consult End Task
POST	/v1/tasks/{taskId}/consult/transfer	Consult Transfer Task
POST	/v1/tasks/{taskId}/end	End Task
POST	/v1/tasks/{taskId}/hold	Hold Task
POST	/v1/tasks/{taskId}/record/pause	Pause Recording Task
POST	/v1/tasks/{taskId}/record/resume	Resume Recording Task
POST	/v1/tasks/{taskId}/reject	Reject Task
POST	/v1/tasks/{taskId}/transfer	Transfer Task
POST	/v1/tasks/{taskId}/unhold	Resume Task
POST	/v1/tasks/{taskId}/wrapup	Wrap Up Task
POST	/v2/tasks	Create Task
POST	/v2/tasks/{taskId}/messages	Append Task Message

Journey - Profile Creation & Insights API — 14 operations

Method	Path	Summary
GET	/admin/v1/api/profile-view-template/workspace-id/{workspaceId}	Get All Template Details
POST	/admin/v1/api/profile-view-template/workspace-id/{workspaceId}	Create Template
DELETE	/admin/v1/api/profile-view-template/workspace-id/{workspaceId}/template-id/{templateId}	Delete Template by template Id
GET	/admin/v1/api/profile-view-template/workspace-id/{workspaceId}/template-id/{templateId}	Get A specific Template searched by template id
PUT	/admin/v1/api/profile-view-template/workspace-id/{workspaceId}/template-id/{templateId}	Update existing ProfileViewTemplate
GET	/admin/v1/api/profile-view-template/workspace-id/{workspaceId}/template-name/{templateName}	Get A specific Template searched by template name
GET	/v1/api/events/stream/workspace-id/{workspaceId}/identity/{identity}	Stream Events By Identity
GET	/v1/api/events/workspace-id/{workspaceId}	Historic Journey Events
GET	/v1/api/progressive-profile-view/stream/workspace-id/{workspaceId}/identity/{identity}/template-id/{templateId}	Stream Progressive profile Views By Template Id
GET	/v1/api/progressive-profile-view/stream/workspace-id/{workspaceId}/identity/{identity}/template-name/{templateName}	Stream Progressive profile Views By Template Name
GET	/v1/api/progressive-profile-view/workspace-id/{workspaceId}/identity/{identity}/template-id/{templateId}	Historic Progressive Profile View By Template Id
GET	/v1/api/progressive-profile-view/workspace-id/{workspaceId}/identity/{identity}/template-name/{templateName}	Historic Progressive Profile View By Template Name
GET	/v1/api/progressive-profile-view/workspace-id/{workspaceId}/person-id/{personId}/template-id/{templateId}	Historic Progressive Profile View
GET	/v1/api/progressive-profile-view/workspace-id/{workspaceId}/person-id/{personId}/template-name/{templateName}	Historic Progressive Profile View by Template Name

Flows — 13 operations

Method	Path	Summary
GET	<code>/orgId/project/projectId/flows</code>	List Flows or Subflows
DELETE	<code>/orgId/project/projectId/flows/flowId</code>	Delete a Flow or Subflow
POST	<code>/orgId/project/projectId/flows/flowId:lock</code>	Lock a Flow or Subflow
POST	<code>/orgId/project/projectId/flows/flowId:publish</code>	Publish a Flow or Subflow
POST	<code>/orgId/project/projectId/flows/flowId:unlock</code>	Unlock a Flow or Subflow
GET	<code>/orgId/project/projectId/flows:search</code>	Search Flows
GET	<code>/orgId/project/projectId/v2/flows/flowId</code>	Get a Flow
PATCH	<code>/orgId/project/projectId/v2/flows/flowId</code>	Patch a Flow Draft
POST	<code>/orgId/project/projectId/v2/flows/flowId</code>	Save a Flow Draft
GET	<code>/orgId/project/projectId/v2/flows/flowId:export</code>	Export a Flow
GET	<code>/orgId/project/projectId/v2/flows/flowId:validate</code>	Validate an Existing Flow Draft
POST	<code>/orgId/project/projectId/v2/flows:import</code>	Import a Flow
POST	<code>/orgId/project/projectId/v2/flows:validate</code>	Validate a Flow

Subscriptions — 12 operations

Method	Path	Summary
GET	<code>/v1/event-types</code>	List Event Types
GET	<code>/v1/subscriptions</code>	List Subscriptions
POST	<code>/v1/subscriptions</code>	Register Subscription
DELETE	<code>/v1/subscriptions/{id}</code>	Delete Subscription
GET	<code>/v1/subscriptions/{id}</code>	Get Subscription
PATCH	<code>/v1/subscriptions/{id}</code>	Update Subscription
GET	<code>/v2/event-types</code>	List Event Types
GET	<code>/v2/subscriptions</code>	List Subscriptions
POST	<code>/v2/subscriptions</code>	Register Subscription
DELETE	<code>/v2/subscriptions/{id}</code>	Delete Subscription
GET	<code>/v2/subscriptions/{id}</code>	Get Subscription
PATCH	<code>/v2/subscriptions/{id}</code>	Update Subscription

Agents — 11 operations

Method	Path	Summary
GET	/v1/agents/activities	Get Agent Activities
POST	/v1/agents/buddyList	Buddy Agents List
POST	/v1/agents/login	Login
PUT	/v1/agents/logout	Logout
POST	/v1/agents/reload	Reload
PUT	/v1/agents/session/state	State Change
GET	/v1/agents/statistics	Get Agent Statistics
POST	/v2/agents/login	Login
PUT	/v2/agents/logout	Logout
POST	/v2/agents/reload	Reload
PUT	/v2/agents/session/state	State Change

Functions — 10 operations

Method	Path	Summary
GET	/v1/{orgId}/functions	List Custom Functions
POST	/v1/{orgId}/functions	Create a Custom Function
DELETE	/v1/{orgId}/functions/{id}	Delete a Custom Function
GET	/v1/{orgId}/functions/{id}	Get a Custom Function
PUT	/v1/{orgId}/functions/{id}	Update a Custom Function
POST	/v1/{orgId}/functions/{id}:export	Export a Custom Function
POST	/v1/{orgId}/functions/{id}:lock	Lock a Custom Function
POST	/v1/{orgId}/functions/{id}:publish	Publish a Custom Function
POST	/v1/{orgId}/functions/{id}:unlock	Unlock a Custom Function
POST	/v1/{orgId}/functions:import	Import a Custom Function

Journey - Customer Identification API — 9 operations

Method	Path	Summary
PATCH	/admin/v1/api/person/add-identities/workspace-id/{workspaceId}/person-id/{personId}	Add one/more Identities to a person
POST	/admin/v1/api/person/merge-identities/workspace-id/{workspaceId}	Creates or merges aliases to an Individual in JDS
POST	/admin/v1/api/person/merge/workspace-id/{workspaceId}/primary-person-id/{primaryPersonId}	Merges Identities to a Primary Identity
PATCH	/admin/v1/api/person/remove-identities/workspace-id/{workspaceId}/person-id/{personId}	Remove one/more Identities from a person
GET	/admin/v1/api/person/workspace-id/{workspaceId}	Get all or a specific Person Details
POST	/admin/v1/api/person/workspace-id/{workspaceId}	Create a Person
GET	/admin/v1/api/person/workspace-id/{workspaceId}/aliases/{aliases}	Search for an Identity via aliases
DELETE	/admin/v1/api/person/workspace-id/{workspaceId}/person-id/{personId}	Delete specific Person by id
PATCH	/admin/v1/api/person/workspace-id/{workspaceId}/person-id/{personId}	Add/Remove/Replace details of a Person

Call Monitoring — 7 operations

Method	Path	Summary
POST	/v1/monitor	Create Monitoring Request
GET	/v1/monitor/sessions	Fetch Monitoring Sessions
DELETE	/v1/monitor/{requestId}	Delete Monitoring Request
POST	/v1/monitor/{taskId}/bargain	Bargain Request
POST	/v1/monitor/{taskId}/end	End Monitoring Request
POST	/v1/monitor/{taskId}/hold	Hold Monitoring Request
POST	/v1/monitor/{taskId}/unhold	Unhold Monitoring Request

Contact List Management — 7 operations

Method	Path	Summary
POST	/v3/campaign-management/campaigns/{campaignId}/contact-list	Create contact list
POST	/v3/campaign-management/campaigns/{campaignId}/contact-list/{contactListId}/contacts	Create contacts within a contact list
PATCH	/v3/campaign-management/campaigns/{campaignId}/contact-list/{contactListId}/contacts/{contactId}	Update a contact's status within a contact list
PATCH	/v3/campaign-management/campaigns/{campaignId}/contact-list/{contactListId}/status	Update contact list status
GET	/v3/campaign-management/campaigns/{campaignId}/contact-lists	Get Contact Lists within a Campaign
PATCH	/v3/campaign-management/campaigns/{campaignId}/contacts/{contactId}	Update contact status across the campaign chain
GET	/v4/campaign-management/campaigns/{campaignId}/contact-lists	Get Contact Lists within a Campaign

Data Sources — 7 operations

Method	Path	Summary
POST	/dataSources	Register a Data Source
GET	/dataSources/	Retrieve All Data Sources
GET	/dataSources/schemas	Retrieve Data Source Schemas
GET	/dataSources/schemas/{schemaId}	Retrieve Details of a Specific Data Source Schema
DELETE	/dataSources/{dataSourceId}	Delete a Data Source
GET	/dataSources/{dataSourceId}	Retrieve Data Source Details
PUT	/dataSources/{dataSourceId}	Update a Data Source

Journey - Trigger Actions API — 7 operations

Method	Path	Summary
GET	/admin/v1/api/journey-actions/workspace-id/{workspaceId}	Get all Journey Actions
GET	/admin/v1/api/journey-actions/workspace-id/{workspaceId}/template-id/{templateId}	Get all Journey Actions for a template
POST	/admin/v1/api/journey-actions/workspace-id/{workspaceId}/template-id/{templateId}	Create a new Journey Action
DELETE	/admin/v1/api/journey-actions/workspace-id/{workspaceId}/template-id/{templateId}/action-id/{actionId}	Delete Journey Action configuration By ActionId
GET	/admin/v1/api/journey-actions/workspace-id/{workspaceId}/template-id/{templateId}/action-id/{actionId}	Get specific Journey Action By ActionId
PUT	/admin/v1/api/journey-actions/workspace-id/{workspaceId}/template-id/{templateId}/action-id/{actionId}	Update existing Journey Action
GET	/admin/v1/api/journey-actions/workspace-id/{workspaceId}/template-id/{templateId}/action-name/{actionName}	Get specific Journey Action By Name

Callbacks — 5 operations

Method	Path	Summary
GET	/v1/callbacks/organization/{orgId}/scheduled-callback	Get scheduled callbacks
POST	/v1/callbacks/organization/{orgId}/scheduled-callback	Schedule a Callback
DELETE	/v1/callbacks/organization/{orgId}/scheduled-callback/{id}	Delete scheduled callback by Id
GET	/v1/callbacks/organization/{orgId}/scheduled-callback/{id}	Get scheduled callback by Id
PUT	/v1/callbacks/organization/{orgId}/scheduled-callback/{id}	Update scheduled callback by Id

Journey - Workspace management API — 5 operations

Method	Path	Summary
GET	/admin/v1/api/workspace	Get All Workspaces
POST	/admin/v1/api/workspace	Create Workspace
DELETE	/admin/v1/api/workspace/workspace-id/{workspaceId}	Delete Workspace
GET	/admin/v1/api/workspace/workspace-id/{workspaceId}	Get Workspace
PUT	/admin/v1/api/workspace/workspace-id/{workspaceId}	Update Workspace

Campaign Manager — 4 operations

Method	Path	Summary
POST	/v1/dialer/campaign	Start Campaign Request
DELETE	/v1/dialer/campaign/{campaignId}	Stop Campaign Request
PUT	/v1/dialer/campaign/{campaignId}	Update Campaign Request
GET	/v1/organization/{orgId}/getValidCampaignTimes	Get Valid Campaign Times

Activities — 3 operations

Method	Path	Summary
GET	/v1/organization/{orgId}/project/{projectId}/v2/activities	List Activity Definitions
GET	/v1/organization/{orgId}/project/{projectId}/v2/activities/{activityName}	Describe an Activity
GET	/v1/organization/{orgId}/project/{projectId}/v2/activities/{activityName}/inputs/{inputName}/choices	Get Activity Input Choices

DNC Management — 3 operations

Method	Path	Summary
POST	/v3/campaign-management/dncList/{dncListName}/phoneNumber	Add Phone Number to DNC List
DELETE	/v3/campaign-management/dncList/{dncListName}/phoneNumber/{phoneNumber}	Remove Phone Number from DNC List
GET	/v3/campaign-management/dncList/{dncListName}/phoneNumber/{phoneNumber}	Get Phone Number from DNC List

Journey - Subscription API — 3 operations

Method	Path	Summary
DELETE	/admin/v1/api/wxcc-subscription/workspace-id/{workspaceId}	Delete WXCC Subscription
GET	/admin/v1/api/wxcc-subscription/workspace-id/{workspaceId}	Get WXCC Subscription
POST	/admin/v1/api/wxcc-subscription/workspace-id/{workspaceId}	Create WXCC Subscription

Agent Wellbeing — 2 operations

Method	Path	Summary
POST	/v1/agentburnout/action	Record the realtime burnout events
POST	/v1/agentburnout/subscribe	Subscribe for realtime burnout events

Legacy Flows — 2 operations

Method	Path	Summary
GET	/flow-store/{orgId}/project/{projectId}/flows/{flowId}:export	Export a Flow or Subflow
POST	/flow-store/{orgId}/project/{projectId}/flows:import	Import a Flow or Subflow

Templates — 2 operations

Method	Path	Summary
GET	/templates	List Flow Templates
GET	/templates/{id}	Get a Flow Template

Agent Summaries — 1 operations

Method	Path	Summary
POST	/generated-summaries/search	List summaries

Campaign Group — 1 operations

Method	Path	Summary
GET	/v3/campaign-management/campaign-groups/{campaignGroupName}/campaigns	List Campaigns by Campaign Group

Captures — 1 operations

Method	Path	Summary
POST	/v1/captures/query	List Captures

Estimated Wait Time — 1 operations

Method	Path	Summary
GET	/v1/ewt	Get Estimated Wait Time

Events — 1 operations

Method	Path	Summary
GET	<code>/orgId}/project/{projectId}/v2/event-specifications</code>	List Event Specifications

Journey - Data Ingestion API — 1 operations

Method	Path	Summary
POST	<code>/publish/v1/api/event</code>	Journey Event Posting

Notification — 1 operations

Method	Path	Summary
POST	<code>/v1/notification/subscribe</code>	Subscribe Notification

Queues — 1 operations

Method	Path	Summary
GET	<code>/v1/queues/statistics</code>	Get Queue Statistics

Realtime — 1 operations

Method	Path	Summary
POST	<code>/v1/realtime/subscribe</code>	Subscribe Realtime Notification

Search — 1 operations

Method	Path	Summary
POST	<code>/search</code>	Search tasks