

User Vision Notes / Exact Nuance Captured

This section preserves the original product nuance in the user's own words so the product spec does not lose intent while becoming more structured.

1. The app is a full-page Chrome extension experience with live modules

"So one thing for sure, we definitely want this to be like a full page Chrome extension."

"with the ability to pull in the different modules as we go to those pages on other tabs."

"We want it to be live and updated as it goes."

"I definitely see a side panel that is open."

"That side panel could be the module itself."

"But the modules need to have a way to jump back to a main view of this app."

Product interpretation:

The app should have both a persistent Chrome side panel and a larger main workspace/full app view. The side panel is the live module interface. The main workspace is where the user can query, review, graph, and output collected intelligence.

2. Modules are independent, but must feel like one cohesive app

"collector modules yes!"

"they are all so independent that they don't feel like one Cohesive app, but it does make sense to put them all into one app."

"There's definitely some nuance to all these modules. They're gonna be very specific and individual."

"So it's very specific to the module for some of these things."

"I think I see modules as being site specific. If I go to Google Maps, I want to see the Google Map module. If I go to Yelp, I want to see the Yelp module."

"If I'm on a webpage that it just doesn't know, it's a little more generic and needs to be able to address it in such a fashion."

"But as I build out these modules they will have a domain specific purpose and we should be able to see and connect by that."

Product interpretation:

Modules should be site/context-specific. Google Maps, Yelp, Facebook, LinkedIn, generic websites, registries, and other sources should each have their own collector behavior, but all collectors should feed the same project and graph system.

3. Project-based organization is central

"My main thought to this would be project based, so that all these graph points maybe connect in the background, but these nodes maybe might be able to go across project layers."

"Do you know what I mean by that?"

"I might be doing something for a client or personal research. Maybe trying to find a business decision maker."

"maybe just lead gathering."

"It could be many many things, but that's kind of the idea that I'm thinking of right now."

"E. Project name + (goal or starting target to explore)"

Product interpretation:

A project should be a flexible workspace, not a rigid campaign type. It may represent client work, personal research, lead gathering, market mapping, or decision-maker discovery. Projects should have a name, optional goal, and optional starting target.

4. Global graph underneath, project layers on top

"My main thought to this would be project based, so that all these graph points maybe connect in the background, but these nodes maybe might be able to go across project layers."

"Yeah, I think if it can actively reveal that, that would be amazing."

"C. Actively surface cross-project connections because that is part of the OSINT value."

Product interpretation:

The system should have one global graph underneath, with projects acting as layers or focused views. The same entity can appear across multiple projects. Cross-project matches should be actively surfaced because they are core OSINT value.

5. Project goals should guide interpretation, not limit collection

"I think it would be awesome if the goal could guide the modules."

"But the modules are going to grab whatever data it can in the first place."

"It should be able to make sense of that and use it."

"But the modules really should just be focused on what it can grab."

"I don't know how that would work, but that would be the ideal way for that to work. By showing goal relevant stuff first."

"collect it, yes, rank it based on that project goal would have to be somehow connected to a relationship to the a project."

Product interpretation:

Collectors should capture objectively and broadly. The project goal should influence ranking, filtering, suggestions, and what is shown first. The goal should not prevent raw data from being collected.

6. The side panel should show live usefulness, not just raw data

"We want to be able to see whatever the most useful things are at that point."

"1. that as it's gathering data it actually gathers it."

"2. but never leaving completely the ability to see useful connections as it move on"

"Love the useful right now. However that can work. That would be awesome."

Product interpretation:

The side panel should always show the active module and current project, but it also needs a "Useful Right Now" layer that bubbles up important connections, relevant findings, suggested paths, and cross-project signals.

7. Existing Google Maps extension pattern worked well

"here is an example what ive done in google maps (strictly as a single ext, so not exactly but worked good)"

"In this example I'm showing you I had keywords off to the side and then the results and a table of what it found for the Google Maps."

"And the keywords were whatever was selected was the main focus."

"So it would put the results in there."

"This worked really well and I want to expand this to an app like this."

Product interpretation:

The Google Maps module should preserve the proven pattern: keyword list, selected keyword focus, results table, and module-specific controls like Scroll & Collect. This pattern can inspire other modules, but each module should adapt to its own source.

8. The app should not rely on manually saving every item

"I don't think a save would be the right way to do this."

"I wouldn't want to have to save all these different things."

"So more automated than that."

Product interpretation:

The system should automatically capture observations. The user should not have to click "Save" for every business, phone, email, page, or relationship. Better actions are pin, review, ignore, explore, confirm, or reject.

9. Evidence capture should support screenshots, pasted text, and AI extraction

"I could see something. that allows me to screenshot and paste it. (ai turns that into useful info quickly and can store it too.)"

"But I do like the idea of being able to paste into this component of something I see on the page, and have that referenced later somehow."

"Where even AI can look at it, extract something that I saw and put it in."

Product interpretation:

Evidence capture should be a first-class feature. The side panel should allow pasted screenshots, copied text, copied tables, and notes. AI can extract observations and suggestions from that evidence, but the original evidence should remain attached.

10. Relationship trails matter more than isolated nodes

"So things that are going to be instant links and graph lines to follow will be like maps -> website [about page, footers] -> [linkedin, social media] -> [owner of business]"

"there is so much data to capture just in that one but all of this will be how we gather it"

"[node: site] -> [person: name (owner)] -> (history) --> branches to another use that may be the needed connection"

Product interpretation:

The graph must preserve discovery paths, not just final entities. The user needs to see how Maps led to a website, which led to an About page or footer, which led to LinkedIn/social profiles, which led to a possible owner or historical relationship.

11. The user chooses paths, but the system surfaces unexplored options

"I think the best way to handle this is the user can choose a path to go down, but Have it show whether or not other things have been gone down also."

"So for example if it goes down maps, website, LinkedIn It may have also had a YouTube page that I wouldn't have gone down, but would be a good option too."

"So it needs to notify me of that."

"Or somehow bubble that up to the top to say explore this"

Product interpretation:

The system should not blindly crawl every possible branch. It should let the user choose paths, but track unexplored branches and surface high-value "Best Next Paths."

12. "Best Next Paths" is the preferred language

"Best Next Paths"

"This actually is an extremely hard task without using AI to really drive it out. but yes ... Best Next Paths"

Product interpretation:

The product should use "Best Next Paths" as the main term for AI-ranked, useful next places to explore. This should replace raw link dumps and generic "suggested links."

13. Website module should focus on the current page/site, not the previous source trail

"But we gotta be clear on what this module is that we're looking at."

"because it's starting off with Google Maps, but would the module know about that?"

"I think it would know from this point of website, here's what's available on this page."

"I actually don't think Google Maps ABC landscaping would be the starting point of that tree."

"We can safely assume that we're on the webpage and just show me the things that you can see on that page."

Product interpretation:

When inside the Website Module, the visible tree should start with the current website/page. The previous path from Google Maps should remain in the background as provenance, but the module UI should focus on what the website itself exposes.

14. The website module must avoid raw link noise

"And then about page, LinkedIn, Facebook, these would be things that need to be described in such a way that they're not just any link."

"Cause there's gonna be tons of links, so we wanna avoid that."

Product interpretation:

The website module should classify links into useful categories like About, Team, Contact, Social Profiles, Trust Signals, Careers, and Reviews. It should hide or de-prioritize privacy pages, terms pages, duplicate nav links, image links, tracking links, and other noise.

15. Clicking a Best Next Path should open a new tab

"B. Open it in a new tab"

Product interpretation:

Best Next Paths should open in a new browser tab. The side panel should detect the new tab's context, activate the correct module, keep the active project attached, and preserve the relationship trail.

16. The active module should be shown clearly

"yes show it"

Product interpretation:

The side panel should clearly state the active module, such as Google Maps Module, Website Collector, Yelp Module, Facebook Module, LinkedIn Module, or Generic Website Collector.

17. Collection behavior is module-specific

"1. d"

This was in response to the collection behavior options:

D. Each module decides based on what makes sense

Product interpretation:

There should be no single collection behavior for every source. Each module should define whether it auto-collects, waits for user action, scrolls and collects, scans lightweight data, or runs deeper capture.

18. Main workspace should support graph, query, review, and output

"2. mostly E but really F"

This was in response to the main workspace options:

E. Build/export a lead list or report
F. All of these, but graph + query are the core

Product interpretation:

The main workspace should support exports and outputs, but it cannot only be a reporting tool. It should include graph exploration, query/search, review, path following, and output generation.

19. AI-created data should be suggestions

“3. anything ai (we need to list it as a suggestion),”

Product interpretation:

AI should never silently turn inferred meaning into confirmed fact. AI outputs should be shown as suggestions, ideally with evidence, confidence, and confirm/reject actions.

Summary of Nuance

The user is envisioning a project-based OSINT app where:

- Chrome side panel modules activate based on the current site.
- Modules collect data broadly and automatically where appropriate.
- Each module has source-specific behavior.
- Data feeds into a global graph with project layers.
- Cross-project connections are actively surfaced.
- Project goals rank what is useful, but do not limit what is collected.
- AI drives classification, ranking, “Best Next Paths,” and extraction from evidence.
- AI-generated meaning is always shown as a suggestion.
- The user chooses which path to explore, while the system surfaces valuable unexplored branches.
- The graph should preserve the path of discovery, not just final nodes.
- The interface should avoid dumping raw links or raw scrape data unless requested.