
GuitarTap

Tap Tone Analysis Report

May 7, 2026
4:47 PM

Measurement Name: Cordobe UMIK-1 5 taps python Mac
Type: Generic Guitar
Frequency Range: 75 Hz – 350 Hz
Microphone: Umik-1 Gain: 18dB · uncalibrated

Frequency Spectrum



Detected Peaks

Frequency	Magnitude	Note	Mode
100.1 Hz	-66.3 dB	–	Air (Helmholtz)

214.0 Hz	-48.0 dB	–	Top
261.0 Hz	-58.1 dB	–	Back

Analysis Results

Tap Tone Ratio — Above Target

2.14 : 1

Top / Air

Ideal: 1.9 – 2.1


GuitarTap

Comparison Report

2026-05-08 14:42

Comparison: Cordobe UMIK-1 5 taps python Mac
Spectra: 6 spectra compared
Frequency Range: 75 Hz – 350 Hz

Frequency Spectrum



Peak Mode Comparison

Spectrum	Air	Top	Back
Tap 1	—	214.6 Hz	—
Tap 2	—	214.2 Hz	261.1 Hz
Tap 3	—	214.4 Hz	259.3 Hz
Tap 4	—	213.9 Hz	261.8 Hz

Tap 5	—	211.7 Hz	261.1 Hz
Averaged	100.1 Hz	214.0 Hz	261.0 Hz